

SIXTY-SIXTH
ANNUAL REPORT

OF THE
REGISTRAR GENERAL

FOR
SCOTLAND.

1920.



EDINBURGH:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses :
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28 ABINGDON STREET, LONDON, S.W. 1.
37 PETER STREET, MANCHESTER ; 1 ST. ANDREW'S CRESCENT, CARDIFF ;
23 FORTH STREET, EDINBURGH ;
or from EASON & SON, LTD., 40 and 41 LOWER SACKVILLE STREET, DUBLIN.

1922.

Price £2 17s. 6d. Net.

CONTENTS.

REPORT.

	PAGE
Introductory Letter,	v
General Summary,	vii
Population Estimates,	ix
Births,	xi
Marriages,	xvii
Deaths,	xx
Ages of those Dying,	xxv
Causes of Death,	xxvii

APPENDIX I.

Fifty-Sixth Annual Report on Vaccination (1919),	xlvi
--	------

APPENDIX II.

Additional Marriage Statistics for Year 1919,	1
---	---

APPENDIX III.

Weather Report for Year 1920,	lx
---	----

APPENDED TABLES.

BIRTHS, DEATHS, AND MARRIAGES, 1920.

Table 1. Births, Deaths, and Marriages, 1855 to 1920,	lxxiii
„ 2. Birth-, Death-, and Marriage-rates, 1855 to 1920,	lxxiv
„ 3. Quarterly Returns of Births, Deaths, and Marriages, 1910 to 1920,	lxxvi
„ 4. Birth-, Death-, and Marriage-rates in Larger Burghs,	lxxvii
„ 5. Do. do. Smaller Burghs,	lxxviii
„ 6. Do. do. County Districts,	lxxxii
„ 7. Do. do. Counties,	lxxxv
„ 8. Birth-rate among Married and among Unmarried Women	lxxxvi

MARRIAGES, 1919.

Table 9. Method of Celebration, etc., of Marriages, 1855-1919. Numbers,	lxxxvii
„ 10. Method of Celebration, etc., of Marriages, 1855-1919. Percentages,	lxxxviii
„ 11. Ages, Civil Conditions, etc., of Persons Marrying, 1855-1919. Numbers,	xc
„ 12. Ages, Civil Conditions, etc., of Persons Marrying, 1855-1919. Percentages,	xc
„ 13. Regular and Irregular Marriages, 1919,	xciii
„ 14. Church of Celebration of Regular Marriages, 1919,	xciv
„ 15. Civil Condition of Persons Marrying, 1919,	xcv

	PAGE.
Table 16. Method of Signature of Marriage Registers, or Schedules, 1919,	xcvi
„ 17. Ages of Men at Marriage, 1919,	xcviii
„ 18. Ages of Women at Marriage, 1919,	c
„ 19. Age Distribution of Men and Women at Marriage, 1919,	cii
„ 20. Age Distribution of Men and Women at Marriage, 1855-1919,	cii
„ 21. Ages in Combinaton of Men and Women at Marriage, 1919,	ciii
„ 22. Ages in Combination of Bachelors and Spinsters at Marriage, 1919,	civ
„ 23. Ages in Combination of Bachelors and Widows at Marriage, 1919,	cv
„ 24. Ages in Combination of Widowers and Spinsters at Marriage, 1919,	cvi
„ 25. Ages in Combination of Widowers and Widows at Marriage, 1919,	cvii

DEATHS, 1920.

Table 26. Ages at Death—Quinquennial Age-Groups,	cviii
„ 27. Death-rates—Quinquennjal Age-Groups,	cviii
„ 28. Percentage of Deaths in Quinquennial Age-Groups,	cviii
„ 29. Ages at Death, Single Years of Age, and Condition as to Marriage,	cx
„ 30. Deaths in Age-Groups in Larger Burghs,	cxii
„ 31. Death-rates in Age-Groups in Larger Burghs,	cxij
„ 32. Deaths by Age and Cause,	cxiii
„ 33. Death-rates by Age and Cause,	cxiv
„ 34. Percentage of Deaths from various Causes in Age-Groups,	cxv
„ 35. Deaths from various Causes—Scotland and Groups of Public Health Districts,	cxvi
„ 36. Death-rates from various Causes—Scotland and Groups of Public Health Districts,	cxvii
„ 37. Deaths from various Causes—Larger Burghs,	cxviii
„ 38. Death-rates from various Causes—Larger Burghs,	cxix
„ 39. Deaths from Principal Epidemic and certain other Diseases, 1855-1920,	cxx
„ 40. Death-rates from Principal Epidemic and certain other Diseases, 1855-1920,	cxxi
„ 41. Deaths and Death-rate from Puerperal Conditions,	cxxiii
„ 42. Deaths from Malignant Disease,	cxxiv
„ 43. Deaths from Suicide,	cxxvi
„ 44. Deaths from Poison,	cxxviii
„ 45. Deaths of Children of less than One Year from certain Causes, showing the Age in Completed Months,	cxxix
„ 46. Deaths of Children of less than One Year, showing the Month of Registration of Death,	cxxix
„ 47. Certified and Uncertified Deaths,	cxxx

OTHER TABLES.

Table 48. Meteorology of Scotland,	cxxxii
„ 49. Weather, and Weekly Death-rates,	cxxxii
„ 50. Vaccinations in Scotland, 1909-1919,	cxxxii
„ 51. Vaccinations in Scotland, deducting those dying before Vaccination, 1909-1919,	cxxxii
„ 52. Deaths from Small-pox in Scotland, 1855-1919, with Vaccination Particulars, 1864-1919,	cxxxiii
„ 53. Age Distribution of Deaths from Small-pox, 1855-1919,	cxxxiv

A B S T R A C T S.

	PAGE.
Summary for each Registration District,	1-41

CAUSES OF DEATH--FULL LIST.

Scotland—Both Sexes,	42
Scotland—Males,	46
Scotland—Females,	50
Counties of Scotland—Both Sexes,	54
Scotland, by Month of Registration—Both Sexes,	70
Glasgow—Both Sexes,	74
Edinburgh do.	78
Dundee do.	82
Aberdeen do.	86
Paisley do.	90
Leith do.	94
Greenock do.	98
Middle Ward District of Lanark—Both Sexes,	102

STATISTICS OF PUBLIC HEALTH DISTRICTS.

In County of Aberdeen,	106
Do. Argyll,	125
Do. Ayr,	138
Do. Banff,	158
Do. Berwick,	171
Do. Bute,	178
Do. Caithness,	183
Do. Clackmannan	186
Do. Dumbarton,	191
Do. Dumfries,	199
Do. Edinburgh (Midlothian),	211
Do. Elgin (Moray),	223
Do. Fife,	230
Do. Forfar,	262
Do. Haddington,	274
Do. Inverness,	283
Do. Kincardine,	294
Do. Kinross,	303
Do. Kirkcudbright,	305
Do. Lanark,	315
Do. Linlithgow,	327
Do. Nairn,	335
Do. Orkney,	337
Do. Peebles,	343
Do. Perth,	346
Do. Renfrew,	363
Do. Ross and Cromarty,	372
Do. Roxburgh,	384
Do. Selkirk,	393
Do. Shetland,	396
Do. Stirling,	399
Do. Sutherland,	408
Do. Wigtown,	410

METEOROLOGICAL ABSTRACTS,	417
-------------------------------------	-----

REPORT.

TO THE SCOTTISH BOARD OF HEALTH.

GENERAL REGISTRY OFFICE OF BIRTHS, &C.,
NEW REGISTER HOUSE,
EDINBURGH, *6th February, 1922.*

GENTLEMEN,

In compliance with the requirements of the Registration of Births, Deaths, and Marriages Act, 1854, 17 and 18 Vict., c. 80, I have the honour to submit the Sixty-sixth ANNUAL REPORT on the Registration Statistics of Scotland, these being applicable to the year 1920, and with it I submit three Appendices, (1) a Report on the Vaccination of Children whose births were registered during the year 1919, (2) a Supplementary and Detailed Report on Marriages registered during the year 1919, and (3) a Report on the Meteorological Observations of the year 1920, this last being supplied by the Meteorological Office, Edinburgh. The preparation of this Report has been delayed pending the availability of the results of the 1921 Census of Scotland.

I have the honour to be,

GENTLEMEN,

Your most obedient Servant,

J. C. DUNLOP,

Registrar-General.

REPORT

TO THE SCOTTISH SOCIETY OF MEDICAL JURISTS

General Hospital, City of Glasgow, Glasgow

For the year 1929

Submitted by the Medical Officer

James Watson, M.D., F.R.C.S.

In compliance with the requirements of the
Registration of Births, Deaths, and Marriages Act, 1926,
I have the honor to submit the
Annual Report on the Registration Statistics of
Glasgow, these being applicable to the years 1928 and 1929,
I submit three Appendices: (1) a Report on the Registration
Statistics whose birth was registered during the year
1928; (2) a Summary of the Registration Statistics of
Glasgow during the year 1928; and (3) a Report on the
Registration Statistics of the year 1929, the last being
submitted by the Metropolitan Office Edinburgh. The
preparation of this Report has been delayed pending the
completion of the results of the 1929 Census of Scotland.

I have the honor to be

Glasgow

Your most obedient servant

J. A. DUNLOP

Medical Officer

REPORT ON THE BIRTHS, DEATHS, AND MARRIAGES REGISTERED IN SCOTLAND DURING THE YEAR 1920.

The population of Scotland in the middle of the year 1920 is estimated as 4,864,396. In the preparation of this estimate advantage has been taken of the population figure as ascertained by the recent census, and consequently it is put forward with confidence.

Births registered in Scotland during the year number 136,546, which is a maximum. This number is 30,278 more than that of the previous year, and 22,592 more than the mean of those of the previous ten years. The previous maximum number of births in one year was 133,525, and occurred in 1903. The birth-rate of the year, 28·07 per thousand, is 4·17 above the average of those of the ten preceding years, and is larger than those of all years since 1908. In the Report dealing with the statistics of the previous year, 1919, attention was drawn to the rise in the birth-rate of each month from September onwards; this rise continued during the first quarter of the year, the monthly birth-rate attaining a maximum of 32·2 in March, but thereafter subsiding and falling to 25·0 in September.

The illegitimate children registered during the year numbered 10,204, which number is larger than in any year since 1887. The illegitimate birth-rate of the year was 7·47 per hundred registered births, and is almost identical with the mean of those of the preceding ten years; it is less than in all years 1855 to 1891.

The number of marriages registered during the year was 46,843, and constitutes a record. It is 2783 more than that of the year 1919, 11,511 more than the mean of those of the five preceding years, and 12,781 more than the mean of those of the ten preceding years. It is 13,167 more than the maximum number of marriages registered in Scotland in any year previous to the declaration of the recent war. The marriage-rate of the year was 9·63 per thousand, and also constitutes a record. It is 2·49 more than the mean of those of the preceding ten years, and 1·86 more than that of 1873, which, previous to war-time, was a record.

As an addendum to the marriage statistics of the year, a note of the number of divorces in Scotland is given, and in the note the enormous increase of the number of divorces within recent years is commented on. In 1920 they amounted to 776, and the ratio of decrees of divorce to registered marriages during the year was 1 to 60. As a contrast, the ratio of divorces to marriages fifty years ago, in 1870, may be taken; it was 1 to 1403.

Deaths registered during the year numbered 68,179. This number is 5645 less than the mean of the previous ten years, and

is the smallest in any year since 1862. The Scottish death-rate of the year was 14·02; it is 1·45 less than the mean of those of the preceding ten years, and is the lowest yet recorded. The previous lowest was 14·45, and occurred in 1917.

The infantile mortality rate of the year was 92·0 per thousand registered births. It is 15·9 less than the mean of those of the ten preceding years, and is a minimum; the previous minimum of 97·1 occurred in 1916. During the last five years an infantile mortality rate of less than 100 has occurred three times, previous to 1916 this rate was constantly over 100, and only exceptionally under 110.

The usual endeavour has been made to verify the ages of reputed centenarians, and in 9 instances this was successful. Endeavours at verification have now been carried on for 11 years, and satisfactory proof of attainment of age 100 has been ascertained in 59 instances.

Among causes of death found to be more than usually prevalent two call for notice, smallpox and cancer, while in those less than usually prevalent, at least five call for such mention. Deaths from smallpox during the year numbered 152, which number is more than in any year since 1904. Deaths from cancer still continue to increase, and have acquired a new maximum of 5765 during the year. The cancer death-rate was 119 per 100,000; 50 years ago, that is in 1870, it was only 43. The cancer rate is now 33 more than the phthisis death-rate, an excess of fully 38 per cent.; fifty years ago the cancer death-rate was 43, while the phthisis death-rate was 283, or nearly seven times as great.

Among the causes of deaths less prevalent than usual there may be mentioned measles, whooping-cough, diphtheria, all forms of tuberculous disease, and phthisis, the number of deaths from each of which, those from measles and diphtheria excluded, constitute a minimum, while that from measles was only lower in the years 1879, 1886, and 1894, and that from diphtheria was less than in all previous years, with the exception of the years 1903, 1905, and 1917. The death-rate from all tuberculous diseases amounted to 124 per 100,000, and that from phthisis to 86, both of these rates being less than one-third of what they were fifty years ago.

The most outstanding feature of the vaccination statistics shown in Appendix I. is the continued low rate of successful vaccination. Of all children born in the year 1919 and surviving at the time of statutory vaccination, only 58 per cent. are reported as successfully vaccinated. This rate is somewhat higher than that of the previous year, but compares badly with those of the years previous to 1907, when it was constantly over 90, and on many occasions over 96 per cent.

In Appendix II., which gives the additional marriage statistics of the year 1919, the most conspicuous feature is the number of irregular marriages; it was 8351, and is a maximum. In 1915 they numbered 7420, but previous to the declaration of the recent war these marriages never numbered more than 3051. In 1869, *i.e.*, fifty years before, irregular marriages in all numbered 69, and thus these marriages are now 121 times more numerous than they were then. Another conspicuous feature in these additional mar-

riage statistics for the year is the large number of different religious denominations named in the marriage registers. These in all number 51, and constitute a maximum.

ESTIMATED POPULATION OF SCOTLAND FOR THE YEAR 1920.

The Thirteenth Census of Scotland was taken on 19th June, 1921, and results as published in the Preliminary Report are now available for the purpose of adjusting the estimates of the populations of pre-censal years, including 1920.

The population of Scotland on Census day was ascertained to be 4,882,288, 2,348,403 being males and 2,533,885 being females. During the period 1911 to 1921 the estimation of the population at the middle of each year was based on the population as found by the 1911 Census in conjunction with observed changes produced by excess of births over deaths and of emigrants over immigrants, and a final adjustment of the estimate for the year 1921 was made to compensate for losses among Scottish troops, etc., serving in the war outwith Scotland. The population of Scotland thus estimated for the middle of the year 1921 is 4,882,615, and as it only differs from the censal population of the year by 327—an insignificant quantity—it is deemed safe to take that estimate as the population on 30th June, and also safe to assume the accuracy of the pre-censal estimates of the period subject to their being adjusted to allow for war losses. Consequently the revision of the annual estimates of population as shown in Table I. and elsewhere has been limited to those of the years 1915 to 1920, and the adjustment restricted to one to compensate for war losses, no adjustment based on the censal population of 1921 being found necessary. This adjustment has been given effect to in the figures included in Table I., and it may there be seen that the population at the middle of the year 1920 is taken as 4,864,396. Using the ratio of

TABLE A (1).—Districts where the Population on Census Day was inflated by Visitors.

District.	Population.		Apparent Increase.		Estimate.
	1921.	1911.	Actual.	Per cent.	1920.
Bute County	33,711	18,186	15,525	85·4	16,522
Dunoon Burgh	14,735	6,859	7,876	114·8	6,497
Rothsay Burgh	15,218	9,292	5,919	63·7	8,646
Largs Burgh	9,450	3,724	5,726	153·8	3,819
Saltcoats Burgh	13,477	8,585	4,892	57·0	8,450
Millport Burgh	5,834	1,614	4,220	261·5	1,464
Arran County District	8,294	4,628	3,666	79·2	4,156
Prestwick Burgh	8,516	4,879	3,637	74·5	6,019
Troon Burgh	9,474	6,628	2,846	42·9	7,827
Girvan Burgh	7,272	4,473	2,799	62·6	4,581
Bute County District	4,247	2,552	1,695	66·4	2,174
Kinghorn Burgh	2,425	1,549	876	56·6	1,451
Elie, Liberty, and Williams- burgh Burgh.	1,507	692	815	117·8	653
Cove and Kilcreggan Burgh	1,477	861	586	68·1	737
Earlsferry Burgh	745	322	432	131·4	306

males to females found by the recent census the male population for the middle of 1920 is estimated at 2,337,784, and the female at 2,526,612.

The estimated populations of the geographical divisions of the country, those of counties, burghs, and county districts, have been determined otherwise. It has been assumed that the amounts of the inter-censal populations of each of these divisions has formed a series in arithmetical progression, and the revised estimates of them have been made by adding or deducting due proportions of the inter-censal increases or decreases. But this method has not been found to be universally applicable. The recent census, unfortunately from a statistical point of view, was not taken at the same time of the year as the 1911 census, and the change in some instances resulted in what may reasonably be described as fictitious inflation of population figures. This most especially occurred in seaside and other holiday resorts. The 1911 census was taken early in April, while the 1921 census was taken in the latter half of June; in April these holiday resorts have few visitors, but in June visitors are there in very considerable numbers, and as the conditions were dissimilar the results are not comparable, and any observed changes cannot be taken as indicative of any real growth of population. Such fictitious inflation of population was very evident in the County of Bute and in each of its burghs and county districts. It was also very evident in some of the smaller burghs of the Counties of Ayr and Fife. A list of such places with large increases of censal populations, all over 40 per cent., is given in Table A (1), and includes 1 county, Bute; 2 county districts, both in Bute, and 12 of the smaller burghs, 5 of which are in Ayr, 3 in Fife, 2 in Bute, and 1 in Argyll and in Dumbarton. In these 15 instances it would be fallacious for purposes of estimation to assume any steady growth of population from the amount ascertained by the 1911 census to that ascertained by the 1921 census, and consequently the figures of the latter census are for this purpose useless. The option, for the purposes of this Report, is to abandon any attempt to estimate the populations as at the middle of the year 1920, or to base estimates on the figures of the 1911 census only. The latter is the course which has been adopted, but the estimates and the rates based on them are given with reserve. Collective estimates of population in which the populations of these 15 places are included, such as for instance that of all the burghs in

TABLE A (2).—Population of Scotland and its Groups of Public Health Districts in 1920.

GROUPS OF DISTRICTS.	Census 1921.			Census 1911.			Estimated to 30th June 1920.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Larger Burghs	1,113,270	1,210,544	2,323,814	1,075,391	1,170,344	2,245,735	1,108,233	1,155,779	2,264,015
Smaller Burghs	459,084	527,775	986,859	452,724	503,963	956,687	457,008	549,828	1,006,836
County Districts	776,049	795,566	1,571,615	780,724	777,758	1,558,482	772,540	821,005	1,593,545
SCOTLAND .	2,348,403	2,533,885	4,882,288	2,308,839	2,452,065	4,760,904	2,337,784	2,526,612	4,864,396

the County of Ayr, are based on differences between the two censal figures, and consequently will be found not to agree with the summation of the individual estimates; these collective estimates are sufficiently large to carry the relatively small error thus introduced without materially affecting rates. The collective estimates in the County of Bute, however, have been made by summation and not from intercensal difference, the reason for this exceptional treatment being that the inflation is common to the whole county and of such an amount as to affect the population of the county in its entirety.

The aggregate population of the larger burghs, those with populations of over 30,000, is estimated at 2,264,015; of the smaller burghs, those with populations of under 30,000, at 1,006,836; and of the county or extra-burghal districts at 1,593,545.

BIRTH STATISTICS.

The births of 136,546 living children were registered in Scotland during the year 1920. This number is 30,278 more than that of the previous year, 31,269, or 29·70 per cent., more than the mean of those of the preceding five years, and 22,592, or 19·83 per cent.; more than the mean of those of the preceding ten years. It is the largest number of births registered in Scotland in any one year since the institution of national registration, and that is since 1855. The previous largest number was 133,525; it occurred in 1903. The minimum number of births registered in Scotland in any year—the year 1855, the first year of registration excepted—was 97,441; this occurred in 1917, and compared with it the number registered during the year now under review is 39,105, or 40·1 per cent. more. In the three years previous to the outbreak of the recent war registered births averaged 121,719 annually; in 1915 this number fell to 114,181, in 1916 to 109,942, and in 1917 to 97,441; since then the annual number has been increasing, having risen to 98,554 in 1918, to 106,268 in 1919, and, as above stated, to 136,546 in 1920. (*Table 1.*)

Of the 136,546 children registered, 69,719 were males, and 66,827 were females. The male children registered during the year numbered 14,948, or 27·3 per cent., more than the male children registered in the previous year, and the female children numbered 15,330, or 29·8 per cent., more than the female children

TABLE B.—Birth-rate in Scotland and its Groups of Public Health Districts in 1920.

GROUPS OF DISTRICTS.	Births.			Birth-rate per 1000 of Estimated Population.			Illegiti- mate Births per 100 Total Births.
	Total.	Legitimate	Illegitimate.	Total.	Legitimate	Illegitimate.	
Larger Burghs .	68,327	63,548	4,779	30·18	28·07	2·11	6·99
Smaller Burghs .	27,552	25,639	1,913	27·36	25·46	1·90	6·94
County Districts	40,667	37,155	3,512	25·52	23·32	2·20	8·64
SCOTLAND . .	136,546	126,342	10,204	28·07	25·97	2·10	7·47

registered in the previous year. Compared with the mean of the numbers of the preceding five years, the male children of the year are 15,716, and the female children 15,553, more. Compared with the mean of the numbers of the preceding ten years, the male children are 11,438, and the female children 11,154, more. The ratio of male to female children during the year was 104·3 to 100. This ratio is 2·1 less than in the previous year, 1·0 less than the mean of those of the preceding five years, and 0·4 less than the mean of those of the preceding ten years. (*Table 1.*)

The Scottish birth-rate for the year was 28·07 per thousand. It is 6·02 more than that of the previous year, 6·14 more than the mean of those of the preceding five years, and 4·17 more than the mean of those of the preceding ten years. It is the highest Scottish birth-rate recorded since 1908. In the three years previous to war, the Scottish birth-rate averaged 25·68, and in 1914 it was 26·11. From 1915 to 1917 it fell annually, the rate in 1915 being 23·93, in 1916 22·93, and in 1917 20·26. In 1918 it rose to 20·48, in 1919 to 22·05, and in 1920 to 28·07. (*Table 2.*)

The birth-rate of male children per thousand of the estimated male population was 29·82, and that of female children per thousand of the estimated female population 26·45, the former being 6·15, and the latter 5·90, more than in the previous year.

In the counties, burghs included, the annual birth-rate varied from 32·3 in Linlithgow, 31·9 in Lanark, 30·1 in Banff, 29·2 in Renfrew, 28·6 in Aberdeen, and 28·5 in Stirling, to 16·8 in Argyll, 17·3 in Bute, 18·4 in Sutherland, 18·5 in Shetland, and 18·6 in Peebles. In 3 counties the annual birth-rate exceeded 30 per thousand, in 13 it was more than 26 but less than 30, in 11 it was more than 20 but less than 26, and in 6 it was less than 20. (*Table 7.*)

The births registered in the larger burghs, those with censal populations of 30,000 and over, numbered 68,327, and constituted 50·04 per cent. of the total births registered. Those registered in the smaller burghs, burghs with censal populations of less than 30,000, numbered 27,552, and constituted 20·18 per cent. of the total, and those registered in the county, or extra-burghal, districts numbered 40,667, and constituted 29·78 per cent. of the total. Births registered in the larger burghs numbered 15,275 more

TABLE C.—Birth-rate per 1000 Women Aged 15-45, 1920.

GROUPS OF DISTRICTS.	Estimated Number of Women aged 15-45.	Births.		Birth-rate per 1000 of Population.		Birth-rate per 1000 Women aged 15-45.	
		Num-ber.	Percent. of Total.	Rate.	Relative Quantity, Scotland being = 100.	Rate.	Relative Quantity, Scotland being = 100.
Larger Burghs .	577,561	68,327	50·0	30·18	107·5	118·3	101·5
Smaller Burghs .	245,460	27,552	20·2	27·36	97·5	112·2	96·2
County Districts	347,630	40,667	29·8	25·52	90·9	117·0	100·3
SCOTLAND . .	1,170,651	136,546	100·0	28·07	100·0	116·6	100·0

than in the previous year, in the smaller burghs 7262 more, and in the county districts 7741 more.

In the larger burghs taken collectively the annual birth-rate was 30·18 per thousand; in the smaller burghs, 27·37; and in the county districts, 25·52. Compared with the corresponding rate in 1919, that of the larger burghs is 8·21 more, that of the smaller burghs 6·21 more, and that of the county districts 3·86 more. Compared with the national birth-rate that of the larger burghs is 2·11 more, but that of the smaller burghs is 0·70 less, and that of the county districts 2·55 less. The collective birth-rate in the smaller burghs was 2·81 less than that of the larger burghs, and that of the county districts was 1·85 less than that of the smaller burghs, and 4·66 less than that of the larger burghs. (*Table 4.*)

In the larger burghs taken individually the birth-rate varied from 34·1 in Hamilton, 33·6 in Coatbridge, 33·3 in Greenock, 31·9 in Motherwell, 31·7 in Glasgow, and 31·6 in Clydebank, to 24·1 in Perth, 24·5 in Ayr, 24·9 in Edinburgh, 28·4 in Kirkcaldy, and 28·6 in Kilmarnock. (*Table 4.*)

There are in Scotland 187 burghs with populations of less than 30,000, and grouped as smaller burghs; of them, 167 have populations of more than 1000, while 20 have populations of less than that amount. In the former—*i.e.*, among burghs of more than 1000 but less than 30,000 population—the birth-rate of the year varied from 43·3 in Rothes, 39·8 in Cullen, 39·5 in Aberchirder, 39·2 in Findochty, 38·9 in Buckie, and 37·5 in Lossiemouth and in Port-Glasgow, to 9·8 in Melrose, 10·7 in North Berwick, 12·3 in Millport, and 12·9 in Biggar. (*Table 5.*)

TABLE D.—Frequencies of Specified Birth-rates in Counties, Burghs, and County Districts, 1920.

Birth-rate per 1000.	Counties.	All Burghs and all County Districts.	All Burghs.	All County Districts.	Burghs with Populations		
					Over 30,000.	1000 to 30,000.	Under 1000.
—4	...	1	1	1
4—
6—
8—	...	2	2	1	1
10—	...	5	4	1	...	1	3
12—	...	8	6	2	...	6	...
14—	...	16	10	6	...	5	5
16—	2	19	9	10	...	7	2
18—	4	24	12	12	...	11	1
20—	4	34	17	17	...	15	2
22—	3	43	27	16	...	27	...
24—	4	26	17	9	3	13	1
26—	10	31	18	13	...	17	1
28—	3	36	24	12	5	17	2
30—	2	22	18	4	5	13	...
32—	1	20	18	2	2	16	...
34—	...	8	6	2	1	5	...
36—	...	11	11	10	1
40+	...	3	3	3	...
TOTALS, ...	33	309	203	106	16	167	20

In the county districts* the birth-rate varied from 34·4 in Middle Ward District of Lanark, 34·3 in Bathgate District of Linlithgow, 33·4 in Kirkcaldy District of Fife, 33·2 in Ayr District of Ayr, and 31·6 in St. Cyrus District of Kincardine, to 10·3 in Cowal District of Argyll, 12·8 in Arran District of Bute, 13·1 in South-West District of Ross and Cromarty, 14·1 in Mid-Argyll District of Argyll, and 14·3 in Lochaber District of Inverness and in West Ross District of Ross and Cromarty. (*Table 5.*)

The frequencies of birth-rates of varying amounts in counties, burghs and county districts are shown in *Table D.*

The number of women in Scotland of child-bearing age, 15-45, is estimated at 1,170,651, and based on this estimate the birth-rate of the year expressed as per 1000 of such women is found to be 116·6. This rate is 26·4 more than in the previous year, 32·8 more than in 1918, and 33·2 more than in 1917. In the larger burghs this rate was 118·3, in the smaller burghs 112·2, and in the county districts 117·0. In the counties, burghs included, this rate varied from 161 in Linlithgow, 141 in Banff, 132 in Lanark, 130 in Stirling, and 125 in Kincardine, to 68 in Bute, 69 in Peebles, 73 in Selkirk, 76 in Argyll, 83 in Shetland, 84 in Perth, 85 in Roxburgh, and 87 in Berwick. In the larger burghs this rate ranged from 165 in Coatbridge, 160 in Hamilton, 152 in Motherwell, 143 in Clydebank, and 141 in Greenock, to 88 in Edinburgh, 90 in Perth, and 94 in Ayr. (*Table 8.*)

Of the 136,546 children whose births were registered during the year, 126,342, or 92·53 per cent., were legitimate, while 10,204, or 7·47 per cent., were illegitimate. Compared with the number in the previous year the legitimate children registered in 1920 numbered 28,498, or 29·13 per cent. more, and the number of illegitimate children numbered 1780, or 21·13 per cent. more. The legitimate children of the year numbered 28,914 more than the mean of the numbers of the preceding five years, and 20,779 more than the mean of those of the preceding ten years. The illegitimate children of the year numbered 2355 more than the mean of the numbers in the preceding five years, and 1813 more than the mean of those in the preceding ten years. The number of legitimate children registered during the year is greater than in any year since 1855, and the number of illegitimate children is greater than in any year since 1887. During the years 1862-1887 the number of illegitimate children registered annually was constantly over 10,000, attaining a maximum of 11,673 in the year 1866, but in the years 1888 to 1919 this number was constantly under 10,000, a minimum of 7295 occurring in the year 1917. (*Table 1.*)

The illegitimate rate of the year expressed as per cent. of total births was 7·47. This rate is 0·46 less than that of the previous year, and 0·01 less than the mean of those of the preceding five years, but is 0·09 more than the mean of those of the preceding ten years. (*Table B.*)

The illegitimate rate expressed as illegitimate children per cent. of the total children in the larger burghs taken collectively was 6·99, in the smaller burghs 6·94, and in the county districts 8·64. In the previous year these three rates were 7·93, 7·67, and 8·09 respectively, and thus this percentage in the larger burghs and in the smaller burghs is lower than in that year, while in the county

* In this and in corresponding paragraphs no notice is taken of the Cumbræ District of Bute, where the 1921 Censal population was only 118.

districts it is higher. In the counties this rate varied from 15·3 per cent. in Moray, 13·5 in Banff, 13·4 in Wigtown, 13·1 in Kirkcudbright, 12·8 in Aberdeen, and 12·3 in Caithness, to 4·6 in Dumbarton, 5·3 in Renfrew, 6·0 in Orkney and in Fife, and 6·2 in Linlithgow. In the larger burghs it varied from 9·3 in Aberdeen, 9·2 in Perth, 8·5 in Dundee, and 8·3 in Edinburgh, to 3·5 in Clydebank, 4·8 in Motherwell, 4·9 in Greenock, 5·6 in Coatbridge, and 5·8 in Hamilton. In those of the smaller burghs in which at least 100 births were registered during the year this percentage varied from 20·0 in Huntly, 19·9 in Elgin, 15·8 in Keith, 15·7 in Forres, and 15·6 in Inverurie, to 1·6 in Galston, 2·8 in Newmilns, 3·1 in Rutherglen, 3·3 in Port-Glasgow, and 3·5 in Linlithgow, in Airdrie and in Tranent. In county districts in which at least 100 births were registered this rate varied from 23·5 in Turriff District of Aberdeen, 23·2 in Garioch District of Aberdeen, 22·8 in Islay District of Argyll, and 20·7 in Alford District of Aberdeen, to 3·1 in Lews District of Ross and Cromarty, 3·5 in Aird District of Inverness, 3·9 in Lorn District of Argyll, and 5·1 in Lower Ward District of Lanark and in Central District of Stirling. (*Tables 4-7.*)

The legitimate birth-rate expressed as per thousand of the estimated number of married women of child-bearing age, 15-45, was 253, which rate is 58 higher than in the previous year, 1919, 75 higher than in 1918, and 72 higher than in 1917. In the larger burghs taken collectively this rate was 257, in the smaller burghs 254, and in the county districts 248. In the previous year these three rates were 186, 195, and 212 respectively, and thus while this rate is increased in each of these groups of burghs and of county districts, it is in the larger burghs that the greatest increase is found. In the counties this rate ranged from 337 in Ross and Cromarty, 294 in Caithness, 293 in Banff, 283 in Nairn, 274 in Moray, and 272 in Linlithgow, to 182 in Peebles, 184 in Bute, 196 in Selkirk, 205 in Berwick, 206 in Argyll, and 212 in Perth. In the larger burghs this rate varied from 290 in Greenock, 284 in Coatbridge, 271 in Hamilton, 269 in Paisley, and 264 in Glasgow, to 220 in Perth and in Ayr, and 226 in Edinburgh. (*Table 8.*)

The illegitimate birth-rate expressed as per thousand of the estimated number of unmarried women of child-bearing age was 15·2. This rate is 2·7 higher than in the previous year, 3·6 higher than in 1918, 4·3 higher than in 1917, 3·5 higher than in 1916, 3·3 higher than in 1915, and 1·7 higher than in 1914. In the larger burghs taken collectively this rate was 14·5, and in the smaller burghs 13·2, and in the county districts 17·8. In the previous year these three rates were 12·0, 11·3, and 14·2, and thus each rate of this year was higher, the largest increase being found in the grouped county districts, and the smallest in the grouped smaller burghs. In the counties this rate varied from 32·6 in Banff, 29·8 in Moray, 26·6 in Kincardine, 26·2 in Aberdeen, and 24·6 in Wigtown, to 9·0 in Orkney, 9·2 in Peebles, 9·3 in Shetland, 9·5 in Selkirk, and 9·8 in Dumbarton. (*Table 8.*)

The illegitimate rate expressed as per thousand of the general population in Scotland was 2·10; in the larger burghs taken collectively, 2·11; in the smaller burghs, 1·90; and in the county districts, 2·20; these four rates all being higher than in the previous year, when they were 1·72, 1·74, 1·62, and 1·75 respectively. (*Table B.*)

Of the 136,546 children registered, 132,857 were single children, 3644 were twins, and 45 were triplets. Of the total children, 97·30 per cent. were single children, 2·67 per cent. were twins, and 0·03 per cent. were triplets. In the previous year these percentages were 96·98, 2·98, and 0·04 per cent. respectively. From the foregoing figures it may be deduced that the number of women giving birth in Scotland to living children in 1920 was 134,694, the births being single births in 132,857 instances, twin births in 1822 instances, and triplet births in fifteen instances. Thus, during the year one birth in 74 was a twin birth, and one in 8980 a triplet birth; in the previous year one in 66 was a twin birth, and one in 8050 a triplet birth. In this computation of single births, twins, and triplets, only live born children are counted, still-born children not being registered in Scotland, and thus a birth of one live child and one still-born child or of one live child and two stillborn children is counted as a single birth, and a birth of two live children and one still-born child is counted as a twin birth.

The Scottish birth-rate in the first quarter of the year was 31·1; of the second quarter, 29·9; of the third quarter, 25·8; and of the fourth quarter, 25·2. Compared with the rates of the corresponding quarters of the previous year, those of the first three quarters were higher, but that of the fourth quarter was lower; the birth-rate of the first quarter was 12·2 higher than that of the corresponding quarter of 1919, that of the second quarter 10·0 higher, and that of the third quarter 4·9 higher, but that of the fourth quarter was 3·2 lower. In 1919 a continuous rise of the quarterly birth-rates occurred, in the first quarter this rate being 18·9, in the second quarter 19·9, in the third quarter 20·9, and in the fourth quarter 28·4. This rise of birth-rate continued into the first quarter of 1920, when a rate of 31·1 occurred, but since that period the rate has been falling. It fell to 29·9 in the second quarter, to 25·8 in the third quarter, and to 25·2 in the fourth quarter. The birth-rate of the first quarter of 1920 was higher than the birth-rate of all quarters since the second quarter of 1903. (*Table 3.*)

TABLE E.—Monthly Birth-rates in Scotland.

	Pre-War Average.*	Birth-rates.							Increase or Decrease per cent. compared with Pre-War Average.						
		1914	1915	1916	1917	1918	1919	1920	1914	1915	1916	1917	1918	1919	1920
January .	25·8	—	25·2	22·2	21·6	19·7	19·4	30·8	—	- 2	-14	-16	-24	-25	+19
February .	25·6	—	26·0	22·0	20·9	19·1	17·9	30·7	—	+ 2	-14	-18	-25	-30	+20
March .	26·4	—	27·5	24·1	21·0	19·0	18·6	32·2	—	+ 4	- 9	-20	-28	-30	+22
April .	27·8	—	27·2	24·5	21·8	22·6	18·7	31·8	—	- 2	-12	-22	-19	-33	+14
May .	27·7	—	25·5	25·9	21·8	21·6	19·6	29·6	—	- 8	- 6	-21	-22	-29	+ 7
June .	27·2	—	24·8	24·4	21·4	20·0	20·3	28·4	—	- 9	-10	-21	-26	-25	+ 4
July .	26·3	—	23·2	23·1	20·4	21·3	20·2	26·9	—	-12	-12	-22	-19	-23	+ 2
August .	24·5	24·6	21·7	22·3	18·8	19·5	19·5	25·6	0	-11	- 9	-23	-20	-20	+ 4
September	24·4	24·8	21·7	21·7	17·4	19·3	22·2	25·0	+2	-11	-11	-29	-21	- 9	+ 2
October .	25·1	25·9	21·4	22·3	19·5	21·2	27·1	25·8	+3	-15	-11	-22	-16	+ 8	+ 3
November	23·7	24·4	20·7	20·5	18·3	19·6	26·6	25·1	+3	-13	-14	-23	-23	+12	+ 6
December	24·9	24·8	21·5	20·3	18·1	19·1	30·1	25·1	0	-14	-18	-27	-23	+21	+ 1

* Mean of the rates for the corresponding month of the four years previous to the declaration of war.

During the year the monthly birth-rate was highest in the month of March (32·2), April (31·8), January (30·8), and February (30·7), and lowest in September (25·0), November (25·1), and December (25·1). From March to August the birth-rate showed a steady decline, falling from 32·2 to 25·6, but during the remainder of the year remained fairly steady, varying between 25·8 and 25·0. The monthly birth-rates from January to September were all higher than in the previous year, but those of October, November, and December were each lower. (*Table 48.*)

Table E is constructed to show the effects of war conditions on the birth-rate, and in it each monthly birth-rate since the declaration of war is compared with the pre-war average. In previous Reports the marked decline of the birth-rate during the course of the war was commented on, and in the Report of last year the post-war rise in the birth-rate was referred to. The continuation of that rise up to March 1920 is clearly shown in the Table, as is also the subsequent decline to what is only slightly above the pre-war level, at which level the birth-rate of the last five months of the year remained.

The birth-rate of the year in England and Wales was 25·5, and in Ireland 22·2, the former being 2·6, and the latter 5·9, less than the Scottish rate.

MARRIAGE STATISTICS.

In conformity with the scheme of these reports, the marriage statistics of the year 1920 fall to be dealt with in two portions. In this Report there is incorporated the number of marriages celebrated during the year in Scotland and in its geographical divisions while in the subsequent Report, that dealing with the births, deaths, and marriages of the year 1921, more detailed marriage statistics of the year now under review, 1920, will be included. The statistics which will appear in the subsequent Report include those of the church of celebration, of the ages of the persons married, etc., in the same manner as the 1919 detailed marriage statistics are given in Appendix II., and in Tables 9 to 25, of this Report.

Marriages registered in Scotland during the year 1920 in all numbered 46,843, which number is 2783 more than that of the previous year, 11,511 more than the mean of those of the preceding five years, and 12,781 more than the mean of those of the preceding ten years. It is the largest number of marriages registered in Scotland in any year since the institution of national registration and that is since 1855, the previous maximum number being that of the year 1919, which was 44,060. Previous to 1919 the maximum number was 36,233 and occurred in the year 1915. (*Table 1.*)

The Scottish marriage-rate of the year was 9·63 per thousand, which, like the total number of marriages, is the highest yet recorded for Scotland. This rate is 0·49 more than that of the previous year, 2·27 more than the mean of those of the preceding five years, and 2·49 more than the mean of those of the preceding ten years. The two highest Scottish marriage-rates previously recorded were those of 1919 and 1915, which were 9·14 and 7·60

respectively. Previous to the declaration of war in 1914 the highest marriage-rate occurred in 1873 and was 7.77. (*Table 2.*)

Of the total marriages registered in Scotland during the year, 28,018, or 59.8 per cent., were registered in the larger burghs; 9110, or 19.5 per cent., in the smaller burghs; and 9715, or 20.7 per cent., in the county districts. Compared with the number in the previous year that of marriages registered in the larger burghs is 1002, or 3.8 per cent., more; in the smaller burghs, 594, or 7.0 per cent., more; and in the county districts, 1110, or 12.9 per cent., more. Thus the greatest increase of the frequency of marriage occurred in the county districts, and the smallest in the larger burghs. The marriage-rate of the year in the larger burghs taken collectively was 12.38; in the smaller burghs, 9.05; and in the county districts, 6.10. In the previous year these three rates were 11.19, 8.88, and 5.66 respectively.

In the counties, burghs included, the marriage-rate of the year varied from 12.0 in Edinburgh, 11.6 in Lanark, and 10.3 in Aberdeen and in Forfar; to 4.1 in Argyll and in Sutherland, 5.2 in Bute, and 5.6 in Kincardine. (*Table 7.*)

In the larger burghs, taken individually, the annual marriage-rate varied from 14.4 in Edinburgh, 13.3 in Aberdeen, 13.2 in Glasgow, and 12.4 in Dundee and in Perth, to 7.2 in Clydebank, 8.0 in Coatbridge, 8.4 in Motherwell, 9.1 in Kirkcaldy, and 9.4 in Leith. (*Table 4.*)

The marriage-rates of the smaller burghs and of the county districts are shown in Tables 5-6. These rates, and, indeed, those of the larger burghs and of the counties, may be indicative of the frequency of marriage within the particular localities, but on account of the frequency of removal from a smaller burgh to a larger burgh, and from a county district to a burgh for the purposes of marriage, these rates cannot be accepted as indicative of the frequency of marriage among the population of the particular areas.

TABLE F (1).—Monthly Marriage-rates in Scotland.

	Marriage-rates.								Increase or Decrease per cent. compared with Pre-War Average.							
	Pre-War Average.*	1914	1915	1916	1917	1918	1919	1920	1914	1915	1916	1917	1918	1919	1920	
January .	9.3	—	9.5	10.1	8.5	8.4	8.9	13.4	—	+ 2	+ 9	— 9	—10	— 4	+ 44	
February .	4.9	—	5.1	6.0	5.1	5.9	6.0	7.2	—	+ 4	+22	+ 4	+20	+22	+ 47	
March .	5.0	—	5.5	5.3	4.6	6.1	6.9	8.4	—	+10	+ 6	— 8	+22	+38	+ 68	
April .	7.4	—	7.2	6.2	6.6	7.5	10.0	10.1	—	— 3	—16	—11	+ 1	+35	+ 36	
May .	2.7	—	4.6	4.2	3.4	3.6	5.1	5.7	—	+70	+56	+26	+33	+89	+111	
June .	11.8	—	11.5	8.7	8.3	8.8	13.6	13.9	—	— 3	—26	—30	—25	+15	+ 18	
July .	10.2	—	10.1	7.8	7.6	9.0	12.3	13.6	—	— 1	—24	—25	—12	+21	+ 33	
August .	5.1	6.1	6.8	5.8	5.5	6.4	7.7	8.0	+20	+33	+14	+ 8	+25	+51	+ 57	
September	6.4	7.3	7.0	5.6	6.0	7.6	9.8	9.6	+14	+ 9	—12	— 6	+19	+53	+ 50	
October .	5.4	5.4	6.0	5.5	6.0	7.0	7.7	7.4	0	+11	+ 2	+11	+30	+43	+ 37	
November	5.2	6.2	8.1	5.0	5.3	6.2	7.9	7.8	+19	+56	— 4	+ 2	+19	+52	+ 50	
December	9.8	8.4	9.2	8.0	8.4	8.5	12.2	10.5	—14	— 6	—18	—14	—13	+24	+ 7	

* Mean of the rates for the corresponding month of the four years previous to the declaration of war.

The Scottish marriage-rate for the first quarter of the year was 9·7, the second quarter 9·8, the third quarter 10·4, and for the fourth quarter 8·6. Compared with the rate of the corresponding quarter of the previous year, that of the first quarter is 2·3 more, of the second quarter 0·1 more, and of the third quarter 0·3 more, while that of the fourth quarter is 0·8 less. (*Table 3.*)

The monthly marriage-rate varied from 13·9 in June, 13·6 in July, and 13·4 in January, to 5·7 in May, 7·2 in February and 7·4 in October. In December it was 10·5, in April 10·1, in September 9·6, in March 8·4, in August 8·0, and in November 7·8. (*Table 48.*)

The marriage-rate of the year in England and Wales was 10·1, and in Ireland 5·9, the former being 0·5 more, but the latter 3·7 less than the Scottish rate.

Table F (1) is constructed to show the variations of the Scottish marriage-rate in and after war-time. In it the marriage-rate of each month since the declaration of war is compared with the pre-war average. It may be observed that all the monthly marriage-rates of the year 1920 are in excess of the pre-war average, this excess being greatest in the month of May, when the rate was fully double the pre-war average, and that large excesses also occurred in the months of March (68 per cent.), August (57 per cent.), September (50 per cent.), and November (50 per cent.). The only month of the year in which this excess was small was December, when the marriage-rate was only 7 per cent. more than the pre-war average.

Table F (2) is constructed to show the frequency of divorce in 1920 and in all previous years since the institution of national registration in Scotland, the figure being based on the number of intimations of decrees of divorce received from the Court of Session for the purposes of registration. Decrees of nullity of marriage are included—they are few, only 34 having been intimated since 1855. The table demonstrates at least two facts, the one an increasing

TABLE F (2).—Number of Divorces in Scotland (1855-1920), including Cases of Nullity of Marriage.

Year.	Intimations.	Year.	Intimations.	Year.	Intimations.	Year.	Intimations.
1855	11	1872	12	1889	100	1906	173
1856	16	1873	25	1890	87	1907	200
1857	18	1874	38	1891	107	1908	189
1858	12	1875	33	1892	118	1909	192
1859	24	1876	40	1893	112	1910	223
1860	23	1877	29	1894	120	1911	234
1861	27	1878	66	1895	117	1912	249
1862	26	1879	55	1896	133	1913	250
1863	9	1880	80	1897	142	1914	347
1864	2	1881	71	1898	135	1915	242
1865	4	1882	69	1899	176	1916	267
1866	4	1883	65	1900	144	1917	297
1867	5	1884	87	1901	158	1918	485
1868	13	1885	76	1902	204	1919	829
1869	7	1886	97	1903	194	1920	776
1870	17	1887	80	1904	182	—	—
1871	11	1888	107	1905	167	—	—

frequency of divorce since 1870, and the other a very marked increase in the number following on the close of the recent war. In the fifteen years 1855 to 1869 intimations of decrees of divorce in all numbered 201, and averaged 13·4 annually. From 1870 to 1879 they numbered 326, and the annual average was 32·6. In the period 1880 to 1889 the average increased to 83·2, and in the period 1900 to 1909 to 180·3. During the four years 1910 to 1913 divorces averaged 239, and in 1914 the number rose to 347. In the three years 1915 to 1917 the average was 269, but in 1918 the number rose to 485, and in 1919 to 829. In 1920 the number was 776, which, though less than in 1919, was still very high. In 1860 the ratio of intimated divorces to registered marriages was 1 to 923; in 1870 it was 1 to 1403; in 1880, 1 to 306; in 1890, 1 to 316; in 1900, 1 to 225; in 1910, 1 to 139; and in 1920, 1 to 60. The figures relative to the years 1902, 1903, and 1904 show that a similar, though less marked, rise in the number of divorces occurred after the end of the South African war as in the recent post-war period.

DEATH STATISTICS.

The deaths of 68,179 persons were registered in Scotland during the year. This number is 6970 less than that of the previous year, 6876 less than the mean of those of the previous five years, and 5645 less than the mean of those of the preceding ten years. It is the smallest number of deaths registered in Scotland in any year since 1862. (*Table 1.*)

The Scottish death-rate of the year was 14·02 per thousand. It is 1·57 less than that of the previous year, 1·61 less than the mean of those of the preceding five years, and 1·45 less than the mean of those of the preceding ten years. It is the lowest annual Scottish death-rate yet recorded, the previous minimum being 14·45, which occurred in the year 1917. From 1855 to 1880, the year 1856 excepted, the national death-rate was constantly over 20 per thousand, and from 1881-1893, with the exception of four years, constantly over 19 per thousand. In 1894, for the first time, it was below 18, in 1896 it was below 17, and in 1909 below 16. The years 1916, 1917, and 1920 are the only three years in which this rate has been less than 15. (*Table 2.*)

TABLE G.—Deaths in Scotland and its Groups of Public Health Districts in 1920.

GROUPS OF DISTRICTS.	Estimated Population.	Deaths. (Corrected.)	Death-rate per 1000 of Population.		
			Uncorrected.	Corrected for Transfers.	Corrected for Transfers and Adjusted for Age and Sex Distribution.
Larger Burghs . . .	2,264,015	34,790	15·66	15·37	16·41
Smaller Burghs . . .	1,006,836	13,592	12·84	13·50	13·15
County Districts . . .	1,593,545	19,797	12·42	12·42	11·62
SCOTLAND . . .	4,864,396	68,179	14·02	14·02	14·02

Deaths of males during the year numbered 34,619, and of females 33,560. The former is 2881 less than in the previous year, 3134 less than the average during the preceding five years, and 2378 less than the average during the preceding ten years. The latter is 4089 less than in the previous year, 3472 less than the average during the preceding five years, and 3267 less than the average during the preceding ten years. The death-rate of the year in the male population was 14·81, and in the female 13·28, the former being 1·39 and the latter 1·74 less than in the previous year. (*Tables 1 and 2.*)

When dealing in this Report with the death statistics of counties, of burghs, and of county districts, three rates are given. The first, the crude death-rate, is based on the number of deaths registered in the county, burgh, or district, and is neither corrected nor adjusted in any manner. The second, the corrected death-rate, is based on the number of deaths registered, but corrected by the exclusion of deaths of non-residents and the inclusion of those of residents in the county, burgh, or district taking place elsewhere in Scotland. The third, the corrected and adjusted rate, is the corrected death-rate, adjusted to compensate for differences between the age and sex distribution of the local population and of that of Scotland. The first of these rates show the actual frequency of death in the county, burgh, or district, and the second the frequency of death in the population of the district, while the third is a statistical quantity, useful for the purpose of comparison, as it indicates the relative frequency of death uncomplicated by variation in sex and age distribution.

In the counties, burghs included, the crude death-rate varied from 15·7 in Caithness, in Forfar, and in Wigtown, 15·6 in Dumfries, and 15·3 in Lanark and in Ross and Cromarty, to 10·1 in Haddington, 10·2 in Linlithgow, 10·4 in Berwick, 11·0 in Kincardine, and 11·2 in Dumbarton. In 14 counties this rate was higher than the national rate, while in 19 it was lower. In the counties the corrected death-rate varied from 16·3 in Wigtown, 16·0 in Caithness, and 15·5 in Kirkcudbright, in Sutherland, and in Ross and Cromarty, to 10·7 in Haddington, 11·5 in Linlithgow, and 11·9 in Berwick and in Dumbarton. In the corrected and adjusted death-rate it varied from 16·7 in Lanark, 14·8 in Forfar, 14·7 in Renfrew, 14·4 in Wigtown, 14·3 in Selkirk, and 14·2 in Edinburgh, to 10·5 in Berwick, 10·6 in Haddington and in Nairn, 10·8 in Argyll, and 10·9 in Orkney. In 7 counties—the 6 named above and Kirkcudbright, where the death-rate was 14·1—the corrected and adjusted death-rate was higher than the national rate, while in 26 counties it was lower. (*Table 7.*)

In the larger burghs, taken collectively, the crude death-rate of the year was 15·66 per thousand, the corrected death-rate 15·37, and the corrected and adjusted death-rate 16·41. Each of these 3 rates is lower than in the previous year, the crude death-rate being 0·41, the corrected death-rate 0·35, and the corrected and adjusted death-rate 0·38, lower. The corrected and adjusted death-rate is 2·39 more than the national death-rate; in the previous year this difference was 1·44. (*Table 4.*)

In the smaller burghs, taken collectively, the crude death-rate

of the year was 12·84, the corrected death-rate 13·50, and the corrected and adjusted death-rate 13·15. In the previous year these three rates were 14·33, 14·87, and 14·49, and thus the crude rate is 1·49, the corrected rate 1·37, and the corrected and adjusted rate 1·34, less than in that year. The corrected and adjusted rate is 0·87 less than the national rate, and 3·26 less than the corrected and adjusted rate of the larger burghs taken collectively. (*Table 4.*)

In the county districts, taken collectively, the crude death-rate of the year was 12·42, the corrected death-rate 12·42, and the corrected and adjusted death-rate 11·62. Of these, the first is 2·45, the second 2·10, and the third 1·96, less than in the previous year. The corrected and adjusted death-rate, 11·62 per thousand, is 2·40 less than the national death-rate, 4·79 less than the corrected and adjusted death-rate of the larger burghs, and 1·53 less than that of the smaller burghs. (*Table 4.*)

In the larger burghs, taken individually, the crude death-rate of the year varied from 16·9 in Greenock, 16·8 in Dundee, 16·6 in Glasgow and in Perth, 15·8 in Edinburgh, and 15·7 in Aberdeen, to 8·3 in Clydebank, 11·9 in Leith, 12·6 in Motherwell, and 13·1 in Hamilton. In these burghs, the corrected death-rate varied from 16·7 in Dundee, 16·5 in Greenock, 16·3 in Glasgow, 15·1 in Aberdeen, and 14·9 in Coatbridge and in Leith, to 11·6 in Clydebank, 12·1 in Kilmarnock, 12·5 in Ayr, and 13·3 in Paisley. In them the corrected and adjusted death-rate of the year ranged from 17·9 in Glasgow, 17·2 in Dundee, 16·7 in Greenock, 16·2 in Coatbridge, and 15·6 in Motherwell and in Leith, to 12·7 in Ayr, 13·2 in Kilmarnock, 13·4 in Clydebank, 14·1 in Perth, and 14·7 in Paisley and in Edinburgh. In 12 of these burghs the corrected and adjusted death-rate was higher than the national rate, while in 4 it was lower. (*Table H and Table 4.*)

TABLE H.—Showing the Effect on the Death-rates of the Larger Burghs of Correction for Transfers and of Adjustment for Age and Sex Distribution in 1920.

	Death-rates.				
	Uncorrected.	Effect of Correction.	Corrected for Transfers.	Effect of Adjustment.	Adjusted for Age and Sex Distribution.
Glasgow . . .	16·6	−0·3	16·3	+1·6	17·9
Dundee . . .	16·8	−0·1	16·7	+0·5	17·2
Greenock . . .	16·9	−0·4	16·5	+0·2	16·7
Coatbridge . . .	14·3	+0·6	14·9	+1·3	16·2
Leith . . .	11·9	+3·0	14·9	+0·7	15·6
Motherwell . . .	12·6	+1·2	13·8	+1·8	15·6
Hamilton . . .	13·1	+1·2	14·3	+1·2	15·5
Aberdeen . . .	15·7	−0·6	15·1	+0·2	15·3
Kirkcaldy . . .	13·9	+0·9	14·8	+0·3	15·1
Falkirk . . .	14·4	−0·9	13·5	+1·3	14·8
Edinburgh . . .	15·8	−1·6	14·2	+0·5	14·7
Paisley . . .	13·8	−0·5	13·3	+1·4	14·7
Perth . . .	16·6	−2·2	14·4	−0·3	14·1
Clydebank . . .	8·3	+3·3	11·6	+1·8	13·4
Kilmarnock . . .	13·6	−1·5	12·1	+1·1	13·2
Ayr . . .	14·5	−2·0	12·5	+0·2	12·7

In the smaller burghs, exclusive of those with populations of less than 1000, the crude death-rate varied from 33·2 in Fortrose, 28·3 in Melrose, 23·2 in Thurso, 21·9 in Dumfries, and 21·8 in Portsoy, to 6·1 in Elie, 6·6 in Portknockie, 6·8 in Burntisland and in Lockerbie, and 7·1 in Callander. The corrected death-rate varied from 23·9 in Fortrose, 23·2 in Thurso, 22·2 in Wigtown, 22·1 in Newton-Stewart, 21·5 in Alyth, and 21·1 in Whithorn, to 7·7 in North Berwick, 7·8 in Findochty, and 8·0 in Charlestown of Aberlour. The corrected and adjusted death-rate varied from 19·5 in Newton-Stewart, 18·6 in Wigtown, 18·4 in Dumfries, 18·2 in Thurso, and 18·0 in Dalbeattie, to 7·7 in Callander, 8·0 in North Berwick, 8·1 in Findochty, and 8·2 in Kingussie. In 60 of these burghs the corrected and adjusted death-rate was higher than the national rate, while in 127 it was lower. (*Table 5.*)

In the county districts, taken individually, the crude death-rate varied from 21·6 in the Suburban District of Edinburgh and in South Ronaldsay District of Orkney, 19·7 in Dumfries District of Dumfries, and 19·1 in Western District of Ross and Cromarty, to 7·0 in East District of Haddington, 8·1 in West District of Berwick, 8·2 in Melrose District of Roxburgh, and 8·5 in Calder District of Edinburgh. In these districts the corrected death-rate varied from 21·6 in South Ronaldsay District of Orkney, 20·1 in Western District of Ross

TABLE J.—Frequencies of Specified Death-rates, Corrected and Adjusted, in Counties, Burghs, and County Districts, 1920.

Death-rate per 1000.	Counties.	All Burghs and all County Districts.	All Burghs.	All County Districts.	Burghs with Populations		
					Over 30,000.	1000 to 30,000.	Under 1000.
6	∴	2	2	∴	∴	∴	2
7	∴	1	1	∴	∴	1	∴
8	∴	19	12	7	∴	10	2
9	∴	16	7	9	∴	6	1
10	5	52	15	37	∴	14	1
11	5	40	19	21	∴	18	1
12	13	53	32	21	1	29	2
13	3	43	40	3	2	33	5
14	6	24	16	8	4	12	∴
15	∴	28	28	∴	5	21	2
16	1	14	14	∴	2	12	∴
17	∴	9	9	∴	2	6	1
18	∴	4	4	∴	∴	4	∴
19	∴	1	1	∴	∴	1	∴
20	∴	∴	∴	∴	∴	∴	∴
21	∴	2	2	∴	∴	∴	2
22	∴	1	1	∴	∴	∴	1
24	∴	∴	∴	∴	∴	∴	∴
26	∴	∴	∴	∴	∴	∴	∴
TOTALS	33	309	203	106	16	167	20

and Cromarty, 17·6 in Skye District of Inverness, 17·2 in South-Western District of Ross and Cromarty, and 17·1 in South Uist District of Inverness, to 8·5 in East District of Haddington, 9·2 in Melrose District of Roxburgh, 9·4 in Dundee District of Forfar, and 9·5 in County District of Selkirk. In them the corrected and adjusted death-rate varied from 14·9 in Southern District of Inverness, to 8·5 in East District of Hadding-Cromarty, 14·4 in South Ronaldsay District of Orkney and in Kelso District of Roxburgh, and 14·3 in Upper Deeside District of Kincardine, to 8·0 in Melrose District of Roxburgh, 8·3 in East District of Haddington and in Harris District of Inverness, 8·5 in Badenoch District of Inverness, and 8·7 in Dundee District of Forfar and in Stonehaven District of Kincardine. (*Table 6.*)

The Scottish death-rate in the first quarter of the year was 15·6, in the second quarter 15·0, in the third quarter 11·4, and in the fourth quarter 13·9. Compared with the corresponding rate of the previous year, that of the first quarter is 8·8 less, but those of the second, third and fourth quarters are each higher, that of the second quarter being 1·2, of the third quarter 0·4, and of the fourth quarter 0·85. Compared with the mean of the rates of the corresponding quarter of the preceding ten years, that of the first quarter is 1·7 less, that of the second quarter 0·3 less, that of the third quarter 1·3 less, and that of the fourth quarter 1·8 less. (*Table 3.*)

The monthly Scottish death-rates of the year varied from 16·9 in April, 16·7 in March and 16·0 in December, to 11·4 in August and in September, 11·5 in July, and 11·7 in October. In January this rate was 15·8; in May, 15·4; in February, 14·3; in November, 14·2; and in June 12·9. (*Table 48.*)

The death-rate of the year in England and Wales (civilian) was 12·4, and in Ireland 14·8, the former being 1·6 less, but the latter 0·8 more, than the Scottish rate.

TABLE K.—Monthly Mortality and Mean Temperature in Scotland during 1920, compared with the mean of the Ten Years 1901-1910.

MONTHS.	YEAR 1920.			1901-1910.	
	Mean Temperature.	Actual Deaths.	Proportion to 12,000 per annum or 1000 per month.	Monthly Proportion of Deaths.	Mean Temperature.
January	38·7	6,526	1,149	1,177	38·0
February	42·1	5,520	971	1,079	37·7
March	42·7	6,880	1,211	1,149	39·9
April	44·0	6,757	1,189	1,096	43·2
May	50·6	6,358	1,119	1,036	48·7
June	55·6	5,134	904	916	54·0
July	55·8	4,729	832	873	56·8
August	55·5	4,693	826	863	55·8
September	53·5	4,528	797	830	53·1
October	49·1	4,805	846	889	47·6
November	45·5	5,643	993	976	41·2
December	38·7	6,606	1,163	1,116	38·5
YEAR	47·7	68,179	12,000	12,000	46·2

AGES OF THOSE DYING.

Of the 68,179 persons whose deaths were registered in the year 1920, 16,926, or 24·83 per cent., were aged less than 5 years; 29,353, or 43·05 per cent., were more than 5 years but less than 65; and 21,893, or 32·11 per cent., were 65 and over. In 7 instances the age at death was not recorded. The deaths at ages under 5 numbered 375 less than in the previous year, those at ages 5 to 65 numbered 4270 less, and those at ages 65 and over 2319 less. Compared with the mean of the numbers in the preceding five years, deaths at ages under 5 are 1825 less, those at ages 5 to 65 are 3807 less, and those at ages 65 and over are 1227 less. (*Table 26.*)

The age-group death-rates, both sexes included, varied from 152·4 per thousand in age-group 75 and upwards, and 113·5 in age-group under 1, and 56·2 in age-group 65 to 74, and 29·6 in age-group 55 to 64, to 2·1 in age-group 10 to 14, 2·9 in age-group 5 to 9, and 3·7 in age-group 15 to 24. Compared with the age-group death-rates of the previous year, all those of this year are less with the exception of that for age-group under 1. A comparison between age-group death-rates of the male and of the female population shows the former to be higher at all ages with the exception of age-group 5 to 9, in which the male and female death-rates were of the same amount, and age-group 25 to 34, in which the female rate exceeds the male by 0·4. (*Table 27.*)

The average age at death of all persons dying during the year was 42·8, that of males being 40·7, and that of females 45·1. In the previous year these three averages were 43·1, 40·8, and 45·3, and thus the average age at death of both sexes during the year is 0·3 less than in the previous year, that of males is 0·1 less, and that of female 0·2 less. In 1917, the last year unaffected by the recent influenza epidemic, these three averages were 41·9, 40·7, and 44·2, compared with which figures the average age at death of all persons this year is 0·9 more, that of females being 0·9 more, but that of males of the same amount.

The average age at death of unmarried males was 17·5, and of unmarried females 23·2, the former being 0·6, and the latter 1·1, less than in the previous year—the changes being attributable to the larger proportion of young infants in the population of this than in the previous year.

The average age at death of married and widowed males taken collectively was 63·7, and of married and widowed females 62·9.

The average age at death of married men was 60·0, and of married women 52·4, the former being 7·6 more than the latter. In the previous year these two averages were 58·2 and 52·7, the difference being 5·5.

The average age at death of widowers was 72·0, and of widows 73·5, the latter being 1·5 in excess of the former. In the previous year these two averages were 71·7 and 73·3, the latter being 1·6 in excess of the former.

Deaths of children of less than one year old numbered 12,565, and equalled an infantile mortality rate of 92·0 per

thousand registered births. These deaths numbered 1770 more than in the previous year, but this rate is 9·6 less. It is 14·5 less than the mean of those of the preceding five years, 15·9 less than the mean of those of the preceding ten years, and is the lowest yet recorded, the previous minimum being that of the year 1916, which was 97·1. In three out of the last five years this rate was less than 100, in all other past years it was over 100. (*Table 2.*)

Deaths of male children of one year old numbered 7199, and of female children 5366, the former being 1018, and the latter 752 more than in the previous year. The male infantile mortality rate of the year was 103·3 per thousand male births registered, and the female infantile mortality rate of the year was 80·3 per thousand female births registered. In the previous year these two rates were 112·9 and 89·6 respectively.

In the counties, burghs included, the infantile mortality rate of the year varied from 114 in Forfar, 107 in Aberdeen, 103 in Lanark, 96 in Wigtown, and 93 in Caithness and in Kirkcudbright, to 38 in Bute, 43 in Kinross, 49 in Peebles, and 50 in Orkney and in Shetland. In 3 counties this rate exceeded 100 per 1000; in 10 counties it was between 80 and 100; in 13, between 60 and 80; in 6, between 40 and 60; and in 1, less than 40. (*Table 7.*)

In the larger burghs taken collectively this rate was 103·7; in the smaller burghs, 82·3; and in the county districts, 79·0. Compared with the rate of the previous year, that of the larger burghs is 7·2 less, that of the smaller burghs 13·4 less, and that of the county districts 11·3 less. The collective rate in the larger burghs is 11·7 more than the national rate. In the small burghs this rate is 9·7 less than the national rate, and 21·4 less than the rate in the larger burghs. In the county districts this rate is 13·0 less than the national rate, 24·7 less than the rate in the larger burghs, and 3·3 less than the rate in the smaller burghs. (*Table 4.*)

In the larger burghs taken individually this rate varied from 131 in Dundee, 121 in Aberdeen, 113 in Motherwell, 107 in Glasgow, and 104 in Greenock, to 68 in Falkirk, 71 in Kilmarnock, 80 in Clydebank, 84 in Ayr, and 86 in Kirkcaldy and in Paisley. (*Table 4.*)

TABLE L.—Age-group Death-rates per 1000 in 1920 and 1919.

	1920.		1919.		Difference, 1920 compared with 1919.		Difference per cent., 1920 compared with 1919.	
	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
- 1	130·0	96·9	112·8	84·1	+17·2	+12·8	+15·2	+15·2
1- 4	10·5	9·7	15·5	14·8	- 5·0	- 5·1	-32·3	-34·5
5- 9	2·9	2·9	3·7	3·7	- 0·8	- 0·8	-21·6	-21·6
10-14	2·1	2·0	2·3	2·8	- 0·2	- 0·8	- 8·7	-28·6
15-24	3·8	3·5	4·8	4·4	- 1·0	- 0·9	-20·8	-20·5
25-34	4·7	5·1	7·2	6·6	- 2·5	- 1·5	-34·7	-22·7
35-44	7·8	7·1	8·9	7·7	- 1·1	- 0·6	-12·4	- 7·8
45-54	16·1	11·5	16·7	13·4	- 0·6	- 1·9	- 3·6	-14·2
55-64	34·4	25·5	36·0	27·5	- 1·6	- 2·0	- 4·4	- 7·3
65-74	68·0	47·5	72·5	54·2	- 4·5	- 6·7	- 6·2	-12·4
75—	165·2	144·5	185·6	163·4	-20·4	-18·9	-11·0	-11·6

There are 75 of the smaller burghs in which at least 100 births were registered during the year, and in these the infantile mortality rate varied from 157 in Maybole, 148 in Peterhead, 147 in Stranraer, and 130 in Kilysth and in Ardrossan, to 16 in Burntisland, 19 in Peebles, 37 in Jedburgh, 40 in Rothesay, 45 in Grangemouth, and 48 in Lanark. (*Table 5.*)

There are 86 county districts in which at least 100 births were registered during the year, and in them the infantile mortality rate varied from 133 in Dumfries District of Dumfries, 102 in Middle Ward District of Lanark, 98 in Arbroath District of Forfar, 95 in Ellon District of Aberdeen, and 95 in Carrick District of Ayr, to 19 in Jedburgh District of Roxburgh, 23 in Midland District of Shetland, 28 in Badenoch District of Inverness, 30 in Islay District of Argyll, and 32 in St. Andrews District of Fife. (*Table 5.*)

Deaths among persons aged 70 and upwards numbered 16,832, 7204 being of males, and 9628 of females. Deaths among males of these ages equal a death-rate of 120·5 per thousand of the estimated male population aged 70 and upwards, and these deaths among females equal a death-rate of 99·6 per thousand of the estimated female population of these ages. The death-rate at these ages of the two sexes taken collectively was 107·7. In the previous year the death-rate of the males of these ages was 127·2, of females 112·2, and of the two sexes taken collectively 118·0. The male death-rate at these ages in this year was thus 6·7, and the female 12·6, less than in that year.

The deaths of 16 reputed centenarians were registered during the year, of whom 5 were men, and 11 were women. The ages of 2 of these men, and 7 of these women were recorded as 100, of 1 man and 2 women as 101, of 1 man as 102, of 1 man as 103, of 1 woman as 104, and of 1 woman as 107. The usual endeavour has been made to verify the age of each centenarian whose death was registered, with the result that in 9 instances, 4 men and 5 women, the attainment of age 100 was confirmed, in 2 instances the attainment of that age was found to be untrue, while in 5 instances sufficient proof of age could not be found. The longest age verified during the year was that of a man aged 103. The reported attainment by a woman of age 107 was found to be incorrect. The researches into the ages of reputed centenarians have now been made for 11 years and have dealt with 150 cases, with the result that in 59 instances proof of attainment of age 100 was found, in 14 instances proof contradicting attainment of that age was found, while in 77 instances no satisfactory proof in support or in contradiction of attainment of that age was obtained.

CAUSES OF DEATH.

Of the 68,179 deaths registered in Scotland during the year, 67,422, or 98·9 per cent., were certified as to cause either by a registered medical practitioner or by a procurator-fiscal, while 757, or 1·1 per cent., were not so certified. The number of uncertified deaths of the year is the smallest yet recorded. It is 343 less than that of the previous year, 545 less than the mean of the numbers of

the five preceding years, and 546 less than the mean of those of the preceding ten years. In the years 1881 to 1883 the uncertified deaths numbered more than 7000 annually; in 1884 this number fell below 7000; in 1886, below 6000; in 1889, below 5000; in 1893, below 4000; in 1896, below 3000; and in 1904, below 2000. This is the first year in which these deaths have numbered less than 1000. (*Table M.*)

The number of deaths uncertified as to cause in the counties burghs included, varied from 243, or 22·2 per cent., of the total in Ross and Cromarty; 191, or 15·7 per cent., in Inverness; 78, or 20·5 per cent., in Shetland; 44, or 16·5 per cent., in Sutherland; 28, or 7·9 per cent., in Orkney; and 28, or 2·9 per cent., in Argyll, to 0·0 in Clackmannan, in Haddington, in Kinross, in Peebles, and in Roxburgh. (*Table 47.*)

Of the 68,179 deaths registered during the year, 66,777, or 97·94 per cent., were specified as to cause, while 1041, or 1·53 per cent., were imperfectly so specified, and 361, or 0·53 per cent., were not so specified or merely ascribed to "Natural Causes." The deaths imperfectly specified as to cause numbered 23 fewer than in 1919, and 20 fewer than in 1918, and those unspecified as to cause numbered 11 more than in 1919, but 79 fewer than in 1918.

Enteric Fever.—Deaths from enteric fever numbered 96. They are 13 more than in the previous year, but 28 less than the mean of the numbers of the preceding five years, and 79 less than the mean of those of the preceding ten years. There are only two previous years in which a smaller number of deaths from enteric fever were recorded, the one being 1919, when they numbered 83, and the other 1917 when they numbered 94. In the years 1865 to 1882, and in the year 1884, these deaths numbered more than 1000 annually; in 1883, and in the years 1885 to 1903, the annual number was more than 500; and in the years 1904 to 1911, more than 200;

TABLE M.—Deaths from Uncertified Causes, 1881-1920.

Year.	Uncertified Causes.	Percentage of Uncertified to Total.	Year.	Uncertified Causes.	Percentage of Uncertified to Total.
1881	7863	10·9	1901	2392	3·0
1882	7220	9·9	1902	2180	2·8
1883	7278	9·5	1903	2058	2·8
1884	6487	8·6	1904	1893	2·4
1885	6204	8·3	1905	1741	2·3
1886	5932	8·1	1906	1727	2·3
1887	5466	7·3	1907	1796	2·3
1888	5029	7·1	1908	1654	2·1
1889	4566	6·2	1909	1552	2·1
1890	4569	5·8	1910	1396	1·9
1891	4691	5·6	1911	1135	1·6
1892	4267	5·6	1912	1362	1·9
1893	3729	4·7	1913	1401	1·9
1894	3290	4·6	1914	1220	1·7
1895	3222	3·9	1915	1514	1·9
1896	2509	3·6	1916	1294	1·8
1897	3041	3·8	1917	1387	2·0
1898	2459	3·1	1918	1216	1·6
1899	2425	3·0	1919	1100	1·5
1900	2757	3·4	1920	757	1·1

but since 1911, the year 1914 excepted, this number has been constantly under 200; and this year, for a third time, is less than 100. Of the 96 persons dying from enteric fever, 49 were males, and 47 were females. Of these deaths, 45 were registered in the larger burghs, 23 in the smaller burghs, and 28 in the county districts. The national death-rate from this cause was 2 per 100,000, which is the same as in the previous year, but 2 less than the mean of those of the preceding ten years. (*Tables 32-40.*)

Typhus Fever.—Deaths from typhus fever during the year numbered 16. This number is 8 more than that of the previous year, and the same amount more than the mean of the numbers of the preceding five years, and also of the mean of those of the preceding ten years. Of these 16 deaths, 13 occurred in the larger burghs, 1 in a smaller burgh, and 2 in county districts. Of those occurring in the larger burghs, 6 were registered in Greenock, 5 in Paisley, and 2 in Glasgow. (*Tables 32-40.*)

Small-pox.—Deaths from small-pox numbered 152, and this is the largest number in any year since 1904. In Scotland small-pox was very prevalent in the years 1871 to 1874, when the deaths averaged 1565 annually, but since then the annual deaths from this cause have only exceeded 100 four times, the number in 1894 being 129; in 1901, 278; in 1904, 185; and in 1920, the year now under review, 152. In the 46 years that have elapsed since 1874, no deaths were registered in Scotland in 8 years, 10 or less in 18 years, more than 10 but less than 50 in 12 years, more than 50 but less than 100 in 4 years, and more than 100 in 4 years. In the 15 preceding years, *i.e.*, 1905 to 1919, the total deaths from small-pox in Scotland only numbered 38, of which 17 occurred in 1912. Of the 152 deaths registered during the year 1920, 122 occurred in the larger burghs, 19 in the smaller burghs, and 11 in the county districts. Of the 122 occurring in the larger burghs, 112 occurred in Glasgow, 4 in Kilmarnock, 3 in Coatbridge, and 1 each in Dundee, in Hamilton and in Clydebank. Of the 152 persons dying from this cause, 83 were males, and 69 were females. Of them, 88 were reported to have been vaccinated at some period during their lives, 62 were reported as being unvaccinated, while in 2 cases vaccination was doubtful. All vaccinated persons dying from small-pox during the year were aged 15 and upwards, 10 of them being aged more than 15 but less than 35, 56 of them more than 35 but less than 55, and 22 more than 55. Of the 62 unvaccinated persons, 50 were aged less than 15 years, while 12 were aged 15 years and upwards. Of them, 25 were less than 5 years old, and 25 between the ages of 5 and 15. There is thus a marked difference in the age distribution of deaths from small-pox among the vaccinated and the unvaccinated. (*Tables 32-40 and Page 42.*)

Measles.—The deaths from measles during the year numbered 816, 432 being of males, and 384 of females. This number is 83 less than in the previous year, 729 less than the mean of the numbers of the five preceding years, and 750 less than the mean of those of the ten preceding years. A smaller number of deaths from measles has only been recorded in Scotland on three other occasions, in the years 1879, 1886, and 1894, when they were 769, 681, and 791 respectively. A maximum number of deaths from measles

occurred in the year 1893; it was 3639, and compared with it that of this year is 2823, or 77·6 per cent., less. The national death-rate from measles was 17 per 100,000. It is 2 less than that of the previous year, 15 less than the mean of those of the preceding five years, and 16 less than the mean of those of the preceding ten years. The male death-rate from this cause was 18, and the female death-rate 15, per 100,000. In the larger burghs this death-rate was 24, in the smaller burghs 10, and in the county districts 11. In the previous year these three death-rates were 25, 12, and 13 respectively. In the larger burghs taken individually the death-rate ranged from 43 in Coatbridge, 30 in Glasgow, 27 in Greenock, 26 in Aberdeen, and 25 in Paisley and in Hamilton, to 0 in Kilmarnock, 5 in Motherwell, 11 in Ayr, and 12 in Leith. Of these 816 deaths, 271 were among children of less than one year old, 495 among children of more than one but less than 5 years old, and 40 among children of more than 5 but less than 10 years old, while only 10 were among persons of 10 years old and upwards. The months in which deaths from measles were most frequent were April (169), March (140), and May (133). (*Tables 32-40 and p. 70.*)

Scarlet Fever.—Deaths ascribed to scarlet fever during the year numbered 245, 115 being of males, and 130 of females. This number is 23 more than that of the previous year, but 183 less than the mean of the numbers of the preceding five years, and 258 less than the mean of those of the preceding ten years. A maximum number of deaths from scarlet fever occurred in 1874, and was 6321. The deaths from this cause equal a death-rate of 5 per 100,000, which is the same as in the previous year, but 4 less than the mean of those of the preceding five years, and 5 less than the mean of those of the preceding ten years. In 1874 the death-rate from this cause was 186 per 100,000. In the larger burghs the scarlet fever death-rate of the year was 6 per 100,000; in the smaller burghs, 4; and in the county districts, 5. In the larger burghs taken individually relatively high death-rates from this cause occurred in Falkirk (27), Coatbridge (14), and Hamilton (10). Of the 245 persons dying from scarlet fever, 184 were among children of more than 1 year but less than 10 years old, and 43 were among persons of more than 10 but less than 25 years old. Deaths among children of less than 1 year old from this cause numbered 8, and among persons of 25 years old and upwards, 10. The months in which scarlet fever was most prevalent were November (30), October (28), December (28), and January (24). (*Tables 32-40 and p. 70.*)

Whooping-cough.—Deaths attributed to whooping-cough during the year numbered 628, 283 being of males, and 345 of females. This is the smallest number of deaths from this cause yet registered in Scotland, the previous smallest being 718, which occurred in 1916. These deaths number 945 fewer than in the previous year, 1140 less than the mean of the numbers of the preceding five years, and 1050 less than the mean of those of the preceding ten years. The death-rate from this cause was 13 per 100,000, and is the lowest yet recorded. It is 20 less than that of the previous year, 24 less than the mean of those of the preceding five years, and 22 less than the mean of those of the preceding ten years. The

previous lowest whooping-cough death-rate in Scotland occurred in 1916, and was 15 per 100,000. The highest Scottish death-rate from this cause occurred in 1862, and was 95 per 100,000. In the larger burghs this death-rate was 13 per 100,000; in the smaller burghs, 14; and in the county districts, 13. In the larger burghs taken individually a relatively high death-rate from whooping-cough occurred in Hamilton (41), in Greenock (27), in Motherwell (24), in Paisley (21), and in Clydebank (20). Of the 628 deaths from whooping-cough, 341 were among children of less than one year old, 258 among children of more than one but less than 5 years old, and 27 among children of more than 5 but less than 10 years old, while only 2 occurred among children of more than 10 but less than 15 years old, and none among persons of over that age. The months in which deaths from whooping-cough were most numerous were April (83), December (71), and May (68). (*Tables 32-40 and p. 70.*)

Diphtheria.—Deaths from diphtheria, including those certified as due to membranous laryngitis or to croup, numbered 724, 353 being of males and 371 of females. This number is 3 less than in the previous year, 32 less than the mean of those of the preceding five years, and 93 less than the mean of those of the preceding ten years. In only three years, 1903, 1905, and 1917, were fewer deaths from diphtheria registered in Scotland. The death-rate from this cause was 15 per 100,000, which is the same as that of the previous year, 1 less than the mean of those of the preceding five years, and 2 less than the mean of those of the preceding ten years. In the larger burghs this death-rate was 17; in the smaller burghs, 15; and in the county districts, 12. In the larger burghs taken individually relatively high death-rates from this cause occurred in Falkirk (51), in Kirkcaldy (23), in Motherwell (22), and in Edinburgh (20). Of those dying from diphtheria, 436 were

TABLE N.—Deaths from Influenza in Scotland in each month, 1919-1920.

MONTHS.	INFLUENZA.			MONTHS.	INFLUENZA.		
	TOTAL.	Sole Named Cause.	Named with other Causes.		TOTAL.	Sole Named Cause.	Named with other Causes.
1919.				1920.			
January .	781	155	626	January .	83	27	56
February .	3039	451	2588	February .	72	20	52
March .	2530	434	2096	March .	196	35	161
April .	441	99	342	April .	395	59	336
May .	143	38	105	May .	293	51	242
June .	63	17	46	June .	66	14	52
July .	39	4	35	July .	32	10	22
August .	22	4	18	August .	20	7	13
September .	21	5	16	September .	22	5	17
October .	35	7	28	October .	33	10	23
November .	49	14	35	November .	53	21	32
December .	52	17	35	December .	74	32	42
YEAR .	7215	1245	5970	YEAR .	1,339	291	1048

children of less than 5 years old, and 257 children of more than 5 but less than 15, while only 31 were among persons of over 15 years of age. The months in which the diphtheria deaths were more numerous were January (86), November (80), and March (79). (*Tables 32-40 and p. 70.*)

Principal Epidemic Diseases Death-Rate.—Enteric fever, measles, scarlet fever, whooping-cough, and diphtheria are, for statistical purposes, grouped along with diarrhœa in children of less than 2 years old as the principal epidemic diseases, and the death-rate due to them collectively is called the principal epidemic diseases death-rate. These deaths in all numbered 3796, and this death-rate was 0·78 per thousand. This death-rate is 0·14 less than that of the previous year, 0·22 less than that of the year 1918, 0·48 less than that of the year 1917, 0·36 less than that of the year 1916, and 1·04 less than that of the year 1915. In the larger burghs taken collectively this death-rate was 0·93; in the smaller burghs, 0·66; and in the county districts, 0·64. In the previous year these three rates were 1·17, 0·68, and 0·67 respectively. In the larger burghs taken individually this rate ranged from 1·35 in Hamilton, 1·19 in Coat-bridge, 1·17 in Falkirk, 1·14 in Dundee, and 1·10 in Motherwell, to 0·58 in Leith, 0·59 in Edinburgh, 0·62 in Ayr, and 0·63 in Kirkcaldy and in Perth. In Glasgow this rate was 1·04, and in Aberdeen 0·86. In those of the smaller burghs which have censal populations of more than 1000 this rate varied from 3·15 in Rose-

TABLE O.—Deaths from Influenza at various Age Periods, 1920.

INFLUENZA.	ALL AGES.			AGE.											
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	
Only Named Cause	291	128	163	31	16	7	4	20	26	21	25	37	46	58	
<i>Named along with—</i>															
Other Epidemic Diseases	9	6	3	1	1	1	—	—	3	1	1	1	—	—	
Pulmonary Tuberculosis	16	5	11	—	—	—	1	2	4	4	1	3	1	—	
Other Forms of Tuberculosis	3	3	—	—	—	—	—	1	2	—	—	—	—	—	
Meningitis (not Tuberc. or Cerebro-spinal)	27	17	10	3	5	1	2	8	3	5	—	—	—	—	
Heart Disease	41	22	19	1	—	—	—	2	—	3	8	12	7	8	
Bronchitis	114	54	60	14	5	—	1	9	7	11	10	20	19	18	
Pneumonia	702	406	296	33	57	16	11	99	135	98	76	96	59	22	
Other Diseases of Respiratory System	49	24	25	1	2	1	1	2	5	3	13	5	11	5	
All Dis. and Acc. of Pregnancy and Parturition	21	—	21	—	—	—	—	2	11	7	1	—	—	—	
All Other Causes	66	31	35	1	1	—	5	5	7	8	10	15	6	8	
TOTAL	1,339	696	643	85	87	26	25	150	203	161	145	189	149	119	
Death-rates per 100,000	28	30	25	77	20	5	5	17	27	26	32	63	79	161	

NOTE.—Those deaths included in the first line under the heading “Only Named Cause” are alone included under the heading “Influenza” in the principal death tabulation, all other deaths included in this Table being classed in that tabulation to the other named Cause, *e.g.*, “Pneumonia,” “Pulmonary Tuberculosis,” etc.

hearty, 2·75 in Kilsyth, 2·39 in Charlestown of Aberlour, and 2·36 in Rothes, to 0·0 in 53 burghs. In the county districts this rate varied from 1·88 in Rhins District of Wigtown, 1·33 in Middle Ward District of Lanark, 1·23 in North Uist District of Inverness, 1·14 in Garioch District of Aberdeen, and 1·06 in Ayr District of Ayr, to 0·0 in 14 districts. (*Tables 4-7*).

Other Epidemic Diseases.—Deaths due to epidemic or infectious diseases other than those already named, and exclusive of influenza, included 170 from erysipelas, 33 from malaria, 18 from dysentery, 11 from chicken-pox, 2 from German measles, 1 from cholera nostras, 5 from actinomycosis, 4 from mumps, 4 from sprue, 4 from paratyphoid fever, 2 from pellagra, and 1 from mycosis fungoides.

Influenza.—Deaths from influenza during the year in all numbered 1339, 696 being of males, and 643 of females. In 1918 these deaths numbered 11,111 and in 1919 they numbered 7215, and thus the influenza deaths of this year are 5876 fewer than those of the previous year, and 9772 fewer than those of 1918.

Of these 1339 deaths, 291 were attributed to influenza solely, while 1048 were attributed to influenza along with some complicating disease, the most frequent complications being pneumonia and bronchitis, that of influenza and pneumonia being the stated cause of death during the year in 702 cases, and that of influenza and bronchitis in 114 cases. (*Table O.*)

The influenza death-rate of the year was 28 per 100,000; in the previous year it was 147. In the male population this death-rate was 30, and in the female 25.

Of those dying from influenza, 203 were among persons between the ages of 25 and 35, 189 among persons between ages 55 and 65, 150 among persons between ages 15 and 25, 149 among persons between ages 65 and 75, and 145 among persons between ages 45 and 55.

Influenza deaths were most numerous in the months of April (395), May (293), and March (196). (*Table N.*)

Tuberculosis.—Deaths from all forms of tuberculous disease registered in Scotland during the year numbered 6042, 3099 being of males, and 2943 of females. The total deaths from all forms of tuberculosis in Scotland were fewer in this year than in any other year since the introduction of national registration, and that is since 1855. This year's number is 284 less than that of the previous year, 1386 less than the mean of the numbers of the previous five years, and 1748 less than the mean of those of the previous ten years. A maximum number of deaths from this cause in Scotland occurred in the year 1870, and was 13,027, and compared with that figure the number of deaths in this year is 6985, or 53·6 per cent., less. In 1870 and in 1871 deaths from tuberculous disease numbered more than 13,000 annually, and in the years 1872 to 1883 constantly more than 11,000; this number fell below 10,000 in 1888, below 9000 in 1910, below 8000 in 1914, and has now for 2 years been below 7000. (*Table 39.*)

The general death-rate from tuberculosis in Scotland was 124 per 100,000. This rate is 7 less than that of the previous year, 31 less than the mean of those of the preceding five years, and 40 less than

the mean of those of the preceding ten years. The maximum death-rate from this cause occurred in 1870, and was 404 per 100,000, and compared with it that of this year is 280, or 69·3 per cent., less. The tuberculosis death-rate in the male population during the year was 132, and in the female population 116; in the previous year these rates were 132 and 127, and in 1918 they were 159 and 156 respectively. (*Table 36.*)

In the larger burghs taken collectively the death-rate from this cause was 148 per 100,000; in the smaller burghs, 110; and in the county districts, 99. In the previous year these rates were 141, 117, and 108. (*Table 36.*)

In the counties, burghs included, this rate varied from 214 in Shetland, 168 in Ross and Cromarty, 164 in Kinross, 145 in Lanark, and 141 in Inverness, to 61 in Bute, 68 in Nairn, 70 in Haddington, and 74 in Berwick and in Clackmannan. (*Table 7.*)

In the larger burghs taken individually this rate varied from 175 in Greenock, 173 in Leith, 159 in Glasgow, and 149 in Dundee, to 109 in Kirkcaldy, 113 in Ayr, 116 in Clydebank, and 125 in Motherwell. In Paisley this rate was 143, in Coatbridge 137, in Edinburgh 134, in Aberdeen 133, in Perth 132, in Falkirk 132, and in Kilmarnock 129. (*Table 4.*)

In the smaller burghs with censal populations of over 1000, this rate varied from 498 in Cromarty, 383 in Whithorn, 341 in Pittenweem, 293 in Old Meldrum, 285 in Kirkeudbright, 246 in Maybole, and 230 in Wigtown, to 0 in 8 of these burghs. (*Table 5.*)

In the county districts this rate ranged from 367 in Upper Deeside District of Kincardine, 299 in South Uist District of Inverness, 277 in West Ross District of Ross and Cromarty, 257 in Mainland District of Shetland, and 214 in Lorn District of Argyll, to 0 in Arran District of Bute, and in Stonehaven District of Kincardine, 12 in Arbroath District of Forfar, 26 in County District of Selkirk, and 28 in Western District of Perth. (*Table 6.*)

Of the 6042 deaths from tuberculous disease, 4056 were ascribed to phthisis, 138 to acute phthisis, 77 to acute miliary tuberculosis, 590 to tuberculous meningitis, 525 to abdominal tuberculosis, 116 to tuberculous disease of the spine, 51 to tuberculous disease of the joints, and 489 to tuberculosis of "other organs" or to disseminated tuberculosis. Compared with the number in the previous year, that of deaths from acute phthisis is 33 more, from acute miliary tuberculosis 7 more, and from tuberculosis of the joints 4 more, but those from phthisis are 133 less, from tuberculosis of the spine 35 less, from abdominal tuberculosis 43 less, from tuberculous meningitis 63 less, and from disseminated tuberculosis, or "other organs," 54 less. (*Page 42.*)

Deaths from phthisis, including those certified as due to acute phthisis, numbered 4194. This number is 100 less than that of the previous year, 806 less than the mean of those of the preceding five years, and 925 less than the mean of those of the preceding ten years. It is the smallest number of deaths from phthisis registered in Scotland in any year since the institution of national registration in 1855, the previous smallest being that of the year 1919, which was 4294. During the 22 years, 1862 to 1883, with only 3 exceptions, deaths from phthisis numbered more than 8000

annually, and attained a maximum of 9148 in 1870. This number fell below 8000 in 1884, below 7000 in 1892, below 6000 in 1910, and below 5000 in 1914. Compared with the maximum number, the deaths from phthisis of this year are 4954, or 54·2 per cent., less. (*Table 39.*)

The phthisis death-rate of the year was 86 per 100,000. It is 3 less than that of the previous year, 18 less than the mean of those of the preceding five years, and 21 less than the mean of those of the preceding ten years. It is the lowest phthisis death-rate for Scotland yet recorded. A maximum phthisis death-rate of 283 per 100,000 occurred in Scotland in the years 1860 and in 1870, and compared with it the rate of this year is 197, or 69·61 per cent., less. In other words, this rate is now less than one-third of what it was in the year 1870. The mean death-rate from phthisis in the decade 1861 to 1870 was 268 per 100,000; in the decade 1871 to 1880 it fell to 244; in the decade 1881 to 1890 it fell to 202; in the decade 1891 to 1900 to 171; and in the decade 1901 to 1910 to 139. The death-rate of the year under review is 67·9 per cent., less than that of the decade 1861 to 1870, 64·8 per cent. less than the decade 1871 to 1880, 57·4 per cent. less than that of the decade 1881 to 1890, 49·7 per cent. less than that of the decade 1891 to 1900, and 38·1 per cent. less than that of the decade 1900 to 1910. (*Table 40.*)

Of the 4194 deaths from phthisis, 2139 were of males, and 2055 of females, the former number being 32 more, but the latter number 132 less, than in the previous year. The male phthisis death-rate

TABLE P.—Death-rate from Tuberculosis in 1920.

	Estimated Population	Death-rate per 100,000 from				
		All Tuber- culosis.	Pulmon. Tuberc.	Tuberc. Meningitis	Abdom. Tuberc.	Other Tuberc.
SCOTLAND . . .	4,864,396	124	86	12	11	15
Males . . .	2,337,784	133	91	13	10	18
Females . . .	2,526,612	116	81	11	11	13
Larger Burghs . . .	2,264,015	148	103	15	13	17
Smaller Burghs . . .	1,006,836	110	74	11	10	15
County Districts . . .	1,593,545	99	69	9	9	12
Glasgow	1,030,293	159	113	16	12	17
Edinburgh	312,212	134	92	12	10	20
Dundee	168,804	149	108	12	9	20
Aberdeen	159,254	133	96	11	9	17
Paisley	84,695	143	100	15	9	18
Leith	81,476	173	114	23	21	15
Greenock	80,436	175	106	24	27	19
Coatbridge	43,794	137	75	16	32	14
Motherwell	40,873	125	69	10	20	27
Kirkcaldy	39,543	109	76	5	13	15
Hamilton	39,295	140	92	20	10	18
Clydebank	45,580	116	97	9	11	0
Perth	33,425	132	93	18	9	12
Kilmarnock	35,611	129	84	11	11	22
Falkirk	33,297	132	102	0	18	12
Ayr	35,427	113	68	11	11	23

of the year was 91 per 100,000, and the female 81. In the previous year these two rates were 89 and 87; in 1918 they were 108 and 106 respectively. (*Tables 35 and 36.*)

In the larger burghs taken collectively the phthisis death-rate was 103 per 100,000; in the smaller burghs, 74; and in the county districts, 69. Compared with the rate of the previous year, that of the larger burghs is 8 more, but that of the smaller burghs is 4 less, and that of the county districts is 3 less. (*Table 4.*)

In the larger burghs taken individually the phthisis death-rate varied from 114 in Leith, 113 in Glasgow, 108 in Dundee, 106 in Greenock, and 102 in Falkirk, to 68 in Ayr, 69 in Motherwell, 75 in Coatbridge, 76 in Kirkcaldy, and 84 in Kilmarnock. In Paisley this rate was 100, in Clydebank 97, in Aberdeen 96, in Perth 93, in Hamilton 92, and in Edinburgh 92. In the smaller burghs with populations of more than 1000 this rate ranged from 415 per 100,000 in Cromarty, 341 in Pittenweem, 287 in Whithorn, 207 in Kinghorn, 196 in Old Meldrum, and 193 in Tain, to 0 in 17 burghs. In the county districts this rate ranged from 367 in Upper Deeside District of Kincardine, 285 in South Uist District of Inverness, 226 in Western District of Ross and Cromarty, 179 in Mainland District of Shetland, 168 in Lews District of Ross and Cromarty, and 166 in North Isles District of Shetland, to 0 in 7 districts, 12 in Arbroath District of Forfar, and 20 in Dundee District of Forfar. (*Tables 4-6.*)

The largest number of deaths from phthisis were at ages 15 to 25 (1016), 25 to 35 (976), 35 to 45 (813), and 45 to 55 (631). The age-group death-rates ranged from 138 in age-group 45 to 55, 133 in age-group 35 to 45, and 129 in age-group 25 to 35, to 14 in age-group 5 to 10, 16 in age-group under 1, 18 in age-group 1 to 5, and 28 in age-group 10 to 15. Compared with the phthisis age-group death-rates of the previous year, those of this year show little difference, the greatest being a drop of 7 in the 25 to 35 age-group, and a rise of 11 in the over 75 age-group. (*Table 32.*)

The monthly number of deaths from phthisis varied from 446 in March, 411 in December, 402 in April, and 371 in January, to 277 in September, 279 in October, 301 in August, and 319 in February. In May this number was 380, in November 339, in June 337, and in July 332. (*Page 70.*)

Deaths from tuberculous meningitis numbered 590, and equal a death-rate of 12 per 100,000. Of these deaths, 312 were of males, and 278 of females, the male death-rate being 13, and the female death-rate 11. The number of deaths from this cause is the smallest within recent years; in the years 1911 to 1914 it was constantly over 1000, and in the years 1915 to 1918 between 834 and 999. In 1919 the number of these deaths fell to 653, and in 1920 to 590. In the larger burghs taken collectively the death-rate from this cause was 15 per 100,000; in the smaller burghs, 11; and in the county districts, 9. In the previous year these rates were 16, 11, and 11 respectively. Of these deaths the majority, 364, were among children of less than five years old, while 102 were among children of more than 5 but less than 10 years old, and only 23 were among persons of 25 years of age and upwards. (*Tables 32-36.*)

Deaths from abdominal tuberculosis numbered 525, and equal a death-rate of 11 per 100,000. These deaths are also fewer than in recent years. In the years 1911 to 1914 they constantly numbered over 800, and in the years 1915 to 1918 constantly over 700. In 1919 this number fell to 568, and has now fallen to 525. In the larger burghs taken collectively the death-rate from this cause was 13; in the smaller burghs, 10; and in the county districts, 9. (*Tables 32-36.*)

Malignant Disease.—Deaths from cancer and other forms of malignant disease numbered 5765. This is the largest number of such deaths registered in Scotland in any one year. It is 108 more than that of the previous year, 286 more than the mean of those of the preceding five years, and 465 more than the mean of those of the preceding ten years. (*Table 39.*)

The cancer death-rate of the year was 119 per 100,000, and is the highest annual death-rate from this cause yet recorded. It is 2 above that of the previous year, 5 more than the mean of those of the preceding five years, and 8 more than the mean of those of the preceding ten years. In the years 1855 to 1863 the Scottish cancer death-rate varied from 32 to 40. In the years 1864 to 1878 it was constantly over 40, in the years 1878 to 1885 constantly over 50, and in the years 1886 to 1893 constantly over 60. In 1894 it rose for the first time over 70, in 1898 over 80, and in 1905 over 90. In 1901 it exceeded 100, in 1912 it rose to 110, and has now risen to 119. In 1920, the year under review, deaths from cancer outnumbered those from phthisis by 1571, or 37·5 per cent., while as a contrast it may be mentioned that in 1870, *i.e.*, 50 years ago, the number of deaths from phthisis outnumbered those from cancer by 7775, or 566·3 per cent. (*Table 40.*)

The cancer death-rate of the year among males was 106, and among females 131 per 100,000, the former being 7 more, but the latter the same as in the previous year. In the larger burghs taken collectively this death-rate was 123; in the smaller burghs, 125; and in the county districts, 107. In the previous year these rates were 113, 124, and 112. (*Table 36.*)

The age-group death-rates from cancer were, as is always the case, highest at the older ages and lowest in the younger ages. In age-group 75 and over it was 1146 per 100,000; in age-group 65 to 74, 850; in age-group 55 to 64, 542; and in age-group 45 to 54, 229. In age-group 35 to 44 it was 69, but in all younger age-groups it was less than 20. (*Table 33.*)

Of the 5765 deaths from malignant disease, 3639 were ascribed to carcinoma, 266 to sarcoma, and 1860 to other or unspecified forms of malignant disease. In the previous year these three figures were 3538, 231, and 1888.

The most frequent sites of fatal malignant disease among males during the year were stomach (647), intestine (381), liver (222), rectum (188), œsophagus (119), and tongue (113); and the most frequent sites among females were stomach (632), intestine (498), breast (494), uterus (480), liver (280), and rectum (147). Grouping together cancers of stomach, liver, intestine, and rectum, it is found that those of males numbered 1438 and those of females 1557, the former number being 101 in excess of that of last year,

while the latter number is 40 less. Deaths from cancers of the uterus and breast among females collectively numbered 974, which is 12 less than in the previous year. (*Table 42.*)

Syphilis.—Syphilis was the stated cause of death in 237 instances. This number is 44 more than that of the previous year, 54 more than the mean of the numbers of the preceding five years, and 39 more than the mean of those of the preceding ten years. These deaths equal a death-rate of 5 per 100,000, which is 1 more than in the previous year, 1 more than the mean of those of the preceding five years, and 1 more than the mean of those of the preceding ten years. Of the 237 deaths from this cause, 192 were of children of less than one year old, which number is 43 more than in the previous year. (*Table 39.*)

In addition to these 237 deaths attributed to syphilis, there were 410 attributed to parasyphilitic disease, including 189 from general paralysis of the insane, 151 from aneurysm, and 70 from locomotor ataxia. These deaths collectively are 7 fewer than in the previous year, those from general paralysis of the insane being 34 fewer, and those from locomotor ataxia 18 fewer, while those from aneurysm were 45 more. (*Pages 42 and 43.*)

Other General Diseases.—The foregoing causes of death are of a general rather than of a local anatomical distribution, and in addition to them deaths grouped as general diseases included, among others, 171 from chronic rheumatism, gout, or osteoarthritis, 203 from rheumatic fever, 439 from diabetes, 50 from exophthalmic goitre, 63 from leucocythæmia, 24 from lymphadenoma, 124 from alcoholism, and 500 from anæmia and chlorosis, these latter including 442 attributed to pernicious anæmia. Compared with the numbers of the previous year, deaths from chronic rheumatic affections are 44 fewer, from diabetes 22 fewer, from exophthalmic goitre 15 fewer, from lymphadenoma 18 fewer, and from anæmias 60 fewer, but those from leucocythæmia are 4 more, and from alcoholism 52 more. (*Page 42.*)

Diseases of the Nervous System.—The number of deaths ascribed to diseases of the nervous system, including those from diseases of the eye and the ear, were 8542, which is 277 fewer than in the previous year. Among others these deaths included 184 from encephalitis, of which 91 were attributed to encephalitis lethargica, 115 from cerebro-spinal meningitis, 731 from meningitis other than tuberculous and cerebro-spinal, 5131 from apoplexy and hemiplegia, 259 from epilepsy, 637 from convulsions other than puerperal, 130 from cerebral tumours, and 151 from diseases of the ear including those of mastoid. Of these numbers the only ones materially larger than in the previous year are those of encephalitis and of cerebral tumour, the increases being 34 and 24 respectively, and those showing material reductions are those from meningitis, other than tuberculous or cerebro-spinal, 101, from apoplexy and hemiplegia 72, and from cerebro-spinal meningitis 13, fewer than in the previous year. (*Page 43.*)

Diseases of the Circulatory System.—Deaths from these causes collectively numbered 8084, and included 6703 from diseases of the heart, 1318 from diseases of the blood vessels, and 63 others.

These deaths collectively are 91 fewer than in the previous year, those from heart disease being 126 fewer, while those from diseases of the blood vessels are 33 more, and from diseases of the circulatory system other than the heart and the blood vessels, 2 more. Deaths from diseases of the heart included 40 from pericarditis, 258 from acute endocarditis, 3300 from valvular disease, 278 from fatty degeneration, 229 from angina pectoris, and 2598 from other or unspecified diseases of the heart. Deaths from valvular disease of the heart numbered 229 fewer than in the previous year, but those from acute endocarditis numbered 82 more, and from fatty degeneration of the heart 39 more. Deaths ascribed to diseases of the blood vessels included 151 from aneurysm, 544 from arterio-sclerosis, 515 from cerebral embolism or thrombosis other than cerebral, and 18 from diseases of the veins. Deaths from aneurysm numbered 45 more than in the previous year, but the others show little change. Deaths from diseases of the circulatory system other than from diseases of the heart and blood vessels included 12 from lymphatism or status lymphaticus, 14 from other diseases of the lymphatic system, and 37 from hæmorrhage of an unspecified nature or cause. (*Page 43.*)

Diseases of the Respiratory System.—These deaths collectively numbered 12,388, which is 5671 less than in the previous year. They included 4701 from bronchitis, 3212 from broncho-pneumonia, 3477 from pneumonia other than broncho-pneumonia, 277 from pleurisy, 392 from pulmonary congestion, 109 from diseases of the larynx, 9 from diseases of the nose, 29 from diseases of the thyroid, and 182 others. Compared with the corresponding figure of the previous year, that of deaths from pleurisy is 48 less, that from pulmonary congestion 59 less, and that from all diseases of the larynx 22 less. (*Page 43.*)

Deaths from all diseases of the respiratory system constituted 18·2 per cent. of the total deaths of the year. In 1919 this percentage was 24·0; in 1918, 26·5; and in 1917, 16·1, the high percentages of 1919 and 1918 being associated with the influenza epidemic. (*Table 34.*)

Bronchitis.—Bronchitis was the stated cause of death in 4701 instances. This number is 1122 less than that of the previous year, 657 less than the mean of those of the preceding five years, and 322 less than the mean of those of the preceding ten years. These deaths equal a death-rate of 97 per 100,000, which is 24 less than that of the previous year, 14 less than the mean of those of the preceding five years, and 8 less than the mean of those of the preceding ten years. Deaths from bronchitis in the male population numbered 2395, and in the female population 2306, the male death-rate from this cause being 102, and the female 91, per 100,000. In the previous year these two rates were 117 and 121 respectively. In the larger burghs taken collectively this death-rate was 116; in the smaller burghs, 89; and in the county districts, 74. In the previous year these three rates were 134, 117, and 95.

In the larger burghs taken individually the death-rate from bronchitis varied from 159 in Motherwell, 145 in Hamilton, 132 in

Coatbridge and in Kirkcaldy, and 128 in Glasgow, to 54 in Falkirk, 61 in Clydebank, 88 in Ayr, 90 in Perth, 92 in Leith, and 95 in Edinburgh. Of the total deaths from bronchitis, 1226, or 26.1 per cent., were of children of less than 5 years old; 1261, or 25.8 per cent., were of persons of more than 5 but less than 65 years old; and 2214, or 47.1 per cent., were of persons of 65 years and upwards. Compared with the figure of the previous year, deaths from bronchitis among children of less than 5 years old are 30 more, those of persons of over 5 but under 65 are 529 fewer, and those of persons of 65 years old and over are 623 fewer. The age-group death-rates from bronchitis ranged from 1569 per 100,000 in age-group 75 and over, 935 in age-group under 1, 557 in age-group 65 to 69, and 228 in age-group 55 to 64, to 1 in age-group 10 to 15, 4 in age-group 15 to 24, and 5 in age-group 5 to 10. The months of the year in which deaths from bronchitis were most frequent were December (593), April (588), January (584), and March (579), and the months in which these deaths were least numerous were August (162), July (195), and September (226). In the early part of the previous year, 1919, there was a severe epidemic of influenza, and there can be little doubt that the greater frequency of deaths from bronchitis in that year as compared with those of this year was due to that epidemic. (*Tables 33-40 and Page 71.*)

Pneumonia.—The total number of deaths ascribed to pneumonia during the year numbered 6689, of which 3212 were certified as due to broncho-pneumonia, and 3477 as due to pneumonia other than broncho-pneumonia. The total number of these deaths is 4405 less than in the previous year, that of broncho-pneumonia being 1694, and that of other pneumonia 2711 less. These pneumonia deaths are 1996 fewer than the mean of the numbers of the previous five years, and 613 fewer than the mean of those of the preceding ten years. The large difference between the number of deaths in this and in the previous year, like the decrease in the number of deaths from bronchitis, may be attributed to the severe epidemic of influenza early in 1919.

The death-rate from pneumonia, all forms, was 138 per 100,000. It is 92 less than that of the previous year, 43 less than the mean of those of the five preceding years, and 15 less than the mean of those of the ten preceding years. The pneumonia death-rate in the male population was 161, and in the female 116, the former being 92, and the latter 86, less than in the previous year. In the larger burghs taken collectively this death-rate was 183; in the smaller burghs, 107; and in the county districts, 92. In the previous year these three rates were 270, 169, and 184 respectively.

In the larger burghs taken individually relatively high pneumonia death-rates occurred in Dundee (246 per 100,000), Glasgow (225), Motherwell (206), and Hamilton (186). In Edinburgh this rate was 111, and in Aberdeen 146. In Kirkcaldy it was 68, and in Perth 75.

Of the 6689 persons dying from pneumonia, 2809, or 42.0 per cent., were of children of less than five years old; 2803, or 41.9 per cent., were persons of more than 5 but less than 65 years old; and 1077, or 16.1 per cent., were persons of 65 or over. Compared

with the number of the previous year deaths from pneumonia among children of under 5 are 696, or 19·9 per cent., less; those of persons between 5 and 65 are 3283, or 53·9 per cent., less; and those of persons of 65 and over are 426, or 28·3 per cent., less. (*Table 32.*)

The age-group death-rates of the year from pneumonia varied from 1561 per 100,000 in children of less than 1 year old, 620 among persons of 75 years of age and upwards, 327 among those of ages between 65 and 75, 249 among those aged 1 to 5, and 217 among those aged 55 to 65, to 14 among those aged 10 to 15, 31 among those aged 5 to 10, and 40 among those aged 15 to 25. (*Tables 32-40.*)

Diseases of the Digestive System.—Deaths attributed to diseases of the digestive system during the year in all numbered 4470. They included 106 from diseases of the mouth, pharynx, and œsophagus, 842 from diseases of the stomach, 2927 from diseases of the intestines, 447 from diseases of the liver, and 148 others, these last including 5 from diseases of the spleen, and 110 from peritonitis, the cause of which was unspecified. Compared with the number in the previous year, deaths from diseases of the mouth, pharynx, and œsophagus are 7 more, from diseases of the stomach 53 more, from diseases of the intestines 278 more, and from diseases of the liver 64 more.

Of the 842 deaths from diseases of the stomach, 333 were ascribed to gastric ulcer, a number 9 in excess of that of the previous year. Of the 2927 deaths from diseases of the intestines, 1287 were ascribed to enteritis or diarrhœa among children of less than 2 years of age, and 586 to those conditions among persons of over that age, the former being 272, and the latter 67, more than in the previous year. Deaths attributed to appendicitis numbered 445, to hernia 204, and to intestinal obstruction 328. Compared with the number of the previous year, deaths from appendicitis are 19 more, and those from hernia 11 more, but those from intestinal obstruction are 2 fewer. Of the 447 deaths from diseases of the liver, 12 were ascribed to acute yellow atrophy, 171 to cirrhosis, and 105 to gallstones; compared with the number in the previous year deaths from acute yellow atrophy are 7 more, from cirrhosis 12 more, and from gallstones 17 more. In the Reports dealing with the statistics of the years 1918 and 1919 attention was drawn to a decided diminution in the number of deaths from cirrhosis of the liver, these deaths numbering 159 in 1919, and 139 in 1918, as against an average of 250 in the years 1911 to 1913; the number of such deaths in this year, though 12 in excess of those of 1919 and 32 in excess of those of 1918, are still decidedly below the average in the years 1911 to 1913. (*Page 44.*)

Diarrhœa.—Deaths from all forms of diarrhœas, including those certified as due to enteritis, to gastro-enteritis, to dysentery, and to cholera nostras, numbered 1892. This number is 323 more than that of the previous year, but is 19 less than the mean of those of the five preceding years, and 351 less than the mean of those of the ten preceding years. The death-rate from this cause was 39 per 100,000; it is 6 more than in the previous year, but 1 less than the mean of the rates of the preceding five years, and 8 less than the mean of those of the preceding ten years. (*Tables 39 and 40.*)

Diseases of the Genito-Urinary System.—Deaths from these causes in all numbered 2691, which is 70 less than in the previous year. They included 1987 from diseases of the kidney, 268 from diseases of the bladder, 260 from diseases of the male reproductive organs, and 176 from diseases of the female reproductive organs. Compared with the number of the previous year, deaths from diseases of the kidney are 53 fewer, from diseases of the bladder and urethra 19 fewer, from diseases of the male reproductive organs 6 fewer, but those from diseases of the female reproductive organs are 8 more. The 1987 deaths attributed to diseases of the kidney included 247 ascribed to acute nephritis, 1511 ascribed to chronic nephritis or Bright's disease, 111 ascribed to uræmia, and 118 others. Deaths from diseases of the bladder and urethra included 35 from urinary calculus, 181 from diseases of the bladder, and 52 from diseases of the urethra or from urinary abscess. Deaths from diseases of the male reproductive organs included 252 from diseases of the prostate, and 8 others. Those from diseases of the female reproductive organs included 51 from non-cancerous uterine tumour, 40 from cystic and other simple tumours of the ovary, and 85 others. (Page 44.)

Diseases and Accidents of Pregnancy and Childbirth.—These collectively numbered 840, and included 93 from diseases of pregnancy, 182 from accidents of childbirth, and 565 from diseases of the puerperium. Collectively these deaths numbered 179 more than in the previous year, those from accidents of childbirth being 57 more, and those from diseases of the puerperium 141 more, while those from diseases and accidents of pregnancy numbered 19 fewer. Of the 93 deaths from diseases and accidents of pregnancy, 44 were due to abortion, 12 to uncontrollable vomiting, 22 to ectopic gestation, and 15 to other causes. Deaths from abortion are 22 fewer than in the previous year, and 58 fewer than in 1918. They are 3 more than those of the year 1917, and 1 more than those of 1916. These deaths were exceptionally numerous in the years 1918 and 1919, the excess being attributed to the influenza epidemic. (Page 44.)

Deaths from accidents of childbirth included 107 from puerperal hæmorrhage; in the previous year this number was 71. Those from diseases and accidents of the puerperium included 242 from puerperal sepsis, 134 from puerperal albuminuria or convulsions, and 51 from puerperal phlegmasia alba dolens, phlebitis or embolism. In the previous year these figures were 150, 108, and 40, and thus the figures of this year show a considerable increase. (Page 44.)

Births registered during the year numbered 136,546, and as the deaths from diseases and accidents of pregnancy and childbirth numbered 840, they equal a death-rate of 6·2 per thousand registered births. This rate is the same as that of the previous year, but is 0·8 less than that of 1918, while it is 0·3 higher than that of 1917, the last year without severe influenza. In the larger burghs taken collectively this rate was 6·6; in the smaller burghs, 5·4; and in the county districts, 5·9. In the larger burghs taken individually this rate ranged from 11·6 in Kirkcaldy, and 7·1 in Glasgow and in Dundee, to 3·9 in Kilmarnock, and 5·2 in Paisley, in Leith, and in Hamilton.

In Greenock this rate was 6·7, in Clydebank 6·3; in Aberdeen 6·2, in Perth 6·2, in Falkirk 6·2, in Motherwell 6·1, in Edinburgh 5·9, in Ayr 5·8, and in Coatbridge 5·4. (*Table 41.*)

Diseases of the Skin and Cellular Tissue.—Deaths from these causes in all numbered 519, which is 45 more than that of the previous year. These deaths included 255 from gangrene, of which 230 were ascribed to senile gangrene, 8 to cancrum oris, and 17 others. Those from senile gangrene numbered 10 more than in the previous year, but those from cancrum oris numbered 1 fewer. (*Page 44.*)

Diseases of the Locomotor System.—These collectively numbered 120, which is 3 fewer than in the previous year. They included 90 from diseases of the bones, 28 from diseases of the joints, and 2 others. (*Page 45.*)

Congenital Malformations.—Deaths ascribed to congenital malformations numbered 613, which is 117 more than in the previous year. Of these deaths, 336 were of males, and 277 of females, the former, as is usual, outnumbering the latter. Of the 613 dying from these causes, 561 were children of less than 1 year old, and 33 were children of more than 1 but less than 5 years old. (*Page 45.*)

Diseases peculiar to Early Infancy.—Deaths from these diseases in all numbered 4872, which is 849 more than in the previous year. They equal a death-rate of 35·7 per thousand registered births, which is 2·2 less than that of the previous year, and 0·5 less than that of 1918. Deaths from these causes among male children numbered 2832, and equalled a death-rate of 40·6 per thousand registered male births, and those among female children numbered 2040, and equalled a death-rate of 30·5 per thousand registered female births. These deaths included 2532 ascribed to premature birth, 1436 being of males, and 1096 of females; 1961 ascribed to congenital debility, 1176 being of males, and 785 of females; and 379 from other diseases peculiar to early infancy or lack of care, of which 220 were of males, and 159 of females. (*Pp. 45-49, 53.*)

Old Age.—Deaths attributed to old age numbered 3577, and included 66 certified as due to senile dementia, and 3511 certified as due to senile decay. These deaths collectively number 484 fewer than in the previous year. (*Page 45.*)

Violence.—Deaths attributed to violent causes during the year numbered 2919. This number is 67 less than that of the previous year, 203 less than the mean of those of the five preceding years, and 121 less than the mean of those of the ten preceding years. The annual death-rate from these causes taken collectively was 60 per 100,000, which is 2 less than in the previous year, 5 less than the mean of those of the five preceding years, and 4 less than the mean of those of the ten preceding years. Deaths from violence among the male population numbered 2086, and among the female population 833, the male death-rate from this cause being 89, and the female 33. In the previous year the male death-rate was 94, but the female death-rate was 31. (*Tables 36, 40.*)

In the larger burghs taken collectively the death-rate from violence was 65 per 100,000; in the smaller burghs, 55; and in the county districts, 55. In the previous year these three rates were 55, 48, and 60 respectively. In the larger burghs taken

individually the death-rate from violence varied from 82 in Clydebank, 77 in Greenock, 73 in Glasgow, and 63 in Dundee, in Leith, in Kirkcaldy, and in Hamilton, to 42 in Falkirk, 44 in Motherwell, and 45 in Ayr. In Edinburgh this death-rate was 57, and in Aberdeen 56. (*Tables 35-38.*)

Of the 2919 deaths from violence registered during the year, 236 were ascribed to suicide, 30 to homicide, 31 to war casualties, 2 to execution, and 2620 to accident. Compared with the numbers in the previous year, deaths by suicide are 2 more, deaths by homicide 2 fewer, deaths from war casualties 36 fewer, and deaths by accident 33 fewer. Of the 2620 deaths by accident, 1870 were of males, and 750 of females; of those by suicide, 165 were of males, and 71 of females; while of those by homicide 18 were of males, and 12 of females. (*Page 45.*)

Of the 2620 deaths by accident, 452 were by drowning, 366 by burns and scalds, 290 by falls, and 93 by poisoning, these last including 41 fatal accidents caused by poisonous vapours, 13 deaths by food poisoning, and 39 others. Deaths by drowning numbered 167 less than in the previous year, and those by burns and scalds 25 less, but those caused by falls numbered 60 more, and those by poisons 14 more. Deaths due to fatal accidents in coal and other mines and in quarries numbered 127; on railways, 141; with motor-cars, 161; with horses and horse-drawn vehicles, 36; and with tramcars, 48. Those due to motor-car accidents numbered 20 more than in the previous year, those due to tramway accidents 16 more, and to railway accidents 7 more, but those due to accidents with horses and horse-drawn vehicles numbered 21 fewer, and those in mines and quarries 14 fewer. Deaths of children of less than 1 year old caused by overlaying or by suffocation numbered 77, and are 1 fewer than in the previous year, but 12 more than in 1918. (*Page 45.*)

Of the 39 deaths from accidental poisoning other than by poisonous vapours or by food, 7 were caused by carbolic acid, 5 by opium, 4 by arsenic, 3 by ammonia, 2 by oxalic acid, 2 by an "irritant," 1 each by cyanide of potassium, caustic soda, neo-salvarsan, mercury, hemlock, nicotine, corrosive sublimate, strychnine, "liniment," acetic acid, salicylate, hydrochloric acid, "corrosive," bromidia and opium, potassium bichromate, and 1 by an unspecified poison. (*Table 44.*)

Of the 41 deaths due to exposure to poisonous vapours, 32 were caused by coal gas, 6 by carbon monoxide, and 1 each by sulphur fumes, gas at ironwork, and mustard gas. In the previous year 32 deaths were caused by coal gas, and 12 by carbon monoxide. (*Table 44.*)

In addition to the above-named 41 deaths from exposure to poisonous vapours, there were 71 cases in which death occurred during or after the administration of an anæsthetic for therapeutic purposes, and of which the anæsthetic may, or may not, have been a contributory cause. In the previous year such deaths numbered 43, but in 1918 they numbered 70. These 71 cases included 41 where chloroform was the anæsthetic administered, 21 where it was a mixture of chloroform and ether, 5 where ether alone was given, 2 where ethyl chloride was given, and 2 in which the nature of the anæsthetic was not ascertained. (*Table 44.*)

The 236 deaths by suicide included 70 by cut-throat or by other cutting or stabbing, 52 by hanging, 46 by poisoning, 37 by drowning, 18 by gunshot, 11 by precipitation, and 2 on railways. Compared with the number in the previous year, suicidal deaths by poisoning were 16 more, by precipitation 6 more, by gunshot wounds 6 more, and by cut-throat 1 more, but those on railways were 2 fewer, by drowning 5 fewer, and by hanging 20 fewer. (*Table 43.*)

Of the 46 deaths by suicidal poisoning, 29 were by coal-gas, 4 by carbolic acid, 3 by hydrocyanic acid, 2 by oxalic acid, 1 each by corrosive, "A.B.C. liniment," arsenic, caustic soda, toxol, and ammonia, and 2 by unspecified poisons. (*Table 44.*)

Relative Frequency of Causes of Death.—The following tabular statement shows in order of frequency those causes of death which during the year were the prescribed cause of at least one per cent. of the total deaths of the year, the figures given being those of the actual number of deaths, and the percentage of the total deaths caused by each:—

<i>Causes of Death.</i>	<i>Number.</i>	<i>Per Cent. of Total.</i>
Heart Disease, all forms	6703	9·83
Pneumonia, all forms	6689	9·81
Cancer	5765	8·46
Congenital Debility, and Malformation, including Premature Birth	5106	7·49
Bronchitis	4701	6·90
Pulmonary Tuberculosis	4194	6·15
Violence	2683	3·93
Other Diseases of Digestive System .	2291	3·36
Nephritis and Bright's Disease . .	1869	2·74
Infantile Diarrhœa	1287	1·89
Other Diseases of the Respiratory System	998	1·46
Measles	816	1·20
Other Tuberculous Diseases	733	1·08
Meningitis	731	1·07
Diphtheria	724	1·06

The foregoing list includes the causes of 45,290 deaths, and that is 66·4 per cent. of the total. The percentage of the total deaths ascribed to phthisis was 6·15; to tuberculous meningitis, 0·87; to abdominal tuberculosis, 0·77; and to other forms of tuberculous disease, 1·08. (*Tables 32 and 34.*)

Infant Deaths.—Deaths of children of less than 1 year old in all numbered 12,565, and as already stated equal an infantile mortality rate of 92 per thousand registered births. Of these deaths, 7199 were of male children, and 5366 of female children. Of these 12,565 children, 7780, or 61·9 per cent., were less than three months old; 2105, or 16·8 per cent., were more than three but less than six months old; 1469, or 11·7 per cent., were more than six but less than nine months old; and 1211, or 9·6 per cent., were more than nine but less than twelve months old. Compared with the number in the previous year, deaths among children of less than three

months old are 1530 more; of more than three but less than six months old, 430 more; and of more than six but less than nine months old, 19 more; while those of more than nine but less than twelve months old are 209 fewer. Deaths of children of less than one month old numbered 5421, and constituted 43·14 per cent. of the total infant deaths. In the previous year they numbered 4573, and constituted 42·36 per cent. of the total. (*Table 45.*)

The most frequent causes of death among infants during the year, the number of deaths caused by each, and the percentage of the total infantile deaths of the year caused by them, were:—Premature birth, 2532, or 20·15 per cent.; broncho-pneumonia, pneumonia, and congestion of the lungs taken collectively, 1815, or 14·44 per cent.; congenital debility, including icterus and sclerema, 1961, or 15·61 per cent.; bronchitis, 1036, or 8·25 per cent.; diarrhœal diseases, 1161, or 9·24 per cent.; congenital malformations, 561, or 4·46 per cent.; convulsions, 530, or 4·22 per cent.; whooping-cough, 341, or 2·71 per cent.; meningitis other than tuberculous meningitis, but including cerebro-spinal meningitis, 302, or 2·40 per cent.; measles, 271, or 2·16 per cent.; and syphilis, 192, or 1·53 per cent. Compared with the numbers in the previous year, deaths of infants from premature birth, from congenital debility, from bronchitis, from diarrhœa, from congenital malformations, from convulsions, from meningitis, from pneumonia, and from syphilis, all show an increase, and those from whooping-cough a decrease. Children born during the year numbered 136,546, as against 106,268 in the previous year, and it is not surprising to find that the deaths among infants from the causes named were more numerous in this than in that year. (*Table 46.*)

Deaths among infants from all forms of tuberculous disease numbered 283; 146 being ascribed to tuberculous meningitis, 68 to abdominal tuberculosis, 11 to acute miliary tuberculosis, and 1 each to acute phthisis, and to tuberculosis of the spine, and 39 others, including disseminated tuberculosis. (*Page 42.*)

The total deaths of infants from all forms of meningitis, from encephalitis, and from convulsions taken collectively was 983. In the previous year they numbered 857. They included 146 deaths from tuberculous meningitis, 5 from encephalitis, 27 from cerebro-spinal meningitis, 275 from other forms of meningitis, and 530 others. (*Pages 42 and 43.*)

Deaths among children of less than one month old numbered 5421, of which 2352, or 43·4 per cent., were due to premature birth; 1196, or 22·1 per cent., to congenital debility; and 373, or 6·9 per cent., to congenital malformations. These three causes collectively numbered 3921, and constituted 72·4 per cent. of the total deaths at that age. (*Table 45.*)

J. C. DUNLOP,
Registrar-General.

APPENDIX I.

FIFTY-SIXTH ANNUAL REPORT ON THE VACCINATION
OF CHILDREN IN SCOTLAND.

This Report deals more especially with the vaccination of the children whose births were registered during the year 1919, and who in ordinary course should have been vaccinated in that year or in 1920.

The births of 106,274 living children were registered during the year 1919, but of these 8183 died before reaching the age of statutory vaccination—six months—and the difference, 98,091, represents the number of children to be here accounted for. Of these, 56,868, or 58·0 per cent., were vaccinated; 37,754, or 38·5 per cent., were unvaccinated; while the condition as to vaccination of 3469, or 3·5 per cent., was unknown. The vaccinated children of the year number 7809 more than those of the previous year, and the unvaccinated children number 974 more, but the number of children unaccounted for as to vaccination number 727 less. The percentage which the vaccinated children constitute of the total is 3·5 in excess of that of the previous year, while the percentage constituted by the unvaccinated is 2·4 less, and by those unaccounted for 1·2 less. (*Tables 50 and 51.*)

The vaccinated children of the year 1919, as above stated, amount to 58 per cent. of the children of the year surviving at the time of statutory vaccination, while the remainder, which consists of unvaccinated children and of children whose vaccination is unknown, amounts to 42 per cent. The percentage constituted by the former, though somewhat higher than in 1918, when it was 54·5, and slightly higher than in each of the years 1916 and 1917, is lower than in all other previous years except 1914, when it was 56·6. From 1865 to 1883 this percentage was 96 or over, being at a maximum of 96·9 in the year 1872; in the years 1884 to 1886, and in the year 1888 it was 95 or over; and in the years 1889 to 1906 it was between 91·9 and 94·9. In 1907 this proportion fell below 90; in 1908, below 80; and in 1910, below 70; while the proportion for the year 1913 and all subsequent years has been below 60. Conversely the proportion of surviving children known to be unvaccinated or whose vaccination has not been ascertained has greatly increased. From 1865 to 1883 these children constituted less than 4 per cent. of the total, and from 1884 to 1906 less than 9 per cent., but this percentage in 1907 rose to 16·5, in 1908 to 23·2, in 1910 to 32·4, and since 1913 has been constantly over 40, attaining a maximum of 45·5 in the year 1918. (*Table 52.*)

The vaccinated children of the year included 56,489 in respect of whom a certificate of successful vaccination was received, and 379 in respect of whom no certificates were received, but who were

certified as insusceptible of vaccination on account of having been previously vaccinated, *i.e.*, vaccinated but not so certified. The former number is 7656 in excess of that of the previous year, but 7912 less than the mean of the numbers of the previous ten years. The latter number is 153 in excess of that of the previous year, but 78 less than the mean of those of the preceding ten years. (*Table 50.*)

The children reported to be unvaccinated during the year numbered 37,754, and include 465 certified as insusceptible to vaccination, 35,583 unvaccinated by reason of parental conscientious objection, and 1706 unvaccinated by reason of postponement on medical grounds. (*Table 50.*)

Certificates of constitutional insusceptibility numbered 465; they are 75 fewer than in 1918, and 132 fewer than the mean of the numbers of the previous ten years. This number is greater than in any of the three years 1915, 1916, and 1917, but compares favourably with those of some earlier years—in 1912 they numbered 1454. The percentage which these children reported as insusceptible to vaccinia constitute of the total children surviving at the time of statutory vaccination is 0·5. In the previous year this rate was 0·6 per cent., and the mean of the preceding ten years was 0·6 per cent. Relatively high rates of insusceptibility are reported from the Counties of Kinross (17 per 1000), Haddington (12 per 1000), Perth (12 per 1000), and Stirling (10 per 1000). In the Counties of Shetland, Clackmannan, and Peebles no reports of statutory insusceptibility were received during the year. In the principal towns the highest rates of insusceptibility occurred in Perth (11 per 1000) and Clydebank (10 per 1000), while in Motherwell none were reported, and in Coatbridge, Falkirk, and Ayr they amounted to 3 per 1000 or less. In the Parish of Muiravonside no fewer than 9 children out of 182 surviving at the time of vaccination were reported constitutionally insusceptible, and in Grangemouth Parish, 6 out of 182 were so reported. (*Tables 50 and 51, and pages 1-51.*)

Children exempted from vaccination on account of parental conscientious objection numbered 35,583, and constituted 36·3 per cent. of the total children alive at the time of statutory vaccination. This number is 2091 more than in the year 1918, and 3114 more than the mean of the numbers in the ten preceding years. In two previous years, in 1913 and 1914, the number of children exempted from vaccination for this reason exceeded those of the year under consideration, being 36,479 and 38,673 respectively. The proportion of the total children surviving, exempted for this reason, 36·3 per cent., is 0·9 less than in the previous year, but 5·7 more than the mean of the numbers in the preceding ten years. This proportion, 36·3 per cent., was only exceeded in each of the years 1917 and 1918, the rate in 1917 being 36·6, and in 1918, 37·2. In the counties this rate varied from 86·0 per cent. in Shetland, 56·3 in Orkney, 56·2 in Dumbarton, 54·5 in Forfar, and 52·3 in Fife, to 14·1 in Wigtown, 15·3 in Moray, 17·8 in Peebles, 18·4 in Aberdeen, and 18·9 in Kincardine. In the larger burghs this percentage varied from 70·8 in Falkirk, 64·5 in Dundee, 58·2 in Clydebank, 57·1 in Kilmarnock, and 56·9 in Greenock, to 11·4 in Aber-

deen, 20·8 in Edinburgh, 23·3 in Ayr, and 28·1 in Glasgow. In the previous year the larger burghs in which this rate was highest were Falkirk, Dundee, and Clydebank, and those in which it was lowest were Aberdeen, Edinburgh, and Ayr. In 18 of the less populous registration districts all children surviving at the time of statutory vaccination were exempted from this cause. Since the passing of the amending Act of 1907 the total number of children exempted from vaccination by reason of conscientious objection on the part of the parents is 383,632. (*Tables 50 and 51 and pages 1-51.*)

Children whose births were registered during 1919, and who at the end of 1920 were still unvaccinated by reason of postponement on medical grounds, numbered 1706, and constitute 1·7 per cent. of the children surviving at the time of statutory vaccination. Both this number and this proportion is less than normal. The number is 1042 less than that of the previous year, and 1044 less than the mean of those of the preceding ten years. The proportion is 1·3 less than that of the previous year, and 0·9 less than the mean of those of the preceding ten years. (*Tables 50 and 51.*)

Children whose vaccination was unaccounted for, whether through removal from the district of registration or otherwise, numbered 3469, and constitute 3·5 per cent. of the total number surviving at the time of statutory vaccination. This number is 727 less than that of the previous year, and 1876 less than the mean of those of the preceding ten years. The proportion is 1·2 less than that of the previous year, and 1·5 less than the mean of those of the preceding ten years. The proportion unaccounted for is less than that in all years since 1905, but greater than in all years 1864 to 1905. (*Tables 50 and 51.*)

APPENDIX II.

ADDITIONAL STATISTICS REGARDING MARRIAGES REGISTERED IN SCOTLAND DURING THE YEAR 1919.

A statement regarding marriages registered in Scotland during the year 1919 was incorporated in the Sixty-Fifth Annual Report of the Registrar-General, that dealing with the detailed statistics of the registered births and deaths of that year, but as full details of the registered marriages were not available at the time when the Report was prepared, the statement then made is now supplemented by a more detailed one. The statement of marriage statistics relative to the year 1919 already published dealt only with the numbers registered, and with marriage-rates, while in this additional statement facts regarding method of proclamation, the church of celebration, the ages and conjugal conditions of those marrying and the method of signing the marriage schedules, by mark or writing, are included.

In the Sixty-Fifth Annual Report it was stated that the marriages registered in 1919 in all numbered 44,137. By a complete examination of the marriage registers of the year this number is found to be 44,060, and the equivalent rate is thus 9·14 per 1000.

The number of marriages registered in 1919 and the marriage-rate of the year are both high, and indeed are the highest yet recorded in Scotland. The previous largest number of marriages in any one year was that in the year 1915, which was 36,233, and the previous highest marriage-rate was 7·77, which occurred in 1873. The marriages of the year numbered 9531, or 27·60 per cent. more than in the previous year. They exceed the previous largest by 7827, or 21·6 per cent., and the rate exceeds the previous maximum—that of 1873—by 1·86, or 23·9 per cent. The marriage-rate of the year was 1·97 more than that of the previous year, 1·78 more than the mean of those of the five preceding years, and 2·00 more than the mean of those of the ten preceding years. (*Table 9.*)

Regular and Irregular Marriages.—Of the 44,060 marriages registered in Scotland, 35,709, or 81·0 per cent., were regular, *i.e.*, solemnised by a minister of religion after proclamation by banns or proclamation by public notice at a registrar's office, while 8351, or 19·0 per cent., were irregular. (*Table 13.*)

The number of regular marriages registered during the year was 7123, or 24·92 per cent. more than in the previous year, 7924 more than the mean of the numbers of the five preceding years, and 7153 more than the mean of those of the ten preceding years. This is the largest number of regular marriages yet recorded in Scotland.

The irregular marriages registered during the year numbered

2408, or 40·5 per cent. more than in the previous year, 2610 more than the mean of the numbers of the five preceding years, and 4240 more than the mean of those of the ten preceding years. These marriages numbered more than in all preceding years, the previous maximum being that registered in 1915, which was 7420. In the years 1855 to 1870 these marriages numbered less than 100 annually, and from 1871 to 1889 more than 100 but less than 1000 annually. In 1890 they numbered, for the first time, more than 1000; in 1902, more than 2000; in 1913, more than 3000; in 1914, more than 4000; in 1915, more than 7000; and in 1919, more than 8000. (*Table 9.*)

The percentage which irregular marriages constituted to the total registered was 19·0. This is 1·8 more than that of the previous year, 1·8 more than the mean of the preceding five years, and 6·5 more than that of the previous ten years, but is 1·5 less than the percentage in 1915. (*Table 10.*)

Of the 8351 irregular marriages, 7760, or 92·9 per cent., were registered in one or other of the larger burghs, those with populations of over 30,000, while only 591, or 7·1 per cent., were registered elsewhere in Scotland, the former number being 2270, or 41·3 per cent., more than in the previous year, while the latter is 138, or 30·5 per cent., more.

Of the total irregular marriages, 7355, or 88·1 per cent., were registered in the four largest burghs, Glasgow, Edinburgh, Dundee, and Aberdeen. The number of marriages in Glasgow was 4527, and constituted 34·9 per cent. of the total marriages registered there; in Edinburgh they numbered 1791, and constituted 38·4 per cent. of the total; in Dundee they numbered 417, and constituted 21·2 per cent. of the total; and in Aberdeen they numbered 620, and constituted 27·7 per cent. of the total. In Perth, Kilmarnock, Falkirk, and Ayr the irregular marriages were relatively numerous, constituting 21·1 per cent. of the total registered in Ayr, 19·7 in Perth, 17·4 in Falkirk, and 10·9 in Kilmar-

TABLE Q.—Regular Marriages in Scotland in 1919, following Proclamation of Banns or Publication at Registrar's Office.

Church of Celebration.	Number.				Percentage of Total for each Church, etc.		
	Total.	Banns.	Publi- cation.	Banns and Publi- cation.	Banns.	Publi- cation.	Banns and Publi- cation.
Established Church . .	16709	13665	2693	351	81·8	16·1	2·1
United Free „ . .	9808	6551	3021	236	66·8	30·8	2·4
Free „ . .	386	232	135	19	60·1	35·0	4·9
Roman Catholic „ . .	4663	907	3662	94	19·5	78·5	2·0
Episcopal „ . .	1429	767	634	28	53·7	44·4	1·9
Congregational „ . .	1147	626	498	23	54·6	43·4	2·0
Baptist „ . .	521	331	177	13	63·5	34·0	2·5
Wesleyan Methodist Church	261	162	94	5	62·1	36·0	1·9
Jews	61	4	56	1	6·6	91·8	1·6
All other Regular Marriages	724	352	355	17	48·6	49·0	2·4
All Regular Marriages	35,709	23,597	11325	787	66·1	31·7	2·2

nock. The counties in which this proportion was high included those containing the four largest burghs, and also Moray (Elgin) where they constituted 12·7 per cent. of the total, Inverness 12·3, and Orkney 15·1. In the counties of Kinross and Peebles no irregular marriages were registered during the year, while in the counties of Berwick, Dumbarton, Haddington, Nairn, Selkirk, Shetland, and Sutherland they numbered 3 or fewer. (*Table 13.*)

Of the 8351 irregular marriages, 8340 were registered by Sheriff's warrant, and 11 by extract decree of declarator. (*Table 13.*)

Method of Proclamation.—Of the 35,709 regular marriages registered during the year, 23,597, or 66·08 per cent., were celebrated after proclamation by banns in respect of both persons; 11,352, or 31·71 per cent., after proclamation by public notice at a registrar's office in respect of both parties; and 787, or 2·21 per cent., after proclamation by banns in respect of one party and by public notice in respect of the other. Compared with the number in the previous year, marriages after proclamation by banns in respect of both persons numbered 4582, or 24·10 per cent. more; those after proclamation by public notice in respect of both persons numbered 2251, or 24·81 per cent. more; and those after banns in respect of one person and public notice in respect of the other numbered 290, or 58·35 per cent. more. Of the total marriages of the year, irregular marriages included, 53·6 per cent. were celebrated after banns in respect of both persons, 25·7 per cent. after proclamation by public notice in respect of both persons, and 1·8 per cent. after proclamation by banns in respect of one person and by public notice in respect of the other. (*Table 13.*)

In the larger burghs, 19,186, or 71·2 per cent., of the total marriages were regular; in the rest of Scotland the regular marriages numbered 16,523, and constituted 96·5 per cent. of the total. Of the regular marriages registered in the larger burghs, 10,220, or 53·26 per cent., were after proclamation by banns in respect of both parties; 8571, or 44·67 per cent., after proclamation by public notice in respect of both parties; and 395, or 2·06 per cent., after banns in respect of one party and after public notice in respect of the other.

In the rest of Scotland marriages after proclamation of banns in respect of both persons numbered 13,377, and constituted 80·96 per

TABLE R.—Regular and Irregular Marriages in 1919.

		Number.			Percentage of Total Marriages		
		SCOTLAND.	Larger Burghs.	Other Districts.	SCOTLAND.	Larger Burghs.	Other Districts.
Regular Marriages.	{ Established Church .	16,709	7,618	9,091	37·9	28·3	53·1
	{ United Free Church .	9,808	5,546	4,262	22·3	20·6	24·9
	{ Free Church	386	96	290	0·9	0·3	1·7
	{ Roman Catholic Ch.	4,663	3,116	1,547	10·6	11·6	9·0
	{ Episcopal Church . .	1,429	1,038	391	3·2	3·8	2·3
	{ Other Denominations	2,714	1,772	942	6·2	6·6	5·5
Irregular Marriages		8,351	7,760	591	18·9	28·8	3·5
Total Marriages		44,060	26,946	17,114	100·0	100·0	100·0

cent. of the total; those after public notice in respect of both persons numbered 2754, and constituted 16·67 per cent.; and those after banns in respect of one person and public notice in respect of the other numbered 392, and constituted 2·37 per cent. In 11 counties 90 per cent. of the total marriages of the year were celebrated after proclamation of banns, in respect of 7 counties more than 80 but less than 90, in 8 counties more than 70 but less than 80, in 2 counties more than 60 but less than 70, in 2 counties more than 50 but less than 60, and in 3 counties less than 50, a minimum of 36·7 per cent. occurring in Lanark. The counties in which the percentage of marriage after banns was highest were Shetland (98·5 per cent.), Peebles (97·9), Nairn (95·2), Kirkcudbright (95·1), Caithness (94·7), Berwick (94·7), and Wigtown (93·5). Marriages after public notice in respect of both persons ranged from 36·5 in Dumbarton, 35·8 in Renfrew 34·8 in Ross and Cromarty, 33·8 in Lanark, 33·4 in Forfar, 26·0 in Aberdeen, and 23·8 in Midlothian, to 0·0 in Nairn, 0·4 in Wigtown, and 0·5 in Berwick. (*Table 13.*)

The frequency of each method of proclamation in marriages in the principal churches is shown in Table Q. Of the Church of Scotland marriages, 81·8 per cent. were celebrated after banns in respect of both persons; in the United Free Church, 66·8 per cent.; in the Free Church, 60·1 per cent.; in the Roman Catholic Church, 19·5 per cent.; in the Episcopalian Church, 53·7 per cent.; in the Congregational Church, 54·6 per cent.; in the Baptist Church, 63·5 per cent.; in the Wesleyan Methodist Church, 62·1 per cent.; in the Jewish Church, 6·6 per cent.; and in other churches, 48·6 per cent. These percentages are in close agreement with those of the previous year. Marriages after public notice in respect of both parties amounted to 91·8 per cent., in the Jewish Church, to 78·5 per cent. in the Roman Catholic Church, 44·4 per cent. in the Episcopalian Church, 43·4 per cent. in the Congregational Church, 36·0 per cent. in the Wesleyan Methodist Church, 35·0 in the Free Church, 34·0 in the Baptist Church, 30·8 in the United Free Church, and 16·1 in the Established Church. In churches other than those named, 49·0 per cent. were after public notice in respect of both persons. (*Table Q.*)

Church of Celebration.—Of the 35,709 regular marriages registered during the year, 16,709, or 46·8 per cent., were celebrated according to the rites of the Church of Scotland; 9,808, or 27·4 per cent., according to those of the United Free Church; 4663, or 13·1 per cent., according to those of the Roman Catholic Church; 1429, or 4·0 per cent., according to those of the Episcopalian Church; 386, or 1·1 per cent., according to those of the Free Church; and 2714, or 7·6 per cent., according to those of other religious denominations. Compared with the number in the previous year, marriages celebrated in the Church of Scotland are 3410 more, those of the United Free Church 2018 more, those of the Roman Catholic Church 874 more, those of the Episcopalian Church 186 more, those of the Free Church 113 more, and those in the churches of other denominations 522 more. (*Table Q.*)

Marriages celebrated according to the rites of the three large Presbyterian churches, the Church of Scotland, the United Free Church, and the Free Church, in all numbered 26,903, and consti-

tuted 75·3 per cent. of the total regular marriages, and 61·1 per cent of the total marriages of the year. In the previous year these percentages were 74·7 and 61·9. (*Table 14.*)

The counties in which marriages according to the rites of the Church of Scotland were relatively most numerous were Kinross, where they constituted 82·1 per cent. of the total marriages registered; in Peebles, 72·7; in Kirkcudbright, 69·7; in Kincardine, 68·7; in Haddington, 68·6; in Wigtown, 66·5; and in Berwick, 62·0. The larger burghs in which these marriages were relatively numerous were Hamilton 50·2 per cent.; Motherwell, 49·3 per cent.; Kirkcaldy, 49·3 per cent.; Ayr, 49·2 per cent.; and Leith, 48·0 per cent. (*Table 14.*)

United Free Church marriages were relatively most numerous in the counties of Orkney, 47·7 per cent.; in Selkirk, 42·1 per cent.; in Caithness, 41·8 per cent.; and in Bute, 38·4 per cent. (*Table 14.*)

Free Church marriages were relatively most numerous in the counties of Ross and Cromarty, 33·2 per cent.; in Sutherland, 25·4 per cent.; and in Inverness, 12·0 per cent. In Caithness they amounted to 3·7 per cent., in Argyll and in Nairn to 3·2 per cent., and in Bute to 3·0 per cent. (*Table 14.*)

Roman Catholic Church marriages were relatively most numerous in the counties of Dumbarton, where they constituted

TABLE S.—Marriages in Scotland in 1919 by Denominations in Order of Frequency.

1. Established Church	16,709	31. Society of Friends	3
2. United Free	9,808	32. Independent Methodist	3
3. Roman Catholic	4,663	33. Community of God's Son	3
4. Episcopal*	1,442	34. Disciples of Christ	2
5. Congregational	1,147	35. Christadelphian	2
6. Baptist	521	36. Seventh Day Adventists	2
7. Free Church	386	37. Gospel Mission	2
8. Wesleyan Methodist	261	38. Trinity Protestant	2
9. Primitive Methodist	109	39. The Church of To-day	1
10. Christian Brethren (including Plymouth Brethren).	105	40. Spiritualists	1
11. Free Presbyterian	75	41. Presbyterian Church of England	1
12. Evangelical Union	68	42. Scandinavian	1
13. Original Secession	63	43. Church for Deaf and Dumb	1
14. Jews	61	44. Norwegian Lutheran	1
15. Salvation Army	47	45. Presbyterian Church of Ireland	1
16. Unitarian	42	46. Independent City Mission	1
17. Christian Union	31	47. Universalist Church	1
18. Catholic Apostolic	28	48. Gordon Evangelistic Mission	1
19. Church of Christ	18	49. Serbian Orthodox	1
20. Reformed Presbyterian	16	50. Presbyterian Church of Australia	1
21. Pentecostal	12	51. Christian Volunteers	1
22. Free Religious Movement	11		
23. Free Church of England	11		
24. Gospel Temperance Mission	10		
25. Church of God	8		
26. Church of New Jerusalem	8		
27. Hope Hall Mission	5		
28. International Bible Students' Association	4	All Religious Denominations	35,709
29. Gilfillan Memorial	4	Irregular Marriages	8,351
30. Christian Church	4	All Marriages	44,060

* Including Scottish Episcopal Church and Church of England

23·4 per cent. of the total marriages registered during the year; in Renfrew, 22·3 per cent.; in Lanark 14·9; in Linlithgow, 12·3; in Forfar, 12·2; and in Bute, 12·1. In the counties of Caithness, Kinross, Nairn, Orkney, Shetland, and Sutherland no marriages according to the rites of the Roman Catholic Church were registered during the year. (*Table 14.*)

Episcopal Church marriages were relatively most numerous in Kincardine, 10·8 per cent.; in Forfar, 7·2 per cent.; in Midlothian, 5·3 per cent.; in Renfrew, 5·0 per cent.; in Dumfries, 4·8 per cent.; in Haddington, 4·6; and in Aberdeen, 3·9 per cent. In the counties of Kinross, Nairn, and Sutherland no Episcopal Church marriages were registered during the year. (*Table 14.*)

In all, 51 religious denominations were named in the marriage registers of the year; in the previous year this number was 40, in 1917 it was 38, and in 1916 it was 40. These 51 denominations include the five churches named above, and 5 others in which more than 100 marriages were celebrated, and 4 in which more than 50 but less than 100 were celebrated. Churches other than the five named in which more than 50 marriages were celebrated include Congregational Church (1147), Baptist (521), Wesleyan Methodist (261), Primitive Methodist (109), Plymouth Brethren (105), Free Presbyterian (75), Evangelical Union (68), Original Secession (63), and the Jewish Church (61). Marriages registered in the Salvation Army numbered 47; in the Unitarian Church, 42; in Christian Union, 31; in the Catholic Apostolic Church, 28; in the Church of Christ, 18; in the Reformed Presbyterian Church, 16; and in the Pentecostal Church, 12. This is the sixth year in which a complete tabulation of all religious denominations named in the marriage registers has been made, and by comparison it is found that of the 51 denominations named 46 were included in the registers of the preceding five years, while five appeared for the first time, these five being—The Community of God's Son, the Gordon Evangelical Mission, the Serbian Orthodox, the Presbyterian Church of Australia, and the Christian Volunteers. (*Table S.*)

Conjugal Condition of those Marrying.—Of the 88,120 persons marrying during the year, 80,210 were previously unmarried, and

TABLE T.—Ages of Persons Marrying who Signed by Mark in 1919.

Age.	Men.	Women.	Both Sexes.
16	—	1	1
17	—	1	1
18	—	1	1
19	—	4	4
20-29	50	61	111
30-39	37	53	90
40-49	46	69	115
50-59	41	49	90
60-69	17	28	45
70 and over	1	5	6
All Ages	192	272	464

7908 were widowed, while the conjugal condition of 2 was unstated. Of the men marrying during the year, 40,206, or 91·3 per cent., were bachelors, and 3854, or 8·7 per cent., were widowers, and of the women marrying during the year 40,004, or 90·8 per cent., were spinsters, while 4054, or 9·2 per cent., were widows. Compared with the number in the previous year, marriages of bachelors numbered 8860, or 28·3 per cent., more; those of widowers, 675, or 21·2 per cent., more; those of spinsters, 8420, or 26·7 per cent., more; and those of widows, 1113, or 37·8 per cent., more. (*Tables 11 and 12.*)

Of the 44,058 marriages of which the conjugal condition of the spouses was recorded in the registers, 37,526, or 85·2 per cent., were between bachelors and spinsters; 2679, or 6·1 per cent., between bachelors and widows; 2478, or 5·6 per cent., between widowers and spinsters; and 1375, or 3·1 per cent., between widowers and widows. Compared with the number in the previous year, marriages between bachelors and spinsters are 7984, or 27·0 per cent., more; those between bachelors and widows, 875, or 48·5 per cent., more; between widowers and spinsters, 436, or 21·4 per cent., more; and between widowers and widows, 238, or 20·9 per cent., more. The numbers in each of these four groups are larger than in any previous year; the previous largest number of marriages between bachelors and spinsters occurred in 1915 and was 32,515; that of marriages between bachelors and widows was 1804, which occurred in 1918; that of marriages between widowers and spinsters was 2432, which occurred in 1876; and that of marriages between widowers and widows was 1137, which occurred in the previous year. A large increase in the number of

TABLE U.—Church of Celebration of Persons Marrying who Signed by Mark in 1919.

	Entries in which Mark was Used by			Persons Using Mark.		
	Men only.	Women only.	Both.	Men.	Women.	Both Sexes.
Irregular Marriages	40	96	8	48	104	152
Established	39	52	13	52	65	117
United Free	14	11	6	20	17	37
Free	1	3	1	2	4	6
Roman Catholic	42	53	10	52	63	115
Episcopal	4	5	2	6	7	13
Congregational	1	6	1	2	7	9
Evangelical Union	—	1	—	—	1	1
Free Presbyterian	—	1	—	—	1	1
Salvation Army	1	1	—	1	1	2
Original Secession	1	—	—	1	—	1
Baptist	2	—	—	2	—	2
Primitive Methodist	1	—	—	1	—	1
Gospel Mission	1	—	—	1	—	1
Christian Union	—	1	—	—	1	1
Jews	2	1	—	2	1	3
Reformed Presbyterian	1	—	—	1	—	1
Unitarian	1	—	—	1	—	1
TOTAL	151	231	41	192	272	464

marriages between widowers and widows was commented on in last year's Report, and, as above-stated, this increase is found to have continued; in 1913, the last year before the war, these marriages numbered 813, while they now number 1375, which is 69·1 per cent. more than that amount. In the ten years 1904 to 1913, the decade preceding the declaration of the recent war, the average number of widows marrying annually was 1512, 775 marrying bachelors, and 737 marrying widowers. The total number of widows marrying in the year now in review, 1919, was 4054, or fully $2\frac{1}{2}$ times the pre-war average, that of widows marrying bachelors being $3\frac{1}{2}$ times the pre-war average, and that of widows marrying widowers being fully 87 per cent. more than the pre-war average. (Table 11.)

Method of Signature.—Of the 88,120 persons married during the year, 87,656, or 99·5 per cent., signed the marriage schedules by writing, while 464, or 0·5 per cent., did so by mark. Men signing by mark numbered 192, and women doing so numbered 272, the former being 1, and the latter 31, more than in the previous year. In the years 1855 to 1882 more than 5000 persons annually signed the marriage registers or schedules by mark; in 1883 this number fell below 5000; in 1885, below 4000; in 1888, below 3000; in 1893, below 2000; in 1908, below 1000; and in 1915, below 500. In 1916 this number rose slightly, being 551, but in 1917 fell again to 470, and remained below 500 in both the years 1918 and 1919. (Tables 11 and 12.)

Of the 464 persons using the mark, 315 were married in one or other of the larger burghs, and 149 elsewhere in Scotland. In the previous year these two figures were 304 and 128, and thus both figures in this year are greater than those of that year. In 151 instances the marriage schedule was signed by the man by mark and by the woman by writing. In 231 instances the woman signed by mark and the man by writing, and in 41 instances both spouses signed by mark. In the previous year these three numbers were 149, 199, and 42. (Table U and Table 16.)

Of the 464 persons using the mark, 152 were married irregularly, 117 were married in the Church of Scotland, 115 in the Roman

TABLE W.—Average Age at Marriage in 1919.

Conjugal Condition.		Average Age.					
Bridegroom.	Bride.	Bridegrooms.		Brides.		Excess of average age of Bridegroom over that of Bride.	
		1919	1918	1919	1918	1919	1918
*All Bridegrooms.	†All Brides	30·0	30·3	27·0	27·1	3·0	3·2
„	Spinsters only	29·2	29·3	26·2	26·2	3·0	3·1
„	Widows only	37·3	40·1	34·9	36·9	2·4	3·2
Bachelors only	†All Brides	28·6	28·7	26·1	26·1	2·5	2·6
„	Spinsters only	28·3	28·3	25·7	25·7	2·6	2·6
„	Widows only	32·8	35·1	32·1	33·6	0·7	1·5
Widowers only	†All Brides	44·2	45·6	36·5	37·1	7·7	8·5
„	Spinsters only	43·2	44·2	34·3	34·3	8·9	9·9
„	Widows only	46·0	48·2	40·5	42·1	5·5	6·1

* Bachelors and Widowers taken collectively.

† Spinsters and Widows taken collectively.

Catholic Church, 37 in the United Free Church, 13 in the Episcopal Church, 9 in the Congregational Church, 6 in the Free Church, and 15 in other churches, 3 of which were in the Jewish Church. (*Table U.*)

Ages of Persons Marrying.—The average age of all persons marrying during the year was 28·50 years, of all men marrying 29·98, and of all women marrying 27·02. Compared with that of the previous year, the average age of all persons marrying was 0·19 less, of all men 0·27 less, and of all women 0·11 less. (*Tables 17 and 18.*)

In the larger burghs the average age of all persons marrying was 28·53 years, and in the rest of Scotland 28·44, the former being 0·27 and the latter 0·07 less than in the previous year. In the larger burghs the average age at marriage of men was 30·02, and of women 27·05, while these averages in the rest of Scotland were 29·91 and 26·97. The average age at marriage of men in the larger burghs was 0·34 less than in the previous year, and that of women 0·27 less; in the rest of Scotland the average age of men at marriage was 0·17 less, but that of women was 0·03 more than in the previous year. (*Tables 17 and 18.*)

The average age of all bachelors marrying was 28·61 years, of those marrying spinsters 28·31, and of those marrying widows 32·81. Compared with the corresponding figures of the previous year, the average age of bachelors marrying was 0·1 more, that of bachelors marrying spinsters was of the same amount, but that of bachelors marrying widows was 2·3 less. (*Tables 22 and 23.*)

The average age at marriage of widowers during the year was 44·2 years, of those marrying spinsters 43·2, and of those marrying widows 46·0. In the previous year these three figures were 45·6, 44·2, and 48·2, and a comparison shows that the average age of all widowers marrying was 1·4 less, of widowers marrying spinsters 1·0 less, and of widowers marrying widows 2·2 less in this than in the previous year. (*Tables 24 and 25.*)

The average age of spinsters at marriage was 26·2 years, of those marrying bachelors 25·7, and of those marrying widowers 34·3. All three of these averages are identical with those of the previous year. (*Tables 22 and 24.*)

The average age of all widows marrying was 34·9 years, of those marrying bachelors 32·1, and of those marrying widowers 40·5. In the previous year these three averages were 36·9, 33·6, and 42·1 respectively, and thus that of all widows marrying was 2·0, of widows marrying bachelors 1·5, and of those marrying widowers 1·6 less than in the previous year. (*Tables 23 and 25.*)

The average difference of age between bridegrooms and brides was 2·96 years; in the previous year this difference was 3·2 years. In marriages between bachelors and spinsters the average difference of age was 2·62 years, in marriages between bachelors and widows 0·72, in marriages between widowers and spinsters 8·92, and in marriages between widowers and widows 5·53. In all marriages of spinsters the average age of the husband exceeded that of the wife by 3·0 years, and in all marriages of widows by 2·4. As in previous years, the greatest difference of age between persons marrying occurred when widowers married spinsters, and the least difference when bachelors married widows. (*Table W.*)

The youngest bridegrooms of the year were 7 aged 16, 58 aged 17, 408 aged 18, and 813 aged 19, these collectively numbering 1286. In the previous year they numbered 1106. Of these bridegrooms under 20, all were bachelors, 16 marrying widows, and the remaining 1270 marrying spinsters. The oldest bridegrooms of the year were 49 aged over 70, and 111 aged over 65 but under 70. Of those over 70, 19 were widowers marrying widows. The actual oldest were 1 of 79, 2 of 78, 1 of 77, and 4 of 76, all of whom were widowers, and 2 of 75, one of whom was a widower and one a bachelor. In the previous year the oldest widower married was 84, and the oldest bachelor 75. (*Tables 21-25.*)

The youngest brides of the year were 4 aged 15, 70 aged 16, 345 aged 17, 1301 aged 18, and 2306 aged 19. The oldest brides of the year were 2 widows aged 75 and 76, 5 widows aged between 70 and 75, and 2 spinsters of these ages, 12 widows aged between 65 and 70, and 8 spinsters of these ages. (*Tables 21-25.*)

The difference between the average age of bridegrooms and of brides during the year was 2·96 years, but in a considerable number of marriages this difference was greatly exceeded. In 3 instances boys of 18 married women of over 25, and in 4 instances men of between 21 and 24 married women of over 40, in 4 instances men of between 35 and 44 married girls of 16, in 6 instances men of those ages married girls of 17, and in 26 instances men of those ages married girls of 18. In 4 instances men of over 50 married girls of 19, one of them being a man of over 70 who married a girl of 19. (*Table 21.*)

In the counties, burghs included, the average age at marriage among men ranged from 35·12 years in Nairn, 33·83 in Sutherland, 33·60 in Argyll, 33·35 in Ross and Cromarty, 32·85 in Shetland, 32·52 in Inverness, and 32·43 in Bute, to 28·32 in Linlithgow, 28·88 in Fife, and 28·95 in Clackmannan, while that of women varied from 31·55 in Nairn, 29·37 in Shetland, 29·28 in Ross and Cromarty, and 29·26 in Sutherland, to 25·06 in Linlithgow, 26·39 in Kinross, 26·41 in Stirling, 26·47 in Fife, and 26·51 in Renfrew. (*Tables 17 and 18.*)

In the larger burghs taken collectively the average age of men marrying was 30·02, while in the rest of Scotland it was 29·91. In the previous year these two averages were 30·36 and 30·08. In the larger burghs the average age of women marrying was 27·05, and in the rest of Scotland 26·97. In the previous year these two averages were 27·24 and 26·94. (*Tables 17 and 18.*)

In the larger burghs taken individually the average age of men at marriage varied from 31·51 in Perth, 30·83 in Edinburgh, 30·10 in Glasgow, and 29·81 in Aberdeen, to 27·73 in Hamilton, 27·94 in Motherwell, 28·61 in Greenock, and 28·72 in Clydebank. In Kilmarnock this average was 29·79, in Paisley 29·78, in Dundee 29·70, in Ayr 29·48, in Falkirk 29·34, in Leith, 29·21, in Coatbridge 29·17, and in Kirkcaldy 29·14. In the larger burghs the average age at marriage of women ranged from 28·26 in Perth, 27·85 in Edinburgh, 27·20 in Ayr, and 27·19 in Paisley, to 24·99 in Hamilton, 25·43 in Motherwell, 25·78 in Greenock, and 25·97 in Coatbridge. In Kirkcaldy this rate was 27·11, in Glasgow 27·03, in Dundee 27·02, in Kilmarnock 27·00, in Aberdeen 26·71, in Leith 26·59, in Falkirk 26·06, and in Clydebank 26·05. (*Tables 17 and 18.*)

APPENDIX III.

REPORT ON THE WEATHER OVER SCOTLAND FOR THE YEAR ENDING 31ST DECEMBER 1920.

Supplied by the Meteorological Office, Edinburgh.

This report consists of a description of the weather for each month of 1920 and detailed statistics for 76 stations. In preparing the descriptive matter additional sources of information have been utilized, including numerous rainfall records and meteorological returns from The Northern Lighthouses.

January 1920.—The month was characterised by an abnormally low mean pressure; a slightly high mean temperature, with a mean daily range practically equal to the normal; a high mean rainfall, and a large excess of south-westerly winds.*

Pressure conditions were of a very disturbed type, with an Icelandic “low” in control and various disturbances crossing our Islands, and between 5th and 14th there were unusually large and rapid fluctuations of pressure. At Leith, at sea-level, pressure was above 30 in. only from 4th to 6th, on 14th, and on 16th, the extremes at that place being 30·68 in. on morning of 5th and 28·40 in. on evening of 11th. The large range of pressure for the month has rarely been equalled.

Comparatively cold weather during the first ten days or so (14° at Braemar on 3rd) was followed by decidedly mild conditions around the middle of the month, with highest readings on 16th or 17th (58° at Leith on 17th). Thereafter temperature was on most days fully equal to the normal, though now and then below it. It is noteworthy that the mean for the month was in most districts practically the same as that for December 1919, and that both were much above the mean for November 1919.

Many districts had little or no rain until 7th, when some heavy falls occurred (3·05 in. at Killin), and from 7th to the end of the month rain fell on every day at many places in west and north-west, often very heavily. In east and north-east, on the other hand, there were many fine days, and at Edinburgh the aggregate was largely accounted for on 7th, between 10th and 13th, on 23rd, 24th, and 31st. Towards north-east the month's rainfall was deficient, but in general there was a well-marked excess, amounting to at least 60 per cent. at *e.g.* Stornoway, Fort-William,

* See Appendix I., p. 456.

Poltalloch, and Dumfries. At Fort-William (15·86 in.) there was a fall of 3·71 in. on 16th, or considerably more than twice the rainfall at Gordon Castle for the entire month; and at Ardtornish and Killin more than 2 in. on 25th. For Scotland as a whole the mean rainfall represented 142 per cent. of the normal, as compared with 150 per cent. for England and Wales, and 151 per cent. for Ireland.

There was much stormy weather, especially on 1st, 7th, and 8th, from 15th to 17th, and during the last week, the wind in squalls often reaching a high velocity. About 7th exceptionally high tides occurred. The heavy rains caused flooding in places; and on 17th landslides blocked the railway and roads in Glen More. For midwinter snow was unimportant.

Hail was frequent, and thunderstorms occurred in south-west on 9th, in north-west on 11th, at places on 21st, 25th, or 27th, and rather widely on afternoon of 31st, with heavy hail.

Very cloudy periods alternated with short sunny ones, and in general sunshine aggregates were above the normal.

Aurora was observed at Aberdeen on 9th, 11th, and 17th; and in Shetland on 17th, 19th, and 20th.

February 1920.—The month was characterised by a somewhat high mean pressure; an abnormally high mean temperature, with a mean daily range practically equal to the normal; an abnormally high mean rainfall; and a large excess of south-westerly winds.

Until 18th a stormy south-westerly type of pressure distribution prevailed, such as had been in evidence more or less continuously for several weeks; but on 18th-19th a small and ill-defined disturbance passed eastwards over our Islands with north-easterly winds in its rear. Later conditions were somewhat quieter. At Leith, at sea-level, pressure was above 30 in. from 4th to 8th, on 12th, from 19th to 24th, and on 28th, the extremes at that place being 30·60 in. on morning of 5th and 29·25 in. on morning of 11th.

The weather was for the most part mild to very mild, and the only touches of real cold occurred around 14th and between 18th and 20th. At some places on 19th the maximum temperature was almost 20° below that for the preceding day. At the end of the month day temperatures were unusually high, 62° at Smeaton and 61° at Leith (Starbank Park) on 29th, these being the highest readings recorded in Scotland during the month of February since 1897. The lowest reading reported was 21° at Logie Coldstone and West Linton on 21st, and at Eskdalemuir on 28th. It is noteworthy that the mean for the month, as had been the case for the two preceding months, was much above that for the abnormally cold November of 1919; and that, as on previous occasions during the last sixty years at any rate, great cold in November has been followed by a prolonged spell of weather for the most part mild.

On 1st and 2nd there were heavy rains in north-west and west, with an aggregate of 6·90 in. for the two days at Glen Etive; and between 7th and 18th conditions were very disturbed, with 2·95 in. at Greenock on 9th, when heavy falls were general, and at Kinlochquoich in the West Highlands 6·28 in. on 9th and 2·48 in. on 12th. On 28th and 29th there were some moderate to fairly heavy falls, 1·90 in. at Killin on 29th. Aggregates for the month showed a very wide range both as regards absolute amounts and their relation

to the normal. Thus Aberdeen had only 1·04 in. for the entire month, but Kinlochquoich 27·44 in. Again much of the north-eastern area had a rainfall below the normal, whilst very generally towards the north-west the month was the wettest February on record, with as much as 258 per cent. of the normal at Fort-William. Western districts had as a rule a large excess, whilst elsewhere variations from the normal were not specially noteworthy. For Scotland as a whole the mean rainfall represented 164 per cent. of the normal, as compared with 77 per cent. for England and Wales and 89 per cent. for Ireland.

Much stormy weather was experienced during the first half of the month, especially from 1st to 3rd, from 9th to 13th, and in Orkney on 15th. The heavy rains caused flooding in many districts. There was some snow around 11th, 14th, and 19th, and at one or two places towards the north on 26th and 27th.

Thunderstorms occurred in Orkney on 3rd, 4th, 10th, 11th, and 12th, and at Glasgow early on 1st.

Sunshine aggregates were above the normal, especially towards the north-east, but in the west slightly below. There were some very sunny days, as much as 9 hours at Eskdalemuir on both 21st and 27th.

Aurora was observed at Baltasound on 14th and 26th, in Orkney on 15th, 23rd, 26th, and 27th, and at Aberdeen on 24th and 26th.

March 1920.—The month was characterised by a rather low mean pressure; a decidedly high mean temperature, with a low mean daily range; a somewhat high mean rainfall; and an excess of south-westerly winds.

Pressure distribution was again for the most part of the south-westerly type which had been so much in evidence since the great cold of November 1919, but with considerable fluctuations and variable winds on 6th-7th, on 11th-12th, and on 14th-15th, when a deep depression crossed the Midlands of England. At Leith, at sea-level, pressure was above 30 in. from 2nd to 4th, from 8th to 11th, and from 19th to 22nd; and the extremes at that place were 30·42 in. on night of 2nd and 28·79 in. on morning of 15th.

The first few days were very mild, but on night of 6th, with a shift of the wind to the north, there was a sharp fall of temperature, with wintry conditions until 9th or 10th. Later, rather low readings around 15th were followed by a decided recovery, with maxima as a rule on 17th, 20th, or 22nd. The mean for the month was everywhere above the normal and the highest for March since 1912; the nights were for the most part unusually mild; and the extreme range of temperature (63° at Crathes on 22nd and 19° at Leadhills on 9th) was moderate for the month of March. In the west maxima were very moderate, only 51° at Glasgow and Greenock.

There were moderately heavy falls towards south-east on 1st, and heavy rains towards north-west from 2nd to 5th, with generally unsettled conditions in that region until 19th and at Kinlochquoich as much as 3·92 in. on 2nd, 2·99 in. on 3rd, and 3·38 in. on 17th. From 23rd to 30th rain was general; there were some widespread heavy falls, more particularly on 26th and 27th; and in various districts more than half the month's rainfall was

accounted for during that period. Earlier in the month there had been in many parts of the country considerable spells of fair to fine weather. Here and there over limited areas in east and north-east aggregates were slightly below the normal, but in general there was a well-defined excess, amounting to about 50 per cent. at Braemar, Rothesay, and Dumfries, and to fully 60 per cent. at Glenquoich and Wolfelee. In parts of the West Highlands amounts were less than in 1913, but at Glenquoich (15·76 in.) a wetter March has occurred during the last 50 years only in 1903 (20·99 in.). At Kinlochquoich the aggregate was 20·58 in. For Scotland as a whole the mean rainfall represented 137 per cent. of the normal, as compared with 150 per cent. for England and Wales and 129 per cent for Ireland.

The weather was at times stormy, especially early in the month, and around 12th, 17th, and 26th. Snowfalls between 6th and 8th were rather heavy locally, though some districts had none; whilst falls around 14th were more general, though heavy only in hilly districts. Sleet fell on one or two later days, and there was considerable flooding towards the end of the month.

Thunderstorms occurred here and there on 23rd; rather widely on 26th; and at places early on 31st.

There were a few rather sunny days, but aggregates were mostly deficient, though fully equal to the normal towards the north-east. Fog occurred during the last day or two.

Aurora was observed in Shetland on 3rd, 13th, 16th, 22nd, and 23rd; in Orkney on 14th, 22nd, 23rd, and 24th; and at Aberdeen on 4th and 22nd.

April 1920.—The month was characterised by an abnormally low mean pressure; a slightly low mean temperature, with an abnormally low mean daily range; a mean rainfall equal to the normal; and an excess of north-westerly winds.

Various primary or secondary depressions passed eastwards over our Islands, most of them across the southern half of England, with frequent winds over the Scottish area from between north-west and east. The mean pressure of the month was lower than in any April for the last fifty years; at Leith, at sea-level, readings reached 30 in. only on 23rd; and the extremes there were 30·12 in. on 23rd and 28·98 in. on 16th.

The south-westerly type of conditions which had been dominant since the beginning of the year was but little in evidence, and there were few warm days. From 8th to 11th with easterly winds, and towards the end of the month with north-westerly winds, the weather was decidedly cold. Highest readings occurred generally on 24th (63° at Crathes), and were very moderate for April; and lowest readings on 8th or 9th (22° at Eskdalemuir on 8th). On the mean of the month day temperatures were decidedly below the normal, but the nights, which were in general cloudy, were above the normal. This combination of cold days and mild nights resulted in an abnormally low mean daily range of temperature,—the lowest, indeed, on record for the month of April.

Rain was general in the east during the first few days, and at Edinburgh more than half the aggregate was accounted for

between 1st and 3rd; towards the middle of the month conditions were generally unsettled; and near the end there were moderately heavy falls in northern districts. "Rain days" were in some districts rather numerous, but on many of them amounts were nominal; towards north-west especially there was much fine weather; and in north-west and west for the most part the month was decidedly dry. Towards north-east and south-east and in south there was a fairly well-defined though moderate excess. For Scotland as a whole the mean rainfall represented exactly the normal (100 per cent.), as compared with as much as 204 per cent. for England and Wales and 146 per cent. for Ireland.

Wind force was as a rule moderate, though rather high towards the end of the month, and there was some snow and hail around 9th and during the last few days.

Thunder or thunderstorms occurred at Rothesay on 5th; at Baltasound on 9th; here and there on 19th and 20th; in the Lothians on 27th; and at Dumfries on 28th.

The month was decidedly cloudy, with fog at times, and sunshine amounts were much below the normal, though good during the last few days.

Aurora was observed in Shetland on 4th and 17th; in Orkney on 9th, 17th, 21st; at Glasgow on 16th; and at Arbroath on 29th.

May 1920.—The month was characterised by a rather low mean pressure; a slightly high mean temperature, with a low mean daily range; an abnormally high mean rainfall; and an excess of south-westerly winds.

Pressure distribution was on the whole somewhat variable in type, deep "lows" moving on a north-easterly track on 2nd and on 12th, but after the middle of the month anticyclonic conditions were at times in evidence, especially in eastern districts. At Leith, at sea-level, readings were above 30 in. on 4th and 5th, from 9th to 11th, on 14th and 15th, and from 20th to 26th; and the extremes at that place were 30·26 in. on morning of 23rd and 29·02 in. on evening of 18th.

Temperature was low at the beginning of the month (22° at Eskdalemuir on 1st); rather variable during the second and third weeks; and high during the fourth week, with maxima between 23rd and 26th (79° at Turnberry and Colmonell on 25th and at Ardtornish on 26th). Nearly everywhere the mean of the month was somewhat above the normal, though much below that for May 1918 or May 1919. Any temperature excess was due mainly to the mildness of the nights, and the mean daily range was again below the normal, though less notably so than in April.

From 1st to 8th rain fell on every day in nearly all except some eastern districts, and on 1st and 5th there were some heavy falls; around 12th and 17th conditions were again very disturbed; on 21st heavy falls occurred in west (1·15 in. at Greenock), and on 27th Aberdeen had as much as 1·40 in., or more than one-third of the month's rainfall, and Marchmont fully 1 in. Aggregates were below the normal in the Spey valley and along the southern fringe of the Moray Firth, but in most districts there was a well-defined excess, and this was very large in west and south. At Rothesay (6·97 in., or 230 per cent. of the normal) the month was the wettest

May for at least 120 years; and at some places, *e.g.*, Aberdeen and Cargen, a wetter May has been experienced during the last fifty years only in 1906. For Scotland as a whole the mean rainfall represented as much as 164 per cent. of the normal, as compared with 117 per cent. for England and Wales and 145 per cent. for Ireland.

A gale was general on 13th, with a noteworthy sandstorm on the southern shores of the Moray Firth.

Thunderstorms occurred at one or two points on 6th, 9th, 18th, 20th, and 27th.

In eastern districts sunshine aggregates were above the normal, though from 26th to 29th fog and mist were experienced along the coast. In west the month was on the whole cloudy, though there were a few very sunny days.

Aurora was observed at Deerness on 2nd, and at Aberdeen and Eskdalemuir on 13th.

June 1920.—The month was characterised by a slightly high mean pressure; a mean temperature practically equal to the normal, with a slightly low mean daily range; a low mean rainfall; and a considerable excess of easterly winds.

From 3rd to 20th conditions were dominated by a high-pressure system to the north of Scotland, or partly covering our area, but thereafter conditions were in general of an unstable type. At Leith, at sea-level, pressure was above 30 in. from 1st to 10th, 14th to 17th, 22nd to 24th, and on 26th; and the extremes at that place were 30·29 in. on morning of 4th, and 29·56 in. on morning of 30th.

Temperature was rather low to moderate during the earlier part of the month; whilst towards the end there was considerable variability, with a drift of cold air from north on 27th. Around the third week there was a spell of very sunny weather, with the heat of the sun moderated by a light easterly wind, and temperature at that time was decidedly above the normal, conspicuously so in west and south. The extreme range was large,—from 81° at Nairn on 18th to 27° at Braemar on 5th.

There were fairly heavy rains in the Moray Firth area on 1st and 2nd,—at Banff nearly the whole of the month's small total was accounted for on these two days; light rain here and there on 3rd; and on the 11th as much as 1 in. at Whithorn. But over the great part of Scotland there was no rain of importance until 18th, and at Grantown hardly any worth noting except on 27th, when rain was general over Scotland, with heavy falls in the west,—as much as 1·72 in. at Kilmarnock. Aggregates were above the normal in Ayrshire and in Bute, but in general there was a shortage, moderate in west and south but notable in various northern and eastern districts. At, *e.g.*, Stornoway, Grantown, Balmoral, and Marchmont (Berwickshire) amounts were only one-third or less of the normal; and at Grantown (0·51 in.) a drier June has occurred during the last forty years only in 1887 and 1889. At Edinburgh about half the month's rainfall was accounted for on 27th. For Scotland as a whole the mean rainfall represented 65 per cent. of the normal, as compared with 99 per cent. for England and Wales and 78 per cent. for Ireland.

Wind force was in general very moderate.

Thunderstorms occurred in south-west on 12th; in west and south on 13th and 17th; and somewhat widely on 18th. No thunder was reported from northern or north-eastern districts.

Sunshine aggregates were much above the normal, especially towards the north, and the period from about 12th to 19th was brilliantly fine. At Deerness (Orkney) the aggregate (233 hours) was the largest in June for 40 years, but more than half of it was accounted for between 12th and 19th.

During the third week destructive forest fires occurred in the valleys of the Dee and Spey and in some other northern districts.

July 1920.—The month was characterised by a decidedly low mean pressure; an abnormally low mean temperature, with an abnormally low mean daily range; a slightly high mean rainfall; and an excess of south-westerly winds.

Conditions were of a persistently unstable stype, and there were but few days on which pressure reached the normal. At Leith, at sea-level, readings were above 30 in. only on 4th and 19th; and the extremes at that place were 30·20 in. on morning of 4th and 29·39 in. on morning of 23rd.

The month was marked by an almost entire absence of seasonable warmth, especially during the first two weeks or so; judged by its mean temperature it was the coldest July since 1902; and during the last sixty years an appreciably colder July has occurred in Scotland only in 1888. The nights, indeed, with cloudy skies restricting terrestrial radiation, often approached a normal temperature, but the days were for the most part very cold and only two or three stations reached 70°. Lowest readings occurred very generally on 4th or 7th (30° at Braemar on 7th); and highest, around 5th and 20th. The absolute maximum was 72° at Paisley (on 4th and 5th), and during the last sixty years at any rate the thermometer has always reached some higher level in Scotland in the month of July. The low mean daily range was a notable feature of the month, and the mean temperature hardly showed any advance on that for June,—a very rare occurrence.

Except towards the north rain was general on 1st and 2nd,—as much as 1·54 in. at Leith on 2nd, or considerably more than had fallen at that place during the entire month of June; and from 5th onwards there were many “rain days” in nearly all districts, though on some of them amounts were small. There were considerable falls towards the north-east on 5th and 6th, somewhat generally around 9th, and towards north-west on 14th. On one or two days in various districts, and on 26th in the west, there were somewhat intense falls of short duration during thunderstorms. Relatively to the normal, aggregates varied greatly. Thus, in the extreme north and in parts of some eastern counties there was a shortage, but elsewhere an excess of varying amount,—about 50 per cent. in the Edinburgh area and at, *e.g.*, Cargen, near Dumfries. In the wetter areas the month was more notable for persistence of precipitation than for heavy individual falls. For Scotland as a whole the mean rainfall represented 104 per cent. of the normal, as compared with as much as 170 per cent. for England and Wales and 153 per cent. for Ireland.

Wind force was in general very moderate.

Thunderstorms occurred in the Border counties on 2nd; rather widely on 8th and 9th; in Orkney on 15th; towards south-east on 18th; and in west and south on 26th. No thunder was reported from north-eastern districts.

The month was cloudy or very cloudy except in the far north. In various districts sunshine aggregates were hardly more than half of those recorded in June.

August 1920.—The month was characterised by an abnormally high mean pressure; a low mean temperature, with a low mean daily range; a somewhat low mean rainfall; and an excess of north-westerly winds.

During the first three weeks pressure distribution was rather unstable, though fluctuations were moderate, and on 17th to 18th a depression of moderate depth, but accompanied by excessive rainfall, moved from the north of Ireland slowly on an easterly track. Towards the end of the month anticyclonic conditions prevailed. The mean pressure was unusually high; at Leith, at sea-level, readings were above 30 in. on 7th, from 10th to 16th, and from 20th to 31st; and the extremes at that place were 30·52 in. on evening of 28th and 29·35 in. on morning of 5th.

Temperature was very low during the first week, and moderate during the second; whilst the passage of the depression of 17th-18th was followed by a shift of the wind to the north and a rapid fall of temperature. Thus at Aberdeen the maximum on 16th was 74°, but on 17th only 52°. In general there were but few warm days, and the month was the coldest August since 1912. Temperature ranged from 76° at Crathes on 16th to 31° at Braemar on 26th. It is noteworthy that at various places the mean temperature was practically the same for June, July, and August.

From 1st to 5th rain was more or less general, with more than 1 in. at places in west and south on 4th. On 8th there were very heavy falls within a short period on the Pentland Hills—as much as 2·15 in. within three hours at Cockburn Hill, on the north-eastern slopes of that range—and on the 9th heavy local thunder rains occurred. A short spell of fine weather followed, but on 16th heavy rain fell in the north-west, and on 17th abnormally heavy falls were experienced over wide areas to the south of the Grampians. Cockburn Hill registered 3·78 in. within 24 hours; Paisley, Edinburgh, and West Linton fully 3 in.; and various places at least 2 in. In extreme south-west and south amounts were comparatively small. This notable rainstorm was followed by dry weather in most districts until late on 31st, when conditions once more became unsettled. Relatively to the normal the number of “rain days” was small and aggregates varied greatly. The Forth-Clyde belt showed a considerable excess; but elsewhere, *e.g.*, Kirkwall, had only 41 per cent., Aberdeen 73, and Dumfries 82 per cent. of the normal. For Scotland as a whole the mean rainfall represented 85 per cent. of the normal, as compared with 59 per cent. for England and Wales and 62 per cent. for Ireland.

Wind force was in general very moderate.

Thunderstorms occurred locally on 2nd, with destructive results at points in north-east; on 3rd and on 9th. Disastrous flooding occurred in the Lothians and Peeblesshire on the 8th and 9th, and very widely on 17th and 18th.

Sunshine amounts were in general below the normal.

An aurora was observed at Eskdalemuir on 16th and in Orkney on 22nd.

September 1920.—The month was characterised by a mean pressure slightly below the normal; a mean temperature all but equal to the normal, with a rather low mean daily range; a somewhat low mean rainfall; and an excess of winds from south-east or south.

Until 20th pressure distribution was at times of a rather unstable type, especially around 17th, when a "low" crossed the south of Scotland on a due easterly track; but thereafter more settled conditions were general. At Leith, at sea-level, readings were above 30 in. from 21st to 26th, on 28th and 29th, and on various earlier days; and the extremes at that place were 30.39 in. on morning of 22nd and 29.33 in. on evening of 18th.

During the first two weeks or so temperature was for the most part moderate to low, though fairly high around the 8th and 13th; whilst the depression of 17th was followed by northerly winds for a day or two and very cold weather until 22nd. Thereafter there was a notable recovery of temperature, with warm days and mild nights until the end of the month. Readings ranged from 72° at Smeaton and Kelso on 28th to 27° at Braemar on 22nd.

Rain was more or less general from 1st to 3rd; on 9th rather heavy falls occurred in west and north; and from 14th to 18th conditions were very unsettled, with fairly heavy falls on 17th, and at Gordon Castle as much as 1.76 in. on 18th. Over considerable areas towards north-west rain was registered on every day from 1st to 20th, though on several days the actual amounts were small. From 21st until the evening of the 30th all but rainless weather was experienced in east and south; whilst elsewhere there was but little rain except towards north-west. Relatively to the normal the distribution was irregular,—the Moray Firth area and some isolated districts having a moderate excess, but the greater part of Scotland a fairly well-defined shortage. Thus Gordon Castle had 120 per cent., but Crieff only 50 per cent. of the normal. For Scotland as a whole the mean rainfall represented 87 per cent. of the normal, as compared with 95 per cent. for England and Wales and 85 per cent. for Ireland.

Wind force was high on 4th, with a gale in some districts.

Thunderstorms occurred at one or two points on 14th or 16th; and somewhat widely on 18th.

Sunshine amounts varied,—thus Aberdeen (102 hours) was considerably below the normal and averaged 1 hour per day less than Edinburgh (132 hours), where there was an appreciable excess.

Aurora was observed at Aberdeen on 8th, 10th, 13th, 20th, and 22nd; in Orkney on 13th and 16th; at Fort-William on 13th and 21st; and at Eskdalemuir on 9th, 10th, 22nd, and 23rd.

October 1920.—The month was characterised by a high mean pressure; a high mean temperature, with an extremely low mean daily range; a very low mean rainfall; and a large excess of easterly and south-easterly winds.

Conditions were for the most part dominated by a high-pressure

system over, or near to, Scandinavia; but at the beginning and again at the end of the month a rather complex pressure distribution was in evidence. There was a complete inversion of the normal south-westerly gradient over our Islands, and pressure in Shetland was considerably higher than that in Jersey. At Leith, at sea-level, readings were above 30 in. from 8th to 13th, from 17th to 20th, and from 23rd to 29th; and the extremes at that place were 30·45 in. on evening of 24th and 29·27 in. on morning of 31st.

During the greater part of the month temperature was decidedly above the normal, though rather low for a day or two around 17th, and the mildness of the nights during the first week was noteworthy. On 27th, with an incursion of fog, there was a sharp fall of temperature, especially in the Forth and Clyde areas, and the last few nights of the month were nearly everywhere rather cold, though in some districts the days still remained warm. Highest readings occurred very generally from 7th to 10th, but here and there on 22nd and 23rd, and temperature ranged from 71° at Inverness on 4th and at Kilmarnock on 9th to 19° at Braemar on 26th and at West Linton on 28th. The mean daily range of the month was abnormally low, as had been the case during various periods of the year, especially in April and in June.

Very unsettled conditions were general during the first few days, with exceptionally heavy rain in hilly districts towards north-east. Thus Lednathie had more than 2 in. on 1st and again on 4th, and Braemar a total of 4·32 in. from 1st to 5th. From 7th onwards there was a prolonged dry spell in most districts, broken here and there by moderate falls around 15th or 20th. On 30th heavy rains spread from Ireland to some western districts of Scotland, and Gruline (Mull) had as much as 3·05 in. within twelve hours, and on 31st there were again some rather heavy falls; elsewhere only slight or moderate rain was experienced. In extreme south-west and in the hilly regions of Aberdeenshire, Kincardineshire, and Forfarshire, aggregates were above the normal, but elsewhere there was a decided deficiency, especially towards north-west, where the month was notably dry. Thus at Glencarron the total of 1·32 in. was only 16 per cent. of the normal, and the smallest on record for the month of October. For Scotland as a whole the mean rainfall represented 67 per cent. of the normal, as compared with 58 per cent. for England and Wales and 127 per cent. for Ireland.

Easterly gales were experienced during the first three or four days, and a south-easterly to southerly gale on 30th and 31st.

Thunderstorms occurred locally in the west on 4th.

As a result of the heavy rains at the beginning of the month disastrous flooding occurred in many districts, more particularly in Aberdeenshire, where at some points the rivers are reported to have risen to as high a level as in the "Moray Floods" of August 1829. These historic floods, however, and also those of September 1915, affected a very much wider area.

Sunshine aggregates differed little from the normal. During the last week dense fogs occurred in the Forth and Clyde areas, whilst towards the north brilliant sunshine was experienced.

Aurora was observed in Orkney and at Aberdeen on 16th; at Baltasound and at various points as far south as Eskdalemuir on 17th; and in Orkney and at Banff on 26th.

November 1920.—The month was characterised by a somewhat high mean pressure; an abnormally high mean temperature, with an extremely low mean daily range; a slightly high mean rainfall; and a large excess of winds from a southerly quarter.

About 7th Atlantic disturbances had begun to affect the west and north, and for several days from 12th onwards a depression which moved eastwards across the Faroes caused very stormy weather in all districts. Otherwise, and more especially in east and south, anticyclonic conditions were much in evidence. At Leith, at sea-level, readings were above 30 in. from 5th to 9th, on 11th, and from 17th to 24th; and the extremes at that place were 30·42 in. on 22nd and 28·97 in. on 15th.

The month was on the whole extremely mild, and during the last sixty years in Scotland November has had a higher mean temperature only in 1897 and 1899. The only really cold weather occurred from 22nd to 24th; on 22nd, with a dense fog, temperature at Leith did not rise above 37°; and at Balmoral on 24th the minimum was 15°. Highest readings occurred generally around 9th, 14th, or 20th, with 63° at Ardtornish on 15th. Almost throughout the month, and notably during the first week, temperature, especially by night, was much higher in Scotland than in many parts of England. Thus at Edinburgh ground frost occurred on only 3 nights, but at Kew Observatory (Richmond) on as many as 16 nights. The mean daily range was the lowest on record for November.

In many districts in west and north rain fell on every day from 4th to 19th, elsewhere but little until 12th. From 12th to 14th or 15th wet or very wet weather was general,—with about 1½ in. at Greenock on 12th, and at Invergarry a four-days' total of about 7 in. Thereafter there was little or no rain until 25th or 26th, when unsettled conditions again set in, with heavy falls on 27th,—1·32 in. at Rothesay. In eastern and southern districts aggregates were below the normal, decidedly so in north-east and south-east; and in west and north there was a slight to fairly well-marked excess. Within the dry area, at *e.g.*, Edinburgh, about three-quarters of the aggregate was accounted for between 12th and 15th. For Scotland as a whole the mean rainfall represented 106 per cent. of the normal, as compared with only 49 per cent. for England and Wales, but 110 per cent. for Ireland.

The period from 12th to 15th was exceptionally stormy. In various districts trees were uprooted, and in some much structural damage was done. The gale blew from a southerly point, and appears to have reached its greatest violence in Orkney, Shetland, and the Western Islands. At Baltasound (Shetland) wind reached gale force on 12 days during the month.

From 13th to 15th thunderstorms and hail occurred in some districts.

Sunshine aggregates were in general slightly below the normal. Dense fog was experienced in the Forth and Clyde areas on 22nd and 23rd.

Aurora was observed at Baltasound on 5th and 16th; in Orkney on 5th; at Aberdeen on 5th and 15th; and at Eskdalemuir on 5th and 16th.

December 1920.—The month was characterised by a very high mean pressure; a mean temperature all but equal to the normal, with a slightly low mean daily range; a mean rainfall practically equal to the normal; and an excess of winds from south-east.

A deep depression crossed the south of Scotland on the 3rd, and at various later times, especially from 18th to 22nd, conditions were somewhat unsettled. The mean pressure of the month was much above the normal, especially in the far north, whilst over the English Channel there was a slight deficiency. At Leith, at sea-level, readings were above 30 in. continuously from 4th to 19th, and the extremes at that place were 30·63 in. on 5th and 28·74 in. at midnight of 21st.

After mild weather until 4th or 5th there was a fairly steady fall of temperature until evening of 24th, when unusually mild conditions again set in, with highest readings very generally on 25th and 26th (56° at Fort-William). The cold was not specially severe for midwinter (11° at West Linton on 18th, and at Braemar on 23rd), and much more wintry weather occurred in the south of England than anywhere in Scotland. For the week ending 18th, when Scotland lay to the north of an anticyclonic ridge which stretched down from Scandinavia over England and Ireland, temperature contrasts were extraordinary. Thus in the far north the mean for the week was well above the normal, whilst going southwards there was a steadily increasing deficiency; and for that week we have the following means and differences from the normal:—Lerwick $42^{\circ}\cdot 1$ ($+1^{\circ}\cdot 8$); Edinburgh $34^{\circ}\cdot 5$ ($-4^{\circ}\cdot 7$); York $33^{\circ}\cdot 4$ ($-6^{\circ}\cdot 1$); London (Richmond) $31^{\circ}\cdot 4$ ($-9^{\circ}\cdot 9$).

Rain was general from 1st to 3rd, with rather heavy falls in west on 1st (2·15 in. at Gruline, in Mull), and in north-east on 3rd; and conditions were unsettled from 19th or 20th onwards, with rather heavy falls in south on 29th. From 4th to 19th various places had hardly any precipitation, *e.g.*, Gordon Castle and Killin, though rain occurred in west and south on 8th or 9th ($1\frac{3}{4}$ in. at Ford in 12 hours on 9th), and rain, snow or sleet somewhat widely around 12th. In eastern districts generally there was a slight to decided excess; but in west and north a shortage, most marked around the Moray Firth, where Gordon Castle and Nairn had only half the normal. For Scotland as a whole the mean rainfall represented 91 per cent. of the normal, as compared with 101 per cent. for England and Wales and 97 per cent. for Ireland.

The weather was very stormy on 3rd and 4th and around 21st. Conditions were rather wintry around 12th and 18th, with some snow or sleet; but no general snowstorm occurred in Scotland.

Sunshine aggregates were deficient in the far north, but fairly good elsewhere. Fog occurred at times,—in the Glasgow area more particularly on 6th and 18th.

Aurora was widely observed on 4th; at Baltasound (Shetland) on 2nd, 4th, 8th, 9th, and 15th.

TABLE 1.—Population of Scotland, estimated to the middle of each year, with the Numbers of Births, Deaths, and Marriages registered in each year, 1855-1920.

YEAR	Estimated Popula- tion.	BIRTHS.							MARRIAGES.	DEATHS.			Excess of Births over Deaths.	YEAR.
		Males.	Fem.	Total.	Illegit.	Twin Births	Triplet Births.	Males.		Fem.	Total.			
1855	2,978,065	47804	45545	93349	7357	19680	30626	31378	62004	31345	1855	
1856	2,995,771	52239	49582	101821	8695	1267	12	20740	29418	29111	58529	43292	1856	
1857	3,012,310	53158	50257	103415	8859	1300	*16	21369	30937	30969	61906	41509	1857	
1858	3,027,665	53694	50324	104018	9354	1262	17	19655	31652	31887	63539	40479	1858	
1859	3,041,812	54628	51915	106543	9715	1335	11	21201	30588	31126	61714	44829	1859	
1860	3,054,738	54409	51220	105629	9736	1247	23	21225	33610	34560	68170	37459	1860	
1861	3,069,403	54606	52403	107009	9929	1249	18	20896	30890	31451	62341	44668	1861	
1862	3,098,008	55257	51812	107069	10376	1279	18	20597	33179	34016	67195	39874	1862	
1863	3,126,879	56226	53115	109341	10948	1267	6	22234	35631	35850	71481	37860	1863	
1864	3,156,023	57374	54959	112333	11197	1332	12	22725	37010	37406	74416	37917	1864	
1865	3,185,439	58220	54850	113070	11262	1364	9	23611	35190	35701	70891	42179	1865	
1866	3,215,130	58360	55307	113667	11673	1366	12	23688	35355	35993	71348	42319	1866	
1867	3,245,101	58517	55527	114044	11148	1365	*13	22618	34363	34705	69068	44976	1867	
1868	3,275,353	59222	56292	115514	11354	1443	15	21855	34662	34754	69416	46098	1868	
1869	3,305,889	58321	55033	113354	11066	1407	15	22144	37868	38007	75875	37479	1869	
1870	3,336,712	58959	56431	115390	11108	1384	9	23854	36866	37299	74165	41225	1870	
1871	3,368,926	60029	56099	116128	11077	1299	17	24019	36827	37885	74712	41416	1871	
1872	3,404,799	61293	57472	118765	10927	1383	11	25641	37939	37855	75794	42971	1872	
1873	3,441,057	61467	58233	119700	10925	1410	15	26748	39037	37909	76946	42754	1873	
1874	3,477,704	63602	60109	123711	10991	1512	13	26390	40678	40042	80720	42991	1874	
1875	3,514,744	63432	60146	123578	10786	1477	9	25974	40323	41444	81767	41811	1875	
1876	3,552,182	64819	61715	126534	11029	1463	20	26579	37404	36725	74129	52405	1876	
1877	3,590,021	65089	61733	126822	10568	1429	12	25817	37173	36764	73937	52885	1877	
1878	3,628,268	65200	61573	126773	10641	1367	12	24358	38389	38404	76793	49980	1878	
1879	3,666,923	64346	61384	125730	10727	1452	20	23519	36296	37051	73347	52383	1879	
1880	3,705,994	63786	60784	124570	10589	1438	8	24505	38055	37748	75803	48767	1880	
1881	3,742,564	64720	61451	126171	10484	1418	13	26004	36097	36228	72325	53846	1881	
1882	3,770,656	64505	61653	126158	10546	1415	7	26596	36325	36664	72989	53169	1882	
1883	3,798,961	63879	60579	124458	10114	1370	18	26869	38296	38595	76891	47567	1883	
1884	3,827,476	66379	62778	129157	10439	1457	19	26106	37556	37612	75168	53989	1884	
1885	3,856,207	64543	61557	126100	10680	1423	14	25304	36932	37675	74607	51493	1885	
1886	3,885,154	65910	61980	127890	10506	1331	10	24515	36432	37208	73640	54250	1886	
1887	3,914,318	63842	60576	124418	10380	1335	18	24876	36805	37741	74546	49872	1887	
1888	3,943,701	63129	60140	123269	9968	1380	12	25305	34953	36221	71174	52095	1888	
1889	3,973,304	63303	59480	122783	9770	1423	10	26344	36328	36910	73238	49545	1889	
1890	4,003,131	62187	59339	121526	9241	1421	13	27469	39130	39874	79004	42522	1890	
1891	4,036,245	64769	61217	125986	9647	1372	14	27969	41122	42451	83573	42413	1891	
1892	4,078,910	64356	60687	125043	9248	1468	17	28670	37463	38082	75545	49498	1892	
1893	4,122,029	65010	62100	127110	9467	1469	10	27145	39585	40085	79670	47440	1893	
1894	4,165,606	63857	60510	124367	9064	1450	13	27604	35153	35960	71113	53254	1894	
1895	4,209,645	64799	61695	126494	9204	1342	12	28422	40663	41189	81852	44642	1895	
1896	4,254,153	66214	62958	129172	9393	1493	21	30270	35321	35356	70677	58495	1896	
1897	4,299,132	65817	63060	128877	9068	1375	15	31050	39506	39638	79144	49733	1897	
1898	4,344,589	66814	64047	130861	8870	1450	14	32112	39344	39053	78397	52464	1898	
1899	4,390,530	66778	63955	130733	8486	1463	15	32978	39903	39690	79593	51140	1899	
1900	4,436,958	67147	64254	131401	8534	1544	15	32444	41276	41020	82296	49105	1900	

* Including one case of quadruplets.

TABLE 1—continued.

YEAR	Estimated Popula- tion.	BIRTHS.						MARRIAGES.	DEATHS.			Excess of Births over Deaths.	YEAR.
		Males.	Fem.	Total.	Illegit.	Twin Births	Triplet Births.		Males.	Fem.	Total.		
1901	4,479,104	67753	64439	132192	8359	1547	13	31387	40213	39894	80107	52085	1901
1902	4,507,220	67442	64825	132267	8300	1620	25	31913	39183	38758	77941	54326	1902
1903	4,535,513	68087	65438	133525	8295	1604	*13	32351	38136	37866	76002	57523	1903
1904	4,563,985	67794	64809	132603	9010	1603	18	32271	38851	39130	77981	54622	1904
1905	4,592,636	66750	64660	131410	9082	1619	17	31270	37196	37340	74536	56874	1905
1906	4,621,466	67461	64544	132005	9306	1524	21	33142	37731	37904	75635	56370	1906
1907	4,650,478	65901	62939	128840	8791	1676	*14	33298	38240	39056	77296	51544	1907
1908	4,679,671	66826	64536	131362	9111	1675	15	31606	38864	38974	77838	53524	1908
1909	4,709,048	65725	62944	128669	9370	1627	12	30108	37094	37538	74632	54037	1909
1910	4,738,611	63144	60915	124059	9049	1541	8	30902	36049	36219	72268	51791	1910
1911	4,751,132	62274	59576	121850	9200	1552	11	31844	35823	35909	71732	50118	1911
1912	4,741,077	62931	59859	122790	8989	1524	13	32506	36072	36268	72340	50450	1912
1913	4,728,132	61464	59052	120516	8548	1527	21	33676	36504	36565	73069	47447	1913
1914	4,747,167	62974	60960	123934	8879	1634	16	35028	36757	36800	73557	50377	1914
1915	4,770,798	58392	55789	114181	7875	1451	15	36233	41110	40521	81631	32550	1915
1916	4,794,708	56471	53471	109942	7797	1419	6	31419	35649	34991	70640	39302	1916
1917	4,810,338	50011	47430	97441	7295	1274	7	30421	35361	34122	69483	27958	1917
1918	4,812,274	50373	48181	98554	7854	1357	10	34529	39144	39228	78372	20182	1918
1919	4,820,077	54771	51497	106268	8424	1584	*14	44060	37500	37649	75149	31119	1919
1920	4,864,396	69719	66827	136546	10204	1822	15	46843	34619	33560	68179	68367	1920

* Including one case of quadruplets.

TABLE 2.—Birth-, Death-, and Marriage-rates in Scotland, 1855-1920.

YEAR.	Rates per 1000 of Population.					Illegit. Births per cent. of Total Births.	Male Births per cent. of Female Births.	Percentage of Mothers who had Multiple Births.	Deaths of Children under one year per 1000 Births.	YEAR
	Births.	Mar- riages.	Deaths.							
			Total.	Males.	Fem.					
1855	31·346	6·608	20·820	21·62	20·03	7·88	104·9	...	125·2	1855
1856	33·988	6·923	19·537	20·65	18·50	8·54	105·3	1·27	118·4	1856
1857	34·331	7·094	20·551	21·61	19·58	8·58	105·7	1·29	117·9	1857
1858	34·356	6·492	20·986	22·02	20·05	8·99	106·6	1·25	121·3	1858
1859	35·026	6·969	20·288	21·20	19·40	9·12	105·2	1·28	108·2	1859
1860	35·578	6·948	22·316	23·21	21·50	9·22	106·2	1·22	127·0	1860
1861	34·863	6·808	20·310	21·25	19·46	9·28	104·2	1·20	110·9	1861
1862	34·561	6·648	21·690	22·60	20·87	9·69	106·6	1·23	117·3	1862
1863	34·968	7·160	22·860	24·02	21·81	10·01	105·8	1·18	120·0	1863
1864	35·594	7·200	23·579	24·70	22·56	9·97	104·4	1·21	126·2	1864
1865	35·496	7·412	22·255	23·25	21·35	9·96	106·1	1·23	124·7	1865
1866	35·354	7·367	22·191	23·13	21·34	10·27	105·5	1·23	122·4	1866
1867	35·063	6·970	21·284	22·26	20·40	9·78	105·4	1·22	118·6	1867
1868	35·267	6·673	21·193	22·22	20·25	9·83	105·2	1·28	117·7	1868
1869	34·288	6·698	22·951	24·04	21·96	9·76	105·9	1·27	129·3	1869
1870	34·582	7·149	22·227	23·17	21·37	9·63	104·4	1·22	122·8	1870

TABLE 2—continued.

YEAR.	Rates per 1000 of Population.					Illegit. Births per cent. of Total Births.	Male Births per cent. of Female Births.	Percentage of Mothers who had Multiple Births.	Deaths of Children under one year per 1000 Births.	YEAR
	Births.	Mar- riages.	Deaths.							
			Total.	Males.	Fem.					
1871	34·470	7·130	22·177	22·90	21·51	9·54	107·0	1·15	130·3	1871
1872	34·882	7·531	22·261	23·33	21·00	9·20	106·6	1·19	123·9	1872
1873	34·786	7·773	22·361	23·72	21·11	9·13	105·5	1·20	124·9	1873
1874	35·573	7·588	23·211	24·44	22·08	8·88	105·8	1·25	124·9	1874
1875	35·160	7·390	23·264	23·94	22·63	8·73	105·5	1·22	132·1	1875
1876	35·621	7·482	20·869	21·96	19·86	8·72	105·0	1·19	121·2	1876
1877	35·326	7·191	20·595	21·57	19·69	8·33	105·4	1·15	114·9	1877
1878	34·940	6·713	21·165	22·02	20·37	8·39	105·9	1·10	123·0	1878
1879	34·288	6·414	20·002	20·58	19·47	8·53	104·8	1·18	107·9	1879
1880	33·613	6·612	20·454	21·33	19·64	8·50	104·9	1·17	124·6	1880
1881	33·712	6·948	19·325	20·02	18·68	8·31	105·3	1·15	112·5	1881
1882	33·458	7·053	19·357	19·98	18·77	8·36	104·6	1·14	118·0	1882
1883	32·761	7·073	20·240	20·90	19·61	8·13	105·4	1·13	119·0	1883
1884	33·745	6·821	19·639	20·32	18·97	8·08	105·7	1·16	117·9	1884
1885	32·700	6·562	19·347	19·83	18·87	8·47	104·9	1·15	120·5	1885
1886	32·918	6·310	18·954	19·40	18·50	8·21	106·3	1·06	115·7	1886
1887	31·785	6·355	19·044	19·44	18·63	8·34	105·4	1·10	122·2	1887
1888	31·257	6·417	18·048	18·32	17·75	8·09	105·0	1·14	113·1	1888
1889	30·902	6·630	18·433	18·88	17·96	7·96	106·4	1·18	121·3	1889
1890	30·358	6·862	19·736	20·26	19·25	7·60	104·8	1·19	130·6	1890
1891	31·214	6·929	20·706	21·11	20·33	7·66	105·8	1·11	127·9	1891
1892	30·656	7·029	18·521	19·01	18·06	7·40	106·0	1·20	117·5	1892
1893	30·837	6·585	19·328	19·87	18·82	7·45	104·7	1·18	136·0	1893
1894	29·856	6·627	17·071	17·45	16·72	7·29	105·5	1·19	116·7	1894
1895	30·049	6·752	19·444	19·95	18·96	7·28	105·0	1·08	133·4	1895
1896	30·364	7·115	16·614	17·14	16·12	7·27	105·2	1·19	115·5	1896
1897	29·977	7·222	18·409	18·96	17·89	7·04	104·4	1·09	137·9	1897
1898	30·120	7·391	18·045	18·67	17·46	6·78	104·3	1·13	134·2	1898
1899	29·776	7·511	18·128	18·72	17·57	6·49	104·4	1·14	131·0	1899
1900	29·615	7·312	18·548	19·15	17·98	6·49	104·5	1·20	128·5	1900
1901	29·513	7·007	17·885	18·47	17·33	6·32	105·1	1·19	129·4	1901
1902	29·346	7·080	17·292	17·89	16·73	6·28	104·0	1·26	113·4	1902
1903	29·440	7·133	16·757	17·31	16·24	6·21	104·0	1·23	117·5	1903
1904	29·054	7·071	17·086	17·53	16·67	6·79	104·6	1·24	123·1	1904
1905	28·613	6·809	16·229	16·68	15·81	6·91	103·2	1·26	116·2	1905
1906	28·563	7·171	16·366	16·82	15·94	7·05	104·5	1·18	115·0	1906
1907	27·705	7·160	16·621	16·94	16·32	6·82	104·7	1·33	109·7	1907
1908	28·071	6·754	16·633	17·11	16·18	6·94	103·5	1·30	121·0	1908
1909	27·324	6·394	15·849	16·24	15·48	7·28	104·4	1·29	107·7	1909
1910	26·180	6·521	15·251	15·68	14·84	7·29	103·7	1·26	108·3	1910
1911	25·647	6·702	15·098	15·55	14·67	7·55	104·5	1·30	112·5	1911
1912	25·899	6·856	15·258	15·68	14·86	7·32	105·1	1·27	105·5	1912
1913	25·489	7·122	15·454	15·90	15·04	7·09	104·1	1·30	109·6	1913
1914	26·107	7·379	15·495	15·93	15·08	7·16	103·3	1·35	110·6	1914
1915	23·933	7·595	17·111	17·77	16·49	6·90	104·7	1·30	126·5	1915
1916	22·930	6·553	14·733	15·37	14·13	7·09	105·6	1·31	97·1	1916
1917	20·257	6·321	14·445	15·24	13·71	7·49	105·4	1·33	107·5	1917
1918	20·480	7·175	16·286	16·96	15·67	7·97	104·5	1·41	99·8	1918
1919	22·047	9·141	15·591	16·20	15·02	7·93	106·4	1·53	101·6	1919
1920	28·070	9·628	14·016	14·81	13·28	7·47	104·3	1·36	92·0	1920

TABLE 3.—Number of Births, Deaths, and Marriages in Scotland, and their Proportion to the Population, estimated to the middle of each Year, during each Quarter of the Years 1910 to 1920 inclusive.

	1910.		1911.		1912.		1913.		1914.		1915.		1916.		1917.		1918.		1919.		1920.	
	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.
FIRST QUARTER.	30422	26.1	30710	26.1	30272	25.6	29825	25.6	30656	26.3	30999	26.4	27352	22.9	25371	21.4	23221	19.6	22507	18.9	37751	31.1
	20605	17.7	19794	16.9	20698	17.5	21270	18.2	20654	17.7	24990	21.2	19508	16.3	21789	18.4	17885	15.1	28959	24.4	18926	15.6
	7317	6.3	6758	5.8	6994	5.9	7841	6.7	8631	7.4	7996	6.8	8604	7.2	7260	6.1	8240	6.9	8811	7.4	11752	9.7
SECOND QUARTER.	33812	28.6	32935	27.7	32221	27.3	32198	27.3	33009	28.0	30793	25.9	29331	25.0	26198	21.8	26054	21.7	28856	19.9	20	29.
	18593	15.8	18029	15.2	17693	15.0	18143	15.4	18169	15.4	20413	17.2	18272	15.3	18612	15.5	16680	13.9	16612	13.8	18249	15.0
	7928	6.7	8567	7.2	8209	7.0	8503	7.2	9088	7.7	9245	7.8	7636	6.4	7334	6.1	8048	6.7	11642	9.7	11884	9.8
THIRD QUARTER.	30061	25.2	29653	24.7	30166	25.3	29487	24.7	30336	25.5	26804	22.3	27144	22.5	23096	19.0	24700	20.4	25424	20.9	31626	25.8
	15331	12.8	16149	13.4	15228	12.8	16194	13.6	16219	13.6	15932	13.2	15026	12.4	13735	11.3	15188	12.5	13325	11.0	13950	11.4
	7975	6.7	8484	7.0	8778	7.4	9037	7.6	9858	7.9	9645	8.0	7766	6.4	7827	6.5	9404	7.8	12268	10.1	12703	10.4
FOURTH QUARTER.	29705	24.9	28513	23.7	30057	25.2	29006	24.3	29933	25.1	25585	21.3	25515	21.1	22776	18.8	24579	20.3	34481	28.4	30949	25.2
	17716	14.8	17760	14.8	18721	15.7	17462	14.6	18515	15.5	20296	16.9	17834	14.8	15347	12.7	28619	23.6	16253	13.4	17054	13.9
	7646	6.4	8052	6.7	8529	7.1	8310	7.0	7972	6.7	9386	7.8	7477	6.2	8065	6.7	8908	7.3	11416	9.4	10504	8.6
YEAR.	4738611		4751132		4741077		4728132		4747167		4770798		4794708		4810338		4812274		4820077		4864396	
	124000	26.2	121811	25.6	122716	25.9	120516	25.5	123934	26.1	114181	23.9	109942	22.9	97441	20.3	98554	20.5	106268	22.0	136546	28.1
	72245	15.3	71732	15.1	72340	15.3	73069	15.5	73557	15.5	81631	17.1	70640	14.7	69483	14.4	78372	16.3	75149	15.6	68179	14.0
	30866	6.5	31811	6.7	32510	6.9	33691	7.1	35049	7.4	36272	7.6	31483	6.6	30486	6.3	34600	7.2	44137	9.1	46843	9.6

Figures in this Table are mainly compiled from the Quarterly Returns, and totals may not exactly correspond with those given elsewhere in this Report.

TABLE 4.—Birth-, Death-, and Marriage-rates in Scotland, its Groups of Districts and Larger Burghs, in 1920.

RATES PER 1000 OF POPULATION.										Infantile Mor- tality.
Estimated Popula- tion.	Births.	Marriages.	Deaths.				Illegiti- mate Births per 100 of Total Births.			
			Uncor- rected.	Cor- rected for Trans- fers.	Corrected and Adjust- ed for Age and Sex Distribution	All Tuber- culosis.		Phthisis.	*Principal Epidemic Diseases.	
SCOTLAND	28·07	9·63	14·02	14·02	14·02	1·24	0·86	0·78	7·47	92·0
LARGER BURGHS	30·18	12·38	15·66	15·37	16·41	1·48	1·03	0·93	6·99	103·7
SMALLER BURGHS	27·37	9·05	12·84	13·50	13·15	1·10	0·74	0·66	6·94	82·3
COUNTY DISTRICTS	25·52	6·10	12·42	12·42	11·62	0·99	0·69	0·64	8·64	79·0
Glasgow	31·7	13·2	16·6	16·3	17·9	1·59	1·13	1·04	6·8	107
Edinburgh	24·9	14·4	15·8	14·2	14·7	1·34	0·92	0·59	8·3	89
Dundee	29·9	12·4	16·8	16·7	17·2	1·49	1·08	1·14	8·5	131
Aberdeen	30·6	13·3	15·7	15·1	15·3	1·33	0·96	0·86	9·3	121
Paisley	29·6	10·3	13·8	13·3	14·7	1·43	1·00	0·93	6·0	86
Leith	30·5	9·4	11·9	14·9	15·6	1·73	1·14	0·58	5·9	101
Greenock	33·3	9·7	16·9	16·5	16·7	1·75	1·06	1·08	4·9	104
Coatbridge	33·6	8·0	14·3	14·9	16·2	1·37	0·75	1·19	5·6	96
Motherwell	31·9	8·4	12·6	13·8	15·6	1·25	0·69	1·10	4·8	113
Kirkcaldy	28·4	9·1	13·9	14·8	15·1	1·09	0·76	0·63	6·0	86
Hamilton	34·1	9·7	13·1	14·3	15·5	1·40	0·92	1·35	5·8	99
Clydebank	31·6	7·2	8·3	11·6	13·4	1·16	0·97	0·83	3·5	80
Perth	24·1	12·4	16·6	14·4	14·1	1·32	0·93	0·63	9·2	97
Kilmarnock	28·6	10·3	13·6	12·1	13·2	1·29	0·84	0·62	6·1	71
Falkirk	29·2	11·9	14·4	13·5	14·8	1·32	1·02	1·17	8·1	68
Ayr	24·5	11·0	14·5	12·5	12·7	1·13	0·68	0·62	7·4	84

*Enteric Fever, Measles, Scarlet Fever, Whooping Cough, Diphtheria and Croup, Diarrhoea under 2 years.

TABLE 5.—Birth-, Death-, and Marriage-rates in the Smaller Burghs of Scotland in 1920.

BURGHs.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages.	Deaths.							
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.	All Tuberculosis.	Phthisis.	†Principal Epidemic Diseases.		
Aberchirder	961	39·5	12·5	12·5	17·7	13·6	0·00	0·00	0·00	18·4	132
Aberfeldy	1,561	16·0	10·2	14·1	15·4	13·3	0·64	0·64	0·00	12·0	160
Aberlour (<i>vide</i> Charles-town of Aberlour)											
Abernethy	618	11·3	4·9	9·7	11·3	8·6	0·00	0·00	0·00	14·2	0
Airdrie	24,992	32·1	10·0	12·4	13·9	15·3	0·96	0·56	0·96	3·5	99
Alloa	12,355	28·6	9·4	11·7	11·8	12·7	0·89	0·57	0·32	6·2	62
Alva	4,124	26·9	11·9	16·0	16·7	15·4	0·73	0·73	0·00	9·0	90
Alyth	1,723	23·8	17·4	20·9	21·5	17·7	1·16	0·58	0·00	2·4	73
Annan	3,951	26·6	12·9	13·7	15·4	14·8	2·02	1·27	1·27	7·6	86
Anstruther-Easter	1,023	13·7	4·9	12·7	11·7	11·0	0·98	0·98	0·98	0·0	71
Anstruther-Wester	574	17·4	1·7	13·9	15·7	13·2	0·00	0·00	0·00	0·0	0
Arbroath	19,587	24·4	9·5	14·9	15·0	13·7	1·23	0·92	0·97	6·5	82
Ardrossan	7,063	29·3	6·7	12·3	14·0	14·8	0·14	0·00	0·23	5·8	130
Armadales	4,903	32·6	5·5	9·2	11·6	12·6	1·02	0·61	0·61	6·3	113
Auchterarder	2,263	23·9	8·8	15·5	18·6	15·5	1·33	0·44	0·88	3·7	130
Auchtermuchty	1,262	15·8	13·5	19·8	17·4	12·4	1·33	0·79	0·00	20·0	50
Ballater	1,510	15·9	6·6	9·3	9·9	8·8	0·66	0·66	1·32	20·8	208
Banchory	1,760	17·6	4·5	10·2	11·9	10·7	0·00	0·00	0·00	12·9	65
Banff	3,543	26·5	13·5	20·6	14·4	12·5	1·13	0·85	0·00	6·4	43
Barrhead	11,444	31·9	8·7	9·9	11·4	12·8	0·52	0·44	0·52	7·9	58
Bathgate	8,467	27·4	7·3	9·9	12·2	13·2	0·71	0·35	0·71	5·6	95
Biggar	1,471	12·9	2·0	11·6	12·9	10·4	1·36	0·68	0·00	21·1	0
Blairgowrie	3,085	19·1	8·8	18·8	19·1	15·5	0·65	0·32	0·00	6·8	102
Bonnyrigg	3,136	30·3	3·8	10·2	13·1	12·9	0·64	0·64	0·32	4·2	21
Borrowstounness	10,218	33·2	10·5	10·1	12·5	13·8	1·37	0·39	0·98	5·9	77
Brechin	7,534	21·1	8·9	15·0	15·0	13·3	0·80	0·66	0·27	12·6	63
Bridge-of-Allan	3,530	13·3	6·5	9·1	11·3	10·1	0·85	0·00	0·00	4·3	64
Buckhaven, Methil, and Innerleven	16,106	35·1	10·4	13·6	14·3	15·9	0·93	0·68	0·87	4·1	108
Buckie	8,699	38·9	8·6	15·3	16·1	15·9	0·80	0·57	0·34	8·0	107
Burghhead	1,405	32·0	0·7	12·1	13·5	12·3	0·00	0·00	1·42	8·9	67
Burntisland	5,623	22·1	6·0	6·8	8·9	8·8	0·53	0·18	0·00	4·8	16
Callander	1,836	20·7	0·5	7·1	8·7	7·7	0·00	0·00	0·00	13·2	26
Campbeltown	6,833	30·7	10·4	16·1	15·5	14·3	1·76	1·17	0·59	12·9	110
Carnoustie	5,891	18·2	6·3	8·5	9·8	8·4	0·85	0·68	0·17	6·5	56
Castle-Douglas	2,819	20·2	8·5	18·8	17·7	16·2	0·35	0·35	0·00	7·0	140
Charlestown of Aberlour	1,255	13·5	7·2	8·0	8·0	8·6	0·80	0·80	2·39	23·5	113
Cockenzie and Port-Seton	2,792	24·7	5·0	8·2	8·6	8·4	1·07	1·07	0·36	1·4	101
Coldstream	1,301	20·0	5·4	17·7	20·0	16·2	1·54	1·54	0·00	11·5	115
Coupar-Angus	1,985	23·7	8·1	13·6	17·1	13·7	1·01	0·50	0·00	8·5	106
Cove and Kilcreggan*	737	14·9	4·1	14·9	14·9	12·0	1·36	1·36	0·00	0·00	91
Cowdenbeath	14,180	33·7	8·1	9·9	11·7	13·0	1·55	1·06	1·06	6·9	90
Crail	1,420	21·1	4·2	12·7	16·2	12·9	0·70	0·70	0·00	10·0	133
Crieff	5,829	16·6	5·5	14·6	14·4	12·7	0·86	0·51	0·17	8·2	82
Cromarty	1,204	34·1	13·3	11·6	15·0	17·5	4·98	4·15	0·00	2·4	24
Cullen	1,985	39·8	9·1	11·1	12·1	10·2	1·01	1·01	0·50	11·4	63
Culross	502	15·9	10·0	15·9	21·9	15·1	1·99	1·99	0·00	0·0	0
Cumnock and Holmhead	3,525	33·2	11·1	15·0	15·0	13·8	0·57	0·28	0·57	6·0	77
Cupar	4,163	20·7	9·4	14·7	16·6	13·1	0·96	0·96	0·48	10·5	110
Dalbeattie	3,029	28·4	7·9	17·2	19·8	18·0	1·32	0·99	1·32	10·5	128
Dalkeith	7,211	26·3	8·3	14·0	16·1	15·4	1·25	0·55	0·83	6·3	83
Darvel	3,360	22·0	9·5	9·8	11·3	12·6	1·79	1·19	0·30	4·1	81
Denny and Dunipace	5,127	30·6	8·2	10·1	10·9	11·8	0·98	0·39	0·59	4·5	63
Dingwall	2,351	23·8	22·5	20·8	18·3	16·4	1·70	1·70	0·43	5·4	107
Dollar	1,573	21·6	4·5	10·8	12·7	11·1	0·00	0·00	0·64	8·8	28

* See footnote at end of Table 5.

† Enteric Fever, Measles, Scarlet Fever, Whooping Cough, Diphtheria and Croup, Diarrhoea under 2 years.

TABLE 5—continued.

BURGHS.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages.	Deaths.							
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.	All Tuberculosis.	Phthisis.	Principal Epidemic Diseases.		
Orkney	764	10·5	11·8	13·1	14·4	13·1	0·00	0·00	0·00	12·5	0
Bonine	867	24·2	17·3	10·4	11·5	10·6	0·00	0·00	0·00	9·5	0
Dufftown	1,469	23·1	10·2	15·7	17·7	13·0	1·36	1·36	0·68	26·5	59
Dunbarton	22,813	29·6	7·6	12·8	11·7	12·5	1·14	0·75	0·53	4·1	83
Dunfries	15,781	28·9	15·3	21·9	17·9	18·4	1·39	1·20	0·76	7·2	75
Dunbar	3,785	23·2	5·8	11·4	10·8	10·2	1·32	1·06	0·26	8·0	23
Dunblane	2,932	19·4	5·5	9·9	12·6	11·7	0·68	0·68	0·00	21·1	53
Dunfermline	38,793	27·7	11·3	13·4	11·8	12·1	1·01	0·70	0·75	3·9	67
Dunipace (<i>vide</i> Denny and Dunipace)											
Dunoon*	6,497	24·0	6·3	15·7	15·2	12·5	2·00	1·23	0·15	7·7	58
Dunoon	1,886	23·3	9·0	14·8	16·4	13·3	0·53	0·53	0·53	11·4	114
Dunsyart	4,553	29·7	10·8	7·7	10·1	9·9	0·22	0·22	0·44	3·7	67
Dunferries*	306	3·3	3·3	22·9	26·1	24·4	0·00	0·00	0·00	0·0	0
East Linton	771	14·3	1·3	19·5	18·2	13·7	1·30	0·00	0·00	0·0	91
Edinburgh	7,852	27·5	21·5	19·5	17·7	15·4	1·40	1·27	1·02	19·9	116
Edinburgh, Liberty, and Williamsburgh*	653	10·7	3·1	6·1	7·7	6·3	1·53	1·53	0·00	0·0	0
Edinburgh	1,263	28·5	41·2	10·3	11·1	9·1	0·00	0·00	0·00	19·4	28
Edinburgh	2,472	26·3	6·9	10·9	11·7	11·5	1·21	1·21	0·40	4·6	31
Edinburgh	785	20·4	7·6	15·3	16·6	12·5	0·00	0·00	0·00	0·0	0
Edinburgh	1,658	39·2	9·0	7·2	7·8	8·1	0·60	0·60	0·00	10·8	15
Edinburgh	9,697	22·8	10·0	16·2	16·5	15·4	1·34	0·93	0·52	8·1	95
Edinburgh	4,141	24·6	9·4	14·0	16·7	13·9	0·72	0·72	0·48	15·7	88
Edinburgh	963	15·6	0·0	33·2	23·9	17·1	1·04	0·00	0·00	13·3	67
Edinburgh	1,920	18·2	4·7	11·5	11·5	10·5	1·04	0·52	0·52	11·4	29
Edinburgh	10,507	36·1	9·4	13·8	12·9	13·4	1·33	0·86	1·05	9·2	95
Edinburgh	13,025	21·6	9·6	15·8	17·0	17·4	1·45	1·22	0·61	9·2	99
Edinburgh	5,002	24·6	11·8	12·6	13·6	15·0	1·20	0·80	1·00	1·6	122
Edinburgh	906	26·5	5·5	14·3	16·6	11·7	0·00	0·00	1·10	25·0	83
Edinburgh	4,581	32·1	8·3	12·0	13·3	11·6	1·09	0·65	0·44	7·5	61
Edinburgh	9,853	23·0	6·1	11·5	12·5	12·7	0·61	0·30	0·51	4·4	88
Edinburgh	9,738	27·1	6·7	11·3	12·4	13·9	0·82	0·31	0·41	4·5	45
Edinburgh	1,603	23·7	10·0	11·9	13·7	12·5	0·62	0·62	0·00	23·7	53
Edinburgh (<i>vide</i> Newmilns and Greenholm)											
Edinburgh	4,057	18·7	6·4	19·7	14·0	13·0	0·25	0·25	0·25	2·6	53
Edinburgh	16,383	23·9	9·5	12·3	13·2	13·3	1·34	0·73	0·24	6·6	56
Edinburgh	9,574	20·6	8·0	14·7	15·0	13·9	1·46	1·25	0·73	5·6	102
Edinburgh (<i>vide</i> Cumnock and Holmhead)											
Edinburgh	3,794	26·4	12·9	19·5	18·7	16·0	1·84	1·05	0·79	20·0	70
Edinburgh	2,114	21·1	10·4	13·7	11·5	14·0	1·21	0·83	0·00	7·8	78
Edinburgh (<i>vide</i> Buckhaven, Methil, and Innerleven)											
Edinburgh	493	14·2	4·1	22·3	30·4	21·6	2·03	2·03	0·00	0·0	0·0
Edinburgh	1,053	29·4	11·4	17·1	19·9	17·5	0·95	0·00	0·00	9·7	194
Edinburgh	1,349	27·4	2·2	9·6	11·9	9·8	1·48	1·48	0·00	8·1	27
Edinburgh	3,340	29·0	4·5	7·5	12·6	12·7	2·10	1·80	0·90	4·1	72
Edinburgh	21,036	25·8	16·4	17·7	17·0	15·7	1·38	1·24	0·76	7·9	103
Edinburgh	3,901	27·9	14·1	10·8	13·1	11·7	0·26	0·26	0·00	15·6	101
Edinburgh	11,652	32·6	10·4	12·6	14·8	15·0	0·77	0·60	1·37	6·6	116
Edinburgh	2,455	22·0	10·2	14·7	15·9	15·1	1·63	0·81	0·00	7·4	37
Edinburgh	12,416	30·7	10·7	11·3	14·7	16·2	1·05	0·64	1·77	6·8	76

* See footnote at end of Table 5.

TABLE 5—continued.

BURGHs.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages.	Deaths.							
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.	All Tuberculosis.	Phthisis.	Principal Epidemic Diseases.		
Keith	4,287	26·6	10·3	16·1	15·9	13·5	1·63	0·70	0·23	15·8	61
Kelso	3,568	23·3	5·9	12·3	12·1	10·5	1·40	0·56	0·00	8·4	96
Kilreggan and Cove (vide Cove and Kilreggan)											
Kilrenny	2,099	22·9	9·5	11·0	11·0	10·0	1·43	0·48	0·00	2·1	21
Kilsyth	7,641	31·3	9·0	12·6	15·1	15·9	0·65	0·26	2·75	7·5	130
Kilwinning	5,352	37·0	11·6	9·9	10·8	11·2	0·93	0·37	0·56	6·1	86
Kinghorn*	1,451	42·7	10·3	14·5	13·8	13·2	2·07	2·07	0·69	9·7	65
Kingussie	1,198	15·9	8·3	11·7	8·3	8·2	0·83	0·83	0·00	10·5	53
Kinross	2,627	30·1	6·1	9·9	13·7	12·1	1·14	0·76	0·00	10·1	25
Kintore	748	20·1	5·3	18·7	21·4	17·6	1·34	1·34	4·01	21·0	200
Kirkcudbright	2,108	32·3	10·4	14·7	14·7	12·3	2·85	1·42	0·95	11·8	44
Kirkintilloch	11,700	28·9	8·1	14·0	15·6	16·1	1·20	0·77	1·88	5·3	80
Kirkwall	3,703	23·8	11·6	15·9	15·4	12·4	1·62	1·03	0·27	5·7	68
Kirriemuir	3,440	16·3	7·0	15·1	16·6	14·1	1·16	0·87	0·29	12·5	107
Ladybank and Monkston	1,177	19·5	5·9	8·5	11·9	9·8	1·70	1·70	0·00	0·00	43
Lanark	6,224	23·3	12·5	13·5	14·6	14·3	1·93	1·29	0·16	4·8	48
Langholm	2,677	19·8	3·0	14·6	14·9	13·0	0·75	0·75	0·00	5·7	57
Largs*	3,819	20·7	6·8	14·9	15·7	13·6	0·26	0·26	0·26	12·7	101
Lasswade	909	28·6	9·9	12·1	15·4	15·8	1·10	0·00	1·10	3·8	38
Lauder	748	14·7	2·7	5·3	5·3	4·2	0·00	0·00	0·00	27·3	0
Laurencekirk	1,457	22·6	6·9	14·4	17·2	11·4	0·69	0·69	0·00	15·2	30
Lerwick	4,773	19·1	21·4	17·4	14·7	12·1	0·84	0·42	1·26	11·0	154
Leslie	2,341	32·0	11·5	9·8	11·5	9·9	0·00	0·00	0·00	2·7	80
Leven	7,119	25·7	7·9	11·1	12·8	13·6	0·70	0·56	0·56	3·8	104
Liberty (vide Elie, Liberty, and Wil- liamsburgh)											
Linlithgow	3,887	29·1	8·7	10·0	12·3	12·1	1·29	1·03	0·77	3·5	71
Loanhead	3,441	32·3	12·2	7·8	8·4	9·0	0·58	0·00	0·00	3·6	99
Lochgelly	10,580	37·1	9·4	9·2	11·2	12·1	0·95	0·57	1·23	6·1	74
Lochgilphead	936	19·2	4·3	12·8	12·8	9·6	3·21	2·14	1·07	0·0	56
Lochmaben	995	29·1	11·1	15·1	16·1	13·0	2·01	2·01	0·00	24·1	0
Lockerbie	2,352	22·5	8·1	6·8	9·4	8·4	0·00	0·00	0·43	3·8	19
Lossiemouth	4,165	37·5	4·3	11·8	14·9	14·3	1·68	0·72	0·72	6·4	64
Macduff	3,347	31·1	3·3	14·3	17·0	13·7	0·90	0·90	0·00	6·7	96
Markinch	1,611	29·8	17·4	13·7	16·1	13·9	0·62	0·62	0·62	6·3	83
Maybole	4,474	28·4	7·8	17·7	16·8	16·3	2·46	0·89	0·45	7·1	157
Maxwelltown	6,097	26·1	6·7	13·3	16·9	17·2	1·97	1·48	0·82	6·9	126
Melrose	2,153	9·8	5·6	28·3	10·2	8·6	0·46	0·46	0·00	4·8	95
Methil (vide Buckhaven, Methil, and Inner- leven)											
Millport*	1,464	12·3	1·4	23·2	17·8	14·6	1·37	0·00	0·00	0·00	56
Milngavie	4,438	20·7	7·7	9·7	10·4	11·0	1·58	1·58	0·00	1·1	65
Moffat	2,389	15·9	6·3	14·7	14·7	12·5	0·42	0·42	0·84	5·3	53
Monifieth	3,209	21·2	7·8	13·4	13·1	12·3	0·31	0·31	0·00	2·9	44
Monkston (vide Lady- bank and Monkston)											
Montrose	10,966	23·3	6·9	15·9	15·6	13·1	1·55	1·19	0·09	9·0	70
Musselburgh	16,974	34·9	11·0	12·4	13·7	14·5	1·41	1·12	0·77	5·6	96
Nairn	4,487	24·1	13·4	12·0	12·5	11·3	0·67	0·67	0·00	8·3	65
Newburgh	2,155	18·6	4·2	13·0	15·3	11·7	0·46	0·46	0·93	15·0	75
New Galloway	348	8·6	8·6	23·0	25·9	21·5	0·00	0·00	0·00	0·0	0
Newmilns and Green- holm	4,221	25·3	8·3	10·9	13·0	13·8	1·18	0·95	0·47	2·8	65

* See footnote at end of Table 5.

TABLE 5—continued.

BURGHES.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages.	Deaths.							
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.	All Tuberculosis.	Phthisis.	Principal Epidemic Diseases.		
Port	3,348	16·4	3·9	17·0	19·1	16·3	0·30	0·30	0·30	3·6	91
Port-Stewart	1,852	23·2	7·0	20·5	22·1	19·5	2·16	1·08	0·00	11·6	140
Port-Berwick	4,394	10·7	4·8	8·2	7·7	8·0	0·46	0·23	0·46	12·8	43
Port	6,259	17·6	8·6	15·0	13·7	13·2	1·12	0·96	0·96	7·3	73
Meldrum	1,023	22·5	14·7	10·8	14·7	10·7	2·93	1·96	0·00	13·0	43
Port	5,534	18·6	7·2	11·0	12·8	12·5	1·08	0·54	0·72	8·7	19
Port	2,676	22·8	12·3	12·7	16·1	15·9	1·49	0·75	0·75	3·3	49
Port	13,158	34·9	7·7	15·1	16·3	16·2	1·44	1·22	1·22	9·2	148
Port	1,762	21·6	6·8	10·8	11·4	10·3	3·41	3·41	0·00	5·3	53
Glasgow	20,752	37·5	10·8	13·1	14·6	15·9	1·73	0·92	1·59	3·3	103
Port	1,670	31·7	1·8	6·6	10·8	11·4	1·80	1·20	0·00	0·00	57
Port (vide Cocken- and Port-Seton)											
Port	1,743	29·3	14·3	21·8	19·5	15·6	0·57	0·57	1·15	13·7	98
Port	1,991	33·7	2·5	11·0	13·1	12·7	1·00	0·50	0·00	14·9	119
Port*	6,019	28·9	5·8	13·1	14·3	13·6	0·66	0·50	1·50	4·0	75
Port	2,319	33·6	8·2	7·3	10·8	15·9	0·86	0·43	0·00	3·8	77
Port	1,737	31·7	1·7	15·0	16·1	13·3	0·00	0·00	0·58	18·2	18
Port	13,990	27·3	7·9	8·9	11·7	13·2	1·36	1·00	0·64	4·2	94
Port	1,270	33·9	15·0	13·4	14·2	11·9	0·79	0·00	3·15	14·0	93
Port	1,271	43·3	7·9	11·8	12·6	10·0	1·57	0·79	2·36	21·8	91
Port	8,646	20·5	6·9	15·8	14·2	12·7	0·81	0·69	0·23	12·4	40
Port	24,672	25·9	10·4	9·9	12·9	14·2	1·38	0·89	0·77	3·1	95
Port	9,183	13·4	4·8	10·7	11·1	11·2	0·54	0·33	0·54	8·1	73
Port	8,450	41·1	10·2	15·0	17·0	16·7	1·66	1·30	0·71	4·0	72
Port	1,679	36·9	14·3	14·9	17·3	16·9	1·79	1·19	0·60	9·7	48
Port	5,779	17·0	9·9	10·2	11·2	10·9	1·21	0·69	0·17	8·2	31
Port	2,848	25·3	10·9	7·4	10·5	10·0	1·05	0·35	0·35	5·6	42
Port	21,305	30·4	12·0	18·0	14·8	15·0	1·50	0·70	0·70	6·2	97
Port	4,792	19·2	9·2	15·2	15·7	11·7	0·42	0·42	1·67	13·0	120
Port	4,047	22·7	9·6	15·3	16·3	15·3	1·24	0·74	1·24	4·3	98
Port	6,160	25·5	8·6	19·6	17·9	16·0	1·30	0·81	1·95	7·4	147
Port	1,673	23·9	6·0	15·5	16·1	13·0	0·60	0·00	0·60	5·0	50
Port	1,554	25·1	20·6	12·9	12·9	10·3	1·93	1·93	1·93	7·7	0
Port	3,290	24·3	9·4	15·8	16·7	14·5	2·13	1·52	0·00	8·8	100
Port	3,064	27·7	12·4	23·2	23·2	18·2	0·65	0·33	0·65	10·6	176
Port	3,096	29·1	8·4	10·3	12·6	11·3	0·65	0·32	0·32	6·7	44
Port	863	17·4	3·5	11·6	11·6	8·6	2·32	1·16	0·00	6·7	67
Port	4,718	36·2	10·0	10·8	12·5	13·1	1·27	0·85	1·27	3·5	99
Port	7,827	23·8	7·9	9·6	10·9	11·8	1·79	1·15	0·38	6·5	86
Port	2,168	31·8	13·8	15·2	15·7	12·1	0·46	0·46	0·00	13·8	72
Port	1,960	32·7	14·3	8·7	11·2	12·0	1·02	0·00	1·02	9·4	109
Port	1,045	29·7	1·9	18·2	21·1	15·7	3·83	2·87	0·00	22·6	65
Port	8,200	31·6	10·1	15·2	15·9	14·5	1·34	0·73	0·98	6·9	112
Port	1,304	32·2	5·4	19·9	22·2	18·6	2·30	1·53	0·00	9·5	95
Port (vide Williamsburgh, Liberty, and Williamsburgh)											
Port	27,111	35·2	8·6	10·9	12·5	13·6	0·96	0·70	0·81	6·8	83

* Population as ascertained by 1921 Census contained a large proportion of non-residents, and rates have therefore been calculated on an estimate of population based on the 1911 Census.

TABLE 6.—Birth-, Death-, and Marriage-rates in the County Districts of Scotland in 1920.

COUNTY DISTRICTS.	Estimated Population	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages.	Deaths.							
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.	All Tuberculosis.	Phthisis.	*Principal Epidemic Diseases.		
ABERDEEN COUNTY—											
Aberdeen	22,759	20·6	5·9	17·8	12·1	10·6	0·75	0·66	0·35	15·6	68
Alford	8,702	27·8	5·3	9·5	11·5	10·0	0·46	0·46	0·23	20·7	70
Deer	27,266	28·2	5·8	13·3	14·3	12·2	0·95	0·73	0·84	14·8	89
Deeside	12,039	20·3	4·9	10·8	12·5	10·6	1·25	0·75	0·33	18·9	70
Ellon	13,353	26·0	4·3	10·0	11·6	10·2	0·82	0·45	0·60	19·0	95
Garioch	13,121	26·3	5·3	11·9	12·9	11·3	0·53	0·46	1·14	23·2	81
Huntly	6,467	27·2	3·2	11·9	12·4	10·5	0·31	0·31	0·31	14·8	74
Turriff	10,734	29·7	6·2	10·7	12·2	10·5	0·75	0·56	0·28	23·5	75
ARGYLL COUNTY—											
Ardnamurchan	2,526	15·8	1·6	14·3	15·0	11·0	1·19	1·19	0·79	10·0	100
Cowal	9,473	10·3	2·2	11·9	11·6	9·8	0·53	0·53	0·00	1·0	31
Islay	6,550	15·4	2·4	12·8	13·7	10·9	1·68	1·53	0·15	22·8	30
Kintyre	6,666	21·2	4·5	10·1	11·6	10·3	1·05	0·90	0·30	17·0	43
Lorn	9,806	20·7	3·8	13·7	16·0	13·4	2·14	1·63	0·51	3·9	44
Mid-Argyll	6,792	14·1	3·4	16·2	13·7	11·1	0·88	0·44	0·59	11·5	94
Mull	5,036	16·3	1·2	13·5	14·1	10·1	1·59	1·19	0·20	8·5	49
AYR COUNTY—											
Ayr	42,458	33·2	8·8	12·4	12·5	12·9	0·94	0·71	1·06	8·6	87
Carrick	13,931	24·2	4·5	10·2	11·3	10·8	0·72	0·65	0·50	12·2	95
Kilmarnock	24,727	27·6	7·4	11·8	13·0	13·3	1·42	0·85	0·73	7·3	89
Northern	50,027	28·0	6·7	11·5	12·1	12·2	1·10	0·76	0·66	5·2	76
BANFF COUNTY—											
Banff	15,730	29·2	4·2	11·5	11·9	10·5	0·51	0·38	0·51	17·4	91
Keith	11,227	25·4	2·5	11·4	13·2	11·1	0·71	0·45	0·45	18·6	63
BERWICK COUNTY—											
East	8,894	18·7	6·4	10·0	11·9	10·5	0·45	0·45	0·56	7·8	54
Middle	7,776	22·6	6·7	10·3	11·6	10·4	1·16	1·03	0·13	15·3	45
West	5,405	20·9	6·7	8·1	9·8	8·9	0·37	0·37	0·37	10·6	71
BUTE COUNTY—											
Arran†	4,156	12·8	3·6	12·5	13·2	10·4	0·00	0·00	0·00	9·4	38
Bute†	2,174	17·0	4·1	12·4	12·0	10·4	0·46	0·00	0·00	10·8	27
Cumbræ†	82	—	—	—	—	—	—	—	—	—	—
CAITHNESS COUNTY—											
Caithness	17,350	22·4	5·1	14·5	14·8	10·4	0·75	0·46	0·23	16·2	62
CLACKMANNAN COUNTY—											
Clackmannan	11,216	26·2	6·3	9·8	10·6	10·6	0·71	0·62	0·18	5·4	65
DUMBARTON COUNTY—											
Eastern	23,676	26·0	6·1	14·1	10·6	11·0	0·93	0·63	0·59	5·2	54
Western	30,082	25·7	8·6	10·1	11·4	12·0	0·76	0·57	0·47	6·5	82
DUMFRIES COUNTY—											
Annan	12,337	29·1	6·8	12·8	13·2	12·1	1·30	1·22	0·65	11·4	78
Dumfries	8,782	22·2	6·4	19·7	14·7	12·3	1·02	0·68	0·46	15·4	139
Langholm	3,083	23·7	11·0	11·7	11·0	9·3	0·32	0·00	0·32	15·1	82
Lockerbie	8,412	27·2	7·7	14·0	14·1	12·8	1·31	0·83	0·24	16·2	61
Thornhill	12,585	28·3	7·7	12·3	13·3	12·0	1·11	0·95	0·64	11·5	81
EDINBURGH (Midlothian) COUNTY—											
Calder	19,278	29·2	7·7	8·5	11·4	11·9	1·24	0·52	0·78	7·3	58
Gala-Water	7,121	26·3	7·7	9·1	10·5	10·0	0·42	0·42	0·14	5·9	53
Lasswade	23,936	28·9	5·2	11·2	10·9	11·0	0·63	0·42	0·42	5·9	72
Suburban	27,509	21·2	4·8	21·6	10·5	10·4	0·80	0·51	0·40	6·2	72

* Enteric Fever Measles, Scarlet Fever, Whooping Cough, Diphtheria and Croup, Diarrhœa under 2 years.

† See footnote at end of Table 5.

‡ The population of this District is too small for the calculation of significant rates.

TABLE 6—continued.

COUNTY DISTRICTS.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages.	Deaths.							
				Uncorrected.	Corrected for Transfers.	Corrected and Ad- justed for Age and Sex Distribution.	All Tuberculosis.	Phthisis.	Principal Epi- demic Diseases.		
ELGIN (MORAY) COUNTY— Moray (Elgin)	21,255	24·6	4·2	12·4	12·0	10·3	1·04	0·61	0·47	15·3	69
IFE COUNTY— Cupar	15,393	19·9	6·4	14·8	11·8	9·6	0·78	0·45	0·26	13·7	78
Dunfermline	34,382	30·5	8·3	9·7	11·1	11·5	0·64	0·44	0·84	5·5	84
Kirkcaldy	44,136	33·4	6·6	11·1	11·5	12·0	0·97	0·63	1·02	6·7	89
St. Andrews	15,172	20·4	6·0	9·2	9·8	9·2	0·86	0·79	0·26	6·5	32
ORFAR COUNTY— Arbroath	8,617	22·4	5·2	9·7	11·4	10·1	0·12	0·12	0·70	13·5	98
Brechin	12,664	22·6	5·5	16·5	10·6	9·3	0·95	0·71	0·47	9·8	77
Dundee	9,890	23·4	3·0	15·5	9·4	8·7	0·30	0·20	0·71	8·2	65
Forfar	11,340	22·3	4·9	10·0	12·1	9·9	0·79	0·62	0·62	11·9	59
ADDINGTON COUNTY— Eastern	5,887	27·9	5·6	7·0	8·5	8·3	0·51	0·34	0·34	6·7	37
Western	18,620	26·8	5·6	8·7	10·6	10·9	0·54	0·54	0·54	7·6	68
INVERNESS COUNTY— Inverness	8,216	21·8	2·3	15·6	11·9	10·5	1·34	1·10	0·61	7·8	67
Aird	8,425	16·7	3·3	12·7	14·1	11·0	1·19	0·83	0·59	3·5	57
Badenoch	7,344	14·6	4·8	9·9	10·6	8·5	0·68	0·54	0·00	8·4	28
Lochaber	7,008	14·3	2·4	11·6	12·4	10·0	1·00	1·00	0·14	10·0	40
Skye	11,761	19·4	2·3	16·8	17·6	12·4	1·79	1·28	0·17	5·3	57
Harris	5,285	19·7	5·5	10·0	10·6	8·3	0·95	0·76	0·57	7·7	77
North Uist	3,263	17·2	4·0	15·9	16·2	11·8	1·23	0·92	1·23	12·5	36
South Uist	7,360	20·5	2·3	16·4	17·1	13·6	2·99	2·85	0·82	10·6	73
INCARDINE COUNTY— Laurencekirk	4 888	29·9	3·3	10·2	12·3	10·5	1·02	0·61	0·20	8·2	75
Lower Deeside	3,842	22·4	9·9	8·6	10·7	10·1	0·78	0·52	1·04	20·9	47
St. Cyrus	4,652	31·6	5·4	10·7	12·7	11·0	0·64	0·43	0·43	14·3	82
Stonehaven	4,603	23·9	4·1	9·1	10·0	8·7	0·00	0·00	0·87	15·5	91
Upper Deeside	3,271	21·1	4·3	15·6	16·5	14·3	3·67	3·67	0·00	26·1	87
KINROSS COUNTY— Kinross	5,283	20·3	6·2	17·8	14·4	12·4	1·89	1·33	0·00	11·2	56
KIRKCUDBRIGHT CNTY. Eastern	7,741	21·2	6·5	13·2	14·6	12·7	1·55	1·03	0·13	17·1	85
Northern	2,829	17·7	6·4	13·8	13·8	11·7	0·35	0·00	0·00	4·0	100
Southern	8,160	23·8	6·6	12·5	13·0	12·0	0·86	0·74	0·61	19·1	67
Western	3,192	24·7	10·3	13·5	15·7	14·9	0·94	0·94	0·00	13·9	76
ANARK COUNTY— Lower Ward	29,752	24·6	6·5	16·2	11·2	11·9	0·94	0·67	0·84	5·1	89
Middle Ward	217,426	34·4	7·9	12·4	13·3	14·2	1·17	0·69	1·33	5·9	102
Upper Ward	46,280	28·3	7·1	11·5	12·2	12·3	0·99	0·65	0·48	7·6	66
LINLITHGOW COUNTY— Bathgate	36,164	34·3	6·2	9·5	11·3	12·0	0·83	0·30	0·66	5·7	85
Linlithgow	15,573	30·2	6·4	13·1	10·6	10·9	0·58	0·45	0·58	8·3	72
NAIRN COUNTY— Nairn	4,341	25·8	5·5	12·2	11·5	10·0	0·69	0·69	0·46	10·7	89
ORKNEY COUNTY— Mainland	8,805	20·8	4·7	13·1	14·0	10·3	1·02	0·45	0·11	5·5	38
North Isles	6,438	18·0	6·5	13·2	13·2	9·3	1·40	0·78	0·47	7·8	52
South Ronaldshay . .	2,127	21·2	4·7	21·6	21·6	14·4	1·88	0·94	0·00	4·4	67
Walls	1,508	17·2	3·3	15·3	15·3	10·4	0·66	0·66	0·00	7·7	38

TABLE 6—continued.

COUNTY DISTRICTS.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages.	Deaths.							
				Uncorrected.	Corrected for Transfers.	Corrected and Ad- justed for Age and Sex Distribution.	All Tuberculosis.	Phthisis.	Principal Epi- demic Diseases.		
PEEBLES COUNTY— Peebles	7,356	17·7	5·3	11·8	11·6	11·1	1·09	0·68	0·27	9·2	62
PERTH COUNTY— Blairgowrie	9,949	17·1	4·4	9·5	10·9	9·6	0·50	0·40	0·60	8·2	65
Central	11,057	18·2	4·1	13·3	14·2	12·2	0·54	0·45	0·18	10·9	85
Highland	13,880	17·3	4·3	13·5	12·9	10·7	0·79	0·65	0·14	15·0	50
Perth	21,779	21·8	5·7	10·3	12·6	11·0	0·87	0·55	0·18	5·9	57
Western	10,719	17·7	4·2	9·6	11·3	10·8	0·28	0·28	0·19	6·8	42
RENFREW COUNTY— Upper Ward	37,304	22·1	8·3	15·0	10·8	11·6	1·02	0·78	0·40	5·7	53
Lower Ward	25,716	20·6	4·7	11·7	11·5	12·1	0·93	0·47	0·66	5·3	72
ROSS & CROMARTY CNTY. Black Isle	5,739	24·0	3·8	12·2	13·2	14·7	1·74	1·57	0·17	12·3	65
Easter Ross	10,613	28·2	3·4	15·0	15·1	11·5	1·04	0·94	0·09	9·0	64
Lews	24,400	27·7	5·8	15·2	15·3	12·9	1·97	1·68	0·66	3·1	58
Mid-Ross	11,725	18·9	4·9	14·2	14·6	10·6	1·36	1·36	0·34	9·0	45
South-Western	3,426	13·1	5·8	16·6	17·2	11·3	0·88	0·88	0·00	11·1	111
Western	3,974	14·3	1·3	19·1	20·1	12·7	2·77	2·26	0·00	3·5	53
ROXBURGH COUNTY— Hawick	3,072	22·5	10·4	14·6	14·6	14·2	0·98	0·98	0·65	13·0	72
Jedburgh	4,715	21·8	8·9	9·3	11·0	10·7	0·64	0·42	0·21	13·6	19
Kelso	6,058	23·9	6·8	12·1	14·7	14·4	0·66	0·66	0·50	12·4	69
Liddesdale	1,859	22·1	4·8	11·8	13·4	10·8	0·54	0·00	0·00	2·4	171
Melrose	4,886	23·5	4·7	8·2	9·2	8·0	0·41	0·41	0·20	5·2	35
SELKIRK COUNTY— Selkirk	3,909	18·4	3·1	9·0	9·5	9·5	0·26	0·00	0·26	6·9	56
SHETLAND COUNTY— Mainland	16,728	18·4	3·0	14·0	15·6	10·7	2·57	1·79	0·12	6·5	23
North Isles	4,221	18·5	2·1	14·9	15·2	11·2	1·90	1·66	0·47	7·7	38
STIRLING COUNTY— Central	27,316	30·7	6·5	10·1	11·7	11·9	0·88	0·55	0·88	5·1	69
Eastern	41,734	28·7	7·4	12·3	11·6	12·4	0·91	0·53	0·74	6·3	78
Western	11,766	19·6	3·5	12·0	11·8	10·8	0·85	0·68	0·17	6·5	61
SUTHERLAND COUNTY— Sutherland	17,247	18·8	3·8	14·8	15·5	11·0	1·15	1·10	0·08	10·2	59
WIGTOWN COUNTY— Machars	8,295	27·4	5·7	13·0	13·7	12·0	0·84	0·48	0·84	12·3	75
Rhins	12,207	25·6	7·6	14·2	15·3	14·0	0·74	0·41	1·88	17·3	83

COUNTIES.	BIRTHS.		DEATHS.				RATES PER 1000 OF POPULATION.		Infantile Mortality.									
	Total.	Illegitimate.	Marriages.	Total (Corrected for Transfers).	All Tuberculosis.	Phthisis.	*Principal Epidemic Diseases.	Births.		Marriages.	Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.	All Tuberculosis.	Phthisis.	*Principal Epidemic Diseases.	Illegitimate Births per Cent. of Total Births.	92.0
SCOTLAND . . .	4,864,396	136,546	10,204	46,845	68,179	6,042	4,194	3,966	28.07	9.63	14.02	14.02	14.02	1.24	0.86	0.78	7.47	92.0
Aberdeen . . .	301,703	8,624	1,106	3,121	4,324	341	248	231	28.6	10.3	14.6	14.3	14.6	1.13	0.82	0.77	12.8	107
Argyll . . .	76,179	1,277	126	312	964	99	75	27	16.8	4.1	12.5	12.7	12.5	1.30	0.98	0.35	9.9	63
Ayr . . .	295,862	8,055	542	2,422	3,577	312	206	202	27.2	8.2	11.9	12.1	11.9	1.05	0.70	0.68	6.7	93
Banff . . .	57,624	1,732	234	369	794	47	34	24	30.1	6.4	13.2	13.8	13.2	0.82	0.59	0.42	13.5	81
Berwick . . .	28,842	601	66	188	339	21	20	10	21.1	6.6	10.4	11.9	10.4	0.74	0.70	0.35	11.0	53
Bute† . . .	†16,522	286	31	86	230	10	6	2	17.3	5.2	15.1	13.9	15.1	0.61	0.36	0.12	10.8	33
Caithness . . .	28,614	732	90	210	457	26	15	14	25.6	7.3	15.7	16.0	15.7	0.91	0.52	0.49	12.3	93
Clackmannan . . .	32,364	882	57	269	393	24	18	8	27.3	8.3	11.4	12.1	11.4	0.74	0.56	0.25	6.5	63
Dumbarton . . .	149,251	4,139	190	1,114	1,775	160	122	107	27.7	7.5	11.2	11.9	11.2	1.07	0.82	0.72	4.6	78
Dumfries . . .	75,023	2,008	221	706	1,098	89	71	44	26.8	9.4	15.6	14.6	15.6	1.19	0.95	0.53	11.0	77
Edinburgh . . .	505,879	13,361	975	6,049	6,978	664	443	290	26.4	12.0	14.6	13.8	14.6	1.31	0.88	0.57	7.3	87
(Midlothian)																		
Elgin (Moray) . . .	41,692	1,135	174	342	582	46	31	23	27.2	8.2	13.8	14.0	13.8	1.10	0.74	0.67	15.3	79
Fife . . .	290,080	8,096	485	2,387	3,559	274	195	200	27.9	8.2	11.7	12.3	11.7	0.94	0.67	0.69	6.0	81
Forfar . . .	271,639	7,354	638	2,807	4,167	347	255	248	27.1	10.3	15.7	15.3	15.7	1.28	0.94	0.91	8.7	114
Haddington . . .	47,015	1,192	81	274	502	33	26	23	25.4	5.8	10.1	10.7	10.1	0.70	0.55	0.49	6.8	68
Inverness . . .	82,816	1,662	130	550	1,213	117	93	43	20.1	6.6	14.7	14.6	14.7	1.41	1.18	0.52	7.8	72
Kincardine . . .	41,652	1,155	136	235	515	36	30	29	27.7	5.6	11.0	12.4	11.0	0.86	0.72	0.70	11.8	90
Kinross . . .	7,910	186	20	49	112	13	9	0	23.5	6.2	15.2	14.2	15.2	1.64	1.14	0.00	10.8	43
Kirkcudbright . . .	37,229	884	116	275	576	46	33	18	23.7	7.4	14.1	15.5	14.1	1.24	0.89	0.48	13.1	93
Lanark . . .	1,532,208	48,816	3,137	17,705	23,436	2,226	1,527	1,620	31.9	11.6	15.3	15.3	15.3	1.45	1.00	1.06	6.4	103
Linlithgow . . .	83,491	2,696	166	602	956	73	33	57	32.3	7.2	10.2	11.5	10.2	0.87	0.40	0.68	6.2	84
Nairn . . .	8,831	220	21	84	106	6	6	2	24.9	9.5	12.1	12.0	12.1	0.68	0.68	0.23	9.5	77
Orkney . . .	24,254	498	30	151	361	30	16	6	20.5	6.2	14.6	14.9	14.6	1.24	0.66	0.25	6.0	50
Peebles . . .	15,304	284	25	104	191	17	10	6	18.6	6.8	11.8	12.5	11.8	1.11	0.65	0.39	8.8	49
Perth . . .	125,245	2,583	239	909	1,698	105	74	41	20.6	7.3	13.2	13.6	13.2	0.84	0.59	0.33	9.3	74
Renfrew . . .	296,581	8,673	463	2,716	4,052	404	260	273	29.2	9.2	14.0	13.7	14.0	1.36	0.88	0.92	5.3	88
Ross and Cromarty . . .	71,345	1,717	108	424	1,106	120	105	31	24.1	5.9	15.3	15.5	15.3	1.68	1.47	0.43	6.3	60
Roxburgh . . .	45,149	1,023	86	361	576	45	28	11	22.7	8.0	12.5	12.8	12.5	1.00	0.62	0.24	8.4	61
Selkirk . . .	22,773	453	39	194	324	27	20	10	19.9	8.5	13.2	14.2	13.2	1.19	0.88	0.44	8.6	77
Shetland . . .	25,722	476	36	161	395	55	39	10	18.5	6.3	14.8	15.4	14.8	2.14	1.52	0.39	7.6	50
Stirling . . .	161,454	4,595	292	1,379	2,041	169	101	139	28.5	8.5	12.9	12.6	12.9	1.05	0.63	0.86	6.4	76
Sutherland . . .	18,011	332	34	74	379	25	15	0	18.4	4.1	14.8	15.5	14.8	1.39	1.05	0.00	10.2	57
Wigtown . . .	30,863	819	110	216	503	35	21	42	26.5	7.0	15.7	16.3	15.7	1.13	0.68	1.36	13.4	96

* Enteric Fever, Measles, Scarlet Fever, Whooping Cough, Diphtheria and Croup, Diarrhoea under 2 years.

† See footnote, Table 5.

TABLE 8.—Birth-rate among Married and among Unmarried Women in 1920.

	Estimated Number of		Births.		Birth Rates.		
	Married Women aged 15-45.	Un-married Women and Widows aged 15-45.	Legiti-mate.	Illegiti-mate.	Total per 1000 Women aged 15-45.	Legiti-mate Births per 1000 Married Women aged 15-45.	Illegiti-mate Births per 1000 Un-married Women aged 15-45.
SCOTLAND . .	498,647	672,004	126,342	10,204	116·6	253	15·2
LARGER BURGHS . .	247,676	329,885	63,548	4,779	118·3	257	14·5
SMALLER BURGHS . .	101,047	144,413	25,639	1,913	112·2	254	13·2
COUNTY DISTRICTS . .	149,924	197,706	37,155	3,512	117·0	248	17·8
Counties.							
Aberdeen	28,912	42,275	7,513	1,106	121·1	260	26·2
Argyll	5,585	11,208	1,151	126	76·0	206	11·2
Ayr	29,938	40,000	7,513	542	115·2	251	13·6
Banff	5,108	7,172	1,498	234	141·0	293	32·6
Berwick	2,612	4,311	535	66	86·8	205	15·3
Bute*	1,385	2,804	255	31	68·3	184	11·1
Caithness	2,182	3,850	642	90	121·4	294	23·4
Clackmannan	3,147	5,074	825	57	107·3	262	11·2
Dumbarton	16,162	19,472	3,949	190	116·2	244	9·8
Dumfries	6,634	11,000	1,787	221	113·9	269	20·1
Edinburgh (Midlothian)	52,777	81,746	12,386	975	99·3	235	11·9
Elgin (Moray)	3,502	5,848	961	174	121·4	274	29·8
Fife	31,830	35,473	7,611	485	120·3	239	13·7
Forfar	27,094	43,359	6,716	638	104·4	248	14·7
Haddington	4,735	6,181	1,111	81	109·2	235	13·1
Inverness	5,885	11,975	1,532	130	93·4	260	10·9
Kincardine	4,098	5,114	1,019	136	125·4	249	26·6
Kinross	738	1,058	166	20	103·6	225	18·9
Kirkcudbright	3,228	5,617	763	116	99·9	238	20·7
Lanark	171,664	197,346	45,679	3,137	132·3	266	15·9
Linlithgow	9,316	7,433	2,530	166	161·0	272	22·3
Nairn	702	1,433	199	21	103·0	283	14·7
Orkney	1,834	3,332	468	30	95·5	248	9·0
Peebles	1,423	2,705	259	25	68·8	182	9·2
Perth	11,058	19,621	2,344	239	84·2	212	12·2
Renfrew	31,751	43,316	8,210	463	115·5	259	10·7
Ross and Cromarty	4,772	9,794	1,609	108	117·9	337	11·0
Roxburgh	4,086	7,915	937	86	85·2	229	10·9
Selkirk	2,110	4,113	414	39	72·8	196	9·5
Shetland	1,887	3,852	440	36	82·9	233	9·3
Stirling	17,291	18,156	4,303	292	129·6	249	16·1
Sutherland	1,155	2,392	298	34	93·6	258	14·2
Wigtown	2,696	4,467	709	110	114·3	263	24·6
Larger Burghs.							
Glasgow	115,154	146,275	30,416	2,210	124·8	264	15·1
Edinburgh	31,494	56,809	7,129	644	87·5	223	11·3
Dundee	17,964	27,823	4,620	427	110·3	257	15·3
Aberdeen	16,785	23,916	4,417	451	119·6	263	18·9
Paisley	8,740	13,639	2,355	150	111·9	269	11·0
Leith	9,450	10,568	2,341	146	124·2	248	13·3
Greenock	8,784	10,198	2,551	131	141·3	290	12·8
Coatbridge	4,891	4,065	1,390	83	164·5	284	20·4
Motherwell	5,012	3,542	1,239	63	152·2	247	17·8
Kirkcaldy	4,414	5,475	1,056	67	113·6	239	12·2
Hamilton	4,646	3,701	1,261	78	160·4	271	21·1
Clydebank	5,776	4,303	1,389	50	142·8	240	11·6
Perth	3,329	5,675	732	74	89·5	220	13·0
Kilmarnock	3,792	5,019	956	62	115·5	252	12·4
Falkirk	3,802	3,299	893	79	136·9	235	23·9
Ayr	3,643	5,578	803	64	94·0	220	11·5

* See footnote, Table 5.

TABLE 9.—Method of Celebration etc., of Marriages in Scotland, 1855-1919.
Numbers.

YEAR.	Total MARRIAGES.		REGULAR MARRIAGES according to Rites of the							IRREGULAR MARRIAGES.
	Number.	Proportion per 1000 of Population.	Established Church.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Episcopal Church.	Other Denominations	Denomination not stated.	
1855	19680	6·608	8879	4665	2952	1826	350	923	76	9
1856	20740	6·923	9863	4645	2875	1953	360	984	24	36
1857	21369	7·094	10194	4789	2926	1919	416	1017	101	7
1858	19655	6·492	9104	4650	2707	1697	379	1034	57	27
1859	21201	6·969	9769	4861	2936	1822	378	1175	243	17
1860	21225	6·948	9705	4870	2837	1857	414	1217	309	16
1861	20896	6·808	9332	4969	2925	1806	386	1290	163	25
1862	20597	6·651	9307	4930	2846	1778	371	990	348	27
1863	22234	7·160	9929	5242	3249	2119	487	1113	76	19
1864	22725	7·200	9907	5507	3198	2276	459	1231	115	22
1865	23611	7·412	10177	5636	3345	2399	476	1516	30	32
1866	23688	7·367	10392	5570	3385	2259	516	1483	41	42
1867	22618	6·970	10066	5347	3247	2039	488	1323	65	43
1868	21855	6·673	9736	5015	3244	1872	467	1403	58	60
1869	22144	6·698	9761	5095	3277	2043	450	1393	56	69
1870	23854	7·149	10678	5465	3422	2121	538	1496	60	74
1871	24019	7·130	10985	5404	3325	2087	551	1498	64	105
1872	25641	7·531	11794	5661	3312	2461	579	1681	5	148
1873	26748	7·773	12187	5806	3596	2451	648	1853	10	197
1874	26390	7·588	11829	5922	3586	2267	643	1923	13	216
1875	25974	7·390	11587	5889	3443	2254	658	1899	9	235
1876	26579	7·482	11996	5944	3603	2279	719	1703	37	298
1877	25817	7·191	11773	5833	3313	2368	651	1477	47	355
1878	24358	6·713	11330	5431	3013	2181	653	1350	12	388
1879	23519	6·416	10744	5314	2878	2171	653	1415	18	326
1880	24505	6·612	11275	5287	2981	2337	700	1529	33	363
1881	26004	6·948	12179	5402	3088	2537	695	1638	46	419
1882	26596	7·053	12356	5481	3128	2697	746	1678	59	451
1883	26869	7·073	12384	5478	3252	2726	728	1699	11	591
1884	26106	6·821	12000	5499	3001	2606	705	1678	0	617
1885	25304	6·562	11692	5344	2915	2443	700	1642	0	568
1886	24515	6·310	11507	5036	2821	2241	723	1597	0	590
1887	24876	6·355	11689	4866	2928	2422	685	1655	2	629
1888	25305	6·417	11647	5052	2876	2464	783	1721	0	759
1889	26344	6·630	11846	5263	3004	2653	791	1943	3	841
1890	27469	6·862	12408	5317	3097	2791	768	2025	0	1033
1891	27969	6·929	12698	5415	3207	2692	788	2050	0	1119
1892	28670	7·029	12865	5677	3284	2850	809	1981	0	1204
1893	27145	6·585	12371	5259	3048	2489	813	1920	0	1245
1894	27604	6·627	12650	5313	3074	2608	801	1992	0	1166
1895	28422	6·752	12832	5496	3051	2855	870	2075	0	1243
1896	30270	7·115	13694	5552	3316	2991	981	2268	0	1468
1897	31050	7·222	14002	5729	3467	3026	980	2316	0	1530
1898	32112	7·391	14567	6033	3486	3091	949	2118	0	1568
1899	32978	7·511	14687	6080	3567	3419	1033	2372	0	1820
1900	32444	7·312	14600	{ 4705 2769 Un. Free Ch.* 1768 }		3322	964	2402	0	1914

*The Free Church and the United Presbyterian Church were united on 31st October 1900, under the name of the United Free Church.

TABLE 9—continued.

YEAR.	Total MARRIAGES.		REGULAR MARRIAGES according to the Rites of							IRREGULAR MARRIAGES.
	Number.	Proportion per 1000 of Population.	Established Church.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Episcopal Church.	Other Denominations	Denomination not stated.	
1901	31387	7·007	14167	Un. Free Ch.*		3184	942	2473	0	1952
1902	31913	7·080	14267	8669		3337	969	2446	0	2091
1903	32351	7·133	14692	8803		3487	876	2592	0	1926
1904	32271	7·071	14803	8778		3328	925	2577	0	1862
1905	31270	6·809	14245	8776		3376	946	2601	0	1862
1906	33142	7·171	14983	8240		3644	983	2913	0	1985
1907	33298	7·160	15116	8634		3536	1005	2750	0	2224
1908	31606	6·754	14238	8667		3272	934	2645	0	2246
1909	30108	6·394	13753	8271		2975	908	2636	0	2015
1910	30902	6·521	13871	7821		3171	867	2703	0	2180
1911	31844	6·702	14032	8110		3404	984	2734	0	2607
1912	32506	6·856	14168	8083		3607	964	2772	0	2555
1913	33676	7·122	14328	8440		3960	1111	2746	0	3051
1914	35028	7·379	14644	8480		3951	1032	2742	0	4399
1915	36233	7·595	13414	8260		3907	1155	2436	0	7420
1916	31419	6·553	11632	7901		3612	985	2191	0	5962
1917	30421	6·324	11922	7037		3429	1070	2160	0	4982
1918	34529	7·175	13299	6858		3789	1243	2465	0	5943
1919	44060	9·141	16709	7790		4663	1429	2714	0	8351
				10194						

*See Note on previous page.

TABLE 10.—Method of Celebration, etc., of Marriages in Scotland, 1855–1919. Percentages.

YEAR.	PERCENTAGE of MARRIAGES according to the Rites of the							IRREGULAR MARRIAGES.
	Established Church.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Episcopal Church.	Other Denominations	Denomination not stated.	
1855	45·12	23·70	15·00	9·28	1·78	4·70	0·38	0·04
1856	47·55	22·40	13·87	9·42	1·73	4·74	0·12	0·17
1857	47·71	22·41	13·69	8·98	1·95	4·76	0·47	0·03
1858	46·32	23·66	13·77	8·63	1·93	5·26	0·30	0·13
1859	46·08	22·93	13·85	8·59	1·78	5·54	1·15	0·08
1860	45·73	22·95	13·36	8·75	1·95	5·73	1·45	0·08
1861	44·66	23·78	14·00	8·64	1·85	6·17	0·78	0·12
1862	45·19	23·94	13·81	8·64	1·80	4·80	1·69	0·13
1863	44·66	23·58	14·61	9·53	2·19	5·01	0·34	0·08
1864	43·60	24·24	14·06	10·02	2·07	5·41	0·51	0·09
1865	43·10	23·87	14·17	10·16	2·02	6·42	0·13	0·13
1866	43·87	23·52	14·29	9·54	2·18	6·26	0·17	0·17
1867	44·51	23·65	14·36	9·02	2·15	5·84	0·28	0·19
1868	44·55	22·95	14·85	8·57	2·13	6·42	0·26	0·27
1869	44·08	23·01	14·80	9·23	2·03	6·29	0·25	0·31
1870	44·76	22·91	14·35	8·89	2·26	6·26	0·26	0·31

TABLE 10—continued.

YEAR.	PERCENTAGE of MARRIAGES according to the Rites of the							IRREGULAR MARRIAGES.
	Established Church.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Episcopal Church.	Other Denominations	Denomination not stated.	
1871	45.73	22.50	13.85	8.69	2.29	6.24	0.26	0.44
1872	46.00	22.08	12.92	9.60	2.26	6.55	0.02	0.57
1873	45.56	21.71	13.44	9.16	2.42	6.93	0.04	0.74
1874	44.79	22.44	13.59	8.59	2.44	7.29	0.05	0.81
1875	44.61	22.67	13.26	8.68	2.53	7.31	0.03	0.91
1876	45.13	22.36	13.56	8.57	2.71	6.41	0.14	1.12
1877	45.60	22.59	12.83	9.17	2.53	5.72	0.18	1.33
1878	46.51	22.30	12.37	8.96	2.68	5.54	0.05	1.59
1879	45.68	22.59	12.24	9.23	2.73	6.02	0.08	1.38
1880	46.02	21.58	12.17	9.53	2.85	6.24	0.13	1.48
1881	46.83	20.77	11.88	9.76	2.67	6.30	0.18	1.61
1882	46.46	20.61	11.76	10.14	2.80	6.31	0.22	1.70
1883	46.09	20.39	12.10	10.15	2.71	6.32	0.04	2.20
1884	45.97	21.06	11.50	9.98	2.70	6.43	0.00	2.36
1885	46.21	21.12	11.52	9.65	2.77	6.49	0.00	2.24
1886	46.94	20.54	11.51	9.14	2.95	6.51	0.00	2.41
1887	46.99	19.56	11.77	9.74	2.75	6.65	0.01	2.53
1888	46.03	19.96	11.37	9.74	3.09	6.81	0.00	3.00
1889	44.97	19.98	11.40	10.07	3.00	7.38	0.01	3.19
1890	45.17	19.47	11.27	10.16	2.80	7.37	0.00	3.76
1891	45.40	19.36	11.47	9.62	2.82	7.33	0.00	4.00
1892	44.87	19.80	11.46	9.94	2.82	6.91	0.00	4.20
1893	45.57	19.38	11.23	9.17	2.99	7.07	0.00	4.59
1894	45.82	19.25	11.14	9.45	2.90	7.22	0.00	4.22
1895	45.15	19.34	10.73	10.05	3.06	7.30	0.00	4.37
1896	45.24	18.34	10.96	9.88	3.24	7.49	0.00	4.85
1897	45.09	18.45	11.16	9.75	3.16	7.46	0.00	4.93
1898	45.36	18.79	10.86	9.63	2.95	7.53	0.00	4.88
1899	44.53	18.44	10.82	10.37	3.13	7.19	0.00	5.52
1900	45.00	{ 14.50 8.54 United Free Ch.* 5.45 }		10.24	2.97	7.40	0.00	5.90
1901	45.14	27.62		10.14	3.00	7.88	0.00	6.22
1902	44.71	27.58		10.46	3.04	7.66	0.00	6.55
1903	45.42	27.13		10.78	2.71	8.01	0.00	5.95
1904	45.87	27.19		10.31	2.87	7.99	0.00	5.77
1905	45.55	26.35		10.80	3.03	8.32	0.00	5.95
1906	45.21	26.05		10.99	2.97	8.79	0.00	5.99
1907	45.39	26.03		10.62	3.02	8.26	0.00	6.68
1908	45.05	26.17		10.35	2.95	8.37	0.00	7.11
1909	45.68	25.98		9.88	3.02	8.75	0.00	6.69
1910	44.89	26.24		10.26	2.81	8.75	0.00	7.05
1911	44.06	25.38		10.69	3.09	8.59	0.00	8.19
1912	43.59	25.96		11.10	2.96	8.53	0.00	7.86
1913	42.55	25.18		11.76	3.30	8.15	0.00	9.06
1914	41.81	23.58		11.28	2.94	7.83	0.00	12.56
1915	37.02	21.81		10.78	3.19	6.72	0.00	20.48
1916	37.02	22.40		11.50	3.13	6.97	0.00	18.98
1917	39.19	22.54		11.27	3.52	7.10	0.00	16.38
1918	38.52	22.56		10.97	3.60	7.14	0.00	17.21
1919	37.92	23.14		10.58	3.24	6.16	0.00	18.96

* See Note on page lxxxvii.

TABLE 11.—Ages, Civil Conditions, etc., of Persons Marrying in Scotland, 1855 to 1919. Numbers.

YEARS.	Number who Married—Aged						Number who Signed				Number of Marriages between			
	Under 21 years.		Under 25 years.		25 years and over.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1855	?	?	7724	11118	11955	8561	17436	15174	2244	4506	15251	557	1863	619
1856	?	?	8433	12033	12307	8707	18285	15772	2455	4968	17035	536	1721	605
1857	1593	4568	8974	12453	12395	8916	18781	16064	2588	5305	17030	521	1648	601
1858	1448	4172	8096	11492	11559	8163	17328	14929	2327	4726	16196	492	1624	533
1859	1571	4565	8726	12425	12475	8776	18992	16494	2209	4707	17536	567	1864	603
1860	1561	4607	8666	12459	12559	8766	19036	16616	2189	4609	18157	508	1738	558
1861	1480	4403	8550	12235	12346	8661	18679	16439	2217	4457	17431	441	1768	517
1862	1569	4496	8663	12205	11934	8392	18535	16405	2062	4192	17392	464	1747	501
1863	1756	4897	9731	13304	12503	8930	19819	17319	2415	4915	19142	348	1856	534
1864	1695	4989	9662	13547	13063	9178	20120	17298	2605	5427	19383	497	1922	631
1865	1690	5010	9859	13864	13752	9747	20914	18364	2697	5247	20158	593	2055	642
1866	1706	4896	9923	13843	13765	9845	21032	18483	2656	5205	20080	601	2094	715
1867	1532	4611	9180	12991	13438	9627	20224	17931	2394	4637	19067	578	2075	689
1868	1459	4463	8668	12439	13187	9416	19712	17701	2143	4154	18609	484	1966	671
1869	1576	4622	8792	12699	13352	9445	19911	17723	2233	4421	18818	625	1949	651
1870	1744	5175	9657	13723	14197	10131	21403	19194	2451	4660	20262	653	2132	759
1871	1821	5321	9895	13945	14121	10074	21630	19315	2389	4704	20440	610	2099	778
1872	1978	5666	10714	14953	14927	10688	22965	20380	2676	5261	21637	798	2269	889
1873	2229	6129	11573	15938	15175	10810	24175	21754	2573	4994	22648	812	2368	851
1874	2176	6000	11425	15675	14965	10715	23989	21643	2401	4747	22291	840	2330	855
1875	2103	5829	11061	15252	14913	10722	23740	21581	2234	4393	21877	860	2353	837
1876	2173	6014	11472	15750	15107	10829	24586	22291	1993	4288	22438	794	2432	896
1877	2060	5767	11118	15349	14699	10468	23865	21839	1952	3978	21945	795	2285	778
1878	1877	5436	10418	14555	13940	9803	22684	20839	1674	3519	20809	691	2083	752
1879	1797	5188	9905	13877	13614	9642	21725	19919	1794	3600	19915	782	2083	725
1880	1769	5393	10220	14628	14285	9877	22696	20777	1809	3728	20848	764	2122	750
1881	1815	5792	10818	15522	15186	10482	24168	22380	1836	3924	22320	700	2151	826
1882	2062	5994	11131	15987	15465	10609	24774	23097	1822	3499	22984	684	2134	791
1883	2026	5935	11137	16010	15732	10859	25159	23617	1710	3252	23112	757	2224	765
1884	1925	5821	10631	15376	15475	10730	24498	23149	1608	2957	22354	745	2186	808
1885	1825	5430	10183	14782	15121	10522	23936	22854	1368	2450	21761	681	2063	794
1886	1687	5039	9505	14182	15010	10333	23374	22485	1141	2030	20917	659	2178	758
1887	1661	5063	9555	14137	15321	10739	23758	22836	1118	2040	21271	677	2166	758
1888	1664	5168	9708	14536	15597	10769	24305	23437	1000	1868	21807	672	2078	741
1889	1632	5154	10009	14869	16335	11475	25211	24401	1133	1943	22621	724	2176	808
1890	1713	5428	10520	15641	16949	11828	26391	25706	1078	1763	23715	747	2178	816
1891	1734	5450	10565	15683	17404	12286	27014	26385	955	1584	24183	740	2248	782
1892	1785	5641	10761	16036	17909	12634	27743	27244	927	1426	24873	769	2234	790
1893	1702	5224	10023	14948	17122	12197	26411	25940	734	1205	23575	705	2066	799
1894	1680	5185	10150	15130	17454	12474	26638	26360	766	1244	23964	721	2118	796
1895	1672	5293	10385	15721	18037	12701	27675	27211	747	1211	24745	769	2118	780
1896	1886	5669	11030	16490	19240	13780	29585	29125	685	1145	26460	775	2186	839
1897	1917	5801	11530	17284	19520	13766	30380	30036	670	1014	27329	844	2087	785
1898	1917	5916	11832	17810	20280	14302	31528	31146	584	966	28371	761	2153	819
1899	2009	6019	12214	18224	20764	14754	32349	32046	629	932	29198	863	2097	814
1900	2006	6039	12040	11763	20404	14681	31744	31547	700	897	28685	908	2044	801

TABLE 11.—continued.

YEARS.	Number who Married—Aged						Number who Signed				Number of Marriages between			
	Under 21 years.		Under 25 years.		25 years and over.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.				
1901	1927	5788	11429	16842	19958	14545	30769	30548	618	839	27702	892	1998	794
1902	1917	5608	11399	16801	20514	15112	31337	31099	576	814	28186	921	1988	805
1903	1983	5902	11747	17341	20604	15010	31787	31607	564	744	28602	920	2039	772
1904	1937	5922	11328	17191	20943	15080	31717	31529	554	742	28949	794	2055	752
1905	1895	5846	10901	16614	20369	14656	30765	30592	505	678	27669	820	1996	761
1906	2022	6107	11425	17643	21717	15497	32661	32489	481	653	29557	807	1986	773
1907	1902	5905	11396	17460	21899	15835	32860	32716	438	582	29684	805	2042	735
1908	1872	5604	10915	16475	20691	15131	31284	31099	322	507	28233	752	1962	638
1909	1693	5168	10097	15399	20011	14709	29761	29662	347	446	29846	722	1884	632
1910	1690	5267	10164	15443	20738	15459	30600	30489	302	413	27529	712	1910	743
1911	1723	5489	10388	15824	21456	16020	31606	31447	238	397	28325	785	1944	772
1912	1846	5766	10771	16348	21735	16158	32287	32187	219	319	29212	752	1773	754
1913	2076	6379	11343	17345	22333	16331	33406	33298	270	378	30107	803	1923	813
1914	2286	6730	12184	18063	22844	16965	34795	34656	233	372	31561	797	1853	808
1915	2111	6655	12479	18533	23754	17700	36011	35957	222	276	32515	1032	1834	847
1916	1679	5445	9935	15475	21484	15944	31163	31124	256	295	27457	1288	1781	886
1917	1900	5215	9348	14869	21073	15552	30200	30172	221	249	26200	1416	1845	959
1918	2081	5609	10425	16513	24104	18016	34338	34288	191	241	29542	1304	2042	1137
1919	2602	6991	13303	21098	30757	22962	43868	43788	192	272	37526	2679	2478	1375

TABLE 12.—Ages, Civil Conditions, etc., of Persons Marrying in Scotland, 1855 to 1919. Percentages.

YEARS.	Percentage who Married—Aged						Percentage who Signed				Proportion in every 100 Marriages between			
	Under 21 years.		Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.				
1855	?	?	39·25	56·50	60·75	43·50	86·60	77·10	11·40	22·90	83·38	3·05	10·19	3·38
1856	?	?	40·66	58·02	59·34	41·98	88·16	76·05	11·84	23·95	85·62	2·69	8·65	3·04
1857	7·47	21·43	42·00	58·28	58·00	41·72	87·89	75·34	12·11	24·66	86·01	2·63	8·32	3·04
1858	7·38	21·23	41·19	58·47	58·81	41·53	88·16	75·95	11·84	24·05	85·95	2·61	8·62	2·82
1859	7·42	21·60	41·16	58·61	58·84	41·39	89·11	77·80	10·89	22·20	85·25	2·76	9·06	2·93
1860	7·37	21·78	40·83	58·70	59·17	41·30	89·69	78·29	10·31	21·71	86·62	2·42	8·29	2·67
1861	7·09	21·13	40·92	58·55	59·08	41·45	89·39	77·67	10·61	21·33	86·48	2·19	8·77	2·56
1862	7·62	21·86	42·06	59·26	57·94	40·74	89·99	79·65	10·81	20·35	86·51	2·31	8·69	2·49
1863	7·91	22·06	43·77	59·84	56·23	40·16	89·14	77·90	10·86	22·10	87·29	1·59	8·46	2·66
1864	7·47	22·00	42·52	59·61	57·48	40·39	88·54	76·13	11·46	23·87	86·41	2·21	8·57	2·81
1865	7·16	21·26	41·76	58·72	58·24	41·28	88·58	77·78	11·42	22·22	85·97	2·53	0·77	2·73
1866	7·20	20·69	41·89	58·44	58·11	41·56	88·78	78·50	11·22	22·00	85·49	2·55	8·92	3·04
1867	6·77	20·41	40·59	57·44	59·41	42·56	89·41	79·27	10·59	20·73	85·09	2·58	9·26	3·07
1868	6·68	20·45	39·66	56·92	60·34	43·08	90·19	80·99	9·81	19·01	85·64	2·22	9·05	3·09
1869	7·08	20·87	39·70	57·35	60·30	42·65	89·92	80·04	10·08	19·96	85·38	2·83	8·84	2·95
1870	7·32	21·72	40·48	57·53	59·52	42·47	89·73	80·46	10·27	19·54	85·11	2·74	8·96	3·19

TABLE 12.—continued.

YEARS.	Percentage who Married—Aged						Percentage who Signed				Proportion in every 100 Marriages between				
	Under 21 years.		Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.					
1871	7·58	22·15	41·20	58·06	58·80	41·94	90·95	80·42	9·95	19·58	85·10	2·54	8·74	3·24	
1872	7·71	22·10	41·78	58·32	58·22	41·68	89·56	79·48	10·44	20·52	84·38	3·11	8·85	3·47	
1873	8·33	22·91	43·26	59·58	56·74	40·42	90·38	81·33	9·62	18·67	84·89	3·05	8·88	3·18	
1874	8·25	22·73	43·29	59·40	56·71	40·60	90·90	82·01	9·10	17·99	84·47	3·18	8·83	3·24	
1875	8·10	22·44	42·58	58·72	57·42	41·28	91·40	83·09	8·60	16·91	84·23	3·31	9·06	3·22	
1876	8·18	22·63	43·16	59·26	56·84	40·74	92·50	83·87	7·50	16·13	84·42	2·99	9·15	3·37	
1877	7·98	22·34	43·06	59·46	56·94	40·54	92·44	84·59	7·56	15·41	85·00	3·08	8·89	3·01	
1878	7·71	22·32	42·77	59·75	57·23	40·25	93·13	85·55	6·87	14·45	85·43	2·84	8·55	3·09	
1879	7·64	22·06	42·11	59·00	57·89	41·00	92·37	84·69	7·63	15·31	84·68	3·32	8·86	3·08	
1880	7·22	22·01	41·71	59·69	58·29	40·31	92·62	84·79	7·38	15·21	85·07	3·12	8·66	3·06	
1881	6·98	22·27	41·60	59·69	58·40	40·31	92·94	86·06	7·06	13·94	85·83	2·69	8·27	3·18	
1882	7·75	22·54	41·85	60·11	58·15	39·89	93·15	86·84	6·85	13·16	86·42	2·57	8·02	2·97	
1883	7·54	22·09	41·45	59·59	58·55	40·41	93·64	87·90	6·36	12·10	86·02	2·82	8·28	2·85	
1884	7·37	22·30	40·72	58·90	59·28	41·10	93·84	88·67	6·16	11·33	85·63	2·85	8·37	3·10	
1885	7·21	21·46	40·24	58·42	59·76	41·58	94·59	90·32	5·41	9·68	86·08	2·69	8·15	3·14	
1886	6·88	20·55	38·77	57·85	61·21	42·12	95·35	91·72	4·65	8·28	85·32	2·69	8·88	3·09	
1887	6·68	20·35	38·41	56·83	61·59	43·17	95·91	91·80	4·49	8·20	85·51	2·72	8·71	3·06	
1888	6·58	20·42	38·36	57·44	61·64	42·56	96·05	92·62	3·95	7·38	86·18	2·66	8·21	2·93	
1889	6·19	19·56	34·20	56·44	65·80	43·56	95·70	92·62	4·30	7·38	85·87	2·75	8·26	3·03	
1890	6·24	19·76	38·30	56·94	61·70	43·06	96·08	93·58	3·92	6·42	86·33	2·72	7·93	2·97	
1891	6·19	19·49	37·77	56·07	62·23	43·93	96·59	94·34	3·41	5·66	86·46	2·65	8·94	2·80	
1892	6·23	19·68	37·53	55·93	62·47	44·07	96·77	95·03	3·23	4·97	86·76	2·68	7·79	2·76	
1893	6·27	19·24	36·92	55·07	63·08	44·93	97·30	95·56	2·70	4·44	86·85	2·60	7·61	2·94	
1894	6·09	18·78	36·31	54·15	63·23	45·19	97·23	95·49	2·77	4·51	86·81	2·61	7·67	2·88	
1895	5·88	18·62	39·54	55·31	63·46	44·69	97·37	95·74	2·63	4·26	87·06	2·71	7·45	2·74	
1896	6·23	18·72	36·44	54·48	63·56	45·52	97·74	96·22	2·26	3·78	87·41	2·56	7·22	2·77	
1897	6·17	18·68	37·13	53·11	62·87	44·33	97·84	96·73	2·16	3·27	88·01	2·72	6·72	2·53	
1898	5·97	18·42	36·85	55·46	63·15	44·54	98·18	96·99	1·82	3·01	88·35	2·37	6·70	2·55	
1899	6·09	18·25	37·04	55·26	62·96	44·74	98·09	97·17	1·91	2·83	88·54	2·62	6·36	2·47	
1900	6·18	18·61	37·11	54·75	62·89	45·25	97·84	97·24	2·16	2·76	88·41	2·80	6·30	2·47	
1901	6·14	18·44	36·41	53·66	63·59	46·34	98·03	97·33	1·97	2·67	88·26	2·84	6·37	2·53	
1902	6·01	17·57	35·72	52·65	64·28	47·35	98·20	97·45	1·80	2·55	88·36	2·89	6·23	2·52	
1903	6·13	18·24	36·31	53·60	63·69	46·40	98·26	97·70	1·74	2·30	88·46	2·84	6·31	2·39	
1904	6·00	18·35	35·10	53·27	64·90	46·73	98·28	97·70	1·72	2·30	88·84	2·46	6·37	2·33	
1905	6·06	18·70	34·86	53·13	65·14	48·87	98·39	97·83	1·61	2·17	88·55	2·62	6·39	2·44	
1906	6·10	18·43	34·47	53·24	65·53	46·76	98·55	98·03	1·45	1·97	89·23	2·44	6·00	2·33	
1907	5·71	17·73	34·23	52·44	65·77	47·57	98·68	98·25	1·32	1·75	89·23	2·42	6·14	2·21	
1908	5·92	17·73	34·53	52·13	65·47	47·87	98·98	98·40	1·02	1·60	89·39	2·38	6·21	2·02	
1909	5·62	17·16	33·54	51·15	66·46	48·85	98·85	98·52	1·15	1·48	89·24	2·40	6·26	2·10	
1910	5·47	17·04	32·89	49·97	67·11	50·03	99·02	98·66	0·98	1·34	89·11	2·30	6·18	2·41	
1911	5·42	17·26	32·66	49·75	67·34	50·25	99·25	98·75	0·75	1·25	89·00	2·47	6·11	2·42	
1912	5·68	17·74	33·14	50·29	66·86	49·71	99·33	99·02	0·67	0·98	89·91	2·31	5·46	2·32	
1913	6·16	18·94	33·68	51·51	66·32	48·49	99·20	98·88	0·80	1·12	89·50	2·38	5·71	2·41	
1914	6·53	19·21	34·78	51·57	65·22	48·43	99·33	98·94	0·67	1·06	90·12	2·28	5·29	2·31	
1915	5·83	18·37	34·44	51·15	65·56	48·85	99·39	99·24	0·61	0·76	89·75	2·85	5·06	2·34	
1916	5·34	17·33	31·62	49·25	68·38	50·75	99·19	99·06	0·81	0·94	87·41	4·10	5·67	2·82	
1917	6·25	17·14	30·73	48·88	69·27	51·12	99·27	99·18	0·73	0·82	86·13	4·65	6·07	3·15	
1918	6·03	16·24	30·19	47·82	69·81	52·18	99·45	99·30	0·55	0·70	85·57	5·23	5·91	3·29	
1919	5·91	15·87	30·19	47·88	69·81	52·12	99·56	99·38	0·44	0·62	85·17	6·08	5·63	3·12	

TABLE 13.—Regular and Irregular Marriages in Scotland, 1919.

	Total Marriages.	NUMBERS.					PERCENTAGE OF TOTAL MARRIAGES.				
		REGULAR MARRIAGES.			IRREGULAR MARRIAGES.		REGULAR MARRIAGES.			IRREGULAR MARRIAGES.	
		Banns.	Public Notice at Registrar's.	Banns and Public Notice.	Registered by Sheriff's Warrant.	Otherwise Registered.	Banns.	Public Notice at Registrar's.	Banns and Public Notice.	Registered by Sheriff's Warrant.	Otherwise Registered.
SCOTLAND	44,060	23,597	11,325	787	8,340	11	53·6	25·7	1·8	18·9	0·0
LARGER BURGHS	26,946	10,220	8,571	395	7,751	9	37·9	31·8	1·5	28·8	0·0
OTHER DISTRICTS	17,114	13,377	2,754	392	589	2	78·2	16·1	2·3	3·4	0·0
Counties.											
Aberdeen	3,055	1,560	795	68	630	2	51·1	26·0	2·2	20·6	0·1
Argyll	309	272	17	9	11	—	38·0	5·5	2·9	3·6	—
Ayr	2,129	1,641	328	46	114	—	77·1	15·4	2·1	5·4	—
Banff	376	337	16	5	18	—	89·6	4·3	1·3	4·8	—
Berwick	187	177	1	6	3	—	94·7	0·5	3·2	1·6	—
Bute	99	86	2	2	9	—	86·9	2·0	2·0	9·1	—
Caithness	189	179	3	1	6	—	94·7	1·6	0·5	3·2	—
Clackmannan	224	192	24	3	5	—	85·8	10·7	1·3	2·2	—
Dumbarton	985	604	359	19	3	—	61·3	36·5	1·9	0·3	—
Dumfries	649	518	56	12	63	—	79·9	8·6	1·8	9·7	—
Edinburgh	6,168	2,757	1,467	102	1,839	3	44·7	23·8	1·7	29·8	0·0
(Midlothian)											
Elgin (Moray)	386	319	16	2	49	—	82·7	4·1	0·5	12·7	—
Fife	2,084	1,515	362	60	146	1	72·7	17·4	2·9	7·0	0·0
Forfar	2,659	1,288	888	51	431	1	48·5	33·4	1·9	16·2	0·0
Gaddington	303	278	17	7	1	—	91·8	5·6	2·3	—	—
Inverness	616	460	60	20	76	—	74·7	9·8	3·2	12·3	—
Kincardine	249	192	45	7	5	—	77·1	18·1	2·8	2·0	—
Kinross	56	52	3	1	—	—	92·9	5·3	1·8	—	—
Kirkeudbright	244	232	4	2	6	—	95·1	1·6	0·8	2·5	—
Leith	16,467	6,037	5,568	254	4,605	3	36·7	33·8	1·5	23·0	0·0
Linlithgow	496	430	49	13	4	—	86·7	9·9	2·6	0·8	—
Nairn	63	60	—	1	2	—	95·2	—	1·6	3·2	—
Orkney	212	168	8	4	32	—	79·2	3·8	1·9	15·1	—
Peebles	95	93	2	—	—	—	97·9	2·1	—	—	—
Perth	840	632	108	24	76	—	75·2	12·9	2·9	9·0	—
Renfrew	2,222	1,331	795	26	69	1	59·9	35·8	1·2	3·1	—
Ross and Cromarty	443	266	154	8	15	—	60·0	34·8	1·3	3·4	—
Roxburgh	393	361	15	3	14	—	91·9	3·8	0·8	3·5	—
Selkirk	202	180	17	3	2	—	89·1	8·4	1·5	1·0	—
Shetland	203	200	1	—	2	—	93·5	0·5	—	1·0	—
Stirling	1,164	908	140	26	90	—	78·1	12·0	2·2	7·7	—
Sutherland	63	57	4	1	1	—	90·5	6·3	1·6	1·6	—
Wigtown	230	215	1	1	13	—	93·5	0·4	0·4	5·7	—
Larger Burghs.											
Glasgow	12,960	3,981	4,274	178	4,525	2	30·7	33·0	1·4	34·9	0·0
Edinburgh	4,669	1,767	1,048	63	1,788	3	37·9	22·4	1·3	33·3	0·1
Dundee	1,968	685	834	32	416	1	34·8	42·4	1·6	21·1	0·1
Aberdeen	2,234	771	790	53	619	1	34·5	35·4	2·4	27·7	0·0
Paisley	718	425	264	9	20	—	59·2	36·8	1·3	2·7	—
Leith	762	364	336	14	48	—	47·8	44·1	1·8	6·3	—
Greenock	706	412	240	4	49	1	58·4	34·0	0·6	6·9	0·1
Coatbridge	333	149	174	3	7	—	44·7	52·3	0·9	2·1	—
Motherwell	284	173	106	3	2	—	60·9	37·3	1·1	0·7	—
Kirkcaldy	339	279	41	2	16	1	82·3	12·1	0·6	4·7	0·3
Hamilton	261	179	56	8	18	—	68·6	21·4	3·1	6·9	—
Glydebank	321	182	136	3	—	—	56·7	42·4	0·9	—	—
Perth	381	207	90	9	75	—	54·3	23·6	2·4	19·7	—
Kilmarnock	331	176	117	2	36	—	53·2	35·3	0·6	10·9	—
Falkirk	309	224	24	7	54	—	72·5	7·8	2·3	17·4	—
Ayr	370	246	41	5	78	—	66·5	11·1	1·3	21·1	—

TABLE 14.—Church of Celebration of Regular Marriages in Scotland, 1919.

	Total Marriages.	MARRIAGES ACCORDING TO EACH DENOMINATION.						PERCENTAGE TO TOTAL MARRIAGES.					
		Established Church.	United Free Church.	Free Church.	Roman Catholic Church.	Episcopal Church.	Other Denominations.	Established Church.	United Free Church.	Free Church.	Roman Catholic Church.	Episcopal Church.	Other
SCOTLAND . . .	44,060	16,709	9,808	386	4,663	1,429	2,714	37·9	22·3	0·9	10·6	3·2	6
LARGER BURGHS . . .	26,946	7,618	5,546	96	3,116	1,038	1,772	28·3	20·6	0·4	11·6	3·9	6
OTHER DISTRICTS . . .	17,114	9,091	4,262	290	1,547	391	942	53·1	24·9	1·7	9·0	2·3	5
Counties.													
Aberdeen	3,055	1,339	700	1	67	119	197	43·9	22·9	0·0	2·2	3·9	6
Argyll	309	167	74	10	23	11	13	54·1	23·9	3·2	7·4	3·6	4
Ayr	2,129	1,128	564	2	162	38	121	53·0	26·5	0·0	7·6	1·8	5
Banff	376	202	92	—	20	12	32	53·7	24·5	—	5·3	3·2	8
Berwick	187	116	48	—	2	6	12	62·0	25·7	—	1·1	3·2	6
Bute	99	36	38	3	12	1	—	36·4	33·4	3·0	12·1	1·0	—
Caithness	189	85	79	7	—	1	11	45·0	41·8	3·7	—	0·5	5
Clackmannan	224	125	59	—	15	2	13	55·8	26·1	—	6·7	0·9	8
Dumbarton	985	405	225	9	230	30	83	41·1	22·9	0·9	23·4	3·0	8
Dumfries	649	359	140	—	36	31	20	55·3	21·6	—	5·5	4·8	3
Edinburgh	6,168	2,159	1,163	17	395	327	265	35·0	18·9	0·3	6·4	5·3	4
(Midlothian)													
Elgin (Moray)	386	195	113	7	3	3	16	50·5	29·3	1·3	0·8	0·8	4
Fife	2,084	1,092	547	—	92	72	134	52·4	26·2	—	4·4	3·5	6
Forfar	2,659	972	533	—	325	192	205	36·6	20·0	—	12·2	7·2	7
Haddington	303	208	49	—	25	14	6	68·6	16·2	—	8·3	4·6	2
Inverness	616	223	146	74	49	20	28	36·2	23·7	12·0	8·0	3·2	4
Kincardine	249	171	40	—	3	27	3	68·7	16·1	—	1·2	10·8	1
Kinross	56	46	10	—	—	—	—	82·1	17·9	—	—	—	—
Kirkcudbright	244	170	44	1	12	2	9	69·7	18·0	0·4	4·9	0·8	3
Lanark	16,467	4,569	3,304	81	2,451	326	1,128	27·7	20·1	0·5	14·9	2·0	6
Linlithgow	496	277	137	6	61	4	7	55·9	27·6	1·2	12·3	0·8	1
Nairn	63	36	20	2	—	—	3	57·1	31·7	3·2	—	—	4
Orkney	212	66	101	—	—	3	10	31·1	47·7	—	—	1·4	4
Peebles	95	69	14	—	2	2	8	72·7	14·7	—	2·1	2·1	8
Perth	840	433	232	1	40	32	26	51·6	27·6	0·1	4·8	3·8	3
Renfrew	2,222	785	588	2	495	110	172	35·3	26·5	0·1	22·3	5·0	7
Ross and Cromarty	443	108	137	147	7	3	26	24·4	30·9	33·2	1·6	0·7	5
Roxburgh	393	234	101	—	9	12	23	58·5	25·7	—	2·3	3·1	5
Selkirk	202	95	85	—	10	3	7	47·0	42·1	—	5·0	1·5	3
Shetland	203	105	56	—	—	2	38	51·7	27·6	—	—	1·0	18
Stirling	1,164	554	310	—	107	22	81	47·6	26·6	—	9·2	1·9	7
Sutherland	63	27	18	16	—	—	1	42·8	28·6	25·4	—	—	1
Wigtown	230	153	41	—	10	2	11	66·5	17·8	—	4·3	0·9	4
Larger Burghs.													
Glasgow	12,960	3,017	2,515	69	1,708	281	843	23·3	19·4	0·5	13·2	2·2	6
Edinburgh	4,669	1,313	807	15	273	286	184	28·2	17·3	0·3	5·8	6·1	3
Dundee	1,968	524	353	—	315	173	186	26·6	17·9	—	16·0	8·8	9
Aberdeen	2,234	745	542	—	64	111	152	33·3	24·3	—	2·9	5·0	6
Paisley	718	228	228	—	138	30	74	31·8	31·8	—	19·2	4·2	10
Leith	762	366	220	1	47	27	53	48·0	28·9	0·1	6·2	3·5	7
Greenock	706	235	149	2	181	33	56	33·3	21·1	0·3	25·6	4·7	7
Coatbridge	333	71	89	9	116	4	37	21·4	26·7	2·7	34·8	1·2	11
Motherwell	284	140	60	—	52	3	27	49·3	21·1	—	18·3	1·1	9
Kirkcaldy	339	167	97	—	14	12	32	49·3	28·7	—	4·1	3·5	9
Hamilton	261	131	32	—	50	7	23	50·2	12·3	—	19·1	2·7	8
Clydebank	321	107	81	—	78	14	41	33·3	25·2	—	24·3	4·4	12
Perth	381	134	108	—	25	21	18	35·2	23·3	—	6·6	5·5	4
Kilmarnock	331	128	130	—	17	8	12	38·7	39·3	—	5·1	2·4	3
Falkirk	309	130	74	—	20	10	21	42·1	23·9	—	6·5	3·2	6
Ayr	370	182	61	—	18	18	13	49·2	16·5	—	4·9	4·9	3

TABLE 15.—Civil Condition of Persons Marrying in Scotland, 1919.

	Total Marriages.	NO. OF MARRIAGES BETWEEN				Condition not Stated.	PERCENTAGE OF MARRIAGES BETWEEN				Percentage Condition not Stated.
		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	
SCOTLAND	44,060	37,526	2,679	2,478	1,375	2	85·2	6·1	5·6	3·1	0·0
LARGER BURGHS	26,946	22,265	2,058	1,588	1,034	1	82·6	7·7	5·9	3·8	0·0
OTHER DISTRICTS	17,114	15,261	621	890	341	1	89·2	3·6	5·2	2·0	0·0
Counties.											
Aberdeen	3,055	2,681	143	161	70	—	87·7	4·7	5·3	2·3	—
Argyll	309	277	5	22	5	—	89·7	1·6	7·1	1·6	—
Ayr	2,129	1,867	93	112	57	—	87·7	4·4	5·3	2·6	—
Banff	376	332	5	27	12	—	88·3	1·3	7·2	3·2	—
Berwick	187	164	4	14	5	—	87·7	2·1	7·5	2·7	—
Bute	99	88	3	6	2	—	88·9	3·0	6·1	2·0	—
Caithness	189	170	4	12	3	—	90·0	2·1	6·3	1·6	—
Clackmannan	224	207	1	8	8	—	92·4	0·4	3·6	3·6	—
Dumbarton	985	862	48	48	27	—	87·5	4·9	4·9	2·7	—
Dumfries	649	548	37	45	19	—	84·5	5·7	6·9	2·9	—
Edinburgh (Midlothian)	6,168	5,106	493	374	195	—	82·8	8·0	6·1	3·1	—
Elgin (Moray)	386	333	17	22	14	—	86·3	4·4	5·7	3·6	—
Fife	2,084	1,814	101	104	65	—	87·1	4·8	5·0	3·1	—
Forfar	2,659	2,265	154	155	85	—	85·2	5·8	5·8	3·2	—
Haddington	303	271	11	13	8	—	89·5	3·6	4·3	2·6	—
Inverness	616	549	27	32	8	—	89·1	4·4	5·2	1·3	—
Kincardine	249	224	5	16	4	—	90·0	2·0	6·4	1·6	—
Kinross	56	50	2	3	1	—	89·3	3·6	5·4	1·7	—
Kirkcudbright	244	217	10	16	1	—	88·9	4·1	6·6	0·4	—
Lanark	16,467	13,650	1,249	901	667	—	82·9	7·6	5·5	4·0	—
Linlithgow	496	458	16	14	8	—	92·4	3·2	2·8	1·6	—
Nairn	63	50	3	8	2	—	79·4	4·8	12·7	3·1	—
Orkney	212	194	3	11	4	—	91·5	1·4	5·2	1·9	—
Peebles	95	90	1	4	—	—	94·7	1·1	4·2	—	—
Perth	840	733	31	65	11	—	87·3	3·7	7·7	1·3	—
Renfrew	2,222	1,935	105	123	58	1	87·1	4·7	5·6	2·6	0·0
Ross and Cromarty	443	406	10	25	2	—	91·6	2·3	5·6	0·5	—
Roxburgh	393	353	8	27	5	—	89·8	2·0	6·9	1·3	—
Selkirk	202	188	6	8	—	—	93·1	3·0	3·9	—	—
Shetland	203	182	4	15	2	—	89·6	2·0	7·4	1·0	—
Stirling	1,164	1,005	71	65	22	1	86·3	6·1	5·6	1·9	0·1
Sutherland	63	56	2	3	2	—	88·9	3·2	4·8	3·1	—
Wigtown	230	201	7	19	3	—	87·4	3·0	8·3	1·3	—
Larger Burghs.											
Glasgow	12,960	10,529	1,082	760	589	—	81·3	8·3	5·9	4·5	—
Edinburgh	4,669	3,797	398	310	164	—	81·4	8·5	6·6	3·5	—
Dundee	1,968	1,642	135	113	78	—	83·4	6·9	5·7	4·0	—
Aberdeen	2,234	1,912	132	126	64	—	85·6	5·9	5·6	2·9	—
Paisley	718	603	31	51	28	—	84·7	4·3	7·1	3·9	—
Leith	762	646	59	42	15	—	84·8	7·7	5·5	2·0	—
Greenock	706	609	46	33	17	1	86·3	6·5	4·7	2·4	0·1
Coatbridge	333	284	25	16	8	—	85·3	7·5	4·3	2·4	—
Motherwell	284	264	8	7	5	—	92·9	2·8	2·5	1·8	—
Kirkcaldy	339	283	19	23	14	—	83·5	5·6	6·8	4·1	—
Hamilton	261	224	21	8	8	—	85·8	8·0	3·1	3·1	—
Clydebank	321	287	11	16	7	—	89·4	3·4	5·0	2·2	—
Perth	381	325	19	29	8	—	85·3	5·0	7·6	2·1	—
Kilmarnock	331	280	18	22	11	—	84·6	5·5	6·6	3·3	—
Falkirk	309	256	30	16	7	—	82·8	9·7	5·2	2·3	—
Ayr	370	319	24	16	11	—	86·2	6·5	4·3	3·0	—

TABLE 16.—Method of Signature of Marriage Registers, or Schedules, in Scotland, 1919.

	Total Marriages.	NUMBER OF				PERCENTAGE OF			
		MEN.		WOMEN.		MEN.		WOMEN.	
		Signing by Writing.	Signing by Mark.	Signing by Writing.	Signing by Mark.	Signing by Writing.	Signing by Mark.	Signing by Writing.	Signing by Mark.
SCOTLAND	44,060	43,868	192	43,788	272	99·6	0·4	99·4	0·6
LARGER BURGHS	26,946	26,826	120	26,751	195	99·6	0·4	99·3	0·7
OTHER DISTRICTS	17,114	17,042	72	17,037	77	99·6	0·4	99·6	0·4
Counties.									
Aberdeen	3,055	3,051	4	3,050	5	99·9	0·1	99·8	0·2
Argyll	309	306	3	307	2	99·0	1·0	99·4	0·6
Ayr	2,129	2,117	12	2,120	9	99·4	0·6	99·6	0·4
Banff	376	375	1	374	2	99·7	0·3	99·5	0·5
Berwick	187	187	—	187	—	100·0	—	100·0	—
Bute	99	99	—	99	—	100·0	—	100·0	—
Caithness	189	188	1	188	1	99·5	0·5	99·5	0·5
Clackmannan	224	224	—	224	—	100·0	—	100·0	—
Dumbarton	985	981	4	984	1	99·6	0·4	99·9	0·1
Dumfries	649	645	4	646	3	99·4	0·6	99·5	0·5
Edinburgh	6,168	6,148	20	6,146	22	99·7	0·3	99·6	0·4
(Midlothian)									
Elgin (Moray)	386	385	1	385	1	99·7	0·3	99·7	0·3
Fife	2,084	2,082	2	2,080	4	99·9	0·1	99·8	0·2
Forfar	2,659	2,652	7	2,639	20	99·7	0·3	99·2	0·8
Haddington	303	301	2	303	—	99·3	0·7	100·0	—
Inverness	616	609	7	605	11	98·9	1·1	98·2	1·8
Kincardine	249	248	1	249	—	99·6	0·4	100·0	—
Kinross	56	56	—	56	—	100·0	—	100·0	—
Kirkcudbright	244	243	1	243	1	99·6	0·4	99·6	0·4
Lanark	16,467	16,378	89	16,316	151	99·5	0·5	99·1	0·9
Linlithgow	496	494	2	494	2	99·6	0·4	99·6	0·4
Nairn	63	63	—	63	—	100·0	—	100·0	—
Orkney	212	211	1	212	—	99·5	0·5	100·0	—
Peebles	95	95	—	95	—	100·0	—	100·0	—
Perth	840	835	5	834	6	99·4	0·6	99·3	0·7
Renfrew	2,222	2,210	12	2,207	15	99·5	0·5	99·3	0·7
Ross and Cromarty	443	439	4	436	7	99·1	0·9	98·4	1·6
Roxburgh	393	391	2	392	1	99·5	0·5	99·7	0·3
Selkirk	202	201	1	201	1	99·5	0·5	99·5	0·5
Shetland	203	203	—	203	—	100·0	—	100·0	—
Stirling	1,164	1,160	4	1,159	5	99·7	0·3	99·6	0·4
Sutherland	63	62	1	61	2	98·4	1·6	96·8	3·2
Wigtown	230	229	1	230	—	99·6	0·4	100·0	—
Larger Burghs.									
Glasgow	12,960	12,892	68	12,832	128	99·5	0·5	99·0	1·0
Edinburgh	4,669	4,654	15	4,649	20	99·7	0·3	99·6	0·4
Dundee	1,968	1,962	6	1,950	18	99·7	0·3	99·0	1·0
Aberdeen	2,234	2,232	2	2,231	3	99·9	0·1	99·9	0·1
Paisley	718	714	4	713	5	99·4	0·6	99·3	0·7
Leith	762	758	4	760	2	99·5	0·5	99·7	0·3
Greenock	706	701	5	702	4	99·3	0·7	99·4	0·6
Coatbridge	333	325	8	329	4	97·6	2·4	98·8	1·2
Motherwell	284	284	—	283	1	100·0	—	99·6	0·4
Kirkcaldy	339	339	—	339	—	100·0	—	100·0	—
Hamilton	261	259	2	259	2	99·2	0·8	99·2	0·8
Clydebank	321	321	—	321	—	100·0	—	100·0	—
Perth	381	379	2	379	2	99·5	0·5	99·5	0·5
Kilmarnock	331	329	2	328	3	99·4	0·6	99·1	0·9
Falkirk	309	308	1	308	1	99·7	0·3	99·7	0·3
Ayr	370	369	1	368	2	99·7	0·3	99·5	0·5

TABLE 17.—AGES OF MEN AT MARRIAGE IN SCOTLAND,
1919.

TABLE 17.—AGES of MEN at Marriage in Scotland, 1919.

TABLE 17.—AGES of MEN at Marriage in Scotland, 1919.

	All Ages.	Average Age.	Under 15	15-16	16-17	17-18	18-19	19-20	20-21	21-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80 and over.	Not stated.
SCOTLAND	44,060	29·98	-	7	58	408	813	1,316	10,701	14,180	7,608	3,965	2,184	1294	709	408	249	111	39	10	-	-
LARGER BURGHS	26,946	30·02	-	3	42	315	546	865	6,667	8,329	4,547	2,403	1,373	854	471	254	171	71	26	9	-	-
COUNTY DISTRICTS	17,114	29·91	-	4	16	93	267	451	4,034	5,851	3,061	1,562	811	440	238	154	78	40	13	1	-	-
<i>Countries.</i>																						
Aberdeen . . .	3,055	29·81	-	2	5	30	59	99	787	960	517	248	140	84	55	39	12	12	5	1	-	-
Argyll . . .	309	33·60	-	-	-	-	3	5	35	92	65	44	26	19	11	5	1	2	1	-	-	-
Ayr . . .	2,129	29·36	-	-	1	20	48	60	550	714	355	186	87	55	19	21	9	3	-	1	-	-
Banff . . .	376	30·47	-	-	1	1	3	7	88	128	70	33	19	10	6	5	4	1	-	-	-	-
Bervick . . .	187	31·31	-	-	-	-	1	4	26	71	45	19	5	6	5	3	2	-	-	-	-	-
Bute . . .	99	32·43	-	-	-	-	1	3	14	34	15	15	6	3	6	2	-	-	-	-	-	-
Caitness . . .	189	30·80	-	-	-	1	3	8	35	62	33	19	14	8	2	3	-	1	-	-	-	-
Clackmannan . . .	224	28·95	-	-	-	-	4	5	64	75	40	19	8	7	1	-	1	-	-	-	-	-
Dumbarton . . .	985	29·50	-	-	-	8	18	22	231	373	168	75	38	26	10	5	7	3	1	-	-	-
Dumfries . . .	649	30·60	-	-	-	7	11	12	133	213	122	79	28	20	13	5	3	2	1	-	-	-
Edinburgh . . .	6,168	30·41	-	-	8	55	100	170	1,477	1,931	1,058	571	357	196	108	60	54	15	5	3	-	-
(Midlothian)																						
Elgin (Moray) . . .	386	30·79	-	-	-	1	4	10	95	114	67	43	19	16	11	3	1	2	-	-	-	-
Fife . . .	2,084	28·88	-	1	4	10	42	66	558	753	334	163	69	29	28	12	12	2	1	-	-	-
Forfar . . .	2,659	29·92	-	1	6	28	36	100	666	836	441	226	135	94	43	22	13	7	4	1	-	-
Haddington . . .	303	29·46	-	-	-	2	5	8	65	119	54	25	12	6	4	2	1	-	-	-	-	-
Inverness . . .	616	32·52	-	-	-	1	5	13	89	176	135	86	62	24	9	10	6	-	-	-	-	-
Kincardine . . .	249	29·64	-	-	-	2	7	7	62	93	33	17	11	8	1	4	3	1	-	-	-	-
Kinross . . .	56	29·21	-	-	-	1	2	-	12	24	10	2	-	2	3	-	-	-	-	-	-	-
Kirkeudbright . . .	244	31·82	-	-	-	2	1	6	39	72	55	35	12	11	5	-	-	-	-	-	-	-

AGES of MEN at Marriage in Scotland, 1919.

Lanark	16,467	29·74	—	2	26	200	368	563	4,173	5,152	2,699	1,441	796	479	279	145	84	39	18	3
Linlithgow	496	28·32	—	—	—	2	6	12	137	201	82	28	18	7	2	—	—	1	—	—
Nairn	63	35·12	—	—	—	—	—	—	9	20	7	10	8	3	2	2	—	2	—	—
Orkney	212	31·09	—	—	—	—	4	2	41	66	50	23	12	7	2	1	—	1	1	—
Peebles	95	30·17	—	—	—	1	—	3	21	29	24	6	7	2	1	—	—	1	—	—
Perth	840	31·71	—	1	4	5	8	14	157	260	189	64	64	38	17	9	9	5	—	—
Renfrew	2,222	29·23	—	—	—	21	40	61	579	745	399	193	75	50	22	13	13	6	1	—
Ross & Cromarty	443	33·35	—	—	—	—	—	2	58	115	127	61	34	27	8	6	3	1	1	—
Roxburgh	393	31·12	—	—	—	2	2	3	77	133	82	43	23	14	8	5	1	—	—	—
Selkirk	202	29·36	—	—	—	1	2	5	43	72	46	21	9	—	1	2	—	—	—	—
Shetland	203	32·85	—	—	—	—	2	4	29	58	44	26	21	6	6	4	2	—	1	—
Stirling	1,164	29·43	—	—	2	5	21	38	290	408	193	104	44	27	15	9	5	3	—	—
Sutherland	63	33·83	—	—	—	—	1	1	9	16	10	10	8	3	2	3	—	—	—	—
Wigtown	230	30·70	—	—	1	2	6	3	52	65	39	30	17	7	4	2	2	—	—	—
Larger Burghs.																				
Glasgow	12,960	30·10	—	1	24	167	294	410	3,162	3,933	2,165	1,203	676	420	251	124	82	29	16	3
Edinburgh	4,669	30·83	—	—	8	41	68	126	1,083	1,401	814	467	284	170	91	48	47	13	5	3
Dundee	1,968	29·70	—	1	6	28	28	84	530	578	314	160	99	71	35	16	7	7	3	1
Aberdeen	2,234	29·81	—	—	2	23	51	83	570	698	364	184	104	62	40	31	9	10	2	1
Paisley	718	29·78	—	—	—	6	11	18	160	269	117	68	27	21	7	6	7	1	—	—
Leith	762	29·21	—	—	—	9	19	25	194	258	127	54	44	12	9	6	4	1	—	—
Greenock	706	28·61	—	—	2	9	14	18	224	213	127	47	21	15	8	5	1	2	—	—
Coatbridge	333	29·17	—	—	—	6	8	11	81	110	58	28	18	10	1	2	—	—	—	—
Motherwell	284	27·94	—	—	—	3	6	15	91	95	36	19	8	9	1	1	—	—	—	—
Kirkcaldy	339	29·14	—	—	—	5	7	14	72	122	69	26	8	7	4	2	3	1	—	—
Hamilton	261	27·73	—	—	—	3	6	16	84	83	41	12	6	4	3	2	2	2	—	—
Clydebank	321	28·72	—	—	—	4	6	11	80	122	57	19	8	6	3	1	5	2	—	—
Perth	381	31·51	—	1	—	2	2	5	75	120	89	27	26	16	9	2	3	2	—	—
Kilmarnock	331	29·79	—	—	—	3	7	7	82	110	62	22	19	10	2	4	3	2	—	—
Falkirk	309	29·34	—	—	—	2	9	10	83	100	47	27	12	12	3	1	1	2	—	—
Ayr	370	29·48	—	—	—	4	10	12	96	117	60	40	13	9	4	3	—	1	—	1

TABLE 18.—Ages of WOMEN at Marriage in Scotland, 1919.

TABLE 18.—Ages of WOMEN at Marriage in Scotland, 1919.

	All Ages.	Average age.	Under 15	15-16-	16-17-	17-18-	18-19-	19-20-	20-21-	21-25-	25-30-	30-35-	35-40-	40-45-	45-50-	50-55-	55-60-	60-65-	65-70-	70-75-	75-80 and over.	Not stated.
SCOTLAND	44,060	27·02	—	4	70	345	1301	2316	2,955	14,107	12,256	5,500	2,684	1,269	656	333	156	79	20	7	2	—
LARGER BURGHS	26,946	27·05	—	1	52	221	853	1509	1,865	8,626	7,191	3,284	1,652	848	433	217	119	57	13	3	2	—
COUNTY DISTRICTS	17,114	26·97	—	3	18	124	448	807	1,090	5,481	5,065	2,216	1,032	421	223	116	37	22	7	4	—	—
<i>Counties.</i>																						
Aberdeen . . .	3,055	26·65	—	—	5	26	113	185	199	1,019	811	367	178	69	41	29	8	2	2	1	—	—
Argyll . . .	309	28·93	—	—	—	2	3	10	15	76	98	53	28	7	10	3	2	2	—	—	—	—
Ayr . . .	2,129	26·79	—	—	3	16	61	101	156	682	628	280	101	47	29	14	5	3	2	1	—	—
Banff . . .	376	27·22	—	—	1	3	4	17	22	139	97	47	23	9	6	6	2	—	—	—	—	—
Berwick . . .	187	28·64	—	—	—	1	—	3	2	53	78	24	11	5	7	3	—	—	—	—	—	—
Bute . . .	99	27·62	—	—	—	—	4	5	7	20	33	18	6	3	3	—	—	—	—	—	—	—
Caithness . . .	189	26·72	—	—	—	—	8	13	15	57	54	18	12	7	3	2	—	—	—	—	—	—
Clackmannan . . .	224	26·70	—	—	—	—	8	10	17	69	73	25	12	5	4	—	—	—	—	—	—	—
Dumbarton . . .	985	26·71	—	—	2	5	20	52	67	315	309	124	48	21	11	5	3	1	2	—	—	—
Dumfries . . .	649	27·70	—	—	—	4	13	23	30	215	186	96	40	21	7	9	4	—	1	—	—	—
Edinburgh . . .	6,168	27·55	—	1	7	41	166	300	384	1,898	1,710	824	403	226	95	60	35	17	1	—	—	—
(Midlothian)																						
Elgin (Moray) . . .	386	27·99	—	—	2	4	8	17	27	113	97	61	26	10	13	3	1	4	—	—	—	—
Fife . . .	2,084	26·47	—	1	—	17	64	96	150	729	607	215	113	47	20	15	2	4	3	1	—	—
Forfar . . .	2,659	27·29	—	1	6	13	74	139	169	852	721	338	166	99	53	18	5	4	1	—	—	—
Haddington . . .	303	27·18	—	—	1	1	5	17	14	98	93	36	23	7	5	2	1	—	—	—	—	—
Inverness . . .	616	28·17	—	—	1	6	16	20	30	166	178	100	59	22	10	7	1	—	—	—	—	—
Kincardine . . .	249	26·70	—	—	—	3	3	19	17	75	78	28	14	6	4	2	—	—	—	—	—	—
Kinross . . .	56	26·39	—	—	—	—	—	3	3	23	17	4	3	2	1	—	—	—	—	—	—	—
Kirkcudbright . . .	244	28·63	—	—	—	—	6	6	15	62	63	53	26	6	4	2	1	—	—	—	—	—

AGES of WOMEN at Marriage in Scotland, 1919.

Lanark	16,467	26.72	-	-	-	986	1,216	5,402	4,356	1,872	949	474	235	123	70	33	7	2	2	-	-
Linlithgow	496	25.06	-	-	-	29	42	196	140	43	11	7	1	2	-	-	-	-	-	-	-
Nairn	63	31.55	-	-	-	1	4	13	12	10	14	3	3	1	-	-	-	-	-	-	-
Orkney	212	27.75	-	1	-	16	8	57	55	33	17	8	6	2	-	-	-	-	-	-	-
Peebles	95	27.98	-	-	-	4	1	26	36	14	10	3	-	-	-	-	-	-	-	-	-
Perth	840	28.50	-	-	-	25	39	225	262	139	69	31	24	5	3	1	1	-	-	-	-
Renfrew	2,222	26.51	-	-	-	117	154	745	659	253	106	49	34	8	6	3	-	-	-	-	-
Ross & Cromarty	443	29.28	-	-	-	11	15	89	139	112	50	12	5	2	2	1	-	-	-	-	-
Roxburgh	393	28.46	-	-	-	8	21	111	118	67	36	19	7	-	1	-	-	-	-	-	-
Selkirk	202	27.52	-	-	-	3	8	60	67	36	16	3	3	-	-	-	-	-	-	-	-
Shetland	203	29.37	-	-	-	5	8	46	57	43	25	5	4	4	1	-	-	-	-	-	-
Stirling	1,164	26.41	-	-	-	55	78	400	334	126	66	25	15	4	2	2	-	1	1	-	-
Sutherland	63	29.26	-	-	-	-	4	15	18	14	7	1	-	-	-	1	-	-	-	-	-
Wigtown	230	27.17	-	-	-	10	18	61	72	27	16	10	3	2	-	-	-	-	-	-	-
<i>Larger Burghs.</i>																					
Glasgow	12,960	27.03	-	-	-	744	536	4,136	3,382	1,534	819	414	210	112	61	28	7	2	1	-	-
Edinburgh	4,669	27.85	-	-	-	230	263	1,406	1,269	637	339	184	78	53	31	14	1	-	-	-	-
Dundee	1,968	27.02	-	1	-	115	143	640	501	244	116	70	40	13	4	3	1	-	-	-	-
Aberdeen	2,234	26.71	-	-	-	139	154	726	583	264	133	57	32	21	8	2	1	1	-	-	-
Paisley	718	27.19	-	-	-	33	44	236	224	78	40	22	11	3	4	3	1	-	-	-	-
Leith	762	26.59	-	-	-	37	66	235	228	99	33	21	10	2	1	1	-	-	-	-	-
Greenock	706	25.78	-	-	-	49	56	253	171	81	31	13	10	1	1	1	-	-	-	-	-
Coatbridge	333	25.97	-	-	-	17	33	118	84	40	8	11	3	-	1	2	-	-	-	-	-
Motherwell	284	25.43	-	-	-	13	22	112	78	20	14	4	1	1	1	1	-	-	-	-	-
Kirkcaldy	339	27.11	-	-	-	14	15	117	109	41	27	4	5	1	1	1	-	-	-	-	-
Hamilton	261	24.99	-	-	-	26	22	105	66	22	7	2	1	-	1	1	-	-	-	-	-
Clydebank	321	26.05	-	-	-	20	21	111	102	33	10	8	2	2	2	1	-	-	-	-	-
Perth	381	28.26	-	-	-	15	18	107	114	62	26	14	12	1	2	1	1	-	-	-	-
Kilmarnock	331	27.00	-	-	-	12	23	98	107	45	14	6	8	2	2	-	1	-	-	-	-
Falkirk	309	26.06	-	-	-	25	21	116	72	26	15	8	6	3	1	-	-	-	-	-	-
Ayr	370	27.20	-	-	-	20	28	110	101	58	20	10	4	2	2	1	1	-	-	-	-

TABLE 19.—Percentage Age Distribution of Persons at Marriage in Scotland, 1919.

AGES.	MEN.			WOMEN.		
	Scotland.	Larger Burghs.	Other Districts.	Scotland.	Larger Burghs.	Other Districts.
15—19 years	2·92	3·36	2·22	9·16	9·78	8·18
20—24	27·27	27·95	26·21	38·72	38·93	38·39
25—29	32·18	30·91	34·19	27·82	26·69	29·60
30—34	17·27	16·87	17·89	12·48	12·19	12·95
35—39	9·00	8·92	9·13	6·09	6·13	6·03
40—44	4·96	5·10	4·73	2·88	3·15	2·46
45—49	2·94	3·17	2·57	1·49	1·61	1·30
50 and above	3·46	3·72	3·06	1·36	1·52	1·09
Not stated	—	—	—	—	—	—
TOTAL	100·00	100·00	100·00	100·00	100·00	100·00

TABLE 20.—Age Distribution of Persons at Marriage in Scotland, 1855–1919.

AGES.	MEN.		WOMEN.	
	Number who married at each Age.	Percentage at each Age to Total Marriages.	Number who married at each Age.	Percentage at each Age to Total Marriages.
15—19 years	48,792	2·73	208,315	11·65
20—24	626,917	35·07	781,844	43·74
25—29	571,780	31·98	458,497	25·65
30—34	251,001	14·04	172,344	9·64
35—39	123,991	6·93	84,139	4·70
40—44	67,918	3·80	42,173	2·36
45—49	41,793	2·34	22,379	1·25
50 and above	54,643	3·06	16,631	0·93
Not stated	823	0·05	1,336	0·08
TOTAL	1,787,658	100·00	1,787,658	100·00

TABLE 21.—AGES in Combination of MEN and WOMEN at Marriage in Scotland, 1919.

AGES OF WIVES.																			Total Hus- bands.	AGES OF HUSBANDS.										Total Hus- bands.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Under 15	15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75		Not Stated	Under 16	16	17	18	19	20	21	25	30		35	40	45	50	55	60	65	70	75	Not stated	(T. Husbands and Wives.)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
Under 16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Average age—Husbands, 29·98; Wives, 27·02.

The Table read *vertically* shows the number of *Wives* at each age, with the ages of their Husbands at Marriage:—Thus, of 2,955 Wives at the age of 20, *three* married Husbands aged 16, *fourteen* married Husbands aged 17, etc.

Read *horizontally*, the Table shows the number of *Husbands* at each age, with the ages of their Wives at Marriage:—Thus, of 513 Husbands at the age of 19, *ten* married Wives aged 16, *fifty-six* married Wives aged 17, etc.

TABLE 22.—AGES in Combination of BACHELORS and SPINSTERS at Marriage in Scotland, 1919.

AGES OF SPINSTERS.																			Total Bachelors.	AGES OF BACHELORS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
																			Total Bachelors.	Under											Not stated.	Total Bachelors and Spinsters.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Under 15	15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75		Not stated.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
Under 16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Average age—Husbands, 28·31; Wives, 25·69.

TABLE 23.—Ages in Combination of BACHELORS and WIDOWS at Marriage in Scotland, 1919.

AGES OF WIDOWS.																	Total Bachelors.	
17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-			
16-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16-	-
17-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17-	-
18-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	18-	1
19-	-	-	-	-	10	5	-	-	-	-	-	-	-	-	-	-	19-	15
20-	-	1	2	5	14	4	1	-	-	-	-	-	-	-	-	-	20-	41
21-	-	3	4	8	149	33	5	1	-	-	-	-	-	-	-	-	21-	385
25-	-	-	3	5	140	160	41	11	1	-	-	-	-	-	-	-	25-	754
30-	-	-	-	-	49	201	78	28	3	-	-	-	-	-	-	-	30-	560
35-	-	-	1	-	7	134	136	65	10	4	-	1	-	-	-	-	35-	439
40-	-	-	-	-	1	43	73	66	26	5	1	1	-	-	-	-	40-	240
45-	-	-	-	-	3	18	25	34	42	13	4	1	-	-	-	-	45-	149
50-	-	-	-	-	-	2	5	7	9	17	6	4	4	-	1	-	50-	50
55-	-	-	-	-	-	1	1	5	4	5	6	3	3	1	-	-	55-	27
60-	-	-	-	-	-	1	-	1	2	2	2	2	2	-	-	-	60-	11
65-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	65-	7
70-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70-	-
75-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75-	-
Not stated.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Not stated.	-
Total Widows.	-	4	10	18	374	910	597	366	219	46	21	14	1	1	1	1	Total Bachelors and Widows.	2,679

Average age—Husbands, 32·81 ; Wives, 32·09.

TABLE 25.—AGES in Combination of the WIDOWERS and WIDOWS at Marriage in Scotland, 1919.

AGES OF WIDOWS.															Total Widow- ers.	AGES OF WIDOWERS.
19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	Not stated		
18-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18-
19-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19-
20-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20-
21-	1	-	2	2	1	-	-	-	-	-	-	-	-	-	-	21-
25-	-	-	41	41	9	3	1	-	-	-	-	-	-	-	-	25-
30-	-	1	20	44	55	21	3	-	-	-	-	-	-	-	-	30-
35-	-	-	4	43	70	81	21	1	-	-	-	-	-	-	-	35-
40-	-	-	2	28	58	70	57	7	1	1	-	-	-	-	-	40-
45-	-	-	3	13	26	54	53	15	4	2	-	-	-	-	-	45-
50-	-	-	-	3	14	29	43	37	12	1	-	-	-	-	-	50-
55-	-	-	1	2	3	10	19	31	24	6	2	1	-	-	-	55-
60-	-	-	1	-	3	4	4	18	20	18	3	1	-	-	-	60-
65-	-	-	-	-	1	-	2	6	7	9	3	-	1	-	-	65-
70-	-	-	-	1	-	1	-	1	1	4	3	2	-	-	-	70-
75-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	75-
80-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Not stated
Total Widows }	1	1	42	177	240	273	204	193	116	70	42	11	4	1	-	1,375 { TotalWidowers and Widows.

Average age—Husbands, 46·00; Wives, 40·47.

Note—44,058 Marriages are accounted for in Tables 22-25, the condition of the Wives in the remaining 2 cases not having been stated in the Marriage Register.

TABLE 26.—Ages at Death in 1920.

Age Groups.	SCOTLAND.			Larger Burghs.	Smaller Burghs.	County Districts.
	Both Sexes.	Males.	Females.	Both Sexes.	Both Sexes.	Both Sexes.
-1 - - -	12,565	7,199	5,366	7,085	2,268	3,212
1- - - -	4,361	2,263	2,098	2,556	748	1,057
5- - - -	1,530	756	774	778	318	434
10- - - -	1,032	529	503	487	199	346
15- - - -	3,304	1,686	1,618	1,701	618	985
25- - - -	3,734	1,680	2,054	2,049	664	1,021
35- - - -	4,563	2,300	2,263	2,584	794	1,185
45- - - -	6,230	3,474	2,756	3,586	1,164	1,480
55- - - -	8,960	4,842	4,118	4,770	1,797	2,393
65- - - -	10,614	5,390	5,224	5,086	2,348	3,180
75- - - -	11,279	4,494	6,785	4,107	2,673	4,499
Not stated - - -	7	6	1	1	1	5
ALL AGES - - -	68,179	34,619	33,560	34,790	13,592	19,797

TABLE 27.—Death-rate per 1000 in each Age-group in 1920.

Age Groups.	SCOTLAND.			Larger Burghs.	Smaller Burghs.	County Districts.
	Both Sexes.	Males.	Females.	Both Sexes.	Both Sexes.	Both Sexes.
-1 - - -	113·5	130·0	96·9	135·2	104·0	88·0
1- - - -	10·1	10·5	9·7	12·8	8·6	7·2
5- - - -	2·9	2·9	2·9	3·3	3·0	2·4
10- - - -	2·1	2·1	2·0	2·2	1·9	2·0
15- - - -	3·7	3·8	3·5	3·9	3·5	3·4
25- - - -	4·9	4·7	5·1	5·5	4·1	4·5
35- - - -	7·4	7·8	7·1	8·7	6·3	6·2
45- - - -	13·6	16·1	11·5	16·8	12·2	10·0
55- - - -	29·6	34·4	25·5	35·6	27·2	23·4
65- - - -	56·2	68·0	47·5	68·6	54·0	44·9
75- - - -	152·4	165·2	144·5	179·9	148·3	137·7
Not stated - - -	—	—	—	—	—	—
ALL AGES - - -	14·0	14·8	13·3	15·4	13·5	12·4

TABLE 28.—Percentage of Deaths in each Age-group in 1920.

Age Groups.	SCOTLAND.			Larger Burghs.	Smaller Burghs.	County Districts.
	Both Sexes.	Males.	Females.	Both Sexes.	Both Sexes.	Both Sexes.
-1 - - -	18·43	20·79	15·99	20·36	16·69	16·22
1- - - -	6·40	6·54	6·25	7·35	5·50	5·34
5- - - -	2·24	2·19	2·31	2·24	2·34	2·19
10- - - -	1·51	1·53	1·50	1·40	1·47	1·75
15- - - -	4·85	4·87	4·82	4·89	4·55	4·98
25- - - -	5·48	4·85	6·12	5·89	4·89	5·16
35- - - -	6·69	6·64	6·74	7·43	5·84	5·99
45- - - -	9·14	10·03	8·21	10·31	8·56	7·47
55- - - -	13·14	13·99	12·27	13·71	13·22	12·08
65- - - -	15·57	15·57	15·57	14·62	17·27	16·06
75- - - -	16·54	12·98	20·22	11·80	19·66	22·73
Not stated - - -	0·01	0·02	0·00	0·00	0·01	0·03
ALL AGES - - -	100·00	100·00	100·00	100·00	100·00	100·00

TABLE 29.—DEATHS, MALE AND FEMALE, AT EACH YEAR OF AGE, AND BY CONDITION AS TO MARRIAGE, IN SCOTLAND, 1920.

TABLE 29.—Deaths, Male and Female, at each year of Age,

M A L E S.											
AGES.	TOTAL.	Single.	Married.	Widowed.	Not Stated.	AGES.	TOTAL.	Single.	Married.	Widowed.	Not Stated.
0 ...	7199	7199	-	-	-	52 ...	380	85	246	48	1
1 ...	1195	1195	-	-	-	53 ...	364	89	232	41	2
2 ...	502	502	-	-	-	54 ...	432	101	270	60	1
3 ...	311	311	-	-	-	55 ...	389	99	239	45	6
4 ...	255	255	-	-	-	56 ...	423	78	289	56	-
5 ...	227	227	-	-	-	57 ...	402	92	248	62	-
6 ...	153	153	-	-	-	58 ...	443	87	259	96	1
7 ...	135	135	-	-	-	59 ...	479	87	305	87	-
8 ...	114	114	-	-	-	60 ...	523	108	309	101	5
9 ...	127	127	-	-	-	61 ...	447	77	290	79	1
10 ...	112	112	-	-	-	62 ...	547	103	327	117	-
11 ...	95	95	-	-	-	63 ...	606	97	377	131	1
12 ...	98	98	-	-	-	64 ...	583	84	367	132	-
13 ...	94	94	-	-	-	65 ...	555	71	324	155	5
14 ...	130	130	-	-	-	66 ...	491	80	282	127	2
15 ...	149	149	-	-	-	67 ...	540	98	303	139	-
16 ...	141	141	-	-	-	68 ...	535	70	309	155	1
17 ...	163	162	1	-	-	69 ...	559	87	297	174	1
18 ...	201	201	-	-	-	70 ...	619	97	320	199	3
19 ...	186	184	1	-	1	71 ...	506	68	274	164	-
20 ...	147	143	4	-	-	72 ...	518	60	274	183	1
21 ...	162	151	11	-	-	73 ...	559	68	272	219	-
22 ...	180	165	14	1	-	74 ...	508	52	249	307	-
23 ...	174	142	31	-	1	75 ...	484	59	228	195	2
24 ...	183	148	35	-	-	76 ...	490	66	207	217	-
25 ...	149	119	28	2	-	77 ...	414	43	191	180	-
26 ...	141	98	42	1	-	78 ...	423	38	185	200	-
27 ...	183	112	66	5	-	79 ...	378	28	130	220	-
28 ...	184	110	73	1	-	80 ...	356	37	147	172	-
29 ...	176	101	73	1	1	81 ...	285	36	103	146	-
30 ...	174	79	93	2	-	82 ...	299	24	100	175	-
31 ...	139	62	74	3	-	83 ...	251	17	72	162	-
32 ...	157	72	84	1	-	84 ...	248	24	81	143	-
33 ...	188	74	110	3	1	85 ...	188	16	59	113	-
34 ...	189	76	109	4	-	86 ...	161	11	45	105	-
35 ...	180	60	114	4	2	87 ...	126	13	36	77	-
36 ...	176	57	113	6	-	88 ...	94	11	25	58	-
37 ...	209	68	136	5	-	89 ...	60	7	15	38	-
38 ...	228	90	130	7	1	90 ...	73	6	16	51	-
39 ...	273	90	170	13	-	91 ...	39	3	9	27	-
40 ...	234	73	151	8	2	92 ...	31	6	4	21	-
41 ...	229	73	149	6	1	93 ...	34	2	9	23	-
42 ...	248	69	170	9	-	94 ...	21	2	6	13	-
43 ...	260	80	167	12	1	95 ...	15	-	4	11	-
44 ...	263	75	179	7	2	96 ...	9	1	4	4	-
45 ...	319	97	202	14	6	97 ...	4	-	-	4	-
46 ...	311	94	201	15	1	98 ...	4	-	1	3	-
47 ...	321	84	212	24	1	99 ...	2	-	-	2	-
48 ...	319	97	199	23	-	100 and over	5	1	-	4	-
49 ...	355	90	236	29	-	Not Stated	6	-	-	-	6
50 ...	343	102	198	36	7	Total ...	34,619	17,000	12,136	5,416	67
51 ...	330	76	221	33	-						

and by Condition as to Marriage, in Scotland, 1920.

FEMALES.											
AGES.	TOTAL.	Single.	Married.	Widowed.	Not Stated.	AGES.	TOTAL.	Single.	Married.	Widowed.	Not Stated.
0 ...	5366	5366	—	—	—	52 ...	314	57	184	73	—
1 ...	1114	1114	—	—	—	53 ...	286	62	174	50	—
2 ...	447	447	—	—	—	54 ...	328	68	193	67	—
3 ...	299	299	—	—	—	55 ...	347	68	209	70	—
4 ...	238	238	—	—	—	56 ...	375	83	211	81	—
5 ...	222	222	—	—	—	57 ...	353	75	202	76	—
6 ...	152	152	—	—	—	58 ...	403	89	202	112	—
7 ...	153	153	—	—	—	59 ...	401	77	203	121	—
8 ...	124	124	—	—	—	60 ...	396	86	166	144	—
9 ...	123	123	—	—	—	61 ...	404	86	193	125	—
10 ...	106	106	—	—	—	62 ...	465	91	219	155	—
11 ...	88	88	—	—	—	63 ...	488	73	245	170	—
12 ...	91	91	—	—	—	64 ...	486	88	215	183	—
13 ...	94	94	—	—	—	65 ...	479	83	201	195	—
14 ...	124	124	—	—	—	66 ...	442	73	174	195	—
15 ...	127	127	—	—	—	67 ...	439	85	164	190	—
16 ...	145	145	—	—	—	68 ...	531	117	182	232	—
17 ...	177	174	3	—	—	69 ...	490	95	159	236	—
18 ...	135	127	8	—	—	70 ...	573	126	166	281	—
19 ...	133	117	16	—	—	71 ...	474	89	125	260	—
20 ...	162	138	24	—	—	72 ...	600	126	152	322	—
21 ...	191	141	49	1	—	73 ...	573	96	133	344	—
22 ...	177	124	52	1	—	74 ...	623	120	129	374	—
23 ...	181	112	67	2	—	75 ...	618	139	114	365	—
24 ...	190	105	85	—	—	76 ...	595	115	97	383	—
25 ...	205	100	103	2	—	77 ...	569	115	81	373	—
26 ...	183	80	99	4	—	78 ...	577	113	87	377	—
27 ...	187	75	109	3	—	79 ...	507	89	66	352	—
28 ...	204	75	116	13	—	80 ...	581	132	63	386	—
29 ...	209	81	121	7	—	81 ...	468	83	37	348	—
30 ...	200	63	130	7	—	82 ...	430	101	32	297	—
31 ...	193	60	123	10	—	83 ...	389	78	28	283	—
32 ...	233	56	167	10	—	84 ...	370	69	25	276	—
33 ...	197	41	147	9	—	85 ...	310	72	14	224	—
34 ...	243	55	173	15	—	86 ...	284	67	11	206	—
35 ...	232	50	169	13	—	87 ...	227	43	8	176	—
36 ...	233	56	168	9	—	88 ...	205	50	5	150	—
37 ...	216	43	162	11	—	89 ...	140	23	4	113	—
38 ...	240	51	174	15	—	90 ...	160	35	3	122	—
39 ...	216	39	162	15	—	91 ...	97	16	3	78	—
40 ...	239	47	167	25	—	92 ...	79	16	6	57	—
41 ...	221	55	148	18	—	93 ...	56	9	1	46	—
42 ...	221	48	160	12	1	94 ...	36	4	2	30	—
43 ...	210	38	154	18	—	95 ...	28	8	1	19	—
44 ...	235	39	172	23	1	96 ...	18	8	—	10	—
45 ...	246	62	168	16	—	97 ...	11	5	—	6	—
46 ...	244	63	155	26	—	98 ...	10	1	—	9	—
47 ...	270	56	183	31	—	99 ...	9	—	—	9	—
48 ...	253	61	154	38	—	100 and over	11	2	—	9	—
49 ...	259	61	163	35	—	Not stated	1	—	—	—	1
50 ...	307	76	198	33	—	Total ...	33,560	15,029	9,306	9,222	3
51 ...	249	41	168	40	—						

TABLE 30.—Deaths at various Age-periods in the Larger Burghs in 1920.

AGE.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Leith.	Greenock.	Coatbridge.	Motherwell.	Kirkcaldy.	Hamilton.	Clydebank.	Perth.	Kilmarnock.	Falkirk.
Under 1 Year	3477	688	661	591	215	250	280	142	147	97	133	115	78	72	60
1—	1332	189	189	144	92	78	153	76	57	34	72	41	20	30	32
5—	411	78	46	45	26	28	24	19	11	12	12	13	7	9	23
10—	241	48	35	25	16	19	20	6	15	12	10	10	11	8	4
15—	837	176	127	125	64	64	69	34	22	30	30	42	18	19	25
25—	1007	239	154	129	75	60	89	38	34	42	35	41	25	22	32
35—	1366	307	164	160	72	109	99	42	32	35	36	41	29	30	31
45—	1850	480	258	188	96	123	112	62	64	47	47	75	46	41	51
55—	2365	658	375	277	168	151	169	89	73	63	70	63	67	70	60
65—	2274	797	399	365	177	184	186	85	63	108	66	52	96	81	74
75 and over	1605	782	404	353	123	152	127	59	45	105	52	38	83	50	51
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All Ages	16765	4442	2812	2402	1124	1218	1328	652	563	585	563	531	480	432	449

TABLE 31.—Death-rate per 1000 of Population in the Larger Burghs at various Age-periods

AGE.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Leith.	Greenock.	Coatbridge.	Motherwell.	Kirkcaldy.	Hamilton.	Clydebank.	Perth.	Kilmarnock.	Falkirk.
Under 1 Year	143·5	121·6	174·1	166·2	115·1	124·3	127·4	113·7	122·9	108·4	111·3	84·7	116·9	95·6	81·1
1—	14·6	8·4	13·6	10·0	12·5	10·3	20·4	16·5	12·4	9·6	16·4	7·9	8·0	9·5	9·9
5—	3·8	2·8	2·7	2·5	2·9	3·1	2·8	3·5	2·2	2·8	2·4	2·3	2·3	2·3	5·4
10—	2·4	1·7	2·1	1·4	1·8	2·3	2·5	1·3	3·3	3·0	2·3	2·1	3·5	2·0	1·1
15—	4·2	3·0	4·0	4·1	3·7	4·4	4·6	4·3	2·9	4·1	4·1	4·9	2·9	2·7	4·4
25—	5·7	4·5	5·8	5·6	5·4	4·6	6·6	5·3	4·9	6·7	5·5	5·1	4·6	4·1	5·5
35—	10·0	7·0	7·4	8·2	7·0	10·4	9·7	7·6	6·3	6·9	7·5	6·8	6·4	6·8	7·7
45—	19·0	14·8	15·1	12·9	12·0	16·0	15·6	16·5	19·9	12·6	16·0	21·4	13·3	12·2	16·0
55—	40·0	31·4	33·8	28·1	34·3	31·0	36·1	42·6	44·0	24·9	40·0	38·0	28·3	32·5	33·0
65—	74·2	63·6	61·2	59·7	65·8	65·0	64·5	75·3	73·0	73·4	70·0	66·5	66·0	71·1	80·0
75 and over	194·8	173·5	201·4	143·6	170·1	187·7	149·2	207·0	225·0	201·8	192·6	215·9	143·1	131·9	193·0
All Ages	16·3	14·2	16·7	15·1	13·3	14·9	16·5	14·9	13·8	14·8	14·3	11·6	14·4	12·1	13·0

TABLE 32.—Deaths in each Age-group from various Diseases in Scotland in 1920.
(Both Sexes.)

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever - - - - -	96	-	2	8	9	25	21	14	9	7	1	-
Typhus Fever - - - - -	16	-	-	-	-	3	3	4	5	1	-	-
Small-pox - - - - -	152	12	13	15	10	10	6	24	34	17	11	-
Measles - - - - -	816	271	495	40	3	3	1	-	1	1	1	-
Scarlet Fever - - - - -	245	8	104	80	23	20	4	3	2	1	-	-
Whooping-cough - - - - -	628	341	258	27	2	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	724	64	372	224	33	15	9	-	-	4	2	1
Influenza - - - - -	291	31	16	7	4	20	26	21	25	37	46	58
Erysipelas - - - - -	170	40	3	1	-	7	9	21	22	26	22	19
Phthisis, Pulmonary Tuberculosis - - - - -	4194	18	78	72	141	1016	976	813	631	308	117	24
Tuberculous Meningitis - - - - -	590	146	218	102	60	41	13	6	4	-	-	-
Abdominal Tuberculosis - - - - -	525	68	149	72	50	76	38	25	22	18	6	1
Other Tuberculous Diseases - - - - -	753	51	93	63	61	146	94	76	61	55	21	12
Cancer, Malignant Disease - - - - -	5765	5	10	6	11	40	130	424	1045	1640	1606	848
Rheumatic Fever - - - - -	203	1	2	25	30	44	33	22	18	15	7	6
Meningitis - - - - -	731	275	211	70	37	44	31	19	28	12	4	-
Organic Heart Disease - - - - -	6703	25	11	40	66	179	260	377	723	1492	1920	1610
Bronchitis - - - - -	4701	1036	190	28	7	31	62	135	305	690	1053	1161
Pneumonia (all forms) - - - - -	6689	1729	1080	165	71	358	480	517	556	656	618	459
Other Diseases of Respiratory Organs - - - - -	998	147	82	23	14	25	29	70	112	138	177	181
Diarrhoea and Enteritis (under 2 years) - - - - -	1287	1161	126	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	445	2	16	58	68	102	51	41	44	32	25	6
All Liver Diseases (not Malignant) - - - - -	447	9	2	5	2	14	25	41	75	108	100	66
Other Diseases of Digestive System - - - - -	2291	327	172	94	50	105	127	216	249	324	357	270
Nephritis and Bright's Disease - - - - -	1869	18	38	21	24	81	121	181	324	429	404	225
Puerperal Sepsis - - - - -	242	-	-	-	-	58	121	62	1	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	598	-	-	-	-	92	292	206	8	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	5106	5054	33	9	3	6	1	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	*2683	115	275	133	102	334	264	316	367	326	223	216
Suicide - - - - -	236	-	-	-	-	17	38	50	59	45	18	9
Other Defined Diseases - - - - -	16626	1436	258	128	144	371	437	797	1345	2331	3550	5829
Diseases Ill-defined or Unknown - - - - -	1379	175	54	9	7	18	32	79	155	247	325	278
Total - - - - -	*68179	12565	4361	1530	1032	3304	3734	1563	6230	8960	10614	11279

* Including 7 of unstated age.

TABLE 33.—Death-rate per 100,000 of Population in each Age-group from various Causes in Scotland in 1920.

Causes of Death.	All Ages	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	
Enteric Fever - - - - -	2	-	0	2	2	3	3	2	2	2	1	
Typhus Fever - - - - -	0	-	-	-	-	0	0	1	1	0	-	
Small-pox - - - - -	3	11	3	3	2	1	1	4	7	6	6	
Measles - - - - -	17	245	114	8	1	0	0	-	0	0	1	
Scarlet Fever - - - - -	5	7	24	15	5	2	1	0	0	0	-	
Whooping-cough - - - - -	13	308	59	5	0	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	15	58	86	43	7	2	1	-	-	1	1	
Influenza - - - - -	6	28	4	1	1	2	3	3	5	12	24	
Erysipelas - - - - -	3	36	1	0	-	1	1	3	5	9	12	
Phthisis, Pulmonary Tuberculosis - - - - -	86	16	18	14	28	113	129	133	138	102	62	
Tuberculous Meningitis - - - - -	12	132	50	19	12	5	2	1	1	-	-	
Abdominal Tuberculosis - - - - -	11	61	34	14	10	8	5	4	5	6	3	
Other Tuberculous Diseases - - - - -	15	46	21	12	12	16	12	12	13	18	11	
Cancer, Malignant Disease - - - - -	119	5	2	1	2	4	17	69	229	542	850	
Rheumatic Fever - - - - -	4	1	0	5	6	5	4	4	4	5	4	
Meningitis - - - - -	15	248	49	13	7	5	4	3	6	4	2	
Organic Heart Disease - - - - -	138	23	3	8	13	20	34	61	158	494	1016	
Bronchitis - - - - -	97	935	44	5	1	4	8	22	67	228	557	
Pneumonia (all forms) - - - - -	138	1561	249	31	14	40	63	84	122	217	327	
Other Diseases of Respiratory Organs - - - - -	21	133	19	4	3	3	4	11	25	46	94	
Diarrhœa and Enteritis (under 2 years) - - - - -	26	1048	29	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	9	2	4	11	14	11	7	7	10	11	13	
All Liver Diseases (not Malignant) - - - - -	9	8	0	1	0	2	3	7	16	36	53	
Other Diseases of Digestive System - - - - -	47	295	40	18	10	12	17	35	55	107	189	
Nephritis and Bright's Disease - - - - -	38	16	9	4	5	9	16	30	71	142	214	
Puerperal Sepsis - - - - -	5	-	-	-	-	6	16	10	0	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	12	-	-	-	-	10	39	34	2	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	105	4564	8	2	1	1	0	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	55	104	63	26	20	37	35	52	80	108	118	
Suicide - - - - -	5	-	-	-	-	2	5	8	13	15	10	
Other Defined Diseases - - - - -	342	1297	59	24	29	41	58	130	295	771	1878	
Diseases Ill-defined or Unknown - - - - -	28	158	12	2	1	2	4	13	34	82	172	
Total - - - - -	1402	11346	1006	291	206	367	493	744	1365	2964	5615	1

TABLE 34.—Percentage of Deaths from various Causes in 1920.

Causes of Death.	All Ages.	AGE										75 and over
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	
Enteric Fever - - - - -	0.14	-	0.04	0.52	0.87	0.76	0.56	0.31	0.14	0.08	0.01	-
Typhus Fever - - - - -	0.22	-	-	-	-	0.09	0.08	0.09	0.08	0.01	-	-
Small-pox - - - - -	0.22	0.09	0.30	0.98	0.97	0.30	0.16	0.53	0.55	0.19	0.10	-
Measles - - - - -	1.20	2.15	11.35	2.61	0.29	0.09	0.03	-	0.02	0.01	0.01	-
Scarlet Fever - - - - -	0.36	0.06	2.38	5.23	2.23	0.61	0.11	0.07	0.03	0.01	-	-
Whooping-cough - - - - -	0.92	2.71	5.92	1.76	0.19	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1.06	0.51	8.53	14.64	3.20	0.45	0.24	-	-	0.04	0.02	0.01
Influenza - - - - -	0.43	0.24	0.37	0.46	0.39	0.61	0.70	0.46	0.40	0.41	0.43	0.52
Erysipelas - - - - -	0.25	0.31	0.07	0.07	-	0.21	0.24	0.45	0.35	0.29	0.21	0.17
Phthisis, Pulmonary Tuberculosis - - - - -	6.15	0.14	1.79	4.71	13.66	30.75	26.14	17.82	10.13	3.44	1.10	0.21
Tuberculous Meningitis - - - - -	0.87	1.16	5.00	6.67	5.81	1.21	0.35	0.13	0.06	-	-	-
Abdominal Tuberculosis - - - - -	0.77	0.54	3.42	4.71	4.84	2.30	1.02	0.55	0.35	0.20	0.06	0.01
Other Tuberculous Diseases - - - - -	1.08	0.40	2.13	4.12	5.91	4.42	2.52	1.67	0.98	0.61	0.20	0.11
Cancer, Malignant Disease - - - - -	8.46	0.04	0.23	0.39	1.07	1.21	3.48	9.29	16.77	18.30	15.13	7.52
Rheumatic Fever - - - - -	0.30	0.01	0.05	1.63	2.91	1.33	0.88	0.43	0.29	0.17	0.07	0.05
Meningitis - - - - -	1.07	2.19	4.84	4.58	3.59	1.33	0.83	0.42	0.45	0.13	0.04	-
Organic Heart Disease - - - - -	9.83	0.20	0.25	2.61	6.40	5.42	6.96	8.26	11.61	16.65	18.09	14.28
Bronchitis - - - - -	6.90	8.25	4.36	1.83	0.68	1.03	1.66	2.96	4.90	7.70	9.92	10.29
Pneumonia (all forms) - - - - -	9.81	13.77	24.76	10.78	6.88	10.84	12.85	11.33	8.92	7.32	5.82	4.07
Other Diseases of Respiratory Organs - - - - -	1.46	1.17	1.88	1.50	1.36	0.76	0.78	1.53	1.80	1.54	1.67	1.60
Diarrhea and Enteritis (under 2 years) - - - - -	1.89	9.24	2.89	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	0.65	0.02	0.37	3.79	6.59	3.09	1.37	0.90	0.71	0.36	0.24	0.05
All Liver Diseases (not Malignant) - - - - -	0.66	0.07	0.05	0.33	0.19	0.42	0.67	0.90	1.20	1.21	0.94	0.59
Other Diseases of Digestive System - - - - -	3.36	2.60	3.94	6.14	4.84	3.18	3.40	4.73	4.00	3.62	3.36	2.39
Nephritis and Bright's Disease - - - - -	2.74	0.14	0.87	1.37	2.33	2.45	3.24	4.03	5.20	4.79	3.81	1.99
Puerperal Sepsis - - - - -	0.35	-	-	-	-	1.76	3.24	1.36	0.02	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	0.88	-	-	-	-	2.78	7.82	4.51	0.13	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	7.49	40.26	0.76	0.59	0.29	0.18	0.03	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3.93	0.91	6.31	9.02	9.88	10.11	7.07	6.93	5.89	3.64	2.10	1.92
Suicide - - - - -	0.35	-	-	-	-	0.51	1.02	1.09	0.95	0.50	0.17	0.08
Other Defined Diseases - - - - -	24.38	11.43	5.91	8.37	13.95	11.23	11.70	17.46	21.59	26.02	33.44	51.68
Diseases Ill-defined or Unknown - - - - -	2.02	1.39	1.23	0.59	0.68	0.54	0.85	1.73	2.43	2.76	3.06	2.46
Total - - - - -	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

TABLE 35.—Deaths from various Causes in Scotland and its Groups of Public Health Districts, in 1920.

Causes of Death.	SCOTLAND.			Larger Burghs.	Smaller Burghs.	County Districts
	Both Sexes.	Males.	Females.			
Enteric Fever - - - - -	96	49	47	45	23	28
Typhus Fever - - - - -	16	11	5	13	1	2
Small-pox - - - - -	152	83	69	122	19	11
Measles - - - - -	816	432	384	540	103	173
Scarlet Fever - - - - -	245	115	130	127	44	74
Whooping-cough - - - - -	628	283	345	289	139	200
Diphtheria and Croup - - - - -	724	353	371	378	150	196
Influenza - - - - -	291	128	163	134	59	98
Erysipelas - - - - -	170	94	76	107	27	36
Phthisis, Pulmonary Tuberculosis -	4,194	2,139	2,055	2,341	749	1,104
Tuberculous Meningitis - - - -	590	312	278	334	110	146
Abdominal Tuberculosis - - - -	525	236	289	284	96	145
Other Tuberculous Diseases - - -	733	412	321	395	154	184
Cancer, Malignant Disease - - -	5,765	2,467	3,298	2,791	1,262	1,712
Rheumatic Fever - - - - -	203	96	107	89	52	62
Meningitis - - - - -	731	393	338	372	153	206
Organic Heart Disease - - - - -	6,703	3,228	3,475	3,135	1,457	2,111
Bronchitis - - - - -	4,701	2,395	2,306	2,626	894	1,181
Pneumonia (all forms) - - - - -	6,689	3,756	2,933	4,142	1,080	1,467
Other Diseases of Respiratory Organs	998	560	438	493	187	318
Diarrhoea and Enteritis (under 2 years)	1,287	719	568	731	209	347
Appendicitis and Typhlitis - - -	445	240	205	203	87	155
All Liver Diseases (not Malignant) -	447	199	248	210	114	123
Other Diseases of Digestive System	2,291	1,206	1,085	1,111	458	722
Nephritis and Bright's Disease - -	1,869	1,020	849	985	375	509
Puerperal Sepsis - - - - -	242	-	242	135	34	73
Other Diseases and Accidents of Pregnancy and Parturition	598	-	598	317	116	165
Congenital Debility and Malformation, including Premature Birth	5,106	2,948	2,158	2,706	1,011	1,389
Violent Deaths, excluding Suicide -	2,683	1,921	762	1,343	509	831
Suicide - - - - -	236	165	71	140	41	55
Other Defined Diseases - - - - -	16,626	7,885	8,741	7,543	3,612	5,471
Diseases Ill-defined or Unknown - -	1,379	774	605	609	267	503
Total - - - - -	68,179	34,619	33,560	34,790	13,592	19,797

TABLE 36.—Death-rates from various Causes per 100,000 of the Population in Scotland and its Groups of Public Health Districts in 1920.

Causes of Death.	SCOTLAND.			Larger Burghs.	Smaller Burghs.	County Districts
	Both Sexes.	Males.	Females.			
Enteric Fever - - - - -	2	2	2	2	2	2
Typhus Fever - - - - -	0	0	0	1	0	0
Small-pox - - - - -	3	4	3	5	2	1
Measles - - - - -	17	18	15	24	10	11
Scarlet Fever - - - - -	5	5	5	6	4	5
Whooping-cough - - - - -	13	12	14	13	14	13
Diphtheria and Croup - - - - -	15	15	15	17	15	12
Influenza - - - - -	6	5	6	6	6	6
Erysipelas - - - - -	3	4	3	5	3	2
Phthisis, Pulmonary Tuberculosis -	86	91	81	103	74	69
Tuberculous Meningitis - - - -	12	13	11	15	11	9
Abdominal Tuberculosis - - - -	11	10	11	13	10	9
Other Tuberculous Diseases - - -	15	18	13	17	15	12
Cancer, Malignant Disease - - -	119	106	131	123	125	107
Rheumatic Fever - - - - -	4	4	4	4	5	4
Meningitis - - - - -	15	17	13	16	15	13
Organic Heart Disease - - - -	138	138	138	138	145	132
Bronchitis - - - - -	97	102	91	116	89	74
Pneumonia (all forms) - - - -	138	161	116	183	107	92
Other Diseases of Respiratory Organs	21	24	17	22	19	20
Diarrhoea and Enteritis (under 2 years)	26	31	22	32	21	22
Appendicitis and Typhlitis - - -	9	10	8	9	9	10
All Liver Diseases (not Malignant) -	9	9	10	9	11	8
Other Diseases of Digestive System	47	52	43	49	45	45
Nephritis and Bright's Disease - -	38	44	34	44	37	32
Puerperal Sepsis - - - - -	5	-	10	6	3	5
Other Diseases and Accidents of Pregnancy and Parturition	12	-	24	14	12	10
Congenital Debility and Malformation, including Premature Birth	105	126	85	120	100	87
Violent Deaths, excluding Suicide -	55	82	30	59	51	52
Suicide - - - - -	5	7	3	6	4	3
Other Defined Diseases - - - -	342	337	346	333	359	343
Diseases Ill-defined or Unknown -	28	33	24	27	27	32
Total - - - - -	1402	1481	1328	1537	1350	1242

TABLE 37.—Deaths from various Causes in the Larger Burghs, 1920.

Causes of Death.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Leith.	Greenock.	Coatbridge.	Motherwell.	Kirkcaldy.	Hamilton.	Clydebank.	Perth.	Kilmarnock.	Falkirk.	Ayr.
Enteric Fever - - - - -	30	2	4	2	-	-	2	1	-	-	-	1	2	-	1	-
Typhus Fever - - - - -	2	-	-	-	5	-	6	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	112	-	1	-	-	-	-	3	-	-	1	-	-	4	-	-
Measles - - - - -	310	42	27	41	21	10	22	19	2	7	10	9	8	-	8	4
Scarlet Fever - - - - -	58	13	6	4	8	4	4	6	3	3	16	9	1	1	9	2
Whooping-cough - - - -	145	10	24	29	18	2	22	1	10	-	4	9	1	1	1	1
Diphtheria and Croup - -	164	64	30	28	9	10	6	6	9	9	7	4	4	6	17	5
Influenza - - - - -	47	19	10	14	7	-	12	4	1	6	6	4	2	2	-	-
Erysipelas - - - - -	64	20	3	7	-	2	3	-	1	2	2	1	-	1	1	-
Phthisis, Pulmonary Tuberculosis -	1,166	286	183	153	85	93	85	33	28	30	36	44	31	30	34	24
Tuberculous Meningitis - -	167	38	21	18	13	19	19	7	4	2	8	4	6	4	-	4
Abdominal Tuberculosis - -	125	30	15	14	8	17	22	14	8	5	4	5	3	4	6	4
Other Tuberculous Diseases -	176	63	33	27	15	12	15	6	11	6	7	-	4	8	4	8
Cancer, Malignant Disease -	1,238	471	216	210	100	109	90	39	43	41	39	33	53	30	43	36
Rheumatic Fever - - - -	45	10	3	3	1	4	6	1	2	5	3	3	2	1	-	-
Meningitis - - - - -	191	29	15	14	11	15	34	12	2	7	3	13	10	8	6	2
Organic Heart Disease - -	1,256	518	273	214	127	138	133	64	43	85	52	42	65	37	49	39
Bronchitis - - - - -	1,318	296	214	168	91	75	89	58	65	52	57	28	30	36	18	31
Pneumonia (all forms) - -	2,317	346	416	232	112	104	126	80	84	27	73	63	25	46	49	42
Other Diseases of Respiratory Organs	259	73	27	27	4	18	23	7	7	13	8	2	7	5	7	6
Diarrhoea and Enteritis (under 2 years)	360	52	102	33	23	21	31	19	21	6	16	14	5	14	4	10
Appendicitis and Typhilitis -	109	24	13	11	3	7	7	2	3	4	5	5	3	2	1	4
All Liver Diseases (not Malignant) -	109	24	10	18	7	4	7	6	3	4	4	2	1	2	5	4
Other Diseases of Digestive System	512	149	73	66	45	46	47	23	24	23	6	25	26	17	16	13
Nephritis and Bright's Disease -	541	123	60	66	24	41	26	6	8	17	9	13	5	14	9	23
Puerperal Sepsis - - - -	82	15	9	5	3	4	2	3	-	3	2	2	2	1	2	-
Other Diseases and Accidents of Pregnancy and Parturition	149	31	27	25	10	9	16	5	8	10	5	7	3	3	4	5
Congenital Debility and Malformation, including Premature Birth	1,277	263	235	259	82	112	123	50	44	42	53	46	26	22	37	35
Violent Deaths, excluding Suicide -	689	150	97	77	46	46	57	25	18	23	21	34	15	16	14	15
Suicide - - - - -	61	27	10	12	4	6	5	1	-	2	4	3	1	3	-	1
Other Defined Diseases - -	3,360	1,224	599	592	228	274	256	130	96	141	94	102	130	102	101	114
Diseases Ill-defined or Unknown -	326	30	56	33	14	16	32	21	15	10	8	11	9	12	4	12
Total - - - - -	16,765	4,442	2,812	2,402	1,124	1,218	1,328	652	563	585	563	531	480	432	449	444

Causes of Death.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Leith.	Greenock.	Coatbridge.	Motherwell.	Kirkcaldy.	Hamilton.	Clydebank.	Perth.	Kilmarnock.	Falkirk.	Ayr.
Enteric Fever - - - - -	3	1	2	1	- 6	- - -	2 7	3	- - -	- - -	- 7 3	2	6	-	3	-
Typhus Fever - - - - -	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	11	-	1	-	-	-	-	-	-	-	-	-	-	11	-	-
Measles - - - - -	30	13	16	26	25	12	27	43	5	18	25	20	24	-	24	11
Scarlet Fever - - - - -	6	4	4	3	9	5	5	14	7	8	10	2	3	3	27	6
Whooping-cough - - - - -	14	3	14	18	21	2	27	3	24	-	41	20	3	3	-	3
Diphtheria and Croup - - - - -	16	20	18	18	11	12	7	14	22	23	18	9	12	17	51	14
Influenza - - - - -	5	6	6	9	8	-	15	9	2	15	15	9	6	6	-	-
Erysipelas - - - - -	6	6	2	4	-	2	4	-	2	5	5	2	-	3	3	-
Phthisis, Pulmonary Tuberculosis - - - - -	113	92	108	96	100	114	106	75	69	76	92	97	93	84	102	68
Tuberculous Meningitis - - - - -	16	12	12	11	15	23	24	16	10	5	20	9	18	11	-	11
Abdominal Tuberculosis - - - - -	12	10	9	9	9	21	27	32	20	13	10	11	9	11	18	11
Other Tuberculous Diseases - - - - -	17	20	20	17	18	15	19	14	27	15	18	-	12	22	12	23
Cancer, Malignant Disease - - - - -	120	151	128	132	118	134	112	89	105	104	99	72	159	84	129	102
Rheumatic Fever - - - - -	4	3	2	2	1	5	7	3	5	13	8	7	6	3	-	-
Meningitis - - - - -	19	9	9	9	13	18	42	27	5	18	8	29	30	22	18	6
Organic Heart Disease - - - - -	122	166	162	134	150	169	165	146	105	215	132	92	194	104	147	110
Bronchitis - - - - -	128	95	127	105	107	92	111	132	159	132	145	61	90	101	54	88
Pneumonia (all forms) - - - - -	225	111	246	146	132	128	157	183	206	68	186	138	75	129	147	119
Other Diseases of Respiratory Organs - - - - -	25	23	16	17	5	22	29	16	17	33	20	4	21	14	21	17
Diarrhoea and Enteritis (under 2 years) - - - - -	35	17	60	21	27	26	39	43	51	15	41	31	15	39	12	28
Appendicitis and Typhlitis - - - - -	11	8	8	7	4	9	9	5	7	10	13	11	9	6	3	11
All Liver Diseases (not Malignant) - - - - -	11	8	6	11	8	5	9	14	7	10	10	4	3	6	15	11
Other Diseases of Digestive System - - - - -	50	48	43	41	53	56	58	53	59	58	15	55	78	48	48	37
Nephritis and Bright's Disease - - - - -	53	39	36	41	28	50	32	14	20	43	23	29	15	39	27	65
Puerperal Sepsis - - - - -	8	5	5	3	4	5	2	7	-	8	5	4	6	3	6	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	14	10	16	16	12	11	20	11	20	25	13	15	9	8	12	14
Congenital Debility and Malformation, including Premature Birth - - - - -	124	84	139	163	97	137	153	114	103	106	135	101	78	62	111	99
Violent Deaths, excluding Suicide - - - - -	67	48	57	48	54	56	71	57	44	58	53	75	45	45	42	42
Suicide - - - - -	6	9	6	8	5	7	6	3	-	5	10	7	3	8	-	3
Other Defined Diseases - - - - -	326	392	355	372	269	336	318	297	235	357	239	224	389	286	303	322
Diseases Ill-defined or Unknown - - - - -	32	10	33	21	17	20	40	48	37	25	20	24	27	34	12	34
Total - - - - -	1627	1423	1666	1508	1327	1495	1651	1489	1377	1479	1433	1165	1436	1213	1348	1253

TABLE 39.—DEATHS in SCOTLAND from the PRINCIPAL EPIDEMIC and certain other DISEASES in each of the Years 1855-1920.

YEAR	NUMBER OF DEATHS FROM														
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-cough.	All Diarrhoeal Diseases.	Typhus.	Enteric Fever.	Syphilis.	Cancer.	Tubercle.	Phthisis	Pneumonia.	Bronchitis.	Violence.
1855	1309	1180	2138	873	1903	3017	2419		79	871	10,007	7129	2094	3036	1913
1856	1306	1033	3011	1020	2331	2425	2363		81	908	9,077	6247	1970	2762	2003
1857	845	1028	2235	1148	1539	4132	3087		90	960	10,326	7184	1890	2867	2068
1858	332	1538	2671	1494	1963	3169	2790		86	963	10,265	7264	2355	3935	1980
1859	682	972	3614	1336	2660	2736	2436		90	1004	9,951	7172	1900	3228	2054
1860	1495	1587	2927	1485	1812	2379	2344		96	1014	11,212	8165	2416	5400	2186
1861	766	971	1764	1571	2204	2416	2579		122	1165	10,582	7571	1974	5017	2089
1862	426	1404	1281	2393	2799	2350	3021		126	1152	11,429	8211	1932	5764	2057
1863	1646	2212	3413	3615	1649	2493	3441		139	1162	10,981	7614	2212	5484	2260
1864	1741	1102	3411	3156	1993	2581	4804		125	1300	11,445	8083	2268	6383	2291
1865	383	1195	2244	2010	2318	3180	3272	1048	158	1257	11,417	8089	1969	6194	2382
1866	200	1038	2706	1588	1860	3954	2172	1404	156	1327	11,653	8283	2207	6629	2245
1867	100	1341	2253	1535	1728	2811	1745	1378	156	1288	11,668	8248	2070	6777	2196
1868	15	1149	3141	1688	2490	3267	1561	1404	185	1327	11,487	8154	2098	6261	2247
1869	64	1670	4680	1639	2461	2880	2059	1335	215	1426	12,079	8525	2630	8030	2313
1870	114	834	4356	1487	1783	3150	1460	1207	186	1373	13,027	9148	2415	7777	2363
1871	1442	2057	2586	1850	1504	2839	1129	1234	227	1432	13,011	9102	2655	8663	2361
1872	2448	925	2101	2190	2850	2732	795	1223	193	1559	12,596	8715	2570	7897	2571
1873	1126	1450	2227	2335	1598	3491	628	1495	180	1537	11,952	8286	3012	8308	2839
1874	1246	1103	6321	2234	1690	3343	726	1455	193	1646	11,303	7873	3440	8667	3103
1875	76	1022	4720	1842	2431	3604	615	1625	212	1672	12,450	8699	3685	9864	2908
1876	39	1241	2364	1672	2250	3321	471	1448	210	1695	12,219	8491	3296	8194	2990
1877	38	1019	1374	1871	1571	2665	265	1427	222	1732	12,193	8342	3144	9182	2906
1878	4	1372	1870	1892	2788	3576	263	1477	207	1829	12,567	8445	2964	8689	2595
1879	8	769	1592	1590	2483	2374	210	1013	225	1830	12,098	8336	3067	9185	2400
1880	10	1427	2165	1639	2641	3367	170	1338	228	1873	11,989	8074	3203	8562	2537
1881	19	1012	1573	1615	1620	2552	229	1004	225	1914	11,275	7739	3237	8765	2955
1882	3	1289	1583	1867	2108	3119	180	1204	244	2056	11,608	8012	3342	7715	2566
1883	11	1629	1336	1699	2968	2528	152	998	240	2037	11,092	8401	4824	7983	2882
1884	14	1440	1266	1775	2511	3147	138	1050	276	2110	10,795	7915	4539	7220	2743
1885	39	1426	944	1445	2157	2485	111	889	243	2173	10,724	7922	4432	7899	2477
1886	24	681	1058	1251	1882	2846	80	755	248	2313	10,942	7959	4040	7908	2444
1887	17	1598	1179	1605	3212	2863	126	835	244	2373	10,275	7418	4220	7409	2587
1888	3	1406	732	1614	1722	2190	102	665	229	2450	9,725	7044	4171	7140	2455
1889	8	1948	701	1882	2268	3028	69	795	226	2643	9,722	7098	3994	7033	2794
1890	-	2509	739	1762	3039	2743	77	777	196	2428	10,294	7660	4923	8057	2859
1891	-	1775	736	1450	2437	2989	107	799	214	2703	10,141	7361	5642	9309	2940
1892	11	2280	871	1347	1792	2504	59	644	204	2715	9,318	6765	4901	7260	2776
1893	68	3639	832	1679	2026	4312	51	932	181	2816	9,801	6921	5446	7119	2756
1894	129	791	834	1828	2552	2272	36	702	164	2928	9,729	7108	4551	6111	2775
1895	47	2063	782	1260	1948	4000	34	730	208	2993	10,688	7688	5606	8202	2963
1896	2	1515	669	1126	1970	2854	38	662	217	3013	9,685	6893	4745	5579	2811
1897	10	2056	716	812	2877	3849	29	655	200	3212	10,085	7200	5942	6768	3019
1898	2	2290	909	850	2476	4351	63	814	229	3453	10,140	7090	5613	5789	3186
1899	1	1599	831	856	1894	4771	29	803	202	3572	10,497	7275	5712	6140	3204
1900	53	1825	654	961	1812	3301	35	644	215	3503	10,336	7299	6270	6914	3422

TABLE 39—continued.

YEAR.	NUMBER OF DEATHS FROM														
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-Cough.	All Diarrhoeal Diseases.	Typhus	Enteric Fever.	Syphilis.	Cancer.	Tubercle.	Phthisis.	Pneumonia.	Bronchitis.	Violence.
1901	278	1655	595	878	2751	4336	35	717	206	3662	9,911	6776	5784	5818	3242
1902	80	1388	524	787	1765	2396	18	552	180	3711	9,536	6572	6976	6092	3167
1903	41	1133	407	715	1946	2996	13	552	213	3798	9,726	6630	6475	5421	3114
1904	185	1512	277	750	2405	3158	14	410	184	3920	10,158	6738	6984	5698	2949
1905	4	1662	211	721	2243	2945	44	373	248	4132	9,619	6374	6672	4821	2949
1906	1	1445	230	862	1363	3345	10	400	245	4509	9,999	6491	6392	4730	3060
1907	1	1153	233	729	2485	2177	14	367	226	4551	10,070	6415	6934	5167	3123
1908	6	2503	381	748	2144	3081	8	282	230	4611	9,462	6079	6928	5177	3067
1909	—	890	555	917	2215	2171	26	296	246	4782	9,274	6000	7003	5307	2730
1910	—	2243	595	939	999	2711	10	264	199	4863	8,517	5409	6329	4704	2725
1911	5	923	451	931	2347	2909	8	272	210	4948	8,387	5451	5905	4546	2888
1912	17	1983	439	824	1427	1851	14	196	218	5195	8,149	5306	6109	4796	2931
1913	—	1329	591	794	1819	2648	7	171	213	5212	8,005	5103	5551	4662	3124
1914	1	1458	815	901	1312	2753	6	225	227	5388	7,696	4917	5703	4729	3127
1915	2	2221	950	836	2820	2348	5	171	173	5291	7,819	5291	7393	6495	3457
1916	1	1603	588	813	718	2305	8	149	175	5431	7,672	5126	5243	4477	3335
1917	—	1804	212	648	2128	1827	2	94	199	5544	7,625	5073	5353	4776	2968
1918	—	1198	168	756	1603	1507	15	125	177	5472	7,700	5217	14344	5217	2863
1919	—	899	222	727	1573	1569	8	83	193	5657	6,326	4294	11094	5823	2986
1920	152	816	245	724	628	1892	16	96	237	5765	6,042	4194	6689	4701	2919

TABLE 40.—DEATH-RATE per 100,000 in SCOTLAND from the PRINCIPAL EPIDEMIC and certain other DISEASES, 1855-1920.

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-cough.	All Diarrhoeal Diseases.	Typhus Fever.	Enteric Fever.	Syphilis.	Cancer.	Tubercle.	Phthisis.	Pneumonia.	Bronchitis.	Violence.
1855	49	44	79	32	71	112	90		3	32	372	265	78	113	71
1856	47	37	108	37	83	87	85		3	33	325	224	71	99	72
1857	30	37	79	41	55	147	110		3	34	367	255	67	102	73
1858	12	54	94	52	69	111	98		3	34	360	255	83	138	69
1859	24	34	126	47	93	96	85		3	35	347	250	66	113	72
1860	52	55	101	51	63	82	81		3	35	389	283	84	187	76
Mean 1855-1860	35	43	98	44	72	106	91		3	34	360	255	75	126	72
1861	26	33	60	54	75	83	88		4	40	362	259	68	172	72
1862	15	48	44	81	95	80	103		4	39	389	279	66	196	70
1863	55	74	115	121	55	84	116		5	39	369	256	74	184	76
1864	58	37	113	105	66	86	160		4	43	380	268	75	212	76
1865	13	39	74	66	76	105	108	35	5	41	376	266	65	204	78
1866	7	34	88	52	61	129	71	46	5	43	380	270	72	216	73
1867	3	43	73	50	56	91	56	45	5	42	377	267	67	219	71
1868	0	37	100	54	80	104	50	45	6	42	367	261	67	200	72
1869	2	52	147	51	77	90	65	42	7	45	380	268	83	252	73
1870	4	26	135	46	55	98	45	37	6	43	404	283	75	241	73
Mean 1861-1870	18	42	96	68	70	95	†65	†42	5	42	379	268	71	210	73

† Mean 1865-1870.

TABLE 40—continued.

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Group.	Whooping-cough.	All Diarrhoeal Diseases.	Typhus Fever.	Enteric Fever.	Syphilis.	Cancer.	Tubercle.	Phthisis.	Pneumonia.	Bronchitis.	Violence.
1871	44	63	79	57	46	87	35	38		44	398	278	81	265	72
1872	74	28	64	66	86	83	24	37	6	47	381	264	78	239	78
1873	33	43	66	69	47	104	19	44	5	46	355	246	89	247	84
1874	37	32	186	66	50	98	21	43	6	48	332	231	101	254	91
1875	2	30	137	53	70	104	18	47	6	48	361	252	107	286	84
1876	1	36	68	48	64	95	13	41	6	49	350	243	94	235	86
1877	1	29	39	53	45	76	8	41	6	49	347	237	89	261	83
1878	0	39	52	53	78	100	7	41	6	51	353	237	83	244	73
1879	0	21	44	44	69	66	6	28	6	51	336	231	85	255	67
1880	0	39	59	45	72	92	5	37	6	51	329	221	88	235	70
Mean 1871-1880	19	36	79	55	63	90	15	40	6	49	354	244	90	252	76
1881	1	27	43	44	44	69	6	27	6	52	306	210	88	238	80
1882	0	35	42	50	57	84	5	32	7	55	311	215	90	207	69
1883	0	43	36	45	79	67	4	27	6	54	296	224	129	213	77
1884	0	38	33	47	66	83	4	28	7	56	285	209	120	191	73
1885	1	37	25	38	57	65	3	23	6	57	282	208	116	207	65
1886	1	18	28	33	49	74	2	20	6	60	285	207	105	206	64
1887	0	41	30	41	83	74	3	22	6	61	265	191	109	191	67
1888	0	36	19	41	44	56	3	17	6	63	249	181	107	183	63
1889	0	49	18	48	58	77	2	20	6	67	247	180	101	179	71
1890	-	63	19	44	77	69	2	20	5	61	260	193	124	203	72
Mean 1881-1890	0	39	29	43	61	72	3	23	6	59	278	202	109	201	70
1891	-	44	18	36	61	75	3	20	5	68	254	184	141	233	74
1892	0	56	22	33	44	62	1	16	5	67	231	168	121	180	69
1893	2	89	20	41	50	105	1	23	4	69	240	169	133	174	67
1894	3	19	20	44	62	55	1	17	4	71	235	172	110	148	67
1895	1	49	19	30	47	96	1	17	5	72	256	184	134	196	71
1896	0	36	16	27	47	68	1	16	5	71	229	163	112	132	67
1897	0	48	17	19	67	90	1	15	5	75	237	169	139	159	71
1898	0	53	21	20	57	101	1	19	5	80	235	164	130	134	74
1899	0	37	19	20	44	110	1	18	5	82	241	167	131	141	74
1900	1	42	15	22	41	75	1	15	5	80	235	166	143	157	78
Mean 1891-1900	1	47	19	29	52	84	1	18	5	74	239	171	130	165	71
1901	6	37	13	20	62	98	1	16	5	83	223	153	130	131	73
1902	2	31	12	18	40	54	0	12	4	83	214	147	156	136	71
1903	1	25	9	16	43	67	0	12	5	84	216	147	144	121	69
1904	4	33	6	17	53	70	0	9	4	87	224	151	154	126	65
1905	0	36	5	16	49	65	1	8	5	91	211	140	146	106	65
1906	0	31	5	19	30	73	0	9	5	98	218	141	139	103	67
1907	0	25	5	16	54	47	0	8	5	99	218	139	150	112	68
1908	0	54	8	16	46	66	0	6	5	99	204	131	149	111	66
1909	-	19	12	20	47	46	1	6	5	102	198	128	150	113	58
1910	-	48	13	20	21	58	0	6	4	103	181	115	134	100	58
Mean 1901-1910	1	34	9	18	44	64	0	9	5	93	211	139	145	116	66
1911	0	19	9	20	49	61	0	6	4	104	177	115	124	96	61
1912	0	42	9	17	30	39	0	4	5	110	172	112	129	101	63
1913	-	28	12	17	38	56	0	4	5	110	170	108	117	99	66
1914	0	31	17	19	28	58	0	5	5	113	162	104	120	100	65
1915	0	47	20	18	59	49	0	4	4	111	164	111	155	136	72
1916	0	33	12	17	15	48	0	3	4	113	160	107	109	93	70
1917	-	38	4	13	44	38	0	2	4	115	159	105	111	99	62
1918	-	25	3	16	33	31	0	3	4	114	160	108	298	108	59
1919	-	19	5	15	33	33	0	2	4	117	131	89	230	121	62
1920	3	17	5	15	13	39	0	2	5	119	124	86	138	97	60
Mean 1911-1920	0	30	10	17	34	45	0	4	4	113	158	105	153	105	64

TABLE 41.—Deaths and Death-rate from Puerperal Conditions in 1920.

	Births.	Deaths from Puerperal Con- ditions.	Death-rate per 1000 Births.
SCOTLAND . . .	136,546	840	6·2
LARGER BURGHS .	68,327	452	6·6
SMALLER BURGHS .	27,552	150	5·4
COUNTY DISTRICTS .	40,667	238	5·9
Glasgow . . .	32,626	231	7·1
Edinburgh . . .	7,773	46	5·9
Dundee . . .	5,047	36	7·1
Aberdeen . . .	4,868	30	6·2
Paisley . . .	2,505	13	5·2
Leith . . .	2,487	13	5·2
Greenock . . .	2,682	18	6·7
Coatbridge . . .	1,473	8	5·4
Motherwell . . .	1,302	8	6·1
Kirkcaldy . . .	1,123	13	11·6
Hamilton . . .	1,339	7	5·2
Clydebank . . .	1,439	9	6·3
Perth . . .	806	5	6·2
Kilmarnock . . .	1,018	4	3·9
Falkirk . . .	972	6	6·2
Ayr . . .	867	5	5·8

TABLE 42. Deaths from Malignant Disease in 1920.

LOCATION.	MALES.								FEMALES.							
	All Ages.	Under 25	25-	35-	45-	55-	65-	75 and over	All Ages.	Under 25	25-	35-	45-	55-	65-	75 and over
Lip	28	-	-	-	1	7	11	9	2	-	-	-	-	-	-	2
Mouth	36	1	-	-	5	16	10	4	4	1	-	-	1	-	1	1
Tongue	113	-	-	4	22	37	39	11	15	-	-	-	2	6	3	4
Jaw	74	1	-	4	14	26	21	8	26	2	-	1	6	5	6	6
Pharynx, Throat	51	1	1	4	6	20	14	5	22	1	1	5	5	7	2	1
Esophagus	119	-	2	6	21	35	37	18	67	-	3	5	20	18	12	9
Stomach	647	1	10	43	123	219	172	79	632	-	6	41	91	184	190	120
Intestine	381	3	4	24	48	116	138	48	498	2	12	18	66	131	155	114
Rectum	188	-	5	7	31	57	61	27	147	-	7	12	26	34	45	23
Salivary Glands	2	-	-	-	-	-	2	-	7	-	-	-	-	1	3	3
Liver	222	1	2	11	31	71	75	31	280	2	10	21	32	69	93	53
Pancreas	43	2	1	3	16	10	10	1	44	-	2	-	7	15	14	6
Peritoneum	12	2	-	-	2	4	3	1	31	1	1	4	5	11	7	2
Abdomen	72	1	2	-	14	19	28	8	127	-	5	3	26	38	35	20
Larynx	37	-	-	3	8	13	9	4	17	-	-	5	6	1	3	2
Lung	50	4	2	5	12	17	9	1	40	-	2	5	11	14	6	2
Pleura	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-
Heart	1	-	-	-	1	-	-	-	2	-	-	-	-	1	1	-
Mediastinum	41	-	2	6	9	12	9	3	25	1	1	1	5	7	10	-
Thorax	5	1	-	-	2	1	-	1	2	-	-	-	1	-	1	-
Kidney	29	6	1	2	6	7	4	3	28	2	3	-	4	8	6	5
Bladder, Urethra	53	-	-	1	3	15	20	14	30	1	-	1	5	7	10	6
Testis, Penis, Scrotum	19	1	-	3	3	5	7	-	-	-	-	-	-	-	-	-
Prostate	58	-	-	-	3	14	30	11	-	-	-	-	-	-	-	-
Breast	6	-	-	-	1	1	3	1	494	2	10	53	127	134	98	70
Ovary	-	-	-	-	-	-	-	-	60	4	4	9	17	14	11	1
Uterus	-	-	-	-	-	-	-	-	480	1	17	84	132	128	83	35
Vagina, Vulva	-	-	-	-	-	-	-	-	24	-	1	1	5	4	5	8
Pelvis	7	2	1	2	-	1	-	1	21	-	1	1	8	2	8	1
Brain	4	1	-	2	1	-	-	-	5	1	1	1	1	1	-	-
Spinal Cord	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Eye and Orbit	5	-	-	1	1	1	1	1	4	1	-	-	-	1	-	2
Ear	2	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-
Nose	2	-	-	-	-	1	1	-	3	-	-	1	-	-	-	2
Skull and Spinal Column	8	2	-	2	2	1	1	-	13	-	-	-	4	5	2	2
Spleen	3	-	1	-	2	-	-	-	3	-	1	-	-	1	1	-
Thyroid	1	-	-	-	1	-	-	-	14	-	-	-	4	3	6	1
Lymphatic Glands	60	5	2	3	9	18	21	2	37	-	-	2	7	12	8	8
Rib and Sternum	6	1	-	1	-	2	2	-	6	-	-	2	-	1	3	-
Arm and Leg	32	7	2	3	10	4	3	3	32	6	-	3	7	6	6	4
Scalp and Face	44	-	1	1	2	9	18	13	41	-	2	-	1	8	8	22
Skin	2	-	-	-	-	1	1	-	5	-	-	1	-	-	2	2
Other Locations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	-	-	-	-	1	1	1	7	-	-	2	2	1	1	1
TOTAL	2467	43	39	141	411	762	761	310	3298	29	91	283	634	878	845	538

TABLE 43.—DEATHS FROM SUICIDE IN 1920.

TABLE 43.—Deaths from

	TOTAL.		Cut ; Stab.		Drowning.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.
SCOTLAND - - - - -	165	71	54	16	25	12
COUNTIES.						
Aberdeen	13	4	5	2	2	-
Argyll	1	1	-	1	-	-
Ayr	5	4	2	2	1	-
Banff	1	3	-	-	-	1
Berwick	1	-	-	-	1	-
Bute	-	-	-	-	-	-
Caithness	1	1	1	-	-	-
Clackmannan	1	2	1	1	-	1
Dumbarton	3	1	1	1	-	-
Dumfries	7	2	4	1	-	-
Edinburgh (Midlothian)	29	11	7	3	5	3
Elgin (Moray)	2	-	1	-	-	-
Fife	7	3	4	2	-	1
Forfar	4	10	1	-	2	2
Haddington	-	-	-	-	-	-
Inverness	2	-	-	-	-	-
Kincardine	1	-	-	-	-	-
Kinross	-	-	-	-	-	-
Kirkcudbright	1	-	-	-	1	-
Lanark	57	16	13	3	11	3
Linlithgow	3	-	2	-	-	-
Nairn	1	-	-	-	-	-
Orkney	-	1	-	-	-	-
Peebles	1	-	-	-	-	-
Perth	6	2	3	-	-	-
Renfrew	12	3	5	-	2	-
Ross and Cromarty	3	4	2	-	-	1
Roxburgh	-	1	-	-	-	-
Selkirk	-	1	-	-	-	-
Shetland	1	-	1	-	-	-
Stirling	1	1	1	-	-	-
Sutherland	-	-	-	-	-	-
Wigtown	1	-	-	-	-	-
LARGER BURGHS.						
Glasgow	48	13	9	3	11	3
Edinburgh	22	5	5	2	4	1
Dundee	3	7	1	-	1	-
Aberdeen	10	2	4	-	2	-
Paisley	2	2	1	-	-	-
Leith	4	2	2	-	-	-
Greenock	4	1	1	-	1	-
Coatbridge	-	-	-	-	-	-
Motherwell	1	-	1	-	-	-
Kirkcaldy	2	-	2	-	-	-
Hamilton	3	1	1	-	-	-
Clydebank	3	-	1	-	-	-
Perth	-	1	-	-	-	-
Kilmarnock	3	-	1	-	-	-
Falkirk	-	-	-	-	-	-
Ayr	1	-	1	-	-	-
TOTAL, Larger Burghs - - - - -	106	34	30	5	19	4

SUICIDE in 1920.

Gunshot Wounds.		Hanging.		Poison.		Precipitation.		Railways.		Otherwise or Not Stated.	
Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
17	1	37	15	25	21	6	5	1	1	-	-
2	-	2	1	1	1	-	-	1	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-
-	-	2	1	-	1	-	-	-	-	-	-
1	-	-	1	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	1	-	-	-	-	-	-	-
1	-	2	1	-	-	-	-	-	-	-	-
2	-	5	-	9	5	1	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-
2	-	1	-	-	-	-	-	-	-	-	-
-	-	1	1	-	6	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
1	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
4	-	13	5	12	3	4	2	-	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-
-	-	3	-	-	1	-	1	-	-	-	-
2	-	1	-	1	3	1	-	-	-	-	-
-	-	1	2	-	-	-	1	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
2	-	12	2	10	3	4	2	-	-	-	-
1	-	4	-	7	2	1	-	-	-	-	-
-	-	1	-	-	6	-	1	-	-	-	-
1	-	1	1	1	1	-	-	1	-	-	-
-	-	-	-	-	2	1	-	-	-	-	-
1	-	-	-	1	2	-	-	-	-	-	-
2	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	1	-	-	-	-	-	-	-	-
-	-	1	-	1	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
8	-	22	4	20	18	6	3	1	-	-	-

TABLE 44.—Deaths from Poison in Scotland in 1920.

ACCIDENTAL POISONING.					Males.	Females.	TOTAL.
Name of Poison.							
Carbolic Acid, - - - -	-	-	-	-	5	2	7
Arsenic, - - - - -	-	-	-	-	1	3	4
Opium, - - - - -	-	-	-	-	2	3	5
Ammonia, - - - - -	-	-	-	-	2	1	3
Irritant, - - - - -	-	-	-	-	2	-	2
Oxalic Acid, - - - - -	-	-	-	-	1	1	2
Cyanide of Potassium, - - - -	-	-	-	-	1	-	1
Caustic Soda, - - - - -	-	-	-	-	1	-	1
Neosalvarsan, - - - - -	-	-	-	-	1	-	1
Mercury, - - - - -	-	-	-	-	1	-	1
Hemlock, - - - - -	-	-	-	-	1	-	1
Nicotine, - - - - -	-	-	-	-	1	-	1
Corrosive Sublimate, - - - - -	-	-	-	-	1	-	1
Strychnine, - - - - -	-	-	-	-	1	-	1
Liniment, - - - - -	-	-	-	-	1	-	1
Acetic Acid, - - - - -	-	-	-	-	1	-	1
Salicylate, - - - - -	-	-	-	-	-	1	1
Hydrochloric Acid, - - - - -	-	-	-	-	-	1	1
Corrosive, - - - - -	-	-	-	-	-	1	1
Bromidia and Opium, - - - - -	-	-	-	-	-	1	1
Potassium Bichromate, - - - -	-	-	-	-	-	1	1
Not Stated, - - - - -	-	-	-	-	-	1	1
Total, - - - - -	-	-	-	-	23	16	39
POISONOUS VAPOURS.							
Coal Gas, - - - - -	-	-	-	-	16	16	32
Carbon Monoxide, - - - - -	-	-	-	-	6	-	6
Sulphur Fumes, - - - - -	-	-	-	-	1	-	1
Gas at Ironwork, - - - - -	-	-	-	-	1	-	1
Mustard Gas, - - - - -	-	-	-	-	1	-	1
Total, - - - - -	-	-	-	-	25	16	41
SUICIDAL POISONING.							
Coal Gas, - - - - -	-	-	-	-	17	12	29
Carbolic Acid - - - - -	-	-	-	-	1	3	4
Hydrocyanic Acid, - - - - -	-	-	-	-	3	-	3
Oxalic Acid, - - - - -	-	-	-	-	-	2	2
Corrosive, - - - - -	-	-	-	-	1	-	1
A.B.C. liniment, - - - - -	-	-	-	-	1	-	1
Arsenic, - - - - -	-	-	-	-	1	-	1
Caustic Soda, - - - - -	-	-	-	-	-	1	1
Toxol, - - - - -	-	-	-	-	-	1	1
Ammonia, - - - - -	-	-	-	-	-	1	1
Not Stated, - - - - -	-	-	-	-	1	1	2
Total, - - - - -	-	-	-	-	25	21	46
DEATHS UNDER ANÆSTHETICS (Secondary Cause).							
Chloroform, - - - - -	-	-	-	-	22	19	41
Chloroform and Ether, - - - -	-	-	-	-	9	12	21
Ether, - - - - -	-	-	-	-	3	2	5
Ethyl Chloride, - - - - -	-	-	-	-	1	1	2
Not Stated, - - - - -	-	-	-	-	1	1	2
Total, - - - - -	-	-	-	-	36	35	71

TABLE 45.—Age in Completed Months of Children aged under One Year dying from Selected Causes in Scotland in 1920.

CAUSES OF DEATH.	SEXES.		Under 1 Month.	AGE IN COMPLETED MONTHS.											
	Males.	Females.		1	2	3	4	5	6	7	8	9	10	11	
Measles - - - - -	160	111	2	5	3	8	8	3	20	30	43	38	65	46	
Whooping-cough - - - -	164	177	18	41	37	26	26	27	28	19	22	39	27	31	
Diphtheria (including Croup) - -	39	25	4	2	1	1	3	2	2	8	9	11	13	8	
Tuberculous Meningitis - - -	83	63	7	11	5	14	12	19	14	20	13	9	10	12	
Abdominal Tuberculosis - - -	40	28	2	4	8	9	10	6	3	4	8	5	6	3	
Other Tuberculous Diseases - - -	40	29	3	-	2	8	7	8	9	4	7	6	7	8	
Syphilis - - - - -	106	86	61	46	29	21	13	5	4	4	1	6	1	1	
Cerebro-spinal Meningitis - - -	14	13	1	2	1	2	4	1	3	4	2	2	3	2	
Basal Meningitis - - - -	146	129	23	22	25	22	26	33	27	23	19	16	25	14	
Convulsions - - - - -	304	226	196	72	56	35	44	24	27	17	15	15	11	18	
Bronchitis - - - - -	606	430	162	198	132	104	81	61	72	67	52	41	29	37	
Broncho-pneumonia - - - -	802	578	112	132	116	131	141	115	124	100	108	94	107	100	
Pneumonia - - - - -	193	156	23	35	27	36	24	26	29	32	36	27	31	23	
Pulmonary Congestion - - - -	49	37	23	12	12	9	5	6	6	4	2	3	-	4	
Other Diseases of Stomach, Gastritis	110	76	36	28	30	22	18	14	8	8	9	5	4	4	
Diarrhœa, - - - - -	650	511	141	140	177	165	134	101	72	60	59	38	45	29	
Congenital Malformations - - -	304	257	373	59	43	20	16	12	10	11	4	6	5	2	
Premature Birth - - - - -	1436	1096	2352	132	30	8	4	2	1	-	1	1	-	1	
Congenital Debility, Icterus Sclerema	1176	785	1196	263	174	119	87	47	22	20	10	11	8	4	
Other Infantile Diseases - - -	217	156	351	13	7	1	1	-	-	-	-	-	-	-	
Overlying - - - - -	19	19	12	9	4	9	3	-	-	-	-	-	-	1	
Suffocation (otherwise) - - -	15	24	17	6	6	2	2	1	1	2	-	1	1	-	
All Other Causes - - - - -	526	354	306	110	92	53	59	39	43	48	39	31	35	25	
Total - - - - -	12,565	5421	1342	1017	825	728	552	525	485	459	405	433	373		
Males - - - - -	7199	-	3174	769	597	456	388	303	289	274	278	220	245	206	
Females - - - - -	-	5366	2247	573	420	369	340	249	236	211	181	185	188	167	

TABLE 46.—Month of Registration of Deaths of Children aged under One Year from Selected Causes in Scotland in 1920.

CAUSES OF DEATH.	Total.	MONTH OF REGISTRATION OF DEATH.											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Measles - - - - -	271	32	21	42	70	46	31	12	4	2	3	3	5
Whooping-cough - - - -	341	35	25	27	43	43	30	27	23	13	17	20	38
Diphtheria - - - - -	64	4	5	5	9	7	4	1	6	4	3	7	9
Tuberculous Meningitis - - -	146	11	7	12	18	11	13	16	11	14	9	12	12
Abdominal Tuberculosis - - -	68	3	5	3	5	6	8	2	8	6	10	6	6
Other Tuberculous Diseases - -	69	2	7	8	11	7	11	2	5	2	3	7	4
Syphilis - - - - -	192	20	14	17	30	15	13	11	9	16	18	14	15
Cerebro-spinal Meningitis - - -	27	-	-	2	3	3	1	-	1	6	3	5	3
Basal Meningitis - - - -	275	17	12	22	20	31	24	26	26	24	23	24	26
Convulsions - - - - -	530	43	57	72	57	56	37	37	27	28	33	32	51
Bronchitis - - - - -	1036	84	109	157	123	118	43	36	24	30	67	104	141
Broncho-pneumonia - - - -	1380	94	107	166	221	144	59	54	32	37	88	168	210
Pneumonia - - - - -	349	38	30	33	42	38	26	12	11	14	19	44	42
Pulmonary Congestion - - - -	86	7	7	12	7	6	3	1	3	5	11	15	9
Other Diseases of Stomach, Gastritis	186	12	16	17	19	15	15	14	14	9	16	19	20
Diarrhoea - - - - -	1161	59	56	82	70	102	93	93	144	147	128	110	77
Congenital Malformations - - -	561	48	51	61	52	44	45	37	36	40	49	45	53
Premature Birth - - - - -	2532	272	238	251	227	204	202	186	187	167	160	198	210
Congenital Debility, Icterus Sclerema	1961	185	193	194	188	180	153	129	121	124	144	155	195
Other Infantile Diseases - - -	373	29	34	46	48	28	23	26	25	26	30	28	30
Overlying - - - - -	38	5	2	5	3	4	4	2	2	2	1	2	6
Suffocation (otherwise) - - -	39	5	2	3	4	5	2	3	2	2	1	6	4
All Other Causes - - - - -	880	58	75	93	84	106	69	71	61	58	71	55	76
Total - - - - -	12,565	1063	1073	1330	1354	1219	909	798	782	776	907	1079	1275

TABLE 47.—Deaths (uncorrected for Transfers) from Certified and Uncertified Causes in 1920.

	TOTAL DEATHS (UNCOR- RECTED).	DEATHS FROM CERTIFIED CAUSES.	DEATHS FROM UNCERTI- FIED CAUSES.	PERCENTAGE OF UNCERTIFIED TO TOTAL DEATHS.		
				1920.	1919.	Mean of Five Years 1915-1919.
SCOTLAND,	68,179	67,422	757	1·1	1·5	1·8
NORTHERN DIVISION, . .	1,448	1,282	166	11·5	11·9	13·6
NORTH-WESTERN Do. . .	2,313	1,879	434	18·8	15·7	16·9
NORTH-EASTERN Do. . .	6,317	6,299	18	0·3	0·3	0·6
EAST-MIDLAND Do. . .	9,825	9,802	23	0·2	0·4	0·7
WEST-MIDLAND Do. . .	4,952	4,913	39	0·8	1·3	1·5
SOUTH-WESTERN Do. . .	31,066	31,012	54	0·2	0·3	0·4
SOUTH-EASTERN Do. . .	9,514	9,496	18	0·2	1·4	2·5
SOUTHERN Do. . .	2,744	2,739	5	0·2	0·2	0·4
<i>Counties.</i>						
Aberdeen,	4,415	4,405	10	0·2	0·2	0·4
Argyll,	951	923	28	2·9	6·2	5·8
Ayr,	3,510	3,504	6	0·2	0·2	0·3
Banff,	760	757	3	0·4	0·8	0·8
Berwick,	295	294	1	0·3	1·3	0·5
Bute,	250	245	5	2·0	1·1	1·6
Caithness,	448	432	16	3·6	3·9	3·8
Clackmannan,	370	370	—	0·0	0·5	0·4
Dumbarton,	1,667	1,663	4	0·2	0·1	0·5
Dumfries,	1,169	1,168	1	0·1	0·2	0·5
Edinburgh (Midlothian), . .	7,410	7,395	15	0·2	1·6	3·1
Elgin (Moray),	575	573	2	0·3	0·8	1·0
Fife,	3,407	3,398	9	0·3	0·3	0·6
Forfar,	1,269	1,264	5	0·1	0·2	0·6
Haddington,	473	473	—	0·0	0·2	0·5
Inverness,	1,220	1,029	191	15·7	13·5	13·4
Kincardine,	460	458	2	0·4	0·0	0·2
Kinross,	120	120	—	0·0	0·8	1·7
Kirkcudbright,	524	522	2	0·4	0·0	0·2
Lanark,	23,405	23,370	35	0·1	0·3	0·4
Linlithgow,	854	853	1	0·1	0·4	0·3
Nairn,	107	106	1	0·9	1·4	5·3
Orkney,	354	326	28	7·9	8·3	8·6
Peebles,	181	181	—	0·0	0·0	0·3
Perth,	1,659	1,650	9	0·5	0·9	1·0
Renfrew,	4,151	4,138	13	0·3	0·4	0·9
Ross and Cromarty,	1,093	850	243	22·2	18·1	21·3
Roxburgh,	566	566	—	0·0	0·1	0·8
Selkirk,	301	300	1	0·3	0·0	0·1
Shetland,	380	302	78	20·5	18·9	23·6
Stirling,	2,084	2,082	2	0·1	0·1	0·3
Sutherland,	266	222	44	16·5	19·3	22·7
Wigtown,	485	483	2	0·4	0·6	0·7

TABLE 48.—Meteorology of Scotland for 1920; also the Number of Births, Deaths, and Marriages registered during each Month of the Year 1920.

	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.
Mean Barometer(inch)	29·620	29·957	29·713	29·631	29·872	29·992	29·782	30·020	29·934	29·968	29·907	29·910	29·859
Mean of Max. Temp.	43°·2	47°·2	47°·8	49°·3	57°·3	63°·0	61°·7	61°·7	59°·7	53°·9	49°·4	42°·8	53°·1
„ „ Min.	34°·2	36°·9	37°·6	38°·7	43°·9	48°·1	49°·9	49°·2	47°·3	44°·2	41°·6	34°·6	42°·2
Mean Temperature.	38°·7	42°·1	42°·7	44°·0	50°·6	55°·6	55°·8	55°·5	53°·5	49°·1	45°·5	38°·7	47°·7
Absolute Maximum.	58°	62°	63°	63°	79°	81°	72°	76°	72°	71°	63°	56°	81°
Absolute Minimum.	14°	21°	19°	22°	22°	27°	30°	31°	27°	19°	15°	11°	11°
Rainfall(Normal100)	142	164	137	100	164	65	104	85	87	67	106	91	108
Births	12678	11822	13251	12699	12195	11326	11089	10557	9980	10615	9990	10344	136546
Deaths	6526	5520	6880	6757	6358	5134	4729	4693	4528	4805	5643	6606	68179
Marriages	5505	2775	3472	4021	2337	5526	5597	3289	3817	3037	3124	4343	46843
Rates per 1000 of Estimated Population													
Births	30·8	30·7	32·2	31·8	29·6	28·4	26·9	25·6	25·0	25·8	25·1	25·1	28·1
Deaths	15·8	14·3	16·7	16·9	15·4	12·9	11·5	11·4	11·4	11·7	14·2	16·0	14·0
Marriages	13·4	7·2	8·4	10·1	5·7	13·9	13·6	8·0	9·6	7·4	7·8	10·5	9·6

TABLE 49.—Deaths, Temperature, and Fall of Rain in the Larger Burghs of Scotland during each Week of 1920.

No. of Week.	Week ending	Deaths (Corrected for Transfers).	Death-rate (Corrected) per 1000 of Population.	TEMPERATURE.			RAIN, in inches	No. of Week.	Week ending	Deaths (Corrected for Transfers).	Death-rate (Corrected) per 1000 of Population.	TEMPERATURE.			RAIN, in inches
				Maxi-mum.	Mini-mum.	Mean.						Maxi-mum.	Mini-mum.	Mean.	
1	January 10	769	16·6	55·0	22·5	36·7	0·86	27	July 10	561	12·1	71·8	37·5	54·6	
2	17	748	16·1	57·6	30·3	41·7	1·11	28	17	516	11·1	67·2	49·0	57·5	
3	24	712	15·3	53·0	29·2	40·4	1·05	29	24	537	11·6	68·0	45·5	56·7	
4	31	737	15·9	49·0	28·5	38·9	1·06	30	31	522	11·2	67·0	42·5	55·2	
5	February 7	682	14·7	55·0	29·5	42·7	0·48	31	August 7	514	11·1	67·0	38·5	54·7	
6	14	634	14·7	53·0	31·5	41·6	2·08	32	14	572	12·3	73·0	47·0	58·0	
7	21	658	14·2	55·0	28·0	40·9	0·96	33	21	499	10·8	74·0	36·3	53·6	
8	28	730	15·7	57·0	23·5	42·2	0·17	34	28	515	11·1	74·0	42·5	56·1	
9	March 6	730	15·7	60·3	33·2	46·2	1·13	35	September 4	455	9·8	65·0	41·0	54·2	
10	13	742	16·0	50·0	26·0	38·0	0·24	36	11	521	11·2	66·0	41·0	54·6	
11	20	828	17·8	60·0	30·5	42·9	0·51	37	18	524	11·3	67·0	35·5	52·7	
12	27	834	18·0	60·0	33·5	44·4	1·21	38	25	575	12·4	66·3	31·5	49·8	
13	April 3	800	17·2	50·2	37·0	43·2	1·03	39	October 2	561	12·1	70·2	40·5	56·5	
14	10	805	17·3	54·2	27·5	42·5	0·24	40	9	592	12·8	65·0	37·5	53·5	
15	17	877	18·9	56·5	31·5	43·7	0·70	41	16	535	11·5	59·5	40·0	50·8	
16	24	889	19·2	62·0	32·2	46·4	0·39	42	23	560	12·1	61·4	30·5	48·2	
17	May 1	848	18·3	56·0	30·5	44·3	0·87	43	30	644	13·9	58·0	30·5	43·0	
18	8	856	18·4	62·0	33·3	47·6	0·96	44	November 6	683	14·7	54·8	33·5	45·0	
19	15	786	16·9	69·8	33·5	48·6	0·44	45	13	664	14·3	59·0	38·0	49·6	
20	22	725	15·6	69·8	40·0	50·5	0·96	46	20	630	13·6	59·0	34·9	46·9	
21	29	658	14·2	77·2	44·0	56·3	0·72	47	27	664	14·3	55·0	20·5	41·0	
22	June 5	629	13·6	68·1	35·6	53·1	0·29	48	December 4	627	13·5	50·9	35·5	43·7	
23	12	589	12·7	69·9	36·5	52·1	0·05	49	11	704	15·2	44·4	27·5	36·6	
24	19	617	13·3	78·2	40·5	59·3	0·35	50	18	743	16·1	43·0	21·5	34·9	
25	26	533	11·5	70·6	43·9	57·0	0·19	51	25	751	16·2	53·0	17·5	39·3	
26	July 3	515	11·1	68·5	40·5	55·1	1·85	52	Jan. 1, 1921	854	18·4	54·0	31·5	43·4	

This Table is compiled from Weekly Returns for 1920. Deaths and Death-rates have been corrected by allocation to place of usual residence.

TABLE 50.—VACCINATIONS in SCOTLAND, 1909-1919.

Years		Success-fully Vaccinated.	Insusceptible of Vaccination.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Vaccination Postponed.	Removed from District before Vaccination, or otherwise un-accounted for.	TOTAL BIRTHS.
			From previous Vaccination.	From Constitutional Insusceptibility.	From having had Small-pox					
1909	Numbers .	83,289	746	784	0	11,594	22,746	3,354	6,207	128,720
1910	Numbers .	76,068	647	739	0	10,662	26,954	3,054	5,990	124,114
1911	Numbers .	70,472	648	143	0	11,137	29,582	2,775	6,140	121,897
1912	Numbers .	69,179	476	1454	0	10,788	33,166	2,903	5,910	122,876
1913	Numbers .	63,952	460	424	0	10,826	36,479	2,712	5,769	120,622
1914	Numbers .	62,942	491	728	0	11,738	38,673	2,782	6,550	123,904
1915	Numbers .	61,072	384	329	0	10,159	35,231	2,317	4,757	114,249
1916	Numbers .	58,172	289	387	0	9,029	35,553	2,332	4,259	110,071
1917	Numbers .	50,030	199	444	0	7,848	32,816	2,469	3,674	97,480
1918	Numbers .	48,833	226	540	0	8,523	33,492	2,748	4,196	98,558
10 Years	Average .	64,401	457	597	0	10,230	32,469	2,750	5,345	116,249
1919	Numbers	56,489	379	465	0	8,183	35,583	1,706	3,469	106,274
1909	Percentage	64·706	0·579	0·609	0·000	9·656	12·059	2·832	5·448	100·000
1910	Percentage	61·289	0·521	0·595	0·000	9·007	17·671	2·606	4·822	100·000
1911	Percentage	57·813	0·531	0·938	0·000	8·591	21·717	2·461	4·826	100·000
1912	Percentage	56·300	0·387	0·369	0·000	9·136	24·268	2·277	5·037	100·000
1913	Percentage	52·019	0·381	0·352	0·000	8·780	26·991	2·363	4·810	100·000
1914	Percentage	50·799	0·396	0·588	0·000	8·975	30·242	2·248	4·783	100·000
1915	Percentage	53·455	0·336	0·288	0·000	8·892	30·837	2·028	4·164	100·000
1916	Percentage	52·850	0·262	0·352	0·000	8·203	32·300	2·164	3·869	100·000
1917	Percentage	51·323	0·204	0·456	0·000	8·051	33·664	2·533	3·769	100·000
1918	Percentage	49·548	0·229	0·548	0·000	8·645	33·982	2·788	4·257	100·000
10 Years	Percentage	55·399	0·393	0·513	0·000	8·800	27·931	2·366	4·598	100·000
1919	Percentage	53·154	0·357	0·438	0·000	7·700	33·482	1·605	3·264	100·000

TABLE 51.—VACCINATIONS in SCOTLAND, 1909-1919, deducting from the Births those who died before they could be Vaccinated.

Years.		Successfully Vaccinated.	Insusceptible of Vaccination.			Statutory Declaration of Conscientious Objection.	Vaccination Postponed	Removed from District before Vaccination, or otherwise un-accounted for.	TOTAL LIVING.
			From Previous Vaccina-tion.	From Constitu-tional Insuscep-tibility.	From having had Small-pox				
1909	Numbers .	83,289	746	784	0	22,746	3,354	6,207	117,126
1910	Numbers .	76,068	647	739	0	26,954	3,054	5,990	113,452
1911	Numbers .	70,472	648	1,143	0	29,582	2,775	6,140	110,760
1912	Numbers .	69,179	476	454	0	33,166	2,903	5,910	112,088
1913	Numbers .	63,952	460	424	0	36,479	2,712	5,769	109,796
1914	Numbers .	62,942	491	728	0	38,673	2,782	6,550	112,166
1915	Numbers .	61,072	384	329	0	35,231	2,317	4,757	104,090
1916	Numbers .	58,172	289	387	0	35,553	2,332	4,259	101,042
1917	Numbers .	50,030	199	444	0	32,816	2,469	3,674	89,632
1918	Numbers .	48,833	226	540	0	33,492	2,748	4,196	90,035
10 Years	Average .	54,401	457	597	0	32,469	2,750	5,345	106,019
1919	Numbers	56,489	379	465	0	35,583	1,706	3,469	98,091
1909	Percentage	71·111	0·637	0·669	0·000	19·420	2·864	5·299	100·000
1910	Percentage	67·049	0·570	0·651	0·000	23·758	2·692	5·280	100·000
1911	Percentage	63·626	0·585	1·032	0·000	26·708	2·505	5·544	100·000
1912	Percentage	61·718	0·425	0·405	0·000	29·589	2·590	5·273	100·000
1913	Percentage	58·246	0·419	0·336	0·000	33·224	2·470	5·255	100·000
1914	Percentage	56·115	0·438	0·649	0·000	34·478	2·480	5·340	100·000
1915	Percentage	58·672	0·369	0·316	0·000	33·847	2·226	4·570	100·000
1916	Percentage	57·672	0·286	0·333	0·000	35·187	2·357	4·215	100·000
1917	Percentage	55·817	0·222	0·495	0·000	36·612	2·755	4·099	100·000
1918	Percentage	51·238	0·251	0·600	0·000	37·199	3·052	4·660	100·000
10 Years	Percentage	60·745	0·431	0·563	0·000	30·626	2·594	5·041	100·000
1919	Percentage	57·588	0·386	0·474	0·000	36·276	1·739	3·537	100·000

TABLE 52.—Deaths from Small-pox in Scotland, 1855-1919, with Vaccination Particulars, 1864-1919.

State of Vaccination of Children whose Births were Registered in each Year from 1864 to 1919: Percentages (excluding those who Died before Vaccination).						Deaths from Small-pox in each Year from 1855 to 1919.					Deaths from Cow-pox and Effects of Vaccination, 1883-1919.
Year.	Successfully Vaccinated.*	Vaccination Posponed.†	Insusceptible of Vaccination.	Statutory Declarations of Conscientious Objection.	Unaccounted for.	Total.	0-5 Years..	5-24 Years.	25-64 Years.	65 Years and upwards.	
1855						‡1,309	983	224	99	2	
1856						§1,306	982	218	99	5	
1857						845	657	123	65	..	
1858						332	249	53	28	2	
1859						682	473	130	78	1	
1860						1,495	991	301	194	6	
1861						‡766	535	139	89	2	
1862						426	305	79	41	1	
1863						‡1,646	1,036	377	227	5	
1864	95·8	0·7	0·8		2·7	‡1,741	983	435	313	9	
1865	96·3	0·7	0·5		2·5	383	199	107	73	4	
1866	96·5	0·6	0·3		2·6	200	128	45	27	..	
1867	96·8	0·6	0·2		2·4	100	62	25	13	..	
1868	96·5	0·9	0·3		2·3	15	12	2	1	..	
1869	96·2	0·9	0·2		2·7	64	33	16	15	..	
1870	96·6	0·8	0·2		2·4	114	46	39	29	..	
1871	96·4	0·8	0·4		2·4	1,442	307	659	462	14	
1872	96·9	0·7	0·2		2·2	‡2,448	552	1,005	864	26	
1873	96·4	1·0	0·2		2·4	‡1,126	263	486	367	9	
1874	96·2	1·1	0·2		2·5	‡1,246	291	551	395	8	
1875	96·4	1·1	0·2		2·3	76	17	33	23	3	
1876	96·7	0·9	0·2		2·2	39	7	13	18	1	
1877	96·7	1·1	0·2		2·0	38	4	22	12	..	
1878	96·7	1·0	0·2		2·1	4	1	2	1	..	
1879	96·6	1·1	0·2		2·1	8	1	1	6	..	
1880	96·6	1·2	0·1		2·1	10	2	6	2	..	
1881	96·3	1·4	0·1		2·2	19	2	10	6	1	
1882	96·0	1·5	0·2		2·3	3	3	..	
1883	96·0	1·6	0·2		2·2	11	2	3	6	..	
1884	95·7	1·7	0·2		2·4	14	2	6	5	1	1
1885	95·5	1·8	0·2		2·5	39	3	13	23	..	3
1886	95·2	2·0	0·2		2·6	24	4	10	9	1	3
1887	94·9	2·2	0·2		2·7	17	..	6	11	..	6
1888	95·0	2·1	0·2		2·7	3	1	1	1	..	2
1889	94·5	2·4	0·2		2·9	8	1	1	6	..	3
1890	94·6	2·5	0·2		2·7	4
1891	94·8	2·3	0·2		2·7	5
1892	94·8	2·2	0·3		2·7	11	2	2	7	..	3
1893	94·8	2·2	0·4		2·6	68	11	13	43	1	1
1894	94·9	2·3	0·4		2·4	129	19	31	75	4	3
1895	94·9	2·3	0·4		2·4	47	4	8	35	..	1
1896	94·2	2·4	0·5		2·9	2	1	..	1	..	1
1897	94·1	2·5	0·5		2·9	10	3	1	5	1	3
1898	93·4	2·7	0·5		3·4	2	..	1	1	..	1
1899	93·6	2·5	0·5		3·4	1	1
1900	94·5	2·0	0·4		3·1	53	10	7	36	..	1
1901	93·5	2·4	0·8		3·2	278	36	32	205	5	..
1902	93·9	2·4	0·4		3·3	80	11	13	53	3	..
1903	94·5	2·1	0·3		3·1	41	6	5	29	1	1
1904	93·9	2·4	0·4		3·3	185	35	18	128	4	..
1905	93·8	2·4	0·4		3·4	4	2	..	2	..	1
1906	91·9	2·6	0·5	0·2	4·8	1	1	..	1
1907	83·5	3·3	0·7	6·2	6·3	1	1
1908	76·8	3·1	0·7	13·4	6·0	6	..	1	5
1909	71·7	2·9	0·7	19·4	5·3	1
1910	67·6	2·7	0·6	23·8	5·3	2
1911	64·2	2·5	1·0	26·7	5·6	5	..	2	3
1912	62·1	2·6	0·4	29·6	5·3	17	1	3	12	1	..
1913	58·6	2·5	0·4	33·2	5·3
1914	56·6	2·5	0·6	34·5	5·8	1	1	..	1
1915	59·0	2·2	0·3	33·9	4·6	2	2
1916	57·8	2·4	0·4	35·2	4·2	1	1
1917	56·0	2·8	0·5	36·6	4·1
1918	54·5	3·0	0·6	37·2	4·7
1919	58·0	1·7	0·5	36·3	3·5	2

* Including such as were certified as Insusceptible of Vaccination "on the ground of previous successful vaccination," the children having been vaccinated by persons unauthorised to grant certificates.

† At the end of the year following that of registration of birth.

‡ Including 1 of unstated age.

§ Including 2 of unstated age.

|| Including 3 of unstated age.

TABLE 53.—Deaths from Small-pox in Scotland in Decennial Periods since 1855.

AGES.	SMALL-POX DEATHS, 1915-1919.		SMALL-POX DEATHS, 1905-1914.		SMALL-POX DEATHS, 1895-1904.		SMALL-POX DEATHS, 1885-1894.		SMALL-POX DEATHS, 1875-1884.		SMALL-POX DEATHS, 1865-1874.		SMALL-POX DEATHS, 1855-1864.	
	Number.	Percent-age at each age.	Number.	Percent-age at each age.	Number.	Percent-age at each age.	Number.	Percent-age at each age.	Number.	Percent-age at each age.	Number.	Percent-age at each age.	Number.	Percent-age at each age.
0-5	2	66·7	3	8·6	106	15·2	41	13·7	38	17·1	1893	26·5	7194	68·3
5-24	6	17·1	85	12·1	77	25·8	96	43·3	2935	41·1	2079	19·7
25-64	1	33·3	25	71·4	494	70·7	175	58·5	82	36·9	2246	31·5	1233	11·7
6 and above	1	2·9	14	2·0	6	2·0	6	2·7	61	0·9	33	0·3
Total.	3	100·0	35	100·0	699	100·0	299	100·0	222	100·0	*7138	100·0	†10548	100·0

* Including 3 of unstated age.

† Including 9 of unstated age.

1. EVENTS REGISTERED IN 1920. 2. VACCINATIONS OF CHILDREN REGISTERED IN 1919.

(Figures in this Table show actual numbers as registered, and are not "Corrected for Transfers.")

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES, 1920.			VACCINATIONS, 1919.					
		1911	1921	Births.		Deaths.	Marr- riages.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vacci- nation, or otherwise.	Total Births for 1919.
				Total.	Illegit- imate.							
1	1. SHETLAND.	641	589	10	1	5	1	2	0	0	0	4
2	Bressay,	1338	1136	24	2	21	0	0	0	0	0	30
3	Deltling,											
	Dunrossness, etc.—											
	(1) Dunrossness,	1581	1234	20	0	17	2	1	0	0	0	12
	(2) Sandwick and Cunnings- burgh,	2241	1919	40	2	19	8	1	0	0	0	24
4	(3) Fair Isle,	139	127	4	0	2	0	0	0	0	0	1
	Fetlar,	279	224	3	0	3	0	0	0	0	0	3
5	Lerwick—(1) Lerwick,	6402	6948	142	12	112	11	5	0	0	3	102
	(2) Burra Isles,	894	808	19	0	11	0	0	0	0	0	3
6	Yell—(1) Mid and South Yell,	1690	1543	38	2	24	3	0	0	0	6	27
	(2) North Yell,	658	590	16	1	13	1	0	0	0	0	30
7	Nesting, etc.—(1) Nesting,	605	519	5	0	6	5	0	0	0	0	11
	(2) Lunnasting,	559	466	3	0	8	0	0	0	0	0	4
	(3) Whalsay,	1042	855	17	1	12	0	0	0	0	0	6
	(4) Whalsay Skerries,	144	127	0	0	1	2	0	0	0	0	17
8	Northmaven,	1866	1635	20	1	24	8	0	0	0	0	0
9	Sandsting and Aithsting,	2100	1871	37	3	42	3	0	0	0	0	21
10	Tingwall, etc.—(1) Tingwall,	1406	1185	22	2	9	3	1	0	0	3	27
	(2) Whiteness and Weisdale,	704	581	13	1	10	6	0	0	0	0	13
11	Unst,	2077	1817	21	2	23	5	0	0	0	1	9
12	Walls, etc.—(1) Walls,	852	674	10	1	9	2	0	0	0	4	19
	(2) Sandness,	497	404	7	1	6	0	0	0	0	0	12
	(3) Papa-Stour,	212	119	1	0	2	0	0	0	0	0	4
	(4) Foula,	184	149	0	0	1	0	0	0	0	0	1
	Total,	27911	25520	472	32	380	161	21	0	0	27	378

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1920.			VACCINATIONS, 1919.								
		1911	1921	Births.		Deaths.	Marr- riages.	Statutory Declarations of Conscientious Objection.	Died before Vaccination.	Insusceptible of Vaccine Disease.			Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccina- tion, or otherwise.	Total Births for 1919.
				Total.	Illegit- imate.					On the ground of Constitutional Insusceptibility.	On the ground of previous Successful Vaccination.	In respect of the Children having already had Small-pox.			
13	2. ORKNEY.	1164	1091	23	0	21	6	4	0	0	2	4	0	10	
14	Birsay,	642	586	11	0	6	4	2	0	0	0	4	0	6	
15	Deerness,	559	534	11	1	3	4	3	0	0	0	5	0	8	
16	Eday and Pharay,	955	900	14	0	12	1	3	0	0	0	13	0	18	
17	Evie and Rendall,	693	641	14	2	13	4	1	0	0	0	10	0	11	
	Firth and Stennes—(1) Firth,	517	503	9	0	9	0	2	0	0	0	0	0	2	
	(2) Stennes,	608	594	9	2	10	8	0	0	0	0	9	0	10	
18	Harray,	763	770	16	1	6	3	3	0	0	1	11	0	15	
19	Holm and Paplay,	393	336	3	0	4	1	2	0	0	0	1	0	4	
20	Hoy and Græmsay,	4595	4524	119	7	63	43	32	0	0	0	40	0	83	
21	Kirkwall and St. Ola,	436	349	1	0	7	2	0	0	0	0	3	0	3	
22	North Ronaldsay,	798	734	20	4	10	4	10	0	0	0	5	0	16	
23	Orphir,	710	645	12	2	6	3	8	0	0	0	4	0	14	
24	Rousay and Egilsay,	698	649	14	0	8	6	5	0	0	0	3	0	8	
25	St. Andrews,	1529	1403	20	1	14	5	4	0	0	0	17	0	21	
26	Sanday,	986	882	17	0	10	5	4	0	0	0	4	0	10	
27	Sandwick,	718	624	8	0	8	2	4	0	0	0	9	0	14	
28	Shapinsay,	2395	2101	45	2	46	10	33	0	0	1	10	1	51	
29	South Ronaldsay,	2348	2263	51	2	32	10	17	0	0	0	22	2	48	
30	Stromness,	1217	1067	17	3	13	8	2	0	0	0	6	0	8	
31	Stronsay,	843	775	17	1	15	2	3	0	0	0	9	0	12	
32	Walls, etc.—(1) Walls,	404	385	5	0	4	2	0	0	0	0	4	0	4	
	(2) Flotta,	1668	1506	35	1	28	16	5	0	0	0	19	0	25	
33	Westray, etc.—(1) Westray,	258	247	7	1	6	2	0	0	0	0	3	0	3	
	(2) Papa-Westray,														
	Total,	25897	24109	498	30	354	151	147	0	2	0	215	9	404	

3. CAITHNESS.		1393	1172	45	13	14	210	212	0	1	0	0	47	241	25	42	568
34	Bower,	1393	1172	45	13	14	3	10	0	0	0	1	1	12	3	1	28
35	Canisbay,	1866	1596	23	0	23	11	16	0	0	0	0	1	8	0	4	29
36	Dunnet,	1147	1045	24	3	16	6	3	0	0	0	0	2	7	2	0	14
37 ^a	Halkirk,	2160	1969	51	8	25	11	17	0	0	0	0	4	12	0	4	37
37 ^b	Keiss,	1001	857	19	2	12	8	4	0	0	0	0	0	2	1	0	7
38	Latheron,	4514	3866	73	7	66	20	32	0	0	0	0	3	34	0	4	73
39	Olrig,	1450	1183	22	4	24	9	9	0	0	0	0	0	8	3	0	20
40	Reay,	920	769	15	4	18	1	4	0	0	0	0	2	6	3	1	16
41	Thurso,	4709	4278	114	9	88	41	37	0	0	0	0	11	46	0	5	99
42	Watten,	1079	934	16	4	10	8	7	0	0	0	0	4	3	0	2	16
43	Wick,	11771	10615	332	30	152	92	73	0	1	0	1	19	103	12	21	229
Total,		32010	28284	734	84	448	210	212	0	1	0	1	47	241	25	42	568
4. SUTHERLAND.		306	328	5	0	6	2	1	0	0	0	0	0	1	0	0	2
44	Assynt—(1) Kirkton,	306	328	5	0	6	2	1	0	0	0	0	0	1	0	0	15
	(2) Stoer,	1805	1427	19	2	24	1	10	0	0	0	0	0	1	2	2	31
45	Clyne,	1749	1616	28	1	28	1	24	0	0	0	0	0	5	0	2	20
46	Creich—(1) Benar,	1282	1110	26	0	22	4	0	0	0	0	0	1	19	0	0	2
	(2) Rosehall,	431	396	8	0	4	1	0	0	0	0	0	1	1	0	0	2
47	Dornoch,	2670	2475	49	3	29	15	33	0	0	0	0	1	6	1	1	42
48	Durness,	830	606	5	0	6	2	6	0	0	0	0	1	2	1	0	10
49	Eddrachillis—(1) Scourie,	441	464	4	0	5	0	0	0	0	0	0	0	4	1	0	5
	(2) Kinlochbervie,	809	671	20	1	12	3	3	0	0	0	0	1	10	1	0	15
50	Farr—(1) Kirkton,	1062	954	19	2	16	9	3	0	0	0	0	0	9	0	0	12
	(2) Strathay,	1406	1197	24	2	24	5	3	0	0	0	0	0	10	1	0	14
51	Golspie,	1685	1518	30	5	14	6	12	0	0	0	0	2	3	1	4	22
52	Kildonan,	1786	1518	27	2	18	10	11	0	0	0	0	2	11	2	1	27
53	Lairg,	995	1046	21	2	22	4	6	0	0	0	0	4	3	0	0	13
54	Loth,	367	321	5	1	5	1	2	0	0	0	0	0	1	0	0	3
55	Rogart,	946	803	13	4	15	2	7	0	0	0	0	0	0	0	0	7
56	Tongue,	1609	1350	21	0	16	8	11	0	1	0	1	1	8	0	0	21
Total,		20179	17800	324	25	266	74	132	0	1	0	1	14	94	10	10	261

	827	867	17	2	17	2	9	0	1	0	1	2	0	3	16
78 Nigg,	827	867	17	2	17	2	9	0	1	0	1	2	0	3	16
79 Resolis,	954	910	20	4	16	5	12	0	0	0	0	0	0	0	12
80 Rosemarkie,	1309	1287	21	3	34	2	18	0	0	0	0	3	0	0	21
81 Rosskeen,	3362	4335	132	9	39	15	46	0	1	0	1	36	4	33	122
82 Tain,	2507	2394	59	9	38	36	18	0	3	0	3	15	0	8	45
83 Tarbat,	1224	1075	28	2	21	5	7	0	1	0	1	2	3	0	13
84 Urquhart and Logie-Wester,	2006	1934	33	5	25	15	13	0	2	0	2	12	0	0	27
85 Urray,	1919	1889	27	1	25	16	13	0	1	0	1	6	1	8	29
<i>Insular.</i>															
86a Barvas,	6040	5791	163	4	101	32	19	0	7	0	7	41	3	13	83
86b Carloway,	3022	2849	72	0	43	14	16	0	2	0	2	17	0	0	51
87 Lochs,	4774	4427	119	1	64	22	67	0	6	0	6	12	5	0	90
88 Stornoway,	13438	13366	369	15	206	104	131	0	16	0	16	28	2	56	233
89 Uig,	2329	1928	43	2	22	8	5	0	1	0	1	14	0	10	30
Total,	77364	70790	1690	90	1093	424	609	16	4	0	64	344	32	188	1257
6. INVERNESS.															
<i>Mainland.</i>															
90a Abernethy and Kincardine,	1228	1416	14	2	20	6	9	0	0	0	1	3	0	4	17
90b Alvie,	590	670	7	0	8	4	4	0	2	0	2	4	0	0	10
91a Ardersier,	1913	1216	42	1	11	8	22	0	5	0	5	1	1	1	30
91b Arisaig,	1009	934	17	3	11	1	2	0	1	0	1	3	0	1	7
91c Ballachulish and Quich,	481	521	4	0	5	5	4	0	0	0	0	0	0	0	4
92a Boleskine, etc. —															
(1) Boleskine,	1013	921	15	0	11	1	10	0	0	0	0	0	0	1	11
(2) Fort-Augustus or Abertarff,	883	1045	13	1	9	6	10	0	0	0	0	3	2	0	15
92b Cannich,	442	451	6	0	7	1	1	0	0	0	0	0	0	0	1
(93 Cromdale and Inverallan. — Now 128 <i>infra</i> .)															
94 Croy and Dalcross— <i>Inverness</i> <i>portion</i> ,	542	500	8	1	0	4	4	0	1	0	1	1	0	1	7
95 Daviot and Dunlichity,	907	852	20	2	18	0	9	0	0	0	0	3	0	4	16
96a Dore,	781	687	7	1	4	1	9	0	1	0	1	1	0	0	11
96b Duthil, etc.—(1) Duthil,	1700	2175	37	4	11	7	16	0	1	0	1	12	1	1	31
(2) Rothiemurchus,	243	282	7	1	0	5	6	0	0	0	0	0	0	1	7
Glenelg—(1) Glenelg,	481	355	5	1	5	1	3	0	0	0	0	0	0	0	3
(2) Knoydart,	308	244	2	0	4	2	1	0	0	0	0	0	0	0	1
(3) North Morar,	881	1044	13	1	12	1	3	0	0	0	0	6	0	2	11

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1920.				VACCINATIONS, 1919.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
		1911	1921	Births.		Deaths.	Marr- riages.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1919.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
				Total.	Illegit- imate.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
												Insusceptible of Vaccine Disease.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																

VACCINATIONS, 1919.														
No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1920.			Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1919.
		1911	1921	Births.	Deaths.	Marr- riages.	On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.					
136	ELGIN (MORAY)—continued.	612	567	20	8	31	3	0	0	2	0	0	8	18
137	Spynie,	4932	4669	120	21	73	43	0	0	5	13	0	4	92
138	Forres,	851	924	18	0	9	1	0	0	0	1	1	1	19
139	Kinloss,	1488	1590	38	5	23	8	0	0	3	5	0	0	36
140	Knockando,	895	906	24	5	7	5	0	0	3	2	0	1	22
141	Rafford,	2016	1905	74	19	30	17	0	0	4	5	1	1	37
142	Rothies,	1155	1104	23	4	5	6	0	0	2	1	0	1	20
143	St. Andrews-Lhanbryd,	595	640	20	2	5	5	0	0	1	1	0	0	10
144	Speymouth,	899	851	17	0	3	3	0	0	1	2	0	1	16
144	Urquhart—(1) Urquhart,	690	712	17	2	10	7	0	0	1	1	0	0	15
152	(2) Garmouth,	281	288	12	1	3	2	0	0	2	1	0	0	4
	Enzie—Elgin (Moray) portion,													
	Total,	43427	41561	1141	166	575	342	2	4	0	118	39	77	835
145	9. BANFF.													
145	Aberlour,	2569	2453	57	6	21	14	0	0	2	5	0	0	36
146	Alvah,	1200	1147	37	6	8	4	0	0	2	1	0	0	26
147a	Banff,	4570	4193	118	11	81	52	0	0	8	24	0	0	86
147b	Boharm,	990	865	23	4	11	2	0	0	0	2	0	2	19
148	Botriphnie,	732	654	17	0	3	2	0	0	0	3	1	0	11
149a	Boyndie,	2178	2118	51	6	37	14	0	0	0	21	1	0	43
149b	Cabrach,	534	454	10	3	5	1	0	0	1	0	0	0	9
150	Cullen,	1992	1986	81	7	22	18	0	0	6	19	0	0	38
151	Deskford,	695	584	10	3	11	6	0	0	1	1	0	1	8
152	Enzie—Banff portion,	2154	2050	77	14	30	6	0	0	7	22	0	0	52
153	Fordyce—(1) Fordyce,	1808	1697	55	6	12	7	0	0	6	3	0	0	33
154	(2) Portsoy,	2172	1938	55	8	39	25	0	0	6	23	0	4	49
	Forglen,	620	585	17	1	4	2	0	0	1	0	0	0	5

	Gamrie—(1) Gamrie, (2) Macduff, . . .	2462	2113	62	4	26	6	25	0	0	0	0	2	25	0	0	0	5	57
155a	Glenrinn, . . .	3798	3712	113	7	51	11	35	0	0	0	0	3	46	0	0	0	0	84
155b	Grange, . . .	280	223	7	1	2	0	7	0	0	0	0	0	0	0	0	0	0	7
156	Inveravon—(1) Inveravon, (2) Glenlivet, . . .	1461	1287	46	7	13	1	14	0	0	0	0	2	3	1	0	1	1	21
157	Inverkeithny, . . .	754	701	17	7	6	3	5	0	0	0	0	0	1	0	0	0	0	6
158	Keith, . . .	1263	1104	22	4	14	1	12	0	0	0	0	0	14	0	0	0	0	26
159	Kirkmichael, etc.—	725	667	26	7	9	2	10	0	0	0	0	4	1	1	1	1	1	17
160	(1) Kirkmichael, (2) Tomintoul, . . .	6359	5969	157	24	91	47	67	0	1	0	0	5	36	2	2	2	2	113
	Marnoch, . . .	312	265	4	1	7	2	0	0	0	0	0	0	6	0	0	0	0	6
161	Mortlach, . . .	637	596	13	0	15	3	0	0	0	0	0	0	5	0	0	1	1	6
162	Ordquhill, . . .	2532	2312	65	12	25	17	37	0	0	0	0	3	2	0	0	0	0	42
163	Rathven, . . .	2816	2553	56	12	32	17	28	0	0	0	0	2	3	0	0	5	5	38
164	Rothiemay, . . .	644	630	22	6	2	4	10	0	0	0	0	0	1	0	0	0	0	11
165	(166 St. Fergus.—Now 237c infra.) . . .	11770	11352	423	40	157	93	83	0	0	0	0	17	225	0	0	2	2	327
	Seafield, . . .	1143	965	21	4	10	3	14	0	0	0	0	1	1	0	0	0	0	16
167	Total, . . .	2232	2120	64	3	16	6	14	0	0	0	0	4	24	6	0	0	0	48
		61402	57293	1726	214	760	369	600	0	1	0	0	84	517	14	24	1240		
168	10. ABERDEEN. Aberdeen—(1) St. Nicholas, (2) St. Machar, (3) Rubislaw (4) Woodside, (5) Old Aberdeen, . . .	50424	48547	2084	350	1199	1120	1090	50	4	0	0	160	118	36	18	1476		
169	Aberdour, . . .	42436	40974	962	49	472	531	496	2	5	0	0	66	71	12	16	668		
170	Aboyne, . . .	47819	46094	1193	79	587	323	591	6	4	0	0	74	92	10	11	788		
171a	Alford, . . .	8714	8832	275	28	101	50	125	3	0	0	0	18	25	2	0	173		
171b	Ardallie, . . .	3070	3183	93	13	30	50	46	0	1	0	0	7	2	1	1	58		
172	Auchindoir, . . .	1431	1336	36	3	15	11	25	0	0	0	0	3	8	1	0	37		
173	Auchterless, . . .	1525	1542	38	4	18	7	8	0	0	0	0	0	0	2	0	10		
174	Belhelvie, . . .	1464	1408	39	2	17	8	20	0	0	0	0	3	7	0	0	30		
175	Birso, . . .	896	845	21	2	7	5	8	0	1	0	0	0	4	0	0	13		
176	Bourtie, . . .	1058	994	32	8	12	2	17	0	0	0	0	1	3	2	0	23		
	(177 Cabrach.—Now 149b supra.)	1469	1355	53	13	15	9	34	0	0	0	0	1	2	0	0	38		
178	Cairnie, . . .	1491	1443	29	0	15	7	17	0	0	0	0	3	4	0	1	27		
179	Chapel of Garioch, . . .	1047	1126	20	2	11	4	14	0	0	0	0	2	0	1	0	17		
		413	421	14	1	1	1	10	0	0	0	0	1	2	2	0	15		
		1212	1086	43	6	18	5	19	0	0	0	0	1	2	3	0	25		
		1492	1456	31	6	16	1	23	0	0	0	0	2	2	0	2	29		

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1920.			VACCINATIONS, 1919.						
		1911	1921	Births.		Deaths	Marr- riages.	Statutory Declarations of Conscientious Objection.	Died before Vaccination.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccina- tion, or otherwise.	Total Births for 1919.	
				Total.	Illegit- imate.								
													Insusceptible of Vaccine Disease.
180	ABERDEEN—continued.	434	363	7	0	0	0	0	0	1	0	5	
181	Clatt,	1132	995	20	3	5	0	0	0	0	0	21	
182	Cluny,	606	532	13	1	7	1	0	0	1	0	4	
183	Coull,	780	1028	7	0	7	6	0	0	0	0	8	
	Crathie, etc.—(1) Braemar, (2) Crathie,	621	525	10	2	6	3	1	0	0	0	5	
184	Crimond,	671	639	15	3	12	4	0	0	0	0	13	
185	Cruden,	2860	2642	54	9	28	19	0	4	0	0	45	
186	Culsalmund,	607	567	16	4	6	5	0	1	0	0	11	
187	Daviot,	581	574	18	8	9	3	0	1	1	1	8	
188	Drumblade,	883	832	17	3	9	1	0	1	1	0	14	
189	Drumoak,	843	869	19	2	11	4	0	0	0	0	8	
190	Dyce,	1319	1319	25	2	11	14	0	0	0	0	25	
191	Echt,	1222	1155	23	4	10	7	0	0	0	1	20	
192	Ellon,	3088	2884	80	15	28	55	0	7	2	2	67	
193	Fintray,	872	820	14	1	11	3	0	0	0	0	22	
194	Forgue,	1079	964	24	3	13	3	0	1	1	0	21	
195	Foveran,	1649	1630	41	8	11	5	0	0	0	1	31	
196	Fraserburgh,	11151	11064	394	37	150	100	9	18	9	16	280	
197	Fyvie,	2786	2709	81	14	28	23	0	5	0	1	50	
198	Gartly,	758	684	25	8	8	0	0	0	2	0	9	
199	Glass,	703	620	11	0	3	1	0	0	2	0	14	
200	Glenbuchat,	340	260	9	3	4	2	0	0	0	0	5	
201	Glenmuick, and Tullich,	2210	2553	43	8	28	14	0	4	0	0	24	
202	Glengairn,	4937	4544	121	27	84	51	0	7	3	1	90	
203	Huntly,	1340	1377	35	6	15	7	0	1	0	4	31	
204	Inverurie,	4425	4330	113	17	45	56	0	5	0	9	77	
205	Keig,	574	506	11	1	7	2	0	1	0	0	5	
206	Keith-hall,	760	724	16	7	7	2	0	3	0	1	14	

[illegible]

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1920.			VACCINATIONS, 1919.						
		1911	1921	Births.		Deaths.	Marr- riages.	Insusceptible of Vaccine Disease.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1919.
				Total.	Illegit- imate.								
237c	ABERDEEN—continued.	970	1001	27	7	13	4	0	3	13	0	0	31
238	St. Fergus,	1437	1405	17	5	22	10	0	3	1	0	0	31
239	Skene,	846	792	24	5	8	6	0	3	2	1	0	23
240	Slains,	1014	952	29	5	11	4	0	0	10	0	0	17
241	Strathdon,	2085	2047	58	9	37	21	0	1	7	0	1	36
242	Strichen,	741	688	16	5	8	8	0	3	3	0	0	14
243	Tarland,	1946	1944	52	9	20	11	0	4	1	0	0	40
244	Tarves,	613	540	14	4	3	4	0	1	0	0	0	14
245	Tough,	728	628	24	3	6	5	0	3	7	0	0	19
246	Towie,	872	830	25	7	6	8	0	0	0	0	0	18
247	Tullynessle and Forbes,	4128	3911	109	20	43	33	1	9	7	2	1	74
248	Turriff,	719	665	16	2	4	1	0	2	5	0	0	22
249a	Tyrie,	1469	1547	39	3	19	1	0	3	1	0	0	28
249b	Udny,	895	793	19	3	7	2	0	2	1	0	2	20
	Ythan Wells,												
	Total,	312177	300980	8684	1124	4415	3121	70	565	1060	129	141	6311
250	11. KINCARDINE.												
251	Arbuthnot,	674	683	23	2	4	3	0	1	6	0	1	14
	Banchory-Devenick—												
	(1) Banchory-Devenick,	504	504	7	0	5	1	0	0	1	0	0	8
	(2) Portlethen,	996	873	19	3	10	3	0	1	1	0	0	13
252	Banchory-Ternan,	3377	3710	64	10	54	12	0	3	2	0	3	45
253	Benholm,	1276	1170	35	5	12	8	0	1	5	0	0	11
254	Bervie,	2391	2153	75	11	33	19	0	7	32	0	0	55
255	Dunnotar,	2255	2197	51	7	24	10	0	5	17	5	0	42
256	Durris,	872	810	18	5	9	4	0	1	0	0	1	16
257	Fettercairn,	1301	1325	38	2	12	5	0	2	0	2	0	37

	Fetteresso—(1) Fetteresso, (2) Cookney,	3683	4212	73	117	460	235	540	8	1	0	69	139	18	28	803
258	Fetteresso—(1) Fetteresso, (2) Cookney,															
259	Fordoun,	1278	1488	24	3	14	10	9	0	1	0	3	1	2	5	51
260	Garvock,	1717	1813	59	5	22	4	41	0	0	0	4	1	0	0	16
261	Glenbervie,	371	376	4	0	3	0	9	0	0	0	1	0	0	0	46
262	Kimneff and Catterline,	779	759	17	3	7	5	7	0	0	0	1	1	0	2	10
263	Laurencekirk,	835	814	27	6	3	0	11	0	0	0	1	5	0	0	11
264	Maryculter,	1921	1956	39	2	25	11	28	0	0	0	2	2	0	1	17
265	Marykirk,	861	950	17	1	3	5	5	0	0	0	0	1	0	0	33
266	Nigg,	1167	1285	36	3	12	6	18	0	0	0	1	0	0	0	6
267	St. Cyrus,	13001	12850	442	36	119	78	211	8	0	0	32	49	5	13	19
268	Strachan,	1222	1306	39	4	16	7	20	0	0	0	2	2	0	0	24
		527	545	11	1	6	6	9	0	0	0	0	2	0	0	11
	Total,	41008	41779	1118	117	460	235	540	8	1	0	69	139	18	28	803
12. FORFAR.																
269	Aberlemno,	728	702	19	1	7	4	15	0	0	0	0	2	0	0	17
270	Airlie,	723	698	17	0	0	4	13	0	0	0	0	2	0	2	17
271	Arbirlot,	840	789	24	4	6	4	15	0	0	0	1	3	0	0	19
272	Arbroath and St. Vigeans,	22730	21384	525	37	309	200	130	0	1	0	35	209	2	1	378
273	Auchterhouse,	629	634	8	0	8	3	10	0	0	0	2	1	0	0	13
274	Barry,	4933	6133	110	6	48	39	29	0	1	0	2	33	0	0	65
275	Brechin,	9836	8781	199	23	128	69	61	0	0	0	7	50	0	2	120
276	Carrylie,	847	805	20	3	12	1	13	0	0	0	0	3	0	0	16
277	Careston,	213	197	3	0	1	2	8	0	0	0	0	1	0	0	9
278	Cortachy and Clova,	479	577	7	0	8	5	6	0	0	0	0	0	0	0	6
	(279 <i>Compar-Angus</i> .— <i>Now 341b</i> <i>infra.</i>)															
280	Craig,	1883	1827	52	2	27	19	20	0	0	0	4	25	0	0	49
281	Dun,	498	463	13	2	3	1	4	0	0	0	0	0	0	0	4
282	Dundee—															
	(1) St. Mary and St. Peter,	42625	40284	1154	72	467	508	173	0	2	0	71	475	5	67	793
	(2) St. Clement,	32336	30995	1326	217	975	701	196	0	5	0	104	598	6	59	968
	(3) St. Andrew,	61638	58541	1611	121	865	514	260	0	3	0	116	652	6	83	1120
	(4) Lochee,	26176	24794	730	37	329	219	112	0	2	0	48	257	0	54	473
283	Dunnichen,	1098	1149	21	1	16	6	13	0	0	0	5	4	0	0	22
284	Fassie and Nevay,	486	504	10	0	12	2	11	0	0	0	0	0	0	0	11
285	Edzell,	878	1053	15	1	13	9	10	0	0	0	3	4	0	0	17
286	Farnell,	506	500	13	1	2	3	7	0	0	0	0	1	0	0	8
287	Fern,	308	382	6	2	20	1	4	0	0	0	1	1	0	0	6

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1920.			VACCINATIONS, 1919.								
		1911	1921	Births.		Deaths.	Marr- riages.	Statutory Declarations of Conscientious Objection.	Died before Vaccination.	Insusceptible of Vaccine Disease.			Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccina- tion, or otherwise.	Total Births for 1919.
				Total.	Illegit- imate.					On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.			
288a	Forfar.—continued.	12254	11006	279	26	179	102	145	0	1	0	0	4	2	195
288b	Forfar,	249	270	9	1	3	1	5	0	0	0	0	0	0	6
289	Fowlis-Easter,	1159	1099	16	1	11	11	16	0	0	0	0	0	0	19
290	Glamis,	344	399	7	0	5	1	2	0	0	0	0	0	0	2
291	Glenisla,	257	249	7	1	2	1	4	0	0	0	0	0	1	6
292	Guthrie,	861	809	23	3	6	5	9	0	0	0	0	0	0	9
293	Inverarity,	1377	1297	25	2	12	6	17	0	0	0	0	0	2	27
294a	Inverkeilor,	689	723	16	1	3	4	13	0	0	0	0	1	0	16
294b	Kettins,	278	316	8	2	5	1	4	0	0	0	0	0	0	6
295	Kilry,	349	342	5	0	0	2	4	0	0	0	0	0	0	5
296	Kingoldrum,	589	545	15	3	9	2	7	0	0	0	0	1	1	13
297	Kinnell,	310	339	10	2	1	3	4	0	0	0	0	0	0	6
298	Kinnetles,	1337	1205	28	8	19	8	8	0	0	0	0	2	0	16
299	Kirkden,	5391	5074	98	15	64	25	51	0	0	0	0	1	0	69
300	Kirriemuir,	205	169	5	0	1	0	4	0	0	0	0	0	0	4
301	Lethnott and Navar,	1923	2355	33	3	67	6	11	0	0	0	0	0	0	16
302	Liff, Benvie, and Invergowie,	507	431	8	1	2	3	6	0	0	0	0	0	0	6
303	Lintrathen,	295	282	2	0	0	0	1	0	0	0	0	0	0	1
304	Lochlee,	1002	952	21	2	4	5	8	0	0	0	0	1	2	14
305	Logie-Pert,	312	327	7	2	1	1	8	0	0	0	0	0	0	10
306	Lunan,	256	311	7	0	0	1	5	0	0	0	0	0	0	8
307	Lundie,	6631	6545	115	5	81	73	34	0	0	0	0	11	2	79
308	Mains and Strathmartine,	262	221	7	1	1	2	3	0	0	0	0	1	1	7
309	Maryton,	627	644	19	0	6	1	16	0	0	0	0	1	1	22
310	Menmuir,	3546	3758	85	1	51	26	29	0	0	0	0	3	4	55
311	Monifieth—(1) East,	9599	9613	224	9	150	86	70	0	2	1	2	10	0	118
	(2) West,	1184	1155	29	5	9	1	5	0	0	0	0	0	0	8
312	Monikie,	12669	12692	280	26	255	80	125	0	1	0	3	10	2	188
313	Montrose,	898	831	28	2	9	3	13	0	0	0	0	2	0	24
	Murroes,														

314	Newtyle,	883	11	1	8	6	14	0	0	0	0	0	0	0	14
315	Oathlaw,	318	10	0	3	1	4	0	0	0	0	0	0	0	4
316	Panbride,	1916	33	1	16	8	16	0	2	0	1	8	0	0	27
317	Rescobie,	543	12	0	3	1	4	0	0	0	0	1	0	0	5
318	Ruthven,	200	4	0	2	0	4	0	0	0	0	0	0	0	4
	(319 St. Vigeans—Now 272 (2) <i>supra</i> .)															
320	Stracathro,	444	11	0	5	0	9	0	0	0	1	0	0	0	10
321	Tannadice,	918	16	3	11	14	11	0	0	0	1	2	1	0	15
322	Tealing,	577	13	0	9	3	9	0	0	0	0	0	0	0	9
	Total,		281417	7409	657	4269	2807	1808	0	21	0	469	2562	33	281	5174
13. PERTH.																
323	Aberdalgie,	300	3	0	3	2	1	0	0	0	0	0	0	0	1
324	Aberfeldy,	2162	29	4	26	19	31	0	0	0	2	1	1	0	35
325	Aberfoyle,	1170	18	0	12	2	6	0	0	0	0	0	0	1	7
326	Abernethy,	1282	13	3	16	5	10	0	0	0	0	5	0	0	15
327	Abernyte,	213	9	1	3	2	3	0	0	0	0	0	0	0	3
328 ^a	Alyth,	2721	60	2	52	30	23	0	1	0	2	2	1	1	30
328 ^b	Ardoch,	985	20	3	9	1	9	0	0	0	1	3	0	0	13
328 ^c	Argask,	961	12	0	6	6	8	0	0	0	0	3	0	0	11
329	Auchterarder,	3175	70	4	51	24	44	0	0	0	5	5	0	0	54
330	Auchtergaven,	1288	34	1	21	15	22	0	0	0	2	2	0	0	26
331	Balquhiddel,	1001	7	1	8	11	6	0	0	0	0	2	0	1	9
332	Bendochy,	521	7	0	2	2	8	0	0	0	0	2	1	0	11
333	Blackford,	1593	25	4	20	7	24	0	0	0	0	2	0	0	26
334	Blair-Athole,	1442	21	1	18	8	11	0	0	0	0	2	0	1	14
335	Blaigowrie,	3938	76	8	66	31	38	0	0	0	2	12	1	1	54
336	Callander,	2764	38	1	15	3	20	0	3	0	2	1	0	8	34
337	Caputh,	1046	29	1	13	1	8	0	0	0	1	3	0	0	12
338	Cargill,	1385	26	4	13	8	20	0	0	0	2	0	0	0	24
339	Clunie,	545	12	0	8	4	7	0	0	0	0	3	0	0	10
340	Collace,	349	5	0	4	2	4	0	0	0	0	0	0	0	4
341 ^a	Comrie,	2082	26	3	24	5	12	0	0	0	0	4	2	4	22
341 ^b	Coupar-Angus,	2330	56	4	28	20	28	0	0	0	5	10	0	0	43
342	Grieff,	6433	100	4	94	36	49	0	0	0	3	33	2	0	87
	(343 Culross—Now 418 <i>b infra</i> .)															
344	Dowally,	252	3	2	3	0	3	0	0	0	0	0	0	0	3
345	Dron,	215	6	0	2	0	3	0	0	0	0	2	1	0	6

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1920.			VACCINATIONS, 1919.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		1911	1921	Births.		Deaths	Marr- riages.	Statutory Declarations of Conscientious Objection.	Died before Vaccination.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1919.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
				Total.	Illegit- imate.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
													Insusceptible of Vaccine Disease.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							</

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES, 1920.			VACCINATIONS, 1919.								
		1911	1921	Births.		Deaths.	Marr- riages.	Statutory Declarations of Conscientious Objection.	Died before Vaccination.	Insusceptible of Vaccine Disease.			Medical Certificate of Postponement.	Unaccounted for through removal from District before Vacci- nation, or otherwise.	Total Births for 1919.
				Total.	Illegit- imate.					On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.			
400	14. FIFE. (399 <i>Abbotshall</i> .— <i>Merged in</i> 442.)	647	758	12	0	7	2	7	0	0	0	0	0	0	7
401	Abdie,	2147	3063	64	0	23	15	24	0	1	0	3	0	4	54
402	Aberdour,	1147	1011	13	0	13	5	2	0	0	0	1	1	1	7
403	Anstruther-Easter,	613	648	9	0	8	1	7	0	0	0	1	0	0	10
404	Anstruther-Wester,														
405	(404 <i>Arrgask</i> .— <i>Now 328c supra</i> .) Auchterderran— (1) Auchterderran, (2) Lochgelly,	7351 10196	8447 10641	273 395	14 19	67 85	63 73	64	0	0	0	20	136	4	229
406	Auchtermuchty,	1893	1763	28	3	30	21	97	0	0	0	21	188	1	309
407	Auchtertool,	781	884	26	1	10	5	16	0	0	0	0	7	0	23
408	Ballingry—(1) Lochore,	5106	5684	223	9	55	45	5	0	0	1	1	12	0	18
409	(2) Lumphinnans,	4108	4664	195	13	51	35	97	0	4	0	11	69	4	187
410	Balmerino,	568	699	9	1	6	6	45	0	1	0	13	79	5	146
411	Beath—(1) Cowdenbeath, (2) Kelty,	15509 8842	16176 8736	535 304	33 21	160 87	172 74	103	0	1	0	32	285	5	426
412	Burntisland,	5305	6567	154	10	45	35	80	0	3	0	13	136	0	234
413	Cameron,	785	621	14	2	7	1	49	0	1	0	6	45	2	104
414	Carnbee,	843	740	20	2	13	6	6	0	0	0	1	1	0	8
415	Carnock,	1315	1611	54	1	13	6	12	0	0	0	1	5	0	14
416	Ceres,	1467	1445	35	5	17	5	35	0	0	0	3	5	0	46
417	Collesie,	2215	2014	35	1	22	15	11	0	1	0	4	5	0	20
418 ^a	Crail,	1547	1954	46	4	21	10	19	0	0	0	1	4	0	25
419 ^b	Creich,	309	299	7	0	1	1	12	0	0	0	3	1	0	29
420	Culross,	1499	3261	95	4	32	17	5	0	0	0	0	1	0	6
421	Cults,	617	589	17	2	7	7	45	0	1	0	6	34	1	90
422	Cupar,	6736	6575	125	11	151	49	8	0	0	0	1	3	0	12
423								33	0	0	0	2	37	0	73

No of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1920.			VACCINATIONS, 1919.									
		1911	1921	Births.		Deaths.	Marr- riages.	Insusceptible of Vaccine Disease.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1919.			
				Total.	Illegitimate.											
459	FIFE—continued. Wemyss—(1) Wemyss, . (2) Buckhaven, . Total,	6213 16891 267733	6317 18213 292902	198 627 8011	4 26 413	73 240 3407	56 200 2387	42 92 2489	0 6 19	0 0 24	0 0 0	15 38 414	79 305 3044	3 4 133	1 1 110	140 446 6233
460	15. KINROSS. Cleish, .	546	543	16	3	7	5	3	0	0	0	1	5	0	0	9
461	Fossway and Tulliebole, .	1059	1108	21	2	15	7	8	0	0	0	0	5	0	0	13
462	Kinross, .	3094	3137	81	7	35	19	26	0	2	6	6	15	0	8	57
463	Orwell, .	1983	2145	36	4	29	14	14	0	0	0	3	12	0	0	29
464	Portmoak, .	845	1030	26	5	34	4	18	0	0	0	1	5	0	0	24
	Total,	7527	7963	180	21	120	49	69	0	2	0	11	42	0	8	132
465a	16. CLACKMANNAN. Alloa, .	17130	18451	504	27	200	157	117	12	0	0	33	183	38	1	384
465b	Alva, .	5265	5120	134	11	77	56	72	0	0	0	11	17	0	0	100
466	Clackmannan, .	2203	2373	73	4	27	16	23	0	0	0	5	23	0	2	53
467	Dollar, .	1874	1954	38	3	21	7	12	0	0	0	5	3	0	0	20
468	Tillicoultry, .	4649	4645	121	6	45	33	41	0	0	0	4	43	2	0	90
	Total,	31121	32543	870	51	370	269	265	12	0	0	58	269	40	3	647

17. STIRLING.		1515	1777	57	7	24	16	29	0	0	0	0	0	3	15	2	0	49
469	Airth, (470 <i>Alva</i> .— <i>Now</i> 465 <i>b supra</i> .)		1777				16										0	
471	Baldernock,	747	763	15	1	8	1	9	0	0	0	0	0	2	1	0	0	12
472	Balforn,	1155	1189	17	2	14	4	8	0	0	0	0	0	1	0	0	0	9
473	Bonnybridge,	5611	5969	177	5	45	56	58	1	1	1	1	1	4	45	11	0	119
474	Buchanan—(1) Buchanan, (2) Inversnaid,	371 424	448 137	7 1	1 1	6 1	0 2	1 2	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	2
475	Campsie,	5304	5335	138	11	74	27	43	1	1	1	1	1	9	33	0	2	88
476	Denny—(1) Denny, (2) Hags,	4591 2882	4691 2851	139 106	6 5	47 15	21 15	51 22	0 0	0 0	0 0	0 0	0 0	8 3	43 47	3 0	3	108
477	Drymen,	1269	1214	17	0	18	3	11	0	0	0	0	0	0	3	0	1	74
478	Dunipace,	1870	1755	60	6	15	14	24	0	0	0	0	0	7	22	0	1	15
479	Falkirk,	38571	38498	1087	79	538	418	220	0	2	2	2	2	53	557	25	3	860
480	Fintry,	280	381	4	0	3	1	6	0	0	0	0	0	0	1	0	0	7
481 <i>a</i>	Gargunnoch,	573	586	10	1	7	2	7	0	0	0	0	0	0	1	0	0	8
481 <i>b</i>	(Grangemouth—(1) Bothkenmar, (2) Grangemouth, (3) Polmont,	1869 10244 7357	1310 9778 7619	46 266 223	3 11 6	16 107 65	13 65 69	16 83 66	0 0 0	1 6 2	1 6 2	1 6 2	1 6 2	3 11 15	7 89 109	0 0 1	1	28
482	Killearn,	1085	1052	15	0	9	0	8	0	0	0	0	0	1	0	0	0	9
483	Kilsyth,	11052	10364	306	15	120	91	133	3	1	1	1	1	13	132	0	2	284
484	Kippen,	1365	1508	21	1	22	6	13	0	0	0	0	0	1	5	0	3	22
485 <i>a</i>	Larbert,	12984	12389	266	20	235	92	88	0	0	0	0	0	12	131	0	3	234
485 <i>b</i>	Logie,	4373	5105	98	10	45	31	37	0	1	1	1	1	4	8	0	2	52
486	Muiravonside, (487 <i>Polmont</i> .— <i>Now</i> 481 <i>b</i> (3) <i>supra</i> .)	5706	5758	203	2	58	34	40	0	9	9	9	9	6	113	1	19	188
488	St. Ninians—(1) St. Ninians, . . . (2) Cambusbarron,	12275 1593 3440	13145 1687 3409	453 41 102	16 1 6	140 22 32	86 9 28	197 16 17	1 0 0	4 0 0	4 0 0	4 0 0	4 0 0	30 1 2	156 11 67	4 4 0	5 0 1	397 32 87
489	Slamannan,	21461	21733	676	44	390	258	275	0	5	5	5	5	31	104	5	15	440
490	Stirling,	1024	1275	18	0	8	3	8	0	0	0	0	0	0	0	0	1	9
491	Strathblane,																	
Total.		160991	161726	4569	260	2084	1379	1488	9	35	0	0	0	220	1700	56	68	3576

18. DUMBARTON.

492	Arrochar,	537	896	16	2	8	6	2	0	1	0	0	0	3	6	0	2	14
493	Bonhill,	15969	16621	483	27	161	156	116	0	0	0	0	0	24	216	18	4	378
494	Cardross—(1) Cardross, (2) Renton,	1520 4977	1667 5011	33 160	10 7	9 59	4 57	22 38	0 0	0 0	0 0	0 0	0 0	3 8	8 62	1 7	1 3	35 118

[illegible]

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1920.			VACCINATIONS, 1919.										
		1911	1921	Births.		Deaths.	Marr- riages.	Successfully Vaccinated.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vacci- nation, or otherwise.	Total Births for 1919.	
				Total.	Illegit- imate.				On the ground of Constitutional Insusceptibility.	On the ground of previous Successful Vaccination.	In respect of the Children having already had Small-pox.						
534	ARGYLL—continued. Stralachlan, etc.— (1) Stralachlan, (2) Strachur, .	217 483 1983 272	233 548 1983 247	1 9 43 5	0 0 0 0	7 10 23 5	0 0 15 1	2 5 9 1	0 0 0 0	0 0 1 0	0 0 0 0	0 1 0 0	1 0 1 1	0 0 11 0	0 0 0 0	3 6 22 2	
535	Tarbert, .	1765	1480	27	8	22	5	4	0	0	0	2	7	0	0	0	13
986	Kilmallie—Argyll portion, Insular.	326	264	5	3	6	1	1	0	0	0	0	0	0	0	0	1
536	Bowmore .	509	448	6	1	8	0	4	0	0	0	0	0	0	1	0	5
537	Gigha, .	273	284	2	2	4	1	2	0	0	0	0	1	0	0	0	3
539	(538 Iona—Merged in 542.) Jura, etc.—(1) Jura, (2) Colonsay, .	1459	1287	23	6	14	1	11	0	0	0	0	3	0	1	1	15
540	Kilchoman, .	1648	1616	27	1	18	4	23	0	0	0	1	4	0	1	1	29
541	Kildalton and Oa, .	1403	1319	20	1	21	1	4	0	0	0	0	11	2	1	1	18
542	Kilfinichen and Kilviekeon, .	787	763	9	1	7	4	6	0	0	0	1	2	0	0	0	9
543	Kilmeny, .	193	161	4	0	3	1	0	0	0	0	0	0	0	0	0	0
544	Kilninian and Kilmore— (1) Ulva, .	539	484	5	0	5	0	6	0	0	0	0	0	0	1	7	1
545	(2) Kilninian and Kilmore, Kinlochspelve, .	258	145	2	0	0	0	1	0	0	0	0	0	0	0	0	1
546	(546 Oa—Merged in 541.)	628	610	10	2	11	1	0	0	0	0	0	1	0	0	0	1
547	Portnahaven, .	419	484	10	2	3	0	3	0	0	0	0	0	0	1	4	4
548	Salen, .	1079	926	14	2	11	3	7	0	0	0	0	7	0	0	0	14
549	Tobermory, .	282	235	2	1	2	1	1	0	0	0	0	0	0	0	0	1
550	Torosay, .	1825	1716	28	1	29	2	10	0	0	0	1	7	4	0	0	22
551	Tyree, etc.—(1) Tyree, (2) Coll, .	389	383	8	0	4	1	0	0	0	0	1	2	2	0	0	5
	Total,	70902	76856	1271	117	951	312	551	0	7	0	61	182	30	71		902

20. BUTE.		1707	5952	22	0	34	2	16	0	0	0	2	8	53	5	7	247
552	Cumbræ,	1707	5952	22	0	34	2	16	0	0	0	2	8	53	5	7	
553	Kilbride—(1) Brodick,	992	1791	11	0	14	3	7	0	1	0	1	3		0	0	
	(2) Kilbride,	1323	3299	16	0	13	1	10	0	0	0	1	1		0	0	
554	Kilmory—(1) Kilmory,	954	1165	10	1	13	4	10	0	0	0	0	0		0	1	
	(2) Shiskine,	764	1032	8	0	8	4	3	0	0	0	0	1		1	0	
555	Kingarth,	967	1480	14	1	9	4	15	0	0	0	0	1		0	0	
556	Lochanraza,	595	1007	1	0	4	3	1	0	0	0	0	2		0	0	
557	North Bute,	1585	2767	23	1	18	5	19	0	0	0	1	5		0	0	
558	Rothsay,	9299	15218	191	25	137	60	87	0	0	0	8	32		3	5	
	Total,	18186	33711	296	28	250	86	168	0	1	0	13	53		5	7	247
21. RENFREW.		2716	2651	50	2	21	11	25	0	0	0	4	12		0	1	42
559 ^b	Bridge of Weir,	2716	2651	50	2	21	11	25	0	0	0	4	12				
560	(Athcart—now 633b <i>infra</i>)																
561	Eaglesham,	1138	1948	44	0	15	5	16	0	0	0	2	10		0	1	29
562	Eastwood—Renfrew portion,	5573	5865	109	4	69	72	69	0	1	0	4	11		0	0	85
563	Erskine,	1712	2666	43	4	23	6	13	0	0	0	1	9		0	1	24
564	(Greenock—(1) East,	38027	41774	1488	65	561	240	481	26	6	0	107	636		7	24	1287
	(2) West,	36267	38613	1174	56	642	541	326	6	6	0	70	549		4	8	969
565	Houston and Killellan,	1345	1734	50	2	17	19	17	0	0	0	1	8		0	0	26
566	Inchinnan,	592	1778	21	0	4	9	16	0	0	0	0	4		0	0	20
567	Inverkip—(1) Inverkip,	1168	1847	24	0	26	5	17	0	0	0	0	4		1	0	22
	(2) Gourcock,	8458	11054	234	18	277	61	105	4	0	0	11	79		0	15	214
568	Kilbarchan—(1) Kilbarchan,	3462	3403	84	1	41	19	29	0	0	0	1	24		0	1	55
	(2) Linwood,	2055	2226	59	3	68	3	17	0	0	0	5	23		6	0	51
569	Kilmacolm,	5462	5303	64	3	53	20	24	0	0	0	6	10		0	3	43
570	Lochwinnoch,	4254	4224	115	4	40	30	41	0	0	0	4	22		0	6	73
571	Mearns—(1) Busby,	1058	1052	31	1	8	13	8	0	0	0	3	6		0	0	17
	(2) Newton-Mearns,	2143	2329	49	3	14	11	26	0	0	0	3	7		2	0	38
572	Neilston—(1) Neilston,	4616	4578	108	5	44	43	62	0	0	0	3	20		7	2	94
	(2) Barrhead and Levern,	14210	14227	454	46	212	111	193	3	1	0	20	110		3	9	339
573	Paisley—(1) Paisley,	91001	91904	2594	153	1332	936	879	4	9	0	152	875		64	49	2032
	(2) Johnstone & Elderslie,	15132	15565	452	29	176	160	177	6	1	0	36	155		4	11	390
574	Port-Glasgow,	18555	21047	766	24	272	224	302	18	0	0	46	197		19	10	592

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES, 1920.			VACCINATIONS, 1919.									
		1911	1921	Births.		Deaths.	Marr- riages.	Successfully Vaccinated.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccina- tion, or otherwise.	Total Births for 1919.
				Total.	Illegit- imate.				On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.					
575	RENFREW—continued. Renfrew—(1) Renfrew, . (2) Scotstoun and Yoker— Renfrew portion . Cathcart—Renfrew portion . Total,	12902 4816 2404 279066	14482 5704 2913 298887	370 123 52 8558	12 4 1 440	128 75 33 4151	112 29 36 2716	160 56 29 3088	2 0 0 69	0 0 0 24	0 0 0 0	12 8 3 502	129 49 11 2960	0 0 0 117	2 3 1 147	305 116 44 6907
576	22. AYR. Ardrossan—(1) Old Ardrossan, (2) New Ardrossan, Auchinleck—(1) Auchinleck, . (2) Lugar, . Ayr—(1) Ayr, . (2) St. Quivox, (3) Alloway, . Ballantrae, . Barr, . Beith, . Colmonell—(1) Colmonell, (2) Barrhill, . Coylton—(1) Coylton, (2) Rankinston, . Craigie, . Crosshill, . Dailly, . Dalmellington— (1) Dalmellington, . (2) Waterside, .	6124 5627 3616 3808 32986 1438 2221 1080 521 6699 996 936 2112 931 538 1040 1940 3161 2853	9448 7119 4115 3063 35741 1412 2166 1285 497 6342 1064 944 1956 671 511 1043 1895 3369 2609	223 204 146 116 900 48 29 23 14 172 18 21 69 35 13 28 58 97 89	13 10 12 11 73 4 1 4 3 9 0 2 7 0 1 3 8 3 5	81 85 55 41 513 21 100 12 4 83 9 16 17 7 7 11 26 33 30	72 47 44 21 390 11 2 8 2 30 2 11 15 3 2 5 13 45 27	79 65 48 44 455 26 26 13 8 77 19 8 30 13 8 8 24 54 44	0 0 0 0 14 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 0 0 0 2 0 0 0 0 4 1 0 						

587	Dalry,	7418	7243	230	10	83	68	75	0	0	0	15	80	2	3	175
588	Dalrymple,	1031	1077	31	1	7	6	13	0	0	0	1	5	1	1	21
589	Dreghorn,	4373	4523	138	3	35	42	19	0	0	0	7	80	0	6	112
590	Dundonald—(1) Dundonald, (2) Troon,	1481	2213	46	1	12	16	20	0	0	0	2	25	2	0	49
591	Dunlop,	7172	10203	183	6	82	62	91	0	0	0	6	30	1	9	137
592	Fenwick,	1353	1333	21	1	19	8	15	0	0	0	1	12	0	0	28
593	Galston,	1062	1247	20	2	11	8	9	0	0	0	1	6	0	0	16
594	Girvan,	7171	6786	160	5	87	70	75	0	0	0	19	76	5	0	175
595	Irvine,	5331	8474	165	14	61	40	89	0	0	0	7	34	1	2	133
596	Kilbirnie,	12030	13461	439	39	225	122	66	0	0	0	32	220	2	3	326
597	Kilmarnock,	7618	8032	264	15	91	78	105	0	0	0	18	83	4	0	210
598	Kilmaurs,	33817	34634	960	60	471	358	285	4	0	0	68	407	24	9	801
599	Kilwinning,	4349	4568	141	11	56	45	37	0	0	0	15	55	1	1	110
600	Kirkmichael,	8411	8762	293	12	94	90	85	0	0	0	16	122	1	2	227
601	Kirkoswald,	807	811	17	0	6	4	11	0	0	0	3	2	0	0	16
602	Largs—(1) Largs, (2) Skelmorlie,	1562	2108	40	3	14	8	12	0	0	0	1	12	0	0	25
603	Loudoun—(1) Newmilns, (2) Darvel,	4770	11119	105	9	69	30	32	0	0	0	3	10	1	3	49
604	Mauchline,	1259	1518	21	0	17	5	11	0	0	0	1	2	0	0	14
605	Maybole,	5213	4522	112	2	46	29	20	0	0	0	9	47	0	2	78
606	Monkton and Prestwick,	3796	3521	75	2	35	32	19	0	0	0	1	35	0	1	56
607	Muirkirk,	2441	2357	65	4	30	15	26	0	0	0	0	13	1	0	40
608	New Cumnock,	6455	6057	181	17	97	36	61	0	0	0	17	42	0	3	126
609	Ochiltree,	5645	9432	193	6	88	46	55	0	0	0	5	50	1	0	114
610 ^a	Old Cumnock,	4982	4726	135	9	49	48	49	0	0	0	7	50	0	0	108
610 ^b	Patna,	5661	6281	211	15	57	61	112	0	0	0	6	41	4	7	170
611	Riccarton—(1) Riccarton, (2) Hurlford, (612 St. Quivox.—Now 578 (2) <i>supra.</i>)	2024	2102	71	5	20	16	16	0	0	0	4	28	4	0	52
613	Sorn—(1) Sorn, (2) Catrine,	5465	5491	176	16	79	48	70	0	0	0	10	69	0	0	149
614	Stair,	1062	1093	42	5	9	8	12	0	0	0	3	6	3	0	24
615	Stevenston,	3765	4146	154	6	66	34	30	0	0	0	5	45	0	1	81
616	Stewarton,	3825	3730	128	7	49	26	31	0	0	0	14	53	0	0	98
617	Straiton,	1421	1191	35	4	14	9	13	0	0	0	1	8	1	0	24
618	Symington,	2337	2274	81	3	20	25	12	0	0	0	5	30	0	2	49
								959	1052	52	4	12	9	19	0	0	0	2	9	0	0	30
								10733	13190	405	14	127	69	163	0	0	0	20	120	15	8	330
								3889	3937	96	8	30	35	19	0	0	0	9	34	0	0	62
								657	583	9	0	8	1	4	0	0	0	0	2	1	1	8
								639	648	8	1	8	7	11	0	0	0	1	5	0	0	17

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1920.			VACCINATIONS, 1919.					
		1911	1921	Births.		Deaths.	Marr- riages.	Insusceptible of Vaccine Disease.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vacci- nation, or otherwise.	Total Births for 1919.
				Total.	Illegit- imate.							
619	Tarbolton,	4593	4981	166	13	46	44	0	11	4	1	128
620	West Kilbride,	3133	4578	62	5	29	14	0	13	0	2	42
	Total,	268337	299254	8034	507	3510	2422	21	2525	129	102	6255
621	Avondale, (622 <i>Barony</i> —Now merged in 644 <i>infra</i> .)	5033	5902	131	7	73	41	0	24	8	2	109
623	Biggar,	1931	2270	31	6	26	9	0	8	0	1	28
624	Blantyre,	16821	18153	667	31	225	136	15	290	3	5	605
625	Bothwell—(1) Bothwell, (2) Holytown, (3) Bellshill,	18956 17297 18638	19876 19446 20934	648 715 846	29 27 75	224 181 259	153 140 185	2 1 4	159 312 348	10 15 18	4 12 15	510 595 664
626a	Cadder—(1) Western, (2) Eastern,	5585 9143	6069 9972	157 209	8 9	111 214	27 39	0 0	40 49	2 0	8 5	134 194
626b	Calderhead,	8671	10354	387	22	138	84	0	115	5	3	317
627	Cambuslang,	24864	26130	793	24	284	255	0	338	1	12	741
628	Cambusnethan,	30921	32730	1046	55	342	256	0	270	27	10	868
629	Carluke,	9619	10178	302	14	130	96	0	112	0	2	228
630	Carmichael,	1471	1511	48	4	11	12	0	17	0	0	26
631	Carmunnock,	747	835	17	0	9	6	0	1	0	0	11

632	Carnwath—(1) Carnwath, (2) Forth, . . . and (3) Haywood and Tarbrax,	1737 2031 2678	1778 2054 2715	48 67 110	5 2 3	19 20 28	17 14 17	21 12 53	0 0 0	0 0 0	0 0 0	2 11 4	9 36 17	0 0 4	1 0 1	33 59 79
633a	Carstairs, . . .	1878	1828	31	1	17	12	26	0	0	0	2	3	0	1	32
633b	Cathcart— <i>Lanark portion</i> , . . .	44284	43378	841	23	837	386	456	3	3	0	41	151	1	13	668
634	Covington . . .	385	518	11	1	7	3	5	0	0	0	1	1	0	0	7
635	Crawford—(1) Crawford, . . . (2) Leadhills, . . .	681 839	1229 812	12 12	2 1	10 11	3 2	5 4	0 0	0 0	0 0	1 0	3 1	1 0	0	10
636	Crawfordjohn, . . .	617	686	11	2	8	7	2	0	0	0	0	1	0	0	5
637	Culter, . . .	372	364	6	1	7	3	2	0	0	0	0	1	0	0	5
638	Dalserf—(1) Larkhall, (2) Dalserf, . . .	14202 4427	14978 4491	509 177	31 10	181 52	113 27	157 72	0 0	0 0	0 0	31 9	169 40	30 0	19 4	407 125
639	Dalziel, . . .	47503	49556	1622	75	724	411	697	6	0	0	111	588	61	8	1471
640	Dolphinton, . . .	245	252	6	1	2	2	4	0	0	0	0	0	0	0	4
641	Douglas, . . .	2509	3120	94	14	43	22	44	0	0	0	6	27	0	0	77
642	Dunsyre, . . .	175	161	4	1	3	3	1	0	0	0	0	1	0	0	2
643	East Kilbride, . . .	3977	4787	100	5	54	18	42	0	0	0	3	9	1	5	60
644	Glasgow—(1) Bridgeton, . . . (2) Camlachie, . . . (3) Calton, . . . (4) Dennistoun, . . . (5) Garsgadhill, . . . (6) Springburn, . . . (7) Possilpark, . . . (8) St. Rollox, . . . (9) Milton, . . . (10) Blythswood, . . . (11) Anderston, . . . (12) Hillhead, . . . (13) Kelvin, . . . (14) Maryhill, . . . (15) Hutchesontown, (16) Govanhill, . . . (17) Gorbals, . . . (18) Pollokshields, . . . (19) Shettleston . . . (20) Plantation . . . (21) Govan . . . (22) Partick . . .	52062 56500 60372 38209 34583 30438 21421 37064 43957 23627 53441 38601 48278 31755 48556 39449 57991 37332 32046 34031 57968 66849	56211 59772 60789 37064 35981 31660 24330 37179 45435 22730 55091 35153 48341 35251 50425 40365 59749 35857 33415 35327 61925 69652	2009 2072 1981 947 1291 878 783 3161 1490 635 1591 636 1476 1094 1840 1194 1722 1085 955 1009 1933 1895	102 71 138 92 81 24 40 737 187 86 94 21 113 38 99 46 123 75 40 90 110 57	1050 615 650 1767 804 440 835 723 656 333 1062 1234 694 288 583 437 658 505 334 348 1349 677	275 452 1408 474 181 337 112 325 470 3500 1083 432 597 267 366 279 542 810 528 220 214 438 597	1027 1012 1048 425 572 358 392 1248 736 306 906 374 704 490 860 542 810 387 544 482 889 1021	4 7 4 2 2 3 1 5 0 0 9 11 6 1 3 4 0 3 3 7 14 7 3 9 0	0 0 2 1 0 1 1 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0	108 124 143 54 73 45 44 387 95 47 115 22 82 67 130 53 146 46 63 78 191 124	405 464 297 167 299 274 178 480 202 94 203 75 319 243 345 251 303 192 227 228 726 413	7 4 4 3 9 3 5 17 9 6 8 2 3 20 14 3 4 1 4 6 4 6 7 11	28 31 43 18 27 11 7 134 40 33 39 11 31 17 111 27 75 1344 685 857 863 1927 1663	

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1920.				VACCINATIONS, 1919.								
		1911	1921	Births.		Deaths	Marr- riages.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vacci- nation, or otherwise.	Total Births for 1919.				
				Total.	Illegit- imate.											
													Insusceptible of Vaccine Disease.			
								On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	On the ground of previous Successful Vaccination.	Successfully Vaccinated.					
645	LANARK—continued. Glassford, (646 Govan—Now merged in 644 supra.)	1312	1431	44	4	11	17	13	0	0	0	2	12	0	0	27
647	Hamilton,	46419	47341	1575	78	599	423	534	0	5	0	89	742	12	14	1396
648	Lanark,	8978	9645	216	11	132	84	96	0	1	0	7	49	1	5	159
649	Leshahagow—(1) Leshahagow, (2) Kirkfieldbank,	10641	11496	353	21	119	84	136	1	0	0	17	129	2	2	287
650	Libberton,	1349	1435	43	1	22	8	19	0	0	0	0	7	0	0	26
651	New Monkland,	461	541	12	1	3	3	5	0	0	0	2	2	0	0	9
652	Old Monkland—(1) Western, . (2) Coatbridge, (3) Eastern,	38116	38865	1294	55	482	345	587	5	4	0	77	391	9	25	1098
		12472	13415	412	24	134	150	251	0	4	0	16	105	13	4	393
		46058	46819	1551	83	656	374	795	3	4	0	99	441	6	23	1371
653	Pettinain,	2496	2435	91	4	26	13	24	0	0	0	0	39	3	3	69
654	Rutherglen,	261	301	4	0	1	2	6	0	0	0	0	0	0	0	6
655	Shotts—(1) Middle District, (2) Eastern do., (3) Western do., (4) Northern do.,	28343	29043	729	17	294	269	314	0	6	0	36	188	3	12	559
		3270	3605	96	3	95	7	35	0	2	0	9	37	1	0	84
		3690	4668	171	10	50	34	27	0	0	0	9	93	0	33	162
		4559	4660	141	6	95	36	62	2	0	0	14	58	2	0	138
		1234	1299	41	0	12	18	13	0	0	0	2	7	0	0	22
656	Stonehouse,	3688	4204	116	2	63	33	14	0	0	0	7	68	0	3	92
657	Symington,	420	608	18	3	7	3	7	0	0	0	1	2	1	0	11
658	Walston,	255	229	7	1	1	2	2	0	0	0	0	0	0	0	2
659	Wandell and Lamington,	271	301	7	1	5	0	2	0	0	0	1	2	0	2	8
660	Wiston and Robertson,	400	426	5	1	3	2	4	0	0	0	0	0	1	0	4

562	Eastwood— <i>Lanark portion</i> , .	18942	17974	457	8	186	128	199	0	3	0	22	139	5	2	370
575	(2) Scotstoun and Yoker— <i>Lanark portion</i> , .	9716	9797	197	6	117	74	82	3	0	0	16	63	1	2	167
	Total,	1486118	1539307	48915	3293	23405	17705	22280	126	142	0	3317	12100	397	1231	39593
24. LINLITHGOW.																
661	Abercorn, .	933	910	23	2	8	7	14	0	0	0	0	3	0	0	17
662	Bathgate—(1) Bathgate, .	11812	12565	352	13	126	76	151	0	1	0	18	123	0	11	304
	(2) Armadale, .	5847	6297	198	10	52	30	64	0	0	0	10	81	6	11	172
663	Borrowstounness, etc.—															
	(1) Borrowstounness, .	9260	8661	290	16	88	101	110	0	0	0	14	74	0	2	200
	(2) Carriden, .	4774	4733	160	7	52	34	64	0	0	0	9	28	9	0	110
	(664 <i>Carriden</i> .— <i>Now</i> 663 (2) <i>supra</i> .)															
665	Dalmeny—(1) Dalmeny, .	1629	2365	55	1	21	6	27	0	0	0	3	8	0	1	39
	(2) Queensferry, .	3510	2283	75	3	25	19	27	0	0	0	1	16	0	13	57
666	Ecclesmachan, .	1449	705	11	0	43	1	6	0	0	0	3	1	0	1	11
667	Kirkliston— <i>Linlithgow portion</i> , .	4467	4579	137	8	36	35	81	0	0	0	10	31	0	0	122
668	Linlithgow, .	7567	7631	219	13	90	56	104	0	1	0	14	40	0	24	183
669	Livingston—(1) Livingston, .	1641	2271	78	6	13	18	40	0	0	0	1	13	2	2	58
	(2) Blackburn, .	2073	2474	83	7	28	18	23	0	0	0	3	35	0	1	62
	(670 <i>Queensferry</i> .— <i>Now</i> 665 (2) <i>supra</i> .)															
671	Torphichen—(1) Torphichen, .	1562	1773	54	3	10	14	11	0	1	0	1	24	0	1	38
	(2) Blackridge, .	2486	2713	102	5	28	6	11	0	2	0	12	62	3	8	98
672	Uphall, .	12766	12499	391	18	128	95	181	0	2	0	25	109	4	1	322
673	Whitburn—(1) Whitburn, .	4456	6617	251	18	57	44	88	0	0	0	17	116	6	0	227
	(2) Fauldhouse, .	3923	4890	167	8	49	42	67	0	0	0	3	58	1	3	132
	Total,	80161	83966	2646	138	854	602	1069	0	7	0	144	822	31	79	2152

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1920.			VACCINATIONS, 1919.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
		1911	1921	Births.		Deaths.	Marr- riages.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccina- tion, or otherwise.	Total Births for 1919.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
				Total	Illegit- imate.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
													Insusceptible of Vaccine Disease.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								</

693	Liberton,	6017	5970	125	5	65	37	62	0	1	0	10	22	9	4	108
694	Mid-Calder	3249	3207	101	7	29	19	50	0	0	0	9	8	1	0	68
695a	Newbattle,	5282	5581	170	7	48	32	89	0	0	0	10	29	15	0	143
695b	New Craighall,	2926	3315	102	6	29	7	42	1	0	0	10	43	6	4	106
696	Newton,	1156	1134	35	1	9	10	22	0	0	0	1	0	0	0	23
697	Penicuik,	5205	5176	128	7	63	47	66	0	0	0	7	21	2	2	98
698a	Ratho,	1883	1751	43	2	18	16	14	0	0	0	3	7	1	2	27
698b	Stobhill,	4231	4422	160	7	49	34	30	0	1	0	7	82	1	1	122
699	Stow,	1317	1325	28	0	11	4	12	0	0	0	1	2	0	0	15
700	Temple,	363	404	5	0	4	3	6	0	0	0	0	1	0	0	7
701	West Calder,	7716	7874	246	14	66	63	125	0	1	0	8	65	1	28	228
667	Kirkliston— <i>Edinburgh portion</i> ,	831	835	15	2	5	2	16	0	0	0	0	1	0	0	17
Total,		507666	506378	13704	1185	7410	6049	6466	13	66	0	768	2352	262	279	10206
26. HADDINGTON.																
702	Aberlady,	963	1100	22	2	11	6	11	0	1	0	0	1	0	0	13
703	Athelstaneford,	666	1255	14	0	5	6	8	0	0	0	2	2	0	2	14
704	Bolton,	256	281	6	0	2	0	7	0	0	0	0	0	0	0	7
705	Dirleton,	2062	2623	36	4	23	16	28	0	0	0	2	2	0	1	33
706	Dunbar,	4830	5311	128	10	54	27	66	0	0	0	2	7	1	4	80
707	Garvald,	511	488	11	1	7	2	5	0	0	0	1	0	0	0	6
708	Gladsmuir,	1433	1406	48	3	15	11	25	0	0	0	6	8	0	0	39
709	Haddington,	5424	5325	100	4	94	31	45	0	3	0	5	7	1	0	61
710	Humbie,	679	652	11	0	3	0	5	0	1	0	0	1	0	0	7
711	Inverwick,	676	633	17	1	2	3	11	0	0	0	0	0	0	0	11
712	Morham,	199	204	6	0	0	0	4	0	0	0	0	0	0	0	4
713	North Berwick,	3968	5217	68	7	43	23	46	0	0	0	7	3	0	0	56
714	Oldhamstocks,	404	390	14	1	4	6	11	0	1	0	0	0	0	0	12
715	Orniston,	1598	1841	69	2	10	11	26	0	0	0	2	9	0	1	39
716	Pencaitland,	1273	1366	36	1	10	3	12	0	0	0	1	12	0	3	28
717	Prestonkirk,	1634	1438	25	2	24	8	13	0	2	0	3	6	0	0	24
718	Prestonpans,	4722	5154	185	18	61	32	77	0	0	0	12	63	0	4	156
719	Salton,	386	375	8	0	2	3	4	0	0	0	1	2	0	1	8
720	Spott,	386	374	10	3	1	1	5	0	1	0	0	0	0	0	6
721	Stenton,	461	408	14	0	2	2	3	0	0	0	0	1	0	0	4
722	Tranent,	8677	9653	301	10	85	68	124	0	1	0	18	115	2	0	260
723	Whitekirk and Tynninghame,	776	736	17	0	1	5	6	0	0	0	0	1	0	1	8

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES, 1920.			VACCINATIONS, 1919.				
		1911	1921	Births.		Deaths.	Marr- riages.	Insusceptible of Vaccine Disease.			Total Births for 1919.
				Total.	Illegit- imate.			On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	
724	Whittingehame,	523	479	12	0	4	2	0	0	0	12
725	Yester,	747	778	17	2	10	8	0	0	0	8
	Total,	43254	47487	1175	71	473	274	1	10	0	896
27. BERWICK.											
726	Abbey St. Bathans,	229	203	4	1	2	0	0	0	0	6
727	Ayton,	1577	1521	28	3	15	8	0	0	1	25
728	Bunkle and Preston,	562	542	10	0	5	3	0	0	0	14
729	Channellkirk,	478	499	11	0	6	4	0	0	0	6
730	Chirnside,	1508	1402	32	4	17	16	0	0	0	19
731	Cockburnspath,	997	942	21	0	9	6	0	0	0	14
732	Coldingham—(1) Coldingham, (2) Grantshouse,	2313 436	2495 485	40 11	2 0	22 5	18	0 0	1 0	0 0	26
733	Coldstream,	2192	2013	44	10	34	10	0	0	0	5
734	Cranshaws,	125	97	2	0	0	0	0	0	0	30
735	Duns,	3042	2818	68	7	40	19	0	0	0	3
736	Earlston,	1749	1641	30	4	13	8	0	0	0	38
737	Eccles,	1449	1245	21	1	15	4	0	0	0	24
738	Edrom,	1269	1119	23	0	8	4	0	0	0	20
739	Eyemouth,	2561	2573	66	3	28	17	0	0	1	23
740	Fogo,	389	383	13	4	3	5	0	0	0	54
741	Foulden,	313	253	8	0	2	2	0	0	0	5
742	Gordon,	711	719	14	0	7	3	0	0	0	6
743	Greenlaw,	941	909	23	2	13	9	0	0	0	10
744	Hume,	298	258	6	1	4	2	0	0	0	11
								0	0	0	4

745	Hutton, .	682	655	16	1	8	4	10	0	0	0	22	89	20	5	447	11
746	Ladykirk, .	315	338	4	0	1	1	6	0	1	0	0	2	0	0	9	8
747	Langton, .	408	385	6	0	5	2	5	0	0	0	0	1	2	0	25	5
748	Lauder, .	1336	1369	28	2	12	8	19	1	1	1	1	1	1	2	3	3
749	Legerwood, .	401	379	6	2	1	2	4	0	0	0	0	0	0	0	5	5
750	Longformacus, .	263	250	3	0	3	3	2	0	0	0	0	1	0	0	2	2
751	Mertoun, .	532	463	8	0	0	4	4	0	0	0	0	1	0	0	5	5
752	Mordington, .	292	299	2	0	3	0	2	0	0	0	0	0	0	0	2	4
753	Nenthorn, .	356	363	9	1	2	3	2	0	0	0	1	1	0	0	4	4
754	Polwarth, .	197	167	2	0	0	1	4	0	0	0	0	0	0	0	10	7
755	Swinton, .	727	689	17	3	6	8	8	0	0	0	0	2	0	0	10	7
756	Westruther, .	503	448	5	1	3	4	6	0	0	0	0	0	1	0	11	11
757	Whitsome, .	492	473	12	1	3	4	10	0	0	0	0	0	1	0		
	Total,	29643	28395	593	53	295	188	309	0	2	0	22	89	20	5	447	
758	28. PEEBLES. Broughton, Glenholm, and Kilbucko, .	668	739	12	1	15	7	11	0	0	0	1	2	0	0	14	
759	Drumelzier, .	164	186	3	0	1	1	6	0	0	0	0	0	0	0	6	
760	Eddlestone, .	589	527	6	0	5	1	9	0	0	0	1	1	0	1	12	
762	(761 Glenholm—Merged in 763.) Innerleithen—(1) Innerleithen, (2) Walkerburn, .	2788	2647	55	4	34	25	31	0	0	0	0	2	0	1	34	
764	Kirkurd, .	1331	1169	28	1	11	10	6	0	0	0	0	2	0	0	8	
765	Lyne, .	253	217	0	0	1	3	3	0	0	0	0	1	0	0	4	
766	Manor, .	125	78	2	0	1	1	2	0	0	0	0	0	0	0	2	
767	Newlands, .	261	342	5	1	11	2	4	0	0	0	0	0	0	0	4	
768	Peebles, .	590	644	9	0	10	3	7	0	0	0	2	0	0	0	9	
769	Skirling, .	6112	6105	118	9	64	40	54	0	0	0	1	22	1	4	82	
770	Stobo, .	241	222	4	0	6	1	1	0	0	0	0	1	0	0	2	
771	Traquair, .	350	362	7	0	5	1	1	0	0	0	0	0	0	0	1	
772	Tweedsmuir, .	559	556	13	2	9	2	7	0	0	0	0	4	0	2	13	
773a	West Linton, .	198	205	1	0	1	2	0	0	0	0	0	0	0	0	0	
774a	Caddonfoot—Peebles portic?, .	1000	1292	15	0	7	4	15	0	0	0	0	1	0	0	16	
	Total,	15258	15330	282	18	181	104	157	0	0	0	5	36	1	8	207	

789	Hawick,	417	28	218	181	156	0	0	0	0	19	86	3	1	265
790	Hobkirk,	13	4	6	4	8	0	0	0	0	0	2	0	0	10
791	Hownam,	2	0	0	2	4	0	0	0	0	0	0	0	0	4
792	Jedburgh,	80	5	47	33	39	1	0	0	0	1	14	1	2	58
793	Kelso,	92	11	50	21	49	0	0	0	0	5	10	1	2	67
	(794 <i>Kirktown</i> .— <i>Now supra.</i>)	785	(2)																
795	Lilliesleaf,	16	0	4	2	12	0	0	0	0	0	1	2	0	15
796	Linton,	9	2	3	6	7	0	0	0	0	0	1	0	0	8
797	Makerston,	5	2	1	3	3	0	0	0	0	0	0	0	0	3
798	Maxton,	5	0	2	6	8	0	0	0	0	0	0	0	0	8
799	Melrose—(1) Melrose	64	5	77	16	42	0	0	0	0	2	2	1	1	48
	(2) Langshaw, .	4150				13	0	3	3	2	0	0	0	0	0	1	1	0	4
800	Minto,	6	0	0	2	8	0	0	0	0	0	2	0	0	11
801	Morebattle,	17	2	15	6	9	0	0	0	0	1	2	0	0	12
802 <i>a</i>	Oxnam,	10	0	8	2	7	0	0	0	0	0	2	0	0	9
802 <i>b</i>	Roberton,	9	2	5	2	6	0	0	0	0	0	0	0	0	7
803	Roxburgh,	19	4	5	2	17	0	0	0	0	1	1	0	0	21
804	St. Boswells,	21	0	10	5	5	0	0	0	0	2	1	0	0	8
805	Smailholm,	5	0	2	2	1	0	0	0	0	0	0	0	0	2
806	Southdean,	11	1	1	4	7	0	0	0	0	0	2	0	0	9
807	Sprouston,	21	4	10	4	12	0	0	0	0	1	0	0	0	14
808	Stitchel,	4	1	4	3	4	0	0	0	0	0	0	0	0	4
809	Teviothead,	8	0	5	4	3	0	0	0	0	0	3	0	0	6
	(810 <i>Wilton</i> .— <i>Merged in 789.</i>)																		
811	Yetholm,	18	3	14	0	9	0	0	0	0	0	0	0	0	9
	Total,	47192	44989	1008	77	566	361	507	0	4	0	0	41	142	13	6	713		
812	Annan,	150	18	73	65	82	0	0	0	0	5	51	0	3	141
813 <i>a</i>	Applegarth,	35	5	4	7	11	0	0	0	0	0	3	0	0	14
813 <i>b</i>	Brydekirk,	30	3	14	3	7	0	0	0	0	2	5	0	0	14
814	Canonbie,	46	8	18	14	27	0	0	0	0	0	1	0	0	28
815	Caerlaverock,	21	3	18	5	8	0	0	0	0	3	4	0	0	15
816	Closeburn,	38	4	21	13	8	0	0	0	0	2	5	1	1	17
817	Commetrees,	27	6	12	6	7	0	0	0	0	2	3	0	0	12
31. DUMFRIES.																			
812	Annan,	150	18	73	65	82	0	0	0	0	5	51	0	3	141
813 <i>a</i>	Applegarth,	35	5	4	7	11	0	0	0	0	0	3	0	0	14
813 <i>b</i>	Brydekirk,	30	3	14	3	7	0	0	0	0	2	5	0	0	14
814	Canonbie,	46	8	18	14	27	0	0	0	0	0	1	0	0	28
815	Caerlaverock,	21	3	18	5	8	0	0	0	0	3	4	0	0	15
816	Closeburn,	38	4	21	13	8	0	0	0	0	2	5	1	1	17
817	Commetrees,	27	6	12	6	7	0	0	0	0	2	3	0	0	12

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1920.			VACCINATIONS 1919.												
		1911	1921	Births.		Deaths	Marr- riages.	Total Births for 1919.	Unaccounted for through removal from District before Vaccination, or otherwise.	Medical Certificate of Postponement.	Statutory Declarations of Conscientious Objection.	Died before Vaccination.	Insusceptible of Vaccine Disease.			Successfully Vaccinated.			
				Total.	Illegit- imate.								On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.				
818	DUMFRIES—continued.																		
819	Dalton,	589	548	5	1	7	4	39	0	1	1	0	0	0	0	0	0	4	70
820	Dornock,	820	1780	58	3	18	7	34	0	0	0	0	0	0	0	0	0	52	
821	Dryfesdale,	3188	3149	82	8	29	25	157	0	0	0	0	0	0	0	0	0	393	
822	Dumfries,	19076	19012	517	45	445	246	16	0	0	0	0	0	0	0	0	0	17	
823	Dunscore,	1027	1036	26	4	16	8	5	0	0	0	0	0	0	0	0	0	8	
824	Durisdere,	849	858	23	1	18	6	6	0	0	0	0	0	0	0	0	0	6	
825	Eskdalemuir,	392	385	3	1	3	2	4	0	0	0	0	0	0	0	0	0	4	
826	Ewes,	247	235	4	1	2	2	17	0	0	0	0	0	0	0	0	0	20	
827	Glencairn,	1410	1383	31	1	16	14	49	0	0	0	0	0	0	0	0	0	99	
828	Gretna,	1212	2969	113	6	40	25	4	0	0	0	0	0	0	0	0	0	6	
829	Half Morton,	319	293	7	1	2	4	26	0	0	0	0	0	0	0	0	0	36	
830	Hoddon,	1258	1212	33	5	11	11	17	0	0	0	0	0	0	0	0	0	23	
831	Holywood,	865	947	22	3	10	5	8	0	0	0	0	0	0	0	0	0	11	
832	Hutton and Corrie,	630	597	18	4	10	5	6	0	0	0	0	0	0	0	0	0	9	
833	Johnstone,	751	730	19	2	13	6	4	0	0	0	0	0	0	0	0	0	5	
834	Keir,	538	471	10	1	2	7	45	0	0	0	0	0	0	0	0	0	112	
835	Kirkconnel,	2144	3418	125	16	30	28	13	0	0	0	0	0	0	0	0	0	21	
836	Kirkmahoe,	1080	1091	24	1	14	18	12	0	0	0	0	0	0	0	0	0	18	
837	Kirkmichael,	725	760	16	1	6	8	2	0	0	0	0	0	0	0	0	0	3	
	Kirkpatrick-Fleming—																		
	(1) Northern,	298	252	3	1	3	4	15	0	0	0	0	0	0	0	0	0	26	
	(2) Southern,	1056	901	19	2	13	6	11	0	0	0	0	0	0	0	0	0	15	
838	Kirkpatrick-Juxta,	998	1028	26	1	10	5	25	0	0	0	0	0	0	0	0	0	41	
839	Langholm,	3302	2979	56	2	43	18	35	0	1	3	5	0	0	0	0	0	49	
840	Lochmaben,	2355	2277	68	15	45	23												
841	Middlebie—																		
	(1) Northern District,	636	544	13	0	11	0	6	0	0	0	0	0	0	0	0	0	11	
	(2) Southern District,	1086	1002	27	3	11	3	12	0	0	0	2	0	0	0	0	0	15	

[illegible]

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1920.			VACCINATIONS, 1919.							
		1911	1921	Births.		Deaths.	Marr- riages.	Insusceptible of Vaccine Disease.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1919.		
				Total.	Illegitimate.									
													On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.
	KIRKCUDBRIGHT—continued.	3116	3054	92	11	50	26	1	0	0	4	0	0	36
871	Kirkcudbright,	497	548	14	3	3	3	0	1	0	0	0	0	12
872	Kirkgunzeon,	1549	1333	40	8	20	10	0	1	0	0	0	0	17
873	Kirkmabreck,	795	720	17	1	17	5	0	0	0	0	0	0	16
874	Kirkpatrick-Durham,	484	559	18	4	8	4	0	0	0	1	0	0	10
875	Lochrutton,	1022	961	20	0	16	14	0	0	0	1	0	0	15
876	Minnigaff,	742	779	14	1	8	3	0	0	0	2	0	0	20
877	New Abbey,	421	431	7	0	4	4	0	0	0	0	0	0	4
878	Parton,	1293	1332	34	4	16	9	0	0	0	0	1	0	19
879	Berrick,	439	428	15	2	7	3	0	0	0	0	0	0	3
880	Terregles,	751	704	15	4	10	4	0	0	0	0	0	0	8
881	Tongland,	7050	6870	172	15	89	45	0	1	0	14	0	5	121
882	Troqueer,	758	751	23	4	6	7	0	0	0	1	0	1	18
883	Twynholm,	983	906	17	3	14	8	0	0	0	0	0	1	19
884	Urr,													
	Total,	38367	37156	876	110	524	275	1	5	0	42	2	16	620
885	33. WIGTOWN.													
886	Glasserton,	920	842	21	2	10	4	0	0	0	3	2	1	27
887	Inch,	1860	1786	53	13	20	19	0	0	0	1	1	0	33
888	Kirkcolm,	1507	1395	50	4	25	9	0	0	0	4	1	1	21
889	Kirkcowan,	1244	1129	34	3	18	8	0	0	0	1	3	2	23
889	Kirkinner,	1206	1156	29	3	15	9	0	0	0	1	0	3	28
890	Kirkmaiden,	1792	1723	45	7	30	14	0	0	0	0	0	0	28

891	Leswalt,	987	917	23	6	13	7	16	0	0	0	1	2	1	0	20
892	Mochrum,	1822	1667	46	8	25	10	16	0	0	0	4	0	2	1	23
893	New Luce,	481	429	16	0	1	10	6	0	0	0	0	0	0	0	8
894	Old Luce (or Glenluce),	2096	2171	52	7	31	15	46	0	0	0	3	1	3	0	53
895	Penninghame,	2965	2727	71	11	53	20	37	0	0	0	3	2	1	0	43
896	Portpatrick,	1097	1495	22	4	21	0	16	0	0	0	3	0	0	1	22
897	Sorbie,	1354	1179	34	3	15	6	16	0	0	0	2	0	0	0	30
898	Stoneykirk,	2279	2320	52	8	32	19	43	0	0	0	4	1	0	0	51
899	Stranraer,	6444	6138	166	13	121	53	58	0	2	0	14	0	0	23	123
900	Whithorn,	2140	1989	56	8	24	3	17	0	0	0	1	0	0	0	21
901	Wigtown,	1710	1607	46	4	30	8	13	0	0	0	3	2	1	1	24
857b	Bargrennan—Wigtown portion,	94	112	4	0	1	2	3	0	0	0	1	0	0	0	4
Total,							30782	820	104	485	216	404	2	2	0	49	75	17	33	582

CAUSES OF DEATH IN SCOTLAND IN 1920—BOTH SEXES.

	All Ages.	Age											
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
All Causes - - - - -	68,179	12,565	4361	1530	1032	3304	3734	4563	6230	8960	10,614	11,279	
I. GENERAL DISEASES.													
1 Enteric Fever - - - - -	96	-	2	8	9	25	21	14	9	7	1	-	-
2 Typhus Fever - - - - -	16	-	-	-	-	3	3	4	5	1	-	-	-
4 Malaria - - - - -	33	-	-	-	-	4	16	8	4	-	1	-	-
5 (a) Smallpox { Vaccinated - - - - -	88	-	-	-	-	5	5	24	32	13	9	-	-
(b) Smallpox { Unvaccinated - - - - -	62	12	13	15	10	5	1	-	1	4	1	-	-
(c) { Vaccination Doubtful - - - - -	2	-	-	-	-	-	-	-	1	-	1	-	-
6 Measles - - - - -	816	271	495	40	3	3	1	-	1	1	1	-	-
7 Scarlet Fever - - - - -	245	8	104	80	23	20	4	3	2	1	-	-	-
8 Whooping-cough - - - - -	628	341	258	27	2	-	-	-	-	-	-	-	-
9 (a) Diphtheria - - - - -	699	60	356	219	33	15	9	-	-	4	2	1	-
(c) Croup, Membr. Laryngitis (b)	25	4	16	5	-	-	-	-	-	-	-	-	-
10 Influenza - - - - -	291	31	16	7	4	26	26	21	25	37	46	58	-
13 Cholera Nostras - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
14 Dysentery - - - - -	18	2	3	1	-	-	2	2	2	4	-	2	-
18 Erysipelas - - - - -	170	40	3	1	-	7	9	21	22	26	22	19	-
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	33	12	4	1	-	4	1	2	7	2	-	-	-
20 (a) Pyæmia, Septicæmia (not Puerperal) (b)	152	36	9	4	11	14	19	12	12	20	7	8	-
(c) Vaccinia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
23 Rabies, Hydrophobia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus - - - - -	18	6	-	2	-	4	-	2	1	2	1	-	-
28 Pulmonary Tuberculosis, Phthisis	4056	17	74	68	133	968	948	791	611	305	117	24	-
29 (a) Acute Phthisis - - - - -	138	1	4	4	8	48	28	22	20	3	-	-	-
(b) Acute Miliary Tuberculosis - - - - -	77	11	11	9	5	17	8	10	2	4	-	-	-
30 Tuberculous Meningitis - - - - -	590	146	218	102	60	41	13	6	4	-	-	-	-
31 Abdominal Tuberculosis - - - - -	525	68	149	72	50	76	38	25	22	18	6	1	-
32 Tuberculosis of Spine - - - - -	116	1	5	15	18	26	13	15	10	8	4	1	-
33 Tuberculosis of Joints - - - - -	51	-	3	2	5	15	10	3	3	4	3	3	-
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	489	39	74	37	33	88	63	48	46	39	14	8	-
36 Rickets, Osteomalacia - - - - -	31	15	13	-	-	-	-	1	2	-	-	-	-
37 Syphilis - - - - -	237	192	6	-	2	5	8	9	7	6	2	-	-
38 Other Venereal Diseases - - - - -	11	8	-	-	-	1	-	2	-	-	-	-	-
45 (a) Carcinoma - - - - -	3639	-	1	-	1	9	81	258	654	1056	1052	527	-
(b) Sarcoma - - - - -	266	4	9	4	8	23	19	32	58	48	44	17	-
(c) Malignant Disease, other or not defined } 39-44	1860	1	-	2	2	8	30	134	333	536	510	304	-
46 Other Tumours (Situation undefined)	31	2	1	1	1	1	5	4	5	6	3	2	-
47 Rheumatic Fever - - - - -	203	1	2	25	30	44	33	22	18	15	7	6	-
48 (a) Chronic Rheumatism - - - - -	78	-	-	-	-	1	1	-	6	17	32	21	-
(b) Osteo-arthritis - - - - -	89	-	-	-	-	1	2	4	11	15	31	25	-
(c) Gout - - - - -	4	-	-	-	-	-	-	-	-	-	2	2	-
49 Scurvy - - - - -	4	1	-	-	-	-	-	-	1	2	-	-	-
50 Diabetes - - - - -	439	2	2	4	17	36	37	37	58	109	95	42	-
51 Exophthalmic Goitre - - - - -	50	-	-	-	-	5	6	18	14	5	2	-	-
52 Addison's Disease - - - - -	25	-	-	-	-	-	2	1	10	7	4	1	-
53 (a) Leucocythæmia - - - - -	63	3	6	1	2	6	11	9	9	9	7	-	-
(b) Lymphadenoma - - - - -	24	-	1	-	1	6	2	4	2	5	2	1	-
54 Anæmia, Chlorosis - - - - -	500	4	8	1	-	10	38	69	100	134	102	34	-
55 (b) Purpura - - - - -	29	7	1	1	6	5	1	1	4	1	-	2	-
(c) Hæmophilia - - - - -	8	4	-	1	-	1	1	-	-	1	-	-	-
(d) Other General Diseases (a) - - - - -	12	1	1	1	1	1	-	-	1	3	1	2	-
56 Alcoholism - - - - -	124	-	-	-	-	1	9	31	44	26	8	5	-
57 Chronic Lead Poisoning - - - - -	2	-	-	-	-	-	-	1	-	-	1	-	-
58 Other Chronic Occupational Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
59 Other Chronic Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-

Note.—Numbers in parentheses after names of Causes of Death indicate numbers of International Headings which have been included. Letters indicating sub-headings agree with those of the extended list of the Registrar-General of England and Wales.

		All Ages.	Age												Age not stated.
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
II. DISEASES OF NERVOUS SYSTEM.															
0	Encephalitis - - - -	184	5	10	10	14	39	19	29	29	10	10	9	-	
1	(a) Cerebro-spinal Meningitis -	115	27	29	12	19	14	2	9	1	2	-	-	-	
	(c) Meningitis, Basal, Nature unspecified (b)	731	275	211	70	37	44	31	19	28	12	4	-	-	
2	Locomotor Ataxy - - - -	70	-	1	-	-	-	-	8	22	26	12	1	-	
3	Other Diseases of Spinal Cord -	423	3	3	4	3	7	26	50	74	105	96	52	-	
4	Cerebral Hæmorrhage, Apoplexy	4567	24	4	2	2	17	35	126	422	1065	1500	1370	-	
5	Softening of Brain - - - -	220	-	-	1	-	-	3	5	8	37	83	83	-	
6	(a) Hemiplegia - - - -	564	2	-	-	1	1	4	9	52	101	215	179	-	
	(c) Paralysis, Cause or Nature unspecified (b)	37	1	-	-	-	2	2	1	4	10	8	9	-	
7	General Paralysis of Insane -	189	-	-	-	3	1	22	72	66	22	3	-	-	
8	Other Insanity - - - -	114	-	-	-	-	7	10	17	18	27	20	15	-	
9	Epilepsy - - - -	259	7	10	13	10	52	43	33	36	21	23	11	-	
1	Convulsions (not Puerperal) (70)	637	530	87	13	1	2	-	1	1	1	-	1	-	
2	Chorea - - - -	15	-	-	1	1	4	-	-	1	6	-	2	-	
3	Neuralgia, Neuritis - - - -	33	-	-	-	-	-	-	3	8	11	5	6	-	
4	(c) Cerebral Tumour - - - -	130	1	3	5	8	12	15	29	31	16	7	3	-	
	(d) Other Diseases of Nervous System (a, b)	95	8	4	5	1	4	5	12	7	16	17	16	-	
5	Diseases of Eye and Annexa -	8	-	1	-	-	1	-	1	-	-	1	4	-	
6	(a) Mastoid Disease - - - -	31	3	4	2	3	9	6	-	1	2	-	1	-	
	(b) Diseases of Ear - - - -	120	17	15	9	12	22	9	12	10	8	4	2	-	
III. DISEASES OF CIRCU- LATORY SYSTEM.															
7	Pericarditis - - - -	40	1	2	1	3	4	2	3	6	8	5	5	-	
8	Acute Endocarditis - - - -	258	3	3	12	12	29	49	40	51	44	15	-	-	
9	(a) Valvular Disease - - - -	3300	11	3	18	36	110	162	241	392	755	893	679	-	
	(b) Fatty Degeneration of Heart -	273	-	-	-	-	-	2	12	33	87	91	53	-	
	(c) Other Organic Diseases of Heart	2598	9	3	9	15	35	43	78	216	536	826	828	-	
0	Angina Pectoris - - - -	229	1	-	-	-	1	2	3	25	62	90	45	-	
1	(a) Aneurysm - - - -	151	-	-	-	-	-	6	18	49	48	15	15	-	
	(b) Arterio-sclerosis - - - -	544	-	-	-	-	-	-	-	11	76	181	276	-	
	(c) Other Diseases of Arteries -	4	-	-	-	-	-	-	-	2	2	-	-	-	
2	(a) Cerebral Embolism, Thrombosis	515	1	-	-	2	4	4	19	41	89	154	201	-	
	(b) Embolism and Thrombosis, not Cerebral	86	2	-	-	3	4	8	4	18	22	17	8	-	
3	Diseases of Veins - - - -	18	-	-	-	-	-	1	5	2	3	4	3	-	
4	(a) Lymphatism, Status Lympha- ticus	12	10	1	1	-	-	-	-	-	-	-	-	-	
	(b) Other Dis. of Lymphatic System	14	4	1	1	-	1	1	2	1	-	2	1	-	
5	Hæmorrhage, Other Diseases of Circulatory System	37	1	1	1	-	-	1	2	5	3	10	10	-	
IV. DISEASES OF RESPIRA- TORY SYSTEM.															
6	Diseases of Nose - - - -	9	3	-	2	-	-	1	-	2	-	1	-	-	
7	(b) Laryngitis - - - -	70	21	33	5	-	-	1	5	-	1	2	2	-	
	(c) Other Diseases of Larynx (a) -	39	23	9	2	-	1	-	1	2	-	-	1	-	
8	Diseases of Thyroid - - - -	29	-	-	1	1	-	-	2	3	7	13	2	-	
0	Bronchitis (89) - - - -	4701	1036	190	28	7	34	62	135	305	690	1053	1161	-	
1	Broncho-pneumonia - - - -	3212	1380	803	86	19	85	100	104	115	173	185	162	-	
2	Pneumonia - - - -	3477	349	277	79	52	273	380	413	441	483	433	297	-	
3	Pleurisy - - - -	277	12	12	8	6	9	9	32	48	58	54	29	-	
4	(a) Pulmonary Apoplexy - - - -	7	-	-	-	-	-	1	1	1	3	1	-	-	
	(b) Pulmonary Congestion (c, d) -	392	86	26	2	4	10	9	10	26	27	62	130	-	
5	Gangrene of Lung - - - -	25	-	-	-	-	2	1	4	6	6	5	1	-	
6	Asthma - - - -	56	-	1	1	1	1	2	6	8	14	16	6	-	
7	Pulmonary Emphysema - - - -	28	-	1	-	1	-	2	1	7	2	10	4	-	
8	(a) Fibroid Diseases of Lung -	43	1	-	-	-	1	-	5	6	15	11	4	-	
	(b) Other Diseases of Respiratory System	23	1	-	2	1	1	3	3	3	5	2	2	-	

		All Ages.	Age												Age not stated
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
V. DIS. OF DIGESTIVE SYSTEM.															
99	Dis. of Mouth, Teeth. Oral Sepsis	27	15	3	2	-	-	-	2	1	2	-	2	-	
101	Diseases of Pharynx, Œsophagus. Tonsillitis (100)	79	9	19	7	3	13	5	5	5	4	5	4	-	
102	Gastric Ulcer - - - -	333	1	1	-	3	24	39	70	70	60	43	22	-	
103	Other Dis. of Stomach. Gastritis	509	186	36	13	5	9	9	17	40	61	77	56	-	
104	Diarrhœa, Enteritis (under 2 years)	1287	1161	126	-	-	-	-	-	-	-	-	-	-	
105	Diarrhœa, Enteritis (over 2 years)	586	-	86	29	21	21	36	53	64	88	95	93	-	
107	Intestinal Parasites (106) - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
108	Appendicitis, Typhlitis - -	445	2	16	58	68	102	51	41	44	32	25	6	-	
109	(a) Hernia - - - -	204	18	2	-	-	2	5	21	22	45	60	29	-	
	(b) Intestinal Obstruction - -	328	76	14	13	12	19	19	26	18	38	48	45	-	
110	Other Diseases of Intestine - -	76	8	-	3	-	4	5	7	11	9	17	12	-	
111	Acute Yellow Atrophy of Liver -	12	-	-	-	-	5	5	2	-	-	-	-	-	
112	Hydatids of Liver - - - -	2	-	-	-	-	1	-	-	-	-	1	-	-	
113	Cirrhosis of Liver - - - -	171	3	-	2	1	-	3	15	39	56	35	17	-	
114	Gallstones - - - -	105	-	-	-	-	1	5	7	14	23	32	23	-	
115	Other Diseases of Liver - -	157	6	2	3	1	7	12	17	22	29	32	26	-	
116	Diseases of Spleen - - - -	5	-	-	-	-	-	-	-	2	2	1	-	-	
117	Peritonitis, cause not specified -	110	14	11	26	6	11	7	6	11	6	5	7	-	
118	Other Diseases of Digestive System	33	-	-	1	-	2	1	9	5	9	6	-	-	
VI. DISEASES OF GENITO- URINARY SYSTEM.															
119	Acute Nephritis - - - -	247	13	33	15	13	25	25	32	24	32	19	16	-	
120	(a) Bright's Disease - - - -	1511	2	5	6	11	54	82	141	282	373	368	187	-	
	(b) Uræmia - - - -	111	3	-	-	-	2	14	11	18	24	17	22	-	
122	Other Dis. of Kidney, Chyluria (121)	118	12	2	-	1	4	9	15	15	19	26	15	-	
123	Urinary Calculus - - - -	35	-	1	-	-	2	2	7	6	7	5	5	-	
124	Diseases of Bladder - - - -	181	4	-	1	-	4	3	7	16	34	50	62	-	
125	Dis. of Urethra, Urinary Abscess	52	-	-	-	-	-	3	4	14	15	13	3	-	
126	Diseases of Prostate - - - -	252	-	-	-	-	-	-	1	4	47	101	99	-	
127	Diseases of Male Genital Organs (not Venereal)	8	2	-	-	-	-	-	2	1	-	1	2	-	
128	Menorrhagia, Uterine Hæmorrhage (not Puerperal)	9	-	-	-	-	-	2	5	1	1	-	-	-	
129	Uterine Tumour (non-Cancerous)	51	-	-	-	-	1	2	13	19	9	2	5	-	
130	Other Diseases of Uterus - -	32	1	-	1	-	3	5	12	5	3	2	-	-	
131	Cysts, and Other Tumours of Ovary	40	-	-	-	-	2	4	9	5	5	12	3	-	
132	Other Dis. of Female Genit. Organs	39	-	1	-	1	8	11	12	2	1	1	2	-	
133	Non-Puerperal Diseases of Breast	5	2	-	-	1	-	-	-	-	2	-	-	-	
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.															
134	(a) Abortion, Miscarriage - -	44	-	-	-	-	5	17	22	-	-	-	-	-	
	(c) Uncontrollable Vomiting - -	12	-	-	-	-	1	5	6	-	-	-	-	-	
	(d) Ectopic Gestation - - - -	22	-	-	-	-	1	16	5	-	-	-	-	-	
	(e) Other Diseases and Accidents of Pregnancy (b)	15	-	-	-	-	2	-	13	-	-	-	-	-	
135	Puerperal Hæmorrhage - - - -	107	-	-	-	-	7	56	42	2	-	-	-	-	
136	Other Accidents of Childbirth -	75	-	-	-	-	10	37	27	1	-	-	-	-	
137	Puerperal Sepsis - - - -	242	-	-	-	-	58	121	62	1	-	-	-	-	
138	Puerp. Albuminuria, Convulsions	134	-	-	-	-	38	70	26	-	-	-	-	-	
139	Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	51	-	-	-	-	7	21	21	2	-	-	-	-	
140	(a) Puerperal Insanity - - - -	7	-	-	-	-	-	5	2	-	-	-	-	-	
	(b) Other Puerperal Diseases - -	129	-	-	-	-	20	64	42	3	-	-	-	-	
141	Puerperal Diseases of Breast -	2	-	-	-	-	1	1	-	-	-	-	-	-	
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.															
142	(a) Senile Gangrene - - - -	230	-	-	-	-	-	-	-	-	18	75	137	-	
	(b) Noma, Cancrum Oris - - - -	8	1	4	1	-	-	-	1	-	1	-	-	-	
	(d) Other Gangrene (c) - - - -	17	2	1	-	-	-	-	-	4	9	1	-	-	
143	Carbuncle, Boil - - - -	31	3	1	-	-	-	1	5	3	5	9	4	-	
144	Phlegmon, Acute Abscess - - -	150	37	6	2	-	11	4	11	19	27	16	17	-	
145	Ulcer, Other Diseases of Skin and Cellular Tissue	83	39	5	-	1	2	1	5	3	10	5	12	-	

	All Ages.	Age												Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
X. DISEASES OF ORGANS OF LOCOMOTION.														
3 Dis. of Bones (Mastoid excluded)	90	9	7	24	13	19	7	1	5	2	2	3	-	
7 Diseases of Joints - - -	28	3	1	1	2	6	2	2	2	3	6	-	-	
9 Other Dis. of Locomotor Syst.(148)	2	1	-	-	1	-	-	-	-	-	-	-	-	
X. MALFORMATIONS.														
0 Congenital Malformations - -	613	561	33	9	3	6	1	-	-	-	-	-	-	
XI. DISEASES OF EARLY INFANCY.														
1 (a) Premature Birth - - -	2532	2532	-	-	-	-	-	-	-	-	-	-	-	
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	1961	1961	-	-	-	-	-	-	-	-	-	-	-	
2 Other Diseases peculiar to Early Infancy	373	373	-	-	-	-	-	-	-	-	-	-	-	
3 Lack of Care - - - -	6	6	-	-	-	-	-	-	-	-	-	-	-	
XII. OLD AGE.														
4 (a) Senile Dementia - - -	66	-	-	-	-	-	-	-	-	7	22	37	-	
(b) Senile Decay - - - -	3511	-	-	-	-	-	-	-	-	-	513	2998	-	
XIII. VIOLENT CAUSES.														
3 Suicide (155-162) - - -	236	-	-	-	-	17	38	50	59	45	18	9	-	
4 Poisoning by Food - - -	13	-	2	1	1	1	-	1	-	3	1	3	-	
5 Other Accidental Poisonings -	39	-	5	-	1	8	3	8	7	3	3	1	-	
7 Burns and Scalds (166) - -	366	29	160	26	11	23	7	21	20	30	28	20	-	
8 Exposure to Poisonous Vapours -	41	-	-	-	1	3	7	4	9	8	4	5	-	
9 Drowning - - - -	452	1	24	19	21	71	61	79	80	50	28	11	7	
0 Accidents with Fire Arms - -	25	-	-	-	2	6	6	7	3	1	-	-	-	
1 Accidents with Instruments and Weapons	1	-	-	-	-	-	-	1	-	-	-	-	-	
2 Accidental Falls - - -	290	-	9	9	6	32	25	45	55	50	28	31	-	
3 (a) Accidents in Coal Mines -	118	-	-	-	4	33	23	33	16	6	3	-	-	
(b) Accidents in Other Mines -	2	-	-	-	-	1	-	1	-	-	-	-	-	
(c) Accidents in Quarries - -	7	-	-	-	-	1	-	2	2	1	1	-	-	
4 Accidents with Machinery - -	29	-	-	-	4	11	5	1	4	2	2	-	-	
5 (a) Accidents on Railways - -	141	-	2	3	6	25	17	24	33	18	11	2	-	
(b) Acc. with Horses and Vehicles	36	-	8	2	2	3	6	-	6	6	2	1	-	
(c) Accidents with Motor Vehicles	161	-	23	42	13	14	11	14	10	16	14	4	-	
(d) Accidents with Tramways -	48	-	8	2	-	3	1	4	8	11	6	5	-	
(e) Other Crushing Accidents -	35	-	-	2	1	5	8	2	9	7	1	-	-	
7 Hunger - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
0 Weather Agencies (178, 179) -	25	-	2	-	-	2	2	2	6	4	4	3	-	
6 (a) Overlaying - - - -	38	38	-	-	-	-	-	-	-	-	-	-	-	
(b) Suffocation (otherwise) - -	77	39	4	1	1	4	2	2	7	12	4	1	-	
(c) Other Accidents (176, 181, 185)	675	10	25	30	27	75	58	56	86	97	83	128	-	
4 Homicide (182, 183) - - -	30	7	3	1	1	3	3	5	5	1	-	1	-	
0 Execution - - - -	2	-	-	-	-	2	-	-	-	-	-	-	-	
1 War Casualties (not Sickness) -	31	-	-	-	-	8	19	4	-	-	-	-	-	
XIV. ILL-DEFINED CAUSES.														
7 Dropsy - - - -	20	1	-	-	-	-	-	1	1	5	2	10	-	
8 (a) Syncope - - - -	181	10	-	1	2	4	5	16	27	34	45	37	-	
(b) Sudden Death (not otherwise defined)	25	5	1	-	-	-	2	2	3	1	6	5	-	
9 (a) Heart Failure - - - -	728	35	3	5	2	9	15	41	85	150	218	165	-	
(c) Teething - - - -	4	2	2	-	-	-	-	-	-	-	-	-	-	
(e) Other Ill-defined Diseases (b, d)	78	5	40	1	1	1	1	-	2	22	4	1	-	
(f) Dis. not Specified, Nat. Causes	343	117	8	2	2	4	9	19	37	35	50	60	-	

	All Ages.	Age												Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
II. DISEASES OF NERVOUS SYSTEM.														
Encephalitis - - - -	92	4	5	8	8	18	9	13	15	5	4	3	-	
(a) Cerebro-Spinal Meningitis -	58	14	15	8	5	9	-	4	1	2	-	-	-	
(c) Meningitis, Basal, Nature un- specified (b)	393	146	115	38	19	22	14	13	15	7	4	-	-	
Locomotor Ataxy - - - -	60	-	-	-	-	-	-	8	20	22	10	-	-	
Other Diseases of Spinal Cord -	208	1	2	-	3	5	11	20	35	57	53	21	-	
Cerebral Hæmorrhage, Apoplexy	2,087	12	4	-	-	12	19	61	181	510	727	561	-	
Softening of Brain - - - -	105	-	-	1	-	-	1	2	4	15	48	34	-	
(a) Hemiplegia - - - -	251	-	-	-	1	1	2	5	25	49	99	69	-	
(c) Paralysis, Cause or Nature unspecified (b)	16	1	-	-	-	-	1	-	2	7	4	1	-	
General Paralysis of Insane -	148	-	-	-	2	1	17	59	52	17	-	-	-	
Other Insanity - - - -	39	-	-	-	-	3	1	4	7	12	9	3	-	
Epilepsy - - - -	151	4	6	6	5	31	24	14	29	10	13	9	-	
Convulsions (not Puerperal) (70)	355	304	46	4	-	-	-	1	-	-	-	-	-	
Chorea - - - -	3	-	-	1	1	-	-	-	-	1	-	-	-	
Neuralgia, Neuritis - - - -	13	-	-	-	-	-	-	1	5	5	1	1	-	
(c) Cerebral Tumour - - - -	60	1	2	2	3	5	7	11	15	8	4	2	-	
(d) Other Diseases of Nervous System (a, b)	43	5	3	3	1	1	2	5	3	8	6	6	-	
Diseases of Eye and Annexa -	6	-	1	-	-	1	-	1	-	-	1	2	-	
(a) Mastoid Disease - - - -	15	-	1	2	1	5	4	-	1	1	-	-	-	
(b) Diseases of Ear - - - -	76	7	6	8	5	13	7	11	8	8	2	1	-	
I. DISEASES OF CIRCULATORY SYSTEM.														
Pericarditis - - - -	16	-	2	-	2	1	1	1	2	3	3	1	-	
Acute Endocarditis - - - -	129	2	-	5	1	13	31	22	28	22	5	-	-	
(a) Valvular Disease - - - -	1,543	9	1	11	18	56	90	106	195	351	436	270	-	
(b) Fatty Degeneration of Heart	96	-	-	-	-	-	-	2	14	29	34	17	-	
(c) Other Organic Diseases of Heart	1,292	6	2	7	3	16	15	44	109	322	402	366	-	
Angina Pectoris - - - -	152	1	-	-	-	-	1	2	18	44	59	27	-	
(a) Aneurysm - - - -	112	-	-	-	-	-	4	14	42	38	9	5	-	
(b) Arterio-sclerosis - - - -	288	-	-	-	-	-	-	-	7	54	106	121	-	
(c) Other Diseases of Arteries -	4	-	-	-	-	-	-	-	2	2	-	-	-	
(a) Cerebral Embolism, Thrombosis	217	-	-	-	1	1	1	8	20	35	70	81	-	
(b) Embolism and Thrombosis, not Cerebral	43	2	-	-	1	1	1	2	13	9	11	3	-	
Diseases of Veins - - - -	6	-	-	-	-	-	1	1	1	-	1	2	-	
(a) Lymphatism, Status Lym- phaticus	9	7	1	1	-	-	-	-	-	-	-	-	-	
(b) Other Dis. of Lymphatic System	5	1	1	-	-	1	1	1	-	-	-	-	-	
Hæmorrhage, Other Diseases of Circulatory System	20	-	1	1	-	-	-	1	3	3	4	7	-	
V. DISEASES OF RESPIRATORY SYSTEM.														
Diseases of Nose - - - -	5	2	-	-	-	-	1	-	1	-	1	-	-	
(b) Laryngitis - - - -	35	12	14	3	-	-	1	2	-	1	1	1	-	
(c) Other Diseases of Larynx (a)	33	19	7	2	-	1	-	1	2	-	-	1	-	
Diseases of Thyroid - - - -	5	-	-	1	1	-	-	-	-	2	-	1	-	
Bronchitis (89) - - - -	2,395	606	83	14	5	19	30	82	175	398	556	427	-	
Broncho-pneumonia - - - -	1,685	802	412	36	10	50	40	49	61	96	81	45	-	
Pneumonia - - - -	2,071	193	150	36	29	170	220	269	311	319	250	124	-	
Pleurisy - - - -	187	7	7	7	3	7	5	22	35	39	42	13	-	
(a) Pulmonary Apoplexy - - - -	2	-	-	-	-	-	-	-	-	1	1	-	-	
(b) Pulmonary Congestion (c, d) -	180	49	13	1	3	4	2	5	12	11	29	51	-	
Gangrene of Lung - - - -	19	-	-	-	-	2	-	4	5	4	4	-	-	
Asthma - - - -	34	-	1	1	1	-	-	5	3	8	13	2	-	
Pulmonary Emphysema - - - -	18	-	-	-	1	-	1	-	3	2	9	2	-	
(a) Fibroid Diseases of Lung -	28	-	-	-	-	-	-	4	3	11	8	2	-	
(b) Other Diseases of Respiratory System	14	1	-	1	1	-	2	3	2	2	2	-	-	

		All Ages.	Age										
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
V. DIS. OF DIGESTIVE SYSTEM.													
99	Dis. of Mouth, Teeth. Oral Sepsis	14	7	1	2	-	-	-	2	1	1	-	-
101	Diseases of Pharynx, Œsophagus. Tonsillitis (100)	46	7	10	3	3	8	2	3	2	4	3	1
102	Gastric Ulcer - - - -	198	1	1	-	3	14	23	34	45	39	25	13
103	Other Dis. of Stomach. Gastritis	262	110	15	7	3	4	3	11	24	35	30	20
104	Diarrhœa, Enteritis (under 2 years)	719	650	69	-	-	-	-	-	-	-	-	-
105	Diarrhœa, Enteritis (over 2 years)	323	-	49	13	16	14	23	28	43	51	51	35
107	Intestinal Parasites (106) - -	1	-	-	-	-	-	1	-	-	-	-	-
108	Appendicitis, Typhlitis - -	240	1	10	26	41	59	21	20	26	17	18	1
109	(a) Hernia - - - -	79	12	1	-	-	1	4	8	9	11	17	16
	(b) Intestinal Obstruction - -	182	38	10	10	10	15	9	9	11	25	23	22
110	Other Diseases of Intestine - -	44	4	-	2	-	1	3	6	6	5	12	5
111	Acute Yellow Atrophy of Liver -	3	-	-	-	-	1	1	1	-	-	-	-
112	Hydatids of Liver - - - -	-	-	-	-	-	-	-	-	-	-	-	-
113	Cirrhosis of Liver - - - -	112	2	-	2	1	-	2	8	29	33	25	10
114	Gallstones - - - -	21	-	-	-	-	-	-	1	3	5	8	4
115	Other Diseases of Liver - -	63	5	1	-	1	4	5	9	13	7	11	7
116	Diseases of Spleen - - - -	2	-	-	-	-	-	-	-	2	-	-	-
117	Peritonitis, cause not specified -	41	5	2	3	1	5	4	1	7	6	4	3
118	Other Diseases of Digestive System	14	-	-	-	-	2	-	3	2	4	3	-
VI. DISEASES OF GENITO- URINARY SYSTEM.													
119	Acute Nephritis - - - -	141	8	20	8	9	17	14	16	13	19	10	7
120	(a) Bright's Disease - - - -	818	1	2	3	8	30	34	72	155	218	195	100
	(b) Uræmia - - - -	61	2	-	-	-	1	3	6	10	14	13	12
122	Other Dis. of Kidney, Chyluria (121)	60	6	-	-	1	2	4	5	5	9	20	8
123	Urinary Calculus - - - -	25	-	1	-	-	2	2	6	5	4	2	3
124	Diseases of Bladder - - - -	128	4	-	-	-	2	-	5	13	21	41	42
125	Dis. of Urethra, Urinary Abscess	50	-	-	-	-	-	3	4	13	15	12	3
126	Diseases of Prostate - - - -	252	-	-	-	-	-	-	1	4	47	101	99
127	Diseases of Male Genital Organs (not Venereal)	8	2	-	-	-	-	-	2	1	-	1	2
128	Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-
129	Uterine Tumour (non-Cancerous)	-	-	-	-	-	-	-	-	-	-	-	-
130	Other Diseases of Uterus - -	-	-	-	-	-	-	-	-	-	-	-	-
131	Cysts, and Other Tumours of Ovary	-	-	-	-	-	-	-	-	-	-	-	-
132	Other Dis. of Female Genit. Organs	-	-	-	-	-	-	-	-	-	-	-	-
133	Non-Puerperal Diseases of Breast	2	2	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134	(a) Abortion, Miscarriage - -	-	-	-	-	-	-	-	-	-	-	-	-
	(c) Uncontrollable Vomiting - -	-	-	-	-	-	-	-	-	-	-	-	-
	(d) Ectopic Gestation - - - -	-	-	-	-	-	-	-	-	-	-	-	-
	(e) Other Diseases and Accidents of Pregnancy (b)	-	-	-	-	-	-	-	-	-	-	-	-
135	Puerperal Hæmorrhage - - -	-	-	-	-	-	-	-	-	-	-	-	-
136	Other Accidents of Childbirth -	-	-	-	-	-	-	-	-	-	-	-	-
137	Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-
138	Puerp. Albuminuria, Convulsions	-	-	-	-	-	-	-	-	-	-	-	-
139	Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	-	-	-	-	-	-	-	-	-	-	-
140	(a) Puerperal Insanity - - -	-	-	-	-	-	-	-	-	-	-	-	-
	(b) Other Puerperal Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-
41	Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142	(a) Senile Gangrene - - - -	117	-	-	-	-	-	-	-	-	10	45	62
	(b) Noma, Cancrum Oris - - -	1	-	1	-	-	-	-	-	-	-	-	-
	(c) Other Gangrene (c) - - - -	8	2	-	-	-	-	-	-	2	4	-	-
143	Carbuncle, Boil - - - -	26	2	1	-	-	-	1	5	1	5	8	3
144	Phlegmon, Acute Abscess - - -	75	25	2	2	-	6	2	3	13	10	7	5
145	Ulcer, Other Diseases of Skin and Cellular Tissue	36	20	4	-	1	-	1	1	-	3	3	3

	All Ages.	Age											Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
IX. DISEASES OF ORGANS OF LOCOMOTION.													
Dis. of Bones (Mastoid excluded)	58	7	3	18	8	14	2	1	3	-	1	1	-
Diseases of Joints - - -	18	3	1	1	2	1	1	2	-	3	4	-	-
Other Dis. of Locomotor Sys. (148)	2	1	-	-	1	-	-	-	-	-	-	-	-
X. MALFORMATIONS.													
Congenital Malformations - -	336	304	22	6	1	3	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.													
(a) Premature Birth - - -	1,436	1436	-	-	-	-	-	-	-	-	-	-	-
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	1,176	1176	-	-	-	-	-	-	-	-	-	-	-
Other Diseases peculiar to Early Infancy	217	217	-	-	-	-	-	-	-	-	-	-	-
Lack of Care - - - -	3	3	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.													
(a) Senile Dementia - - -	27	-	-	-	-	-	-	-	-	7	8	12	-
(b) Senile Decay - - - -	1,507	-	-	-	-	-	-	-	-	-	217	1090	-
XIII. VIOLENT CAUSES.													
Suicide (155-162) - - -	165	-	-	-	-	12	24	37	39	36	10	7	-
Poisoning by Food - - -	9	-	2	-	1	1	-	1	-	3	-	1	-
Other Accidental Poisonings	23	-	3	-	-	7	2	4	4	2	1	-	-
Burns and Scalds (166) - -	159	10	75	12	3	10	4	12	9	12	10	2	-
Exposure to Poisonous Vapours -	25	-	-	-	1	3	6	3	5	5	2	-	-
Drowning - - - -	369	1	17	14	16	51	50	72	70	42	23	7	6
Accidents with Fire Arms - -	24	-	-	-	2	6	6	6	3	1	-	-	-
Accidents with Instruments and Weapons	1	-	-	-	-	-	-	1	-	-	-	-	-
Accidental Falls - - -	218	-	7	5	5	29	21	36	45	41	20	9	-
(a) Accidents in Coal Mines -	117	-	-	-	3	33	23	33	16	6	3	-	-
(b) Accidents in Other Mines -	2	-	-	-	-	1	-	1	-	-	-	-	-
(c) Accidents in Quarries - -	7	-	-	-	-	1	-	2	2	1	1	-	-
Accidents with Machinery - -	27	-	-	-	4	9	5	1	4	2	2	-	-
(a) Accidents on Railways - -	127	-	2	2	3	21	17	24	30	17	11	-	-
(b) Acc. with Horses and Vehicles	30	-	5	2	2	2	6	-	5	6	1	1	-
(c) Accidents with Motor Vehicles	112	-	14	28	7	12	9	11	9	12	8	2	-
(d) Accidents with Tramways -	35	-	5	2	-	2	1	4	8	6	5	2	-
(e) Other Crushing Accidents -	33	-	-	-	1	5	8	2	9	7	1	-	-
Hunger - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Weather Agencies (178, 179)	20	-	1	-	-	1	1	2	5	4	3	3	-
(a) Overlaying - - - -	19	19	-	-	-	-	-	-	-	-	-	-	-
(b) Suffocation (otherwise) - -	42	15	3	-	1	3	2	1	6	8	2	1	-
(c) Other Accidents (176, 181, 185)	471	4	14	21	21	67	51	52	71	77	53	40	-
Homicide (182, 183) - - -	18	5	1	1	1	2	-	5	3	-	-	-	-
Execution - - - -	2	-	-	-	-	2	-	-	-	-	-	-	-
War Casualties (not Sickness) -	31	-	-	-	-	8	19	4	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.													
Dropsy - - - -	7	-	-	-	-	-	-	1	1	2	1	2	-
(a) Syncope - - - -	101	5	-	1	2	3	3	12	19	19	19	18	-
(b) Sudden Death (not otherwise defined)	15	2	-	-	-	-	1	2	1	1	4	4	-
(a) Heart Failure - - -	434	21	-	2	1	4	7	25	64	102	126	82	-
(c) Teething - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-
(e) Other Ill-defined Diseases (b, d)	30	3	16	-	-	-	-	-	1	8	1	1	-
(f) Dis. not Specified, Nat. Causes	186	62	4	1	-	3	5	13	20	20	33	25	-

	All Ages.	Age											Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
II. DISEASES OF NERVOUS SYSTEM.													
Encephalitis - - - -	92	1	5	2	6	21	10	16	14	5	6	6	-
(a) Cerebro-spinal Meningitis -	57	13	14	4	14	5	2	5	-	-	-	-	-
(c) Meningitis, Basal, Nature unspecified (b)	338	129	96	32	18	22	17	6	13	5	-	-	-
Locomotor Ataxy - - - -	10	-	1	-	-	-	-	-	2	4	2	1	-
Other Diseases of Spinal Cord -	215	2	1	4	-	2	15	30	39	48	43	31	-
Cerebral Hemorrhage, Apoplexy	2,480	12	-	2	2	5	16	65	241	555	773	809	-
Softening of Brain - - - -	115	-	-	-	-	-	2	3	4	22	35	49	-
(a) Hemiplegia - - - -	313	2	-	-	-	-	2	4	27	52	116	110	-
(c) Paralysis, Cause or Nature unspecified (b)	21	-	-	-	-	2	1	1	2	3	4	8	-
General Paralysis of Insane -	41	-	-	-	1	-	5	13	14	5	3	-	-
Other Insanity - - - -	75	-	-	-	-	4	9	13	11	15	11	12	-
Epilepsy - - - -	108	3	4	7	5	21	19	19	7	11	10	2	-
Convulsions (not Puerperal) (70)	282	226	41	9	1	2	-	-	1	1	-	1	-
Chorea - - - -	12	-	-	-	-	4	-	-	1	5	-	2	-
Neuralgia, Neuritis - - - -	20	-	-	-	-	-	-	2	3	6	4	5	-
(c) Cerebral Tumour - - - -	70	-	1	3	5	7	8	18	16	8	3	1	-
(d) Other Diseases of Nervous System (a, b)	52	3	1	2	-	3	3	7	4	8	11	10	-
Diseases of Eye and Annexa -	2	-	-	-	-	-	-	-	-	-	-	2	-
(a) Mastoid Disease - - - -	16	3	3	-	2	4	2	-	-	1	-	1	-
(b) Diseases of Ear - - - -	44	10	9	1	7	9	2	1	2	-	2	1	-
I. DISEASES OF CIRCULATORY SYSTEM.													
Pericarditis - - - -	24	1	-	1	1	3	1	2	4	5	2	4	-
Acute Endocarditis - - - -	129	1	3	7	11	16	18	18	23	22	10	-	-
(a) Valvular Disease - - - -	1,757	2	2	7	18	54	72	135	197	404	457	409	-
(b) Fatty Degeneration of Heart	182	-	-	-	-	-	2	10	19	58	57	36	-
(c) Other Organic Diseases of Heart	1,306	3	1	2	12	19	28	34	107	214	424	462	-
Angina Pectoris - - - -	77	-	-	-	-	1	1	1	7	18	31	18	-
(a) Aneurysm - - - -	39	-	-	-	-	-	2	4	7	10	6	10	-
(b) Arterio-sclerosis - - - -	256	-	-	-	-	-	-	-	4	22	75	155	-
(c) Other Diseases of Arteries -	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Cerebral Embolism, Thrombosis	298	1	-	-	1	3	3	11	21	54	84	120	-
(b) Embolism and Thrombosis, not Cerebral	43	-	-	-	2	3	7	2	5	13	6	5	-
Diseases of Veins - - - -	12	-	-	-	-	-	-	4	1	3	3	1	-
(a) Lymphatism, Status Lympha- ticus	3	3	-	-	-	-	-	-	-	-	-	-	-
(b) Other Dis. of Lymphatic System	9	3	-	1	-	-	-	1	1	-	2	1	-
Hæmorrhage, Other Diseases of Circulatory System	17	1	-	-	-	-	1	1	2	3	6	3	-
. DISEASES OF RESPIRATORY SYSTEM.													
Diseases of Nose - - - -	4	1	-	2	-	-	-	-	1	-	-	-	-
(b) Laryngitis - - - -	35	9	19	2	-	-	-	3	-	-	1	1	-
(c) Other Diseases of Larynx (a) -	6	4	2	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid - - - -	24	-	-	-	-	-	-	2	3	5	13	1	-
Bronchitis (89) - - - -	2,306	430	107	14	2	15	32	53	130	292	497	734	-
Broncho-pneumonia - - - -	1,527	578	391	50	9	35	60	55	54	77	101	117	-
Pneumonia - - - -	1,406	156	127	43	23	103	160	144	130	164	183	173	-
Pleurisy - - - -	90	5	5	1	3	2	4	10	13	19	12	16	-
(a) Pulmonary Apoplexy - - - -	5	-	-	-	-	-	1	1	1	2	-	-	-
(b) Pulmonary Congestion (c, d) -	212	37	13	1	1	6	7	5	14	16	38	79	-
Gangrene of Lung - - - -	6	-	-	-	-	-	1	-	1	2	1	1	-
Asthma - - - -	22	-	-	-	-	1	2	1	5	6	3	4	-
Pulmonary Emphysema - - - -	10	-	1	-	-	-	1	1	4	-	1	2	-
(a) Fibroid Diseases of Lung -	15	1	-	-	-	1	-	1	3	4	3	2	-
(b) Other Diseases of Respiratory System	9	-	-	1	-	1	1	-	1	3	-	2	-

		All Ages.	Age										
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
V. DIS. OF DIGESTIVE SYSTEM.													
99 Dis. of Mouth, Teeth. Oral Sepsis	13	8	2	-	-	-	-	-	-	1	-	2	
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	33	2	9	4	-	5	3	2	3	-	2	3	
102 Gastric Ulcer - - - -	135	-	-	-	-	10	16	36	25	21	18	9	
103 Other Dis. of Stomach. Gastritis	247	76	21	6	2	5	6	6	16	26	47	36	
104 Diarrhœa, Enteritis (under 2 years)	568	511	57	-	-	-	-	-	-	-	-	-	
105 Diarrhœa, Enteritis (over 2 years)	263	-	37	16	5	7	13	25	21	37	44	58	
107 Intestinal Parasites (106) - -	-	-	-	-	-	-	-	-	-	-	-	-	
108 Appendicitis, Typhlitis - -	205	1	6	32	27	43	30	21	18	15	7	5	
109 (a) Hernia - - - - -	125	6	1	-	-	1	1	13	13	34	43	13	
(b) Intestinal Obstruction - -	146	38	4	3	2	4	10	17	7	13	25	23	
110 Other Diseases of Intestine - -	32	4	-	1	-	3	2	1	5	4	5	7	
111 Acute Yellow Atrophy of Liver -	9	-	-	-	-	4	4	1	-	-	-	-	
112 Hydatids of Liver - - - -	2	-	-	-	-	1	-	-	-	-	1	-	
113 Cirrhosis of Liver - - - -	59	1	-	-	-	-	1	7	10	23	10	7	
114 Gallstones - - - - -	84	-	-	-	-	1	5	6	11	18	24	19	
115 Other Diseases of Liver - - -	94	1	1	3	-	3	7	8	9	22	21	19	
116 Diseases of Spleen - - - -	3	-	-	-	-	-	-	-	-	2	1	-	
117 Peritonitis, cause not specified -	69	9	9	23	5	6	3	5	4	-	1	4	
118 Other Diseases of Digestive System	19	-	-	1	-	-	1	6	3	5	3	-	
VI. DISEASES OF GENITO- URINARY SYSTEM.													
119 Acute Nephritis - - - -	106	5	13	7	4	8	11	16	11	13	9	9	
120 (a) Bright's Disease - - - -	693	1	3	3	3	24	48	69	127	155	173	87	
(b) Uræmia - - - - -	50	1	-	-	-	1	11	5	8	10	4	10	
122 Other Dis. of Kidney, Chyluria (121)	58	6	2	-	-	2	5	10	10	10	6	7	
123 Urinary Calculus - - - -	10	-	-	-	-	-	-	1	1	3	3	2	
124 Diseases of Bladder - - - -	53	-	-	1	-	2	3	2	3	13	9	20	
125 Dis. of Urethra, Urinary Abscess	2	-	-	-	-	-	-	-	1	-	1	-	
126 Diseases of Prostate - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
127 Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-	-	
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	9	-	-	-	-	-	2	5	1	1	-	-	
129 Uterine Tumour (non-Cancerous)	51	-	-	-	-	1	2	13	19	9	2	5	
130 Other Diseases of Uterus - - -	32	1	-	1	-	3	5	12	5	3	2	-	
131 Cysts, and Other Tumours of Ovary	40	-	-	-	-	2	4	9	5	5	12	3	
132 Other Dis. of Female Genit. Organs	39	-	1	-	1	8	11	12	2	1	1	2	
133 Non-Puerperal Diseases of Breast	3	-	-	-	1	-	-	-	-	2	-	-	
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134 (a) Abortion, Miscarriage - -	44	-	-	-	-	5	17	22	-	-	-	-	
(c) Uncontrollable Vomiting - -	12	-	-	-	-	1	5	6	-	-	-	-	
(d) Ectopic Gestation - - - -	22	-	-	-	-	1	16	5	-	-	-	-	
(e) Other Diseases and Accidents of Pregnancy (b)	15	-	-	-	-	2	-	13	-	-	-	-	
135 Puerperal Hæmorrhage - - -	107	-	-	-	-	7	56	42	2	-	-	-	
136 Other Accidents of Childbirth -	75	-	-	-	-	10	37	27	1	-	-	-	
137 Puerperal Sepsis - - - - -	242	-	-	-	-	58	121	62	1	-	-	-	
138 Puerp. Albuminuria, Convulsions	134	-	-	-	-	38	70	26	-	-	-	-	
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	51	-	-	-	-	7	21	21	2	-	-	-	
140 (a) Puerperal Insanity - - -	7	-	-	-	-	-	5	2	-	-	-	-	
(b) Other Puerperal Diseases - -	129	-	-	-	-	20	64	42	3	-	-	-	
141 Puerperal Diseases of Breast -	2	-	-	-	-	1	1	-	-	-	-	-	
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142 (a) Senile Gangrene - - - -	113	-	-	-	-	-	-	-	-	8	30	75	
(b) Noma, Cancrum Oris - - -	7	1	3	1	-	-	-	1	-	1	-	-	
(d) Other Gangrene (c) - - - -	9	-	1	-	-	-	-	-	2	5	1	-	
143 Carbuncle, Boil - - - - -	5	1	-	-	-	-	-	-	2	-	1	1	
144 Phlegmon, Acute Abscess - - -	75	12	4	-	-	5	2	8	6	17	9	12	
145 Ulcer, Other Diseases of Skin and Cellular Tissue	47	19	1	-	-	2	-	4	3	7	2	9	

	All Ages.	Age												Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
IX. DISEASES OF ORGANS OF LOCOMOTION.														
Dis. of Bones (Mastoid excluded)	32	2	4	6	5	5	3	-	2	2	1	2	-	
Diseases of Joints - - -	10	-	-	-	-	5	1	-	2	-	2	-	-	
Other Dis. of Locomotor Syst.(148)	-	-	-	-	-	-	-	-	-	-	-	-	-	
X. MALFORMATIONS.														
Congenital Malformations - -	277	257	11	3	2	3	1	-	-	-	-	-	-	
XI. DISEASES OF EARLY INFANCY.														
(a) Premature Birth - - -	1096	1096	-	-	-	-	-	-	-	-	-	-	-	
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	785	785	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases peculiar to Early Infancy	156	156	-	-	-	-	-	-	-	-	-	-	-	
Lack of Care - - - -	3	3	-	-	-	-	-	-	-	-	-	-	-	
XII. OLD AGE.														
(a) Senile Dementia - - -	39	-	-	-	-	-	-	-	-	-	14	25	-	
(b) Senile Decay - - - -	2204	-	-	-	-	-	-	-	-	-	296	1908	-	
XIII. VIOLENT CAUSES.														
Suicide (155-162) - - -	71	-	-	-	-	5	14	13	20	9	8	2	-	
Poisoning by Food - - -	4	-	-	1	-	-	-	-	-	-	1	2	-	
Other Accidental Poisonings	16	-	2	-	1	1	1	4	3	1	2	1	-	
Burns and Scalds (166) - -	207	10	85	14	8	13	3	9	11	18	18	18	-	
Exposure to Poisonous Vapours -	16	-	-	-	-	-	1	1	4	3	2	5	-	
Drowning - - - -	83	-	7	5	5	20	11	7	10	8	5	4	1	
Accidents with Fire Arms - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	
Accidental Falls - - -	72	-	2	4	1	3	4	9	10	9	8	22	-	
(a) Accidents in Coal Mines -	1	-	-	-	1	-	-	-	-	-	-	-	-	
(b) Accidents in Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Accidents with Machinery - -	2	-	-	-	-	2	-	-	-	-	-	-	-	
(a) Accidents on Railways - -	14	-	-	1	3	4	-	-	3	1	-	2	-	
(b) Acc. with Horses and Vehicles	6	-	3	-	-	1	-	-	1	-	1	-	-	
(c) Accidents with Motor Vehicles	49	-	9	14	6	2	2	3	1	4	6	2	-	
(d) Accidents with Tramways -	13	-	3	-	-	1	-	-	-	5	1	3	-	
(e) Other Crushing Accidents -	2	-	-	2	-	-	-	-	-	-	-	-	-	
Hunger - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Weather Agencies (178, 179) -	5	-	1	-	-	1	1	-	1	-	1	-	-	
(a) Overlaying - - - -	19	19	-	-	-	-	-	-	-	-	-	-	-	
(b) Suffocation (otherwise) - -	35	24	1	1	-	1	-	1	1	4	2	-	-	
(c) Other Accidents (176, 181, 185)	204	6	11	9	6	8	7	4	15	20	50	88	-	
Homicide (182, 183) - - -	12	2	2	-	-	1	3	-	2	1	-	1	-	
Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
War Casualties (not Sickness) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
XIV. ILL-DEFINED CAUSES.														
Dropsy - - - -	13	1	-	-	-	-	-	-	-	3	1	8	-	
(a) Syncope - - - -	80	5	-	-	-	1	2	4	8	15	26	19	-	
(b) Sudden Death (not otherwise defined)	10	3	1	-	-	-	1	-	2	-	2	1	-	
(a) Heart Failure - - - -	294	14	3	3	1	5	8	16	21	48	92	83	-	
(c) Teething - - - -	3	1	2	-	-	-	-	-	-	-	-	-	-	
(e) Other Ill-defined Diseases (b, d)	48	2	24	1	1	1	1	-	1	14	3	-	-	
(f) Dis. not Specified, Nat. Causes	157	55	4	1	2	1	4	6	17	15	17	35	-	

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1920.

	TOTAL.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	Edinburgh (Mid- lothian).	Elgin (Moray).	Fife.	Forfar.	Hadding- ton.	Inverness.
All Causes.	68,179	4,324	964	3,577	794	339	230	457	393	1,775	1,098	6,978	582	3,559	4,168	502	1,213
I. GENERAL DISEASES.																	
1 Enteric Fever	96	6	1	8	2	1	-	1	-	4	1	3	-	1	4	-	4
2 Typhus Fever	16	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
4 Malaria	33	1	-	2	-	-	-	-	-	2	-	6	1	-	2	-	1
5 Small-pox { (a) Vaccinated	88	-	-	3	-	-	-	-	-	4	-	-	-	-	1	-	-
(b) Unvaccinated	62	-	-	1	-	-	-	-	-	8	-	-	-	-	-	-	-
(c) Vaccination Doubtful	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles	816	52	1	22	-	1	1	1	1	26	8	64	9	22	35	1	12
7 Scarlet Fever	245	6	3	14	2	1	-	2	-	6	2	20	2	15	7	3	8
8 Whooping-Cough	628	55	4	25	3	2	1	-	-	21	9	15	5	47	45	-	14
9 (a) Diphtheria	699	44	12	43	5	1	-	4	1	20	12	92	2	47	35	10	14
(c) Group, Membranous Laryngitis (b)	25	1	1	1	-	1	-	-	-	1	1	1	1	3	4	-	-
10 Influenza	291	18	7	10	5	2	1	3	2	12	4	29	3	23	12	2	12
13 Cholera Nostras	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
14 Dysentery	18	3	-	1	5	-	-	-	-	-	-	2	1	1	1	1	-
18 Erysipelas	170	14	-	5	-	-	2	1	1	2	4	26	3	8	6	-	-
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	33	3	3	-	1	-	-	-	-	-	-	6	1	1	1	-	-
20 (a) Pyæmia, Septicæmia (not Puer- peral (b)	152	14	2	4	3	-	-	1	-	6	-	23	3	8	8	1	3
(c) Vaccinia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23 Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus	18	1	-	1	1	-	-	-	-	-	-	2	-	2	-	1	-
28 Pulmonary Tuberculosis, Phthisis	4,056	244	71	200	34	19	6	14	17	116	69	435	30	188	252	23	94
29 (a) Acute Phthisis	138	4	4	6	-	1	-	1	1	6	2	8	1	7	3	3	4
(b) Acute Miliary Tuberculosis	77	5	1	2	1	-	-	1	-	1	1	16	1	4	3	1	2
30 Tuberculous Meningitis	590	24	7	34	2	-	-	4	3	14	5	67	3	25	29	2	4
31 Abdominal Tuberculosis	525	25	3	28	4	1	1	3	1	16	3	54	6	28	19	1	4
32 Tuberculosis of Spine	116	6	2	8	1	-	-	-	1	1	1	10	-	2	9	1	2
33 Tuberculosis of Joints	51	4	1	2	-	-	-	-	-	1	2	8	1	2	1	-	1

All Causes	514	Kinross.	576	23,436	956	106	361	191	1,698	4,052	1,106	576	324	395	2,041	279	503	Wigtown.
I. GENERAL DISEASES.																		
1 Enteric Fever	1	—	—	40	1	—	1	—	2	3	7	—	—	2	3	—	—	—
2 Typhus Fever	—	—	—	2	—	—	—	—	—	11	1	—	—	—	—	—	—	—
4 Malaria	1	—	—	14	—	1	—	—	—	1	—	—	—	—	1	—	—	—
5 Small-pox { (a) Vaccinated. (b) Unvaccinated (c) Vaccination Doubtful.	—	—	—	52	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Measles	4	—	2	438	9	—	1	—	8	54	—	—	—	7	28	—	9	—
7 Scarlet Fever	4	—	1	92	6	—	2	—	6	25	1	—	—	1	22	—	21	—
8 Whooping Cough	13	—	4	251	4	—	—	—	6	64	10	—	4	—	8	—	6	—
9 (a) Diphtheria	4	—	4	229	12	—	—	—	11	33	7	—	5	—	39	—	—	—
(c) Croup, Membranous Laryngitis (b)	—	—	—	7	1	—	3	—	1	1	13	—	—	1	11	—	—	—
10 Influenza	1	—	3	81	7	—	—	—	5	—	—	—	—	—	—	—	—	—
13 Cholera Nostras	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
14 Dysentery	—	—	—	78	2	—	1	—	—	7	1	—	—	—	4	—	—	—
18 Erysipelas	2	—	—	11	—	—	—	—	1	4	1	—	—	—	—	—	—	—
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20 (a) Pyæmia, Septicæmia (not Puer-peral) (b)	1	—	3	44	1	—	2	—	7	10	1	—	—	—	6	—	1	—
(c) Vaccinia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21 Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Anthrax	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
23 Rabies, Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Tetanus	—	—	—	4	—	—	—	—	—	—	—	—	—	—	1	—	—	—
28 Pulmonary Tuberculosis, Phthisis	30	9	29	1468	31	6	14	10	72	252	102	28	20	39	96	18	20	—
29 (a) Acute Phthisis	—	—	4	59	2	—	2	—	2	8	3	—	—	—	5	1	1	—
(b) Acute Miliary Tuberculosis	1	—	1	22	3	—	1	—	2	5	—	—	—	—	2	1	—	—
30 Tuberculous Meningitis	1	1	7	246	13	—	1	—	13	48	5	2	1	7	19	—	3	—
31 Abdominal Tuberculosis	2	2	2	204	12	—	3	—	6	42	4	9	3	5	26	3	4	—
32 Tuberculosis of Spine	—	—	—	50	1	—	2	—	1	11	2	2	—	—	3	—	1	—
33 Tuberculosis of Joints	—	—	—	14	—	—	3	—	2	3	—	—	—	—	3	—	—	—
35 Tuberculosis of Other Organs, Disseminated Tuberculosis (34)	2	1	3	163	11	—	4	6	7	35	4	4	3	3	15	1	6	—

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1920—continued.

	TOTAL.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clackmannan.	Dumbarton.	Dumfries.	Edinburgh (Midlothian).	Elgin (Moray).	Fife.	Forfar.	Haddington.	Inverness.
II. DISEASES OF NERVOUS SYSTEM.																	
60 Encephalitis	184	6	-	9	-	-	1	-	1	3	2	23	3	21	13	9	-
61 (a) Cerebro-spinal Meningitis	115	1	-	4	2	1	-	-	-	4	-	8	-	6	1	-	1
(c) Meningitis, Basal, Nature unspecified (b)	731	24	8	42	5	3	2	2	9	27	17	62	8	34	30	10	12
62 Locomotor Ataxy	70	4	-	2	-	1	-	-	-	1	-	12	-	5	5	-	-
63 Other Diseases of Spinal Cord	423	24	7	29	6	5	2	5	4	7	1	42	3	24	32	6	10
64 Cerebral Hemorrhage, Apoplexy	4,567	343	71	267	61	21	24	24	45	118	113	506	51	255	274	34	64
65 Softening of Brain	220	5	1	19	2	3	-	-	-	6	9	32	2	18	18	1	3
66 (a) Hemiplegia	564	30	20	13	10	7	2	8	-	11	11	60	4	22	56	6	16
(c) Paralysis, Cause or Nature unspecified (b)	37	-	1	1	-	-	-	-	-	1	1	6	1	-	3	-	3
67 General Paralysis of Insane	189	9	2	13	1	-	-	1	-	5	2	31	1	6	5	1	3
68 Other Insanity	114	10	1	3	2	1	-	-	1	3	3	10	1	2	6	-	9
69 Epilepsy	259	24	7	10	2	1	-	4	2	7	5	29	4	12	16	3	10
71 Convulsions (not Puerperal) (70)	637	61	4	34	4	2	1	3	1	16	8	62	7	25	28	4	10
72 Chorea	15	2	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
73 Neuralgia, Neuritis	33	4	1	2	-	-	-	-	-	2	-	1	-	2	2	-	2
74 (c) Cerebral Tumour	130	6	6	2	1	1	1	-	2	3	2	20	1	2	6	2	1
(d) Other Diseases of Nervous System (a, b)	95	3	4	5	3	-	-	1	-	-	2	7	-	9	2	1	-
75 Diseases of Eye and Annexa	8	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
76 (a) Mastoid Disease	31	3	-	3	-	-	-	-	1	-	-	3	-	1	-	-	1
(b) Diseases of Ear	120	13	1	5	1	-	1	-	-	5	-	16	-	7	6	-	2

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1920—continued.

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.
II. DISEASES OF NERVOUS SYSTEM.																	
60 Encephalitis	1	-	1	65	4	-	1	-	4	7	6	-	-	1	2	-	1
61 (a) Cerebro-spinal Meningitis	-	-	-	74	2	-	-	-	2	3	1	1	-	-	3	-	1
(c) Meningitis, Basal, Nature unspecified (b)	2	-	4	283	14	4	2	1	18	62	8	1	4	4	22	3	4
62 Locomotor Ataxy	2	1	1	26	2	-	-	-	3	2	1	-	-	-	1	-	2
63 Other Diseases of Spinal Cord	6	8	3	124	8	1	1	-	19	14	5	8	4	3	13	3	3
64 Cerebral Haemorrhage, Apoplexy	48	51	51	1325	75	9	17	13	155	261	59	46	25	16	126	17	45
65 Softening of Brain	3	2	2	60	1	-	5	-	4	7	2	3	1	-	8	-	2
66 (a) Hemiplegia	1	6	6	175	8	4	3	2	9	29	10	12	6	3	12	4	1
(c) Paralysis, Cause or Nature unspecified (b)	-	-	-	10	-	1	1	-	1	-	5	-	-	-	1	1	-
67 General Paralysis of Insane	1	-	-	82	1	-	1	1	4	12	1	1	1	1	2	-	1
68 Other Insanity	-	-	3	37	1	1	-	-	5	4	4	1	-	-	4	2	-
69 Epilepsy	3	-	3	79	1	1	-	-	5	9	4	2	2	2	9	-	-
71 Convulsions (not Puerperal) (70)	8	1	10	230	12	2	2	1	12	45	10	3	1	-	21	2	3
72 Chorea	-	-	-	4	-	-	-	-	2	1	1	1	-	-	1	-	-
73 Neuralgia, Neuritis	-	-	-	10	1	-	-	-	1	4	1	1	-	-	1	-	-
74 (c) Cerebral Tumour	2	-	1	40	1	-	-	-	4	10	3	2	2	-	7	1	-
(d) Other Diseases of Nervous System (a, b)	2	-	-	37	-	-	1	-	1	8	1	2	-	-	3	1	1
75 Diseases of Eye and Annexa	1	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
76 (a) Mastoid Disease	1	1	-	14	-	-	-	-	-	2	-	-	-	-	1	-	-
(b) Diseases of Ear	-	-	1	43	2	-	-	-	1	8	1	1	-	-	5	-	1

	TOTAL.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	Edinburgh (Mid- lothian).	Elgin (Moray).	Fife.	Forfar.	Hadding- ton.	Inverness.
III. DISEASES OF CIRCULATORY SYSTEM.																	
77 Pericarditis	40	1	1	2	-	1	-	-	1	1	-	5	-	-	3	1	-
78 Acute Endocarditis	258	13	3	10	27	17	14	24	-	8	65	36	-	16	13	3	7
79 (a) Valvular Disease	3,300	219	52	181	1	5	3	31	2	78	15	380	23	170	235	28	57
(b) Fatty Degeneration of Heart	278	7	6	11	1	5	3	2	2	8	39	38	2	16	7	7	4
(c) Other Organic Diseases of Heart	2,598	206	41	103	50	15	14	37	12	58	39	305	39	169	151	30	59
80 Angina Pectoris	229	15	2	17	1	2	2	-	2	4	-	37	2	15	14	5	1
81 (a) Aneurysm	151	15	1	6	3	1	-	-	3	5	5	23	-	3	13	-	-
(b) Arterio-sclerosis	544	43	10	34	17	3	6	3	7	5	19	74	5	35	51	5	4
(c) Other Diseases of Arteries	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
82 (a) Cerebral Embolism, Thrombosis	515	29	3	41	5	1	4	3	1	5	9	87	6	39	47	3	11
(b) Embolism and Thrombosis, not Cerebral	86	5	-	7	3	-	-	1	-	2	-	10	1	7	4	-	1
83 Diseases of Veins	18	-	1	1	-	-	-	-	-	1	-	2	1	1	1	-	3
84 (a) Lymphatism, Status Lymphaticus	12	1	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-
(b) Other Dis. of Lymphatic System	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85 Hæmorrhage, Other Diseases of Circulatory System	37	6	2	-	-	1	-	-	-	-	-	5	-	2	1	-	1
IV. DISEASES OF RESPIRATORY SYSTEM.																	
86 Diseases of Nose	9	1	-	4	-	-	-	-	-	2	-	-	-	-	-	-	2
87 (b) Laryngitis	70	2	-	2	1	-	-	-	-	2	-	4	-	1	2	-	1
(c) Other Diseases of Larynx (a)	39	1	-	-	-	-	-	-	1	-	-	5	-	-	-	-	-
88 Diseases of Thyroid	29	2	1	1	1	-	-	-	-	-	1	-	-	3	-	-	-
90 Bronchitis (89)	4,701	282	61	251	51	7	17	46	27	113	66	448	26	211	277	31	53
91 Broncho-pneumonia	3,212	159	12	119	35	10	9	8	12	72	30	246	14	131	292	24	26
92 Pneumonia	3,477	203	39	161	34	30	5	20	16	105	43	304	23	157	193	24	44
93 Pleurisy	277	16	8	14	5	3	-	3	2	8	3	34	4	16	15	1	1
94 (a) Pulmonary Apoplexy	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Pulmonary Congestion (c, d)	392	21	11	16	2	2	1	2	-	10	4	46	6	21	22	2	2
95 Gangrene of Lung	25	-	-	1	-	-	-	-	-	-	1	5	-	1	1	-	-
96 Asthma	56	4	1	5	2	-	-	-	1	1	-	4	1	3	2	-	-
97 Pulmonary Emphysema	28	1	1	5	3	-	-	-	-	-	-	2	-	3	-	-	-
98 (a) Fibroid Diseases of Lung	43	3	-	5	-	1	-	-	-	-	-	4	-	3	2	-	2

Wigtown.	- 3 19 1 26 2 1 6 - 8 1 1 1 1	- - - 19 8 14 2 - - - - -	
Sutherland.	- 1 25 - 12 - 2 1 - 1 - - - -	- - - 18 4 5 1 - - - - 1	
Stirling.	2 12 111 11 80 4 4 13 - 29 3 - - - -	- 2 1 2 121 59 114 5 - 10 1 - 1 1 -	
Shetland.	1 - 31 - 20 - 2 2 - 1 - - - -	- 3 - 17 5 3 - - - 1 1 -	
Selkirk.	- 1 27 8 7 1 - 5 - 9 - - - -	- - - 27 13 11 2 - 2 - - - -	
Roxburgh.	- 4 42 3 46 2 - 7 - 7 1 - - - 1	- 1 1 - 29 9 19 - - 1 - - 3 2	
Ross and Cromarty.	- 2 53 4 26 1 - - - 7 1 - - 1 -	- 2 2 1 54 29 51 2 - 8 2 1 - -	
Renfrew.	1 15 210 17 152 12 7 31 - 16 7 2 - 2 1	1 6 1 - 293 200 191 16 - 18 3 3 1 2 2	
Perth.	1 5 121 10 84 12 3 29 - 19 4 - - 2 -	1 2 2 1 99 32 62 6 1 20 - 1 - - 1	
Peebles.	- - 17 - 8 - - 2 - 4 2 - - - -	1 - - 3 1 7 - - 2 - - - -	
Orkney.	- 1 34 3 12 3 1 5 - 5 - - - 1 1	- - - 2 19 5 8 1 1 2 - - - -	
Nairn.	- 1 4 2 3 1 - 2 - 1 - - - -	- - - 9 4 2 - - - - - -	
Linlithgow.	2 4 51 7 21 3 - 2 - 4 1 - - - 1	1 3 1 - 78 45 43 4 - 7 - - 1 -	
Lanark.	16 87 893 64 728 65 51 105 2 93 23 3 1 6 14	4 25 15 7 1862 1566 1497 103 3 146 10 19 8 14 5	
Kirkcud- bright.	- 3 41 12 20 2 - 3 - 5 2 - - - -	- - 1 - 48 12 25 2 - - - - -	
Kinross.	- 1 3 - 4 - - 4 - 1 - - - -	- - - 5 4 6 - - 1 - - 1 1 -	
Kincardine.	1 2 17 2 21 2 2 6 - 11 - 1 - - -	- - - 33 17 18 - - 7 - 1 - - 1	
III. DISEASES OF CIRCULATORY SYSTEM. 77 Pericarditis 78 Acute Endocarditis 79 (a) Valvular Disease (b) Fatty Degeneration of Heart (c) Other Organic Diseases of Heart 80 Angina Pectoris 81 (a) Aneurysm (b) Arterio-sclerosis (c) Other Diseases of Arteries 82 (a) Cerebral Embolism, Thrombosis (b) Embolism and Thrombosis, not Cerebral 83 Diseases of Veins 84 (a) Lymphatism, Status Lymphaticus (b) Other Dis. of Lymphatic System 85 Hemorrhage. Other Diseases of Circulatory System		IV. DISEASES OF RESPIRATORY SYSTEM. 86 Diseases of Nose 87 (b) Laryngitis (c) Other Diseases of Larynx (a) 88 Diseases of Thyroid 90 Bronchitis (89) 91 Broncho-pneumonia 92 Pneumonia 93 Pleurisy 94 (a) Pulmonary Apoplexy (b) Pulmonary Congestion (c, d). 95 Congestion of Lungs 96 Asthma 97 Pulmonary Emphysema 98 (a) Fibroid Diseases of Lung (b) Other Diseases of Respiratory System	

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1920—continued.

	TOTAL.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	Edinburgh (Mid- lothian).	Elgin (Moray).	Fife.	Forfar.	Hadding- ton.	Inverness.
V.—DISEASES OF DIGESTIVE SYSTEM.																	
99 Diseases of Mouth, Teeth. Oral Sepsis	27	4	-	1	-	-	-	-	-	-	1	4	-	1	5	-	-
101 Diseases of Pharynx, Oesophagus. Tonsillitis (100)	79	4	-	1	1	2	-	1	-	3	1	9	1	3	4	1	-
102 Gastric Ulcer	333	13	5	18	4	5	2	2	1	10	9	22	4	16	20	2	7
103 Other Diseases of Stomach. Gastritis	509	38	10	23	11	2	1	3	5	20	4	48	7	28	19	3	8
104 Diarrhoea, Enteritis (under 2 years)	1,287	67	5	89	12	4	-	6	6	29	11	95	9	65	118	9	5
105 Diarrhoea, Enteritis (over 2 years)	586	34	9	48	4	1	3	4	5	25	4	68	8	28	36	3	8
107 Intestinal Parasites (106)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis	445	22	8	32	5	5	1	-	2	21	6	37	-	25	25	2	7
109 (a) Hernia	204	7	1	7	3	4	3	3	2	3	5	25	5	15	10	2	6
(b) Intestinal Obstruction	328	26	8	15	6	2	-	7	1	9	4	39	3	17	18	1	9
110 Other Diseases of Intestine	76	3	3	2	2	1	2	2	1	3	1	15	1	3	2	-	1
111 Acute Yellow Atrophy of Liver	12	1	-	1	-	-	-	-	-	2	-	-	-	2	2	-	-
112 Hydatids of Liver	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
113 Cirrhosis of Liver	171	7	4	9	3	1	-	-	3	2	3	14	2	11	9	1	1
114 Gallstones	105	12	2	6	2	2	-	-	-	3	3	8	2	3	6	1	1
115 Other Diseases of Liver	157	12	2	11	3	1	1	2	3	4	3	15	1	12	5	-	1
116 Diseases of Spleen	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117 Peritonitis, cause not specified	110	5	2	7	-	1	1	1	2	3	2	9	-	8	6	1	2
118 Other Diseases of Digestive System	33	-	-	2	-	-	-	-	-	1	-	5	-	2	1	-	-

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1920—continued.

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.
V.—DISEASES OF DIGESTIVE SYSTEM.																	
99 Diseases of Mouth, Teeth. Oral Sepsis	-	1	-	3	-	-	-	-	-	3	-	1	-	-	2	1	-
101 Diseases of Pharynx, Oesophagus. Tonsillitis (100)	1	-	1	27	1	-	-	-	2	7	2	1	1	-	5	-	-
102 Gastric Ulcer	2	2	1	113	4	-	5	2	11	26	5	2	1	2	14	-	3
103 Other Dis. of Stomach. Gastritis	6	-	4	163	14	-	2	-	16	34	6	1	4	6	17	2	4
104 Diarrhoea, Enteritis (under 2 years)	3	-	7	563	24	2	2	-	7	93	5	5	1	-	39	1	6
105 Diarrhoea, Enteritis (over 2 years)	2	-	3	159	11	-	4	1	18	41	15	4	7	3	20	-	9
107 Intestinal Parasites (106)	-	2	-	1	-	-	-	-	-	-	-	7	1	-	-	4	-
108 Appendicitis, Typhlitis	3	-	5	156	8	-	-	2	13	20	1	2	2	3	19	3	2
109 (a) Hernia	1	1	1	63	1	-	-	-	6	13	1	2	1	5	9	2	3
(b) Intestinal Obstruction	1	-	-	105	4	1	2	-	8	18	6	3	1	1	-	4	-
110 Other Diseases of Intestine	-	-	-	19	1	-	-	-	1	6	1	-	-	-	-	-	2
111 Acute Yellow Atrophy of Liver	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3
112 Hydatids of Liver	-	-	2	57	3	-	1	-	-	12	1	-	-	2	-	2	-
113 Cirrhosis of Liver	-	-	-	31	1	-	-	-	4	10	1	5	-	1	8	-	6
114 Gallstones	3	-	-	50	-	-	-	-	2	15	2	-	1	2	8	2	-
115 Other Diseases of Liver	-	-	1	2	-	-	-	-	2	-	2	1	-	-	-	-	-
116 Diseases of Spleen	-	-	1	37	-	-	-	-	2	6	4	-	-	-	3	-	1
117 Peritonitis, cause not specified	-	-	-	15	5	-	2	1	-	-	-	-	-	-	4	-	1
118 Other Diseases of Digestive System	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-

Argtown.	3 10 1 1 — — — 5 — — 1 1 — —		1 — — — — — — — — — — — — —
Berland.	1 4 — — — 1 — 1 — — — — — —		— — — — — — — — — — — — — —
Carling.	7 35 3 5 — 1 2 1 8 — — — — —		5 — — 1 — 3 3 4 7 2 — 2 — —
Etland.	— 13 1 — — — 1 1 2 — — — — —		— — — — — — 1 — — — — — — —
Elkirk.	2 7 — — — — 1 — — — — 1 2 — —		2 — — — — — — 2 — — — — — — —
Exburgh.	3 17 — — — — 2 — 3 — — — — — —		— — — 1 — — — — — 1 1 — 2 — — —
Es and romarty.	4 34 4 1 — — 3 — 4 — — — — — —		— — — — — — 3 — 8 2 1 — 2 — — —
Enfrew.	20 71 2 4 — 3 8 3 11 — 2 — 1 2 2 — —		5 — — 2 — 8 2 11 7 7 — 2 9 — — —
Perth.	5 35 — 2 — 3 8 — 3 — — — — 2 2 2 — —		— — 2 — — 2 — 3 2 1 — — 3 — — — —
Reebles.	— 11 — 1 — — 1 — 3 — — — — 1 — —		— — — — — — — — — — — — — — —
rkney.	2 7 — 1 — — 1 — 3 — — 1 — — — —		— — — — — — — — — — — — — — —
Nairn.	— 2 1 1 — — — — — — — — — — —		— — — — — — — — — — — — — — —
lithgow.	5 15 1 2 — — 2 — 2 — — — — — — —		— — 1 — — — 2 — 1 1 4 1 — 2 — — —
anark.	78 561 30 38 — 14 53 19 65 4 — 3 — 23 15 9 11 — 2		17 10 6 7 — 43 27 113 39 16 — 3 49 1 — — — — —
rkud- bright.	— 14 1 — — — 1 — — — — — — — — — 3 — —		— — — — — — — — — — — — — — — — — — —
inross.	1 3 — — — — — — — — — — — — — — — — —		— — — — — — — — — — — — — — — — — — —
ncardine.	1 2 — — — 3 — 3 — — — — — 1 — 1 — — —		— — — — — — — — — — — — — — — — — — —
VI. DISEASES OF GENITO- URINARY SYSTEM.			
119 Acute Nephritis			
120 (a) Bright's Disease			
(b) Uræmia			
122 Other Diseases of Kidney, Chyluria (121)			
123 Urinary Calculus			
124 Diseases of Bladder			
125 Diseases of Urethra, Urinary Abscess			
126 Diseases of Prostate			
127 Diseases of Male Genital Organs (not Venereal)			
128 Menorrhagia, Uterine Hemorrhage (not Puerperal)			
129 Uterine Tumour (non-Cancerous) . .			
130 Other Diseases of Uterus			
131 Cysts, and Other Tumours of Ovary .			
132 Other Diseases of Female Genital Organs			
133 Non Puerperal Diseases of Breast .			
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.			
134 (a) Abortion, Miscarriage			
(c) Uncontrollable Vomiting			
(d) Ectopic Gestation			
(e) Other Diseases and Accidents of Pregnancy (b)			
135 Puerperal Hemorrhage			
136 Other Accidents of Childbirth . . .			
137 Puerperal Sepsis			
138 Puerperal Albuminuria, Convulsions			
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism			
140 (a) Puerperal Insanity			
(b) Other Puerperal Diseases . . .			
141 Puerperal Diseases of Breast			

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1920—continued.

	TOTAL.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clackmannan.	Dumbarton.	Dumfries.	Edinburgh (Mid-Lothian).	Elgin (Moray).	Fife.	Forfar.	Haddington.	Inverness.
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.																	
142 (a) Senile Gangrene . . .	230	15	4	9	2	3	1	3	3	1	5	26	3	14	24	5	6
(b) Noma, Cancrum Oris . . .	8	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
(c) Other Gangrene . . .	17	-	-	2	-	-	-	-	-	-	-	3	-	-	1	-	1
(d) Carbuncle, Boil . . .	31	-	1	-	-	-	1	-	-	-	-	1	-	1	1	1	2
143 Phlegmon, Acute Abscess . .	150	9	2	6	3	-	1	-	-	3	4	19	1	6	16	-	2
144 Ulcer, Other Diseases of Skin and Cellular Tissue	83	5	3	2	-	-	-	-	-	3	1	7	-	6	3	2	1
IX. DISEASES OF ORGANS OF LOCOMOTION.																	
146 Diseases of Bones (Mastoid excluded)	90	11	1	7	2	-	-	-	-	5	2	13	-	1	3	1	-
147 Diseases of Joints . . .	28	2	1	2	-	-	-	-	1	-	-	6	-	4	2	-	-
149 Other Dis. of Locomotor Syst. (148)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.																	
150 Congenital Malformations . .	613	35	2	34	8	3	1	1	5	18	6	69	5	40	36	5	9
XI. DISEASES OF EARLY INFANCY.																	
151 (a) Premature Birth . . .	2532	195	11	131	45	11	5	13	8	78	38	256	24	172	134	28	17
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	1961	169	16	127	21	5	-	15	8	47	26	155	11	87	154	7	19
152 Other Diseases peculiar to Early Infancy	373	29	11	20	3	2	-	-	4	6	5	51	6	18	23	2	4
153 Lack of Care . . .	6	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
XII. OLD AGE.																	
154 (a) Senile Dementia . . .	66	7	3	4	1	2	-	-	-	2	1	8	2	2	1	-	-
(b) Senile Decay . . .	3511	222	89	182	42	24	18	51	31	75	73	252	45	199	233	24	164

	Kincardine.	Kinross.	Kirkcud- bright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.																	
142 (a) Senile Gangrene	-	1	3	49	1	-	2	-	8	14	3	7	2	-	11	1	4
(b) Noma, Cancrum Oris	-	-	-	4	-	-	-	-	1	1	-	-	-	-	-	-	-
(c) Other Gangrene	-	-	-	6	-	-	-	-	-	2	-	1	1	1	-	-	-
(d) Carbuncle, Boil.	1	-	1	14	-	-	-	-	-	2	2	1	-	1	2	1	1
143 Phlegmon, Acute Abscess	1	-	1	50	2	-	-	-	4	8	4	1	2	1	2	1	-
144 Ulcer, Other Diseases of Skin and Cellular Tissue	-	1	-	29	3	-	1	1	2	4	1	2	-	-	6	-	-
IX. DISEASES OF ORGANS OF LOCOMOTION.																	
146 Diseases of Bones (Mastoid excluded)	-	-	-	26	1	-	-	-	-	7	4	1	2	1	2	-	-
147 Diseases of Joints	-	-	-	5	1	-	-	1	-	2	-	-	-	1	-	-	-
149 Other Diseases of Locomotor System (148)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
X. MALFORMATIONS.																	
150 Congenital Malformations.	2	-	6	229	13	-	2	-	8	32	7	5	-	1	21	6	4
XI. DISEASES OF EARLY INFANCY.																	
151 (a) Premature Birth	27	2	20	919	44	4	1	8	44	145	19	12	11	4	87	-	19
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	12	1	13	727	40	1	7	1	45	122	13	19	-	6	70	3	14
152 Other Diseases peculiar to Early Infancy	6	-	5	124	8	1	1	-	8	17	4	3	2	1	5	1	3
153 Lack of Care	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	1
XII. OLD AGE.																	
154 (a) Senile Dementia	-	-	3	18	-	-	2	2	-	3	-	-	-	-	1	4	-
(b) Senile Decay	39	3	29	756	35	13	65	13	122	173	185	33	16	82	113	64	46

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1920—continued.

	TOTAL.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	Edinburgh (Mid- lothian).	Elgin (Moray).	Fife.	Forfar.	Hadding- ton.	Inverness.
XIII. VIOLENT CAUSES.																	
163 Suicide (155-162)	236	17	2	9	4	1	-	2	3	4	9	40	2	10	14	-	2
164 Poisoning by Food	13	-	-	1	-	-	-	-	-	-	1	2	1	1	4	1	-
165 Other Accidental Poisonings	39	-	2	1	4	-	1	4	1	4	-	38	-	-	-	-	-
167 Burns and Scalds (166)	366	19	2	21	1	-	-	-	1	10	3	5	-	22	18	1	6
168 Exposure to Poisonous Vapours	41	-	-	3	10	4	-	6	2	22	4	29	4	24	13	1	10
169 Drowning	452	37	13	24	-	-	-	-	-	-	1	-	-	3	-	-	-
170 Accidents with Fire Arms	25	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
171 Accidents with Instruments and Weapons	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172 Accidental Falls	290	10	1	8	-	-	-	-	-	8	-	38	1	3	14	-	1
173 (a) Accidents in Coal Mines	118	-	-	9	-	-	-	-	-	3	1	11	-	15	-	2	-
(b) Accidents in Other Mines	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
(c) Accidents in Quarries	7	1	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-
174 Accidents with Machinery	29	3	1	10	1	-	-	-	-	7	1	11	-	12	4	1	3
175 (a) Accidents on Railways	141	3	-	2	2	-	-	-	-	-	-	2	-	1	1	-	-
(b) Acc. with Horses and Vehicles	36	1	1	6	3	1	-	-	-	7	2	20	-	5	5	-	-
(c) Accidents with Motor Vehicles	161	7	2	1	-	-	-	-	-	-	-	4	-	1	1	-	-
(d) Accidents with Tramways	48	2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-
(e) Other Crushing Accidents	35	-	-	1	1	-	-	1	-	2	-	1	-	1	1	-	-
177 Hunger	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180 Weather Agencies (178, 179)	25	-	-	2	1	-	-	-	-	1	-	-	-	-	2	-	1
186 (a) Overlaying	38	-	-	2	1	-	-	-	-	1	-	-	-	-	9	-	-
(b) Suffocation (otherwise)	77	6	2	4	2	1	-	1	1	2	-	5	-	1	6	-	-
(c) Other Accidents (176, 181, 185)	675	36	13	46	10	3	-	3	6	16	14	73	-	67	40	-	13
184 Homicide (182, 183)	30	-	-	3	1	-	-	-	-	-	-	7	-	1	-	-	-
190 Execution	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191 War Casualties (not Sickness)	31	-	-	2	-	-	-	-	-	2	1	4	-	-	1	1	-
XIV. ILL-DEFINED CAUSES.																	
187 Dropsy	20	3	1	1	1	-	-	-	-	-	-	1	-	-	-	-	2
188 (a) Syncope	181	6	-	11	2	-	-	-	-	5	2	13	-	5	26	1	7
(b) Sudden Death (not otherwise defined)	25	1	1	2	-	-	-	-	-	1	2	-	-	5	4	-	2
189 (a) Heart Failure	728	31	11	53	14	5	5	9	3	17	16	37	6	39	39	4	25

	Wigtown.	Sutherland.	Stirling.	Shetland.	Selkirk.	Roxburgh.	Ross and Cromarty.	Renfrew.	Perth.	Peebles.	Orkney.	Nairn.	Linlithgow.	Lanark.	Kirkcudbright.	Kinross.	Kincardine.	
XIII. VIOLENT CAUSES.																		
163 Suicide	1	-	-	1	5	1	-	-	1	-	-	-	1	-	-	-	1	163 Suicide
164 Poisoning by Food	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	164 Poisoning by Food
165 Other Accidental Poisonings	-	-	12	-	-	-	-	25	1	-	-	-	-	4	-	-	-	165 Other Accidental Poisonings
167 Burns and Scalds (166)	-	-	22	4	-	-	-	22	1	-	-	-	-	158	-	-	-	167 Burns and Scalds (166)
168 Exposure to Poisonous Vapours	-	-	-	10	-	-	-	2	8	1	1	-	-	20	-	-	-	168 Exposure to Poisonous Vapours
169 Drowning	-	-	-	-	-	-	-	1	1	-	-	-	-	122	-	-	-	169 Drowning
170 Accidents with Fire Arms	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	170 Accidents with Fire Arms
171 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	171 Accidents with Instruments and Weapons
172 Accidental Falls	-	-	-	-	-	-	-	19	4	-	-	-	-	169	-	-	-	172 Accidental Falls
173 (a) Accidents in Coal Mines	-	-	-	-	-	-	-	-	-	-	-	-	-	52	-	-	-	173 (a) Accidents in Coal Mines
(b) Accidents in Other Mines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(b) Accidents in Other Mines
(c) Accidents in Quarries	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	(c) Accidents in Quarries
174 Accidents with Machinery	-	-	-	-	-	-	-	8	4	2	3	-	-	12	-	-	-	174 Accidents with Machinery
175 (a) Accidents on Railways	-	-	-	-	-	-	-	1	4	2	3	-	-	53	-	-	-	175 (a) Accidents on Railways
(b) Acc. with Horses and Vehicles	-	-	-	-	-	-	-	9	2	3	-	-	-	22	-	-	-	(b) Acc. with Horses and Vehicles
(c) Accidents with Motor Vehicles	-	-	-	-	-	-	-	3	-	-	-	-	-	78	-	-	-	(c) Accidents with Motor Vehicles
(d) Accidents with Tramways	-	-	-	-	-	-	-	2	-	-	-	-	-	35	-	-	-	(d) Accidents with Tramways
(e) Other Crushing Accidents	-	-	-	-	-	-	-	-	-	-	-	-	-	15	-	-	-	(e) Other Crushing Accidents
177 Hunger	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	177 Hunger
180 Weather Agencies (178, 179)	-	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	180 Weather Agencies (178, 179)
186 (a) Overlaying	-	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	186 (a) Overlaying
(b) Suffocation (otherwise)	-	-	-	-	-	-	-	-	-	-	-	-	-	32	-	-	-	(b) Suffocation (otherwise)
(c) Other Accidents (176, 181, 185)	-	-	-	-	-	-	-	58	24	-	-	-	-	150	-	-	-	(c) Other Accidents (176, 181, 185)
184 Homicide (182, 183)	-	-	-	-	-	-	-	-	-	-	-	-	-	17	-	-	-	184 Homicide (182, 183)
190 Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	190 Execution
191 War Casualties (not Sickness)	-	-	-	-	-	-	-	-	-	-	-	-	-	13	-	-	-	191 War Casualties (not Sickness)
XIV. ILL-DEFINED CAUSES																		
187 Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	187 Dropsy
188 (a) Syncope	-	-	-	-	-	-	-	-	-	-	-	-	-	55	-	-	-	188 (a) Syncope
(b) Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	(b) Sudden Death (not otherwise defined)
189 (a) Heart Failure	-	-	-	-	-	-	-	-	-	-	-	-	-	256	-	-	-	189 (a) Heart Failure
(c) Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(c) Teething
(e) Other Ill-defined Diseases (b, d)	-	-	-	-	-	-	-	-	-	-	-	-	-	32	-	-	-	(e) Other Ill-defined Diseases (b, d)
(f) Dis. not Specified, Nat. Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	97	-	-	-	(f) Dis. not Specified, Nat. Causes

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
II. DISEASES OF NERVOUS SYSTEM.													
60 Encephalitis - - - -	184	11	16	16	14	25	26	15	14	21	14	6	6
61 (a) Cerebro-Spinal Meningitis -	115	12	6	13	12	12	11	7	4	13	8	10	7
(c) Meningitis, Basal, Nature unspecified (b)	731	68	46	59	58	83	65	56	72	48	53	55	68
62 Locomotor Ataxy - - - -	70	9	6	7	6	4	4	5	8	4	4	6	7
63 Other Diseases of Spinal Cord -	423	45	39	42	30	33	29	34	37	28	33	29	44
64 Cerebral Hæmorrhage, Apoplexy	4567	439	387	427	367	384	365	332	338	319	355	413	441
65 Softening of Brain - - - -	220	21	23	29	16	15	11	16	22	11	15	17	24
66 (a) Hemiplegia - - - -	564	63	51	36	53	51	60	43	34	33	36	46	58
(c) Paralysis, Cause or Nature unspecified (b)	37	4	1	2	2	3	1	-	-	-	5	10	9
67 General Paralysis of Insane -	189	21	9	23	12	18	17	8	14	19	11	16	21
68 Other Insanity - - - -	114	8	4	11	8	12	6	10	12	8	9	9	17
69 Epilepsy - - - -	259	21	22	19	26	28	21	19	21	18	20	20	24
71 Convulsions (not Puerperal) (70)	637	55	71	84	65	66	42	44	35	35	41	40	59
72 Chorea - - - -	15	1	2	1	2	3	1	-	1	-	2	1	1
73 Neuralgia, Neuritis - - - -	33	6	4	4	2	3	3	1	2	3	4	1	-
74 (c) Cerebral Tumour - - - -	130	7	13	13	6	11	12	13	11	9	10	14	11
(d) Other Diseases of Nervous System (a, b)	95	1	12	2	6	9	9	10	7	6	11	9	13
75 Diseases of Eye and Annexa -	8	-	3	1	-	-	-	-	1	1	-	1	1
76 (a) Mastoid Disease - - - -	31	1	3	5	1	2	1	3	4	2	4	1	4
(b) Diseases of Ear - - - -	120	14	8	4	8	7	12	20	12	7	7	9	12
III. DISEASES OF CIRCULATORY SYSTEM.													
77 Pericarditis - - - -	40	-	4	3	5	6	2	4	3	2	2	4	5
78 Acute Endocarditis - - - -	258	13	21	24	23	36	19	15	14	18	28	25	22
79 (a) Valvular Disease - - - -	3300	327	238	314	282	305	239	236	268	228	245	281	337
(b) Fatty Degeneration of Heart -	278	31	17	22	29	16	22	21	24	22	14	28	32
(c) Other Organic Diseases of Heart	2598	233	195	244	241	227	200	222	211	181	179	224	241
80 Angina Pectoris - - - -	229	29	25	27	22	26	22	10	16	8	11	10	23
81 (a) Aneurysm - - - -	151	16	12	14	10	16	11	6	12	13	11	17	13
(b) Arterio-sclerosis - - - -	544	65	42	55	44	34	35	32	40	40	41	48	68
(c) Other Diseases of Arteries -	4	2	-	-	-	1	-	-	-	1	-	-	-
82 (a) Cerebral Embolism, Thrombosis	515	51	44	62	35	38	47	34	40	30	36	47	51
(b) Embolism and Thrombosis, not Cerebral	86	7	4	6	7	7	8	6	7	11	7	6	10
83 Diseases of Veins - - - -	18	-	-	-	3	2	2	1	1	1	2	2	4
84 (a) Lymphatism, Status Lymphaticus	12	-	1	1	3	1	-	4	1	-	-	-	1
(b) Other Dis. of Lymphatic System	14	1	-	2	-	1	2	-	-	-	2	1	5
85 Hæmorrhage, Other Diseases of Circulatory System	37	3	4	2	3	4	5	3	4	2	2	1	4
IV. DISEASES OF RESPIRATORY SYSTEM.													
86 Diseases of Nose - - - -	9	2	-	2	2	-	1	-	-	-	1	-	1
87 (b) Laryngitis - - - -	70	6	3	11	6	1	4	4	3	6	9	5	12
(c) Other Diseases of Larynx (a) -	39	3	3	3	5	5	2	2	1	2	1	2	10
88 Diseases of Thyroid - - - -	29	2	1	4	3	2	2	2	2	3	2	2	4
90 Bronchitis (89) - - - -	4701	584	425	579	588	459	251	195	162	226	244	395	593
91 Broncho-pneumonia - - - -	3212	263	257	386	537	380	163	150	106	94	186	291	399
92 Pneumonia - - - -	3477	319	262	426	498	455	224	154	169	177	205	282	306
93 Pleurisy - - - -	277	26	30	26	30	24	22	28	21	16	17	15	22
94 (a) Pulmonary Apoplexy - - -	7	-	3	3	-	-	-	-	-	-	1	-	-
(b) Pulmonary Congestion (c, d) -	392	46	32	45	40	38	24	14	24	22	29	41	37
95 Gangrene of Lung - - - -	25	2	3	2	-	4	2	1	3	2	1	2	3
96 Asthma - - - -	56	6	7	4	6	6	7	4	4	2	1	4	5
97 Pulmonary Emphysema - - - -	28	1	4	3	5	4	2	2	-	1	-	5	1
98 (a) Fibroid Diseases of Lung -	43	3	3	7	4	2	6	2	3	2	2	7	2
(b) Other Diseases of Respiratory System	23	2	1	2	4	5	2	1	-	1	2	1	2

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
V. DIS. OF DIGESTIVE SYSTEM.													
99 Dis. of Mouth, Teeth. Oral Sepsis	27	3	2	2	—	—	1	2	1	3	3	4	6
101 Diseases of Pharynx, Oesophagus. Tonsillitis (100)	79	9	5	10	5	3	2	4	4	9	6	6	16
102 Gastric Ulcer — — —	333	32	31	28	32	36	20	23	29	28	20	20	3
103 Other Dis. of Stomach. Gastritis	509	43	44	52	45	37	34	36	36	43	44	46	49
104 Diarrhoea, Enteritis (under 2 years)	1287	66	60	89	80	113	97	102	156	158	146	132	88
105 Diarrhoea, Enteritis (over 2 years)	586	45	42	52	60	54	58	46	54	43	46	44	42
107 Intestinal Parasites (106) — —	1	—	—	—	1	—	—	—	—	—	—	—	—
108 Appendicitis, Typhlitis — —	445	44	24	38	40	37	30	36	32	35	41	42	46
109 (a) Hernia — — — —	204	15	12	13	15	22	26	10	12	14	14	28	23
(b) Intestinal Obstruction — —	328	34	25	33	22	35	22	37	35	17	17	21	30
110 Other Diseases of Intestine — —	76	4	5	7	8	9	3	6	6	9	11	5	3
111 Acute Yellow Atrophy of Liver —	12	—	—	—	2	1	1	—	2	—	3	1	2
112 Hydatids of Liver — — —	2	1	—	—	—	—	—	—	—	—	1	—	—
113 Cirrhosis of Liver — — —	171	11	16	12	13	12	17	8	19	15	16	9	23
114 Gallstones — — — —	105	7	4	11	11	5	10	10	9	6	10	14	8
115 Other Diseases of Liver — —	157	9	11	15	17	12	10	16	9	14	13	19	12
116 Diseases of Spleen — — —	5	1	1	—	1	2	—	—	—	—	—	—	—
117 Peritonitis, cause not specified —	110	8	6	8	9	11	13	7	11	9	10	10	8
118 Other Diseases of Digestive System	33	2	2	3	4	3	2	4	2	3	1	4	3
VI. DISEASES OF GENITO- URINARY SYSTEM.													
119 Acute Nephritis — — —	247	20	24	36	24	27	18	12	17	13	17	22	17
120 (a) Bright's Disease — — —	1511	138	96	137	121	153	125	124	107	113	101	117	179
(b) Uræmia — — — —	111	10	5	5	5	8	10	13	15	4	11	12	13
122 Other Dis. of Kidney, Chyluria (121)	118	10	6	10	6	7	4	5	11	11	17	15	16
123 Urinary Calculus — — —	35	5	5	3	4	3	3	3	2	2	2	1	2
124 Diseases of Bladder — — —	181	22	19	16	18	13	16	12	10	11	16	15	13
125 Dis. of Urethra, Urinary Abscess	52	7	4	7	3	7	2	2	2	5	6	4	3
126 Diseases of Prostate — — —	252	31	19	21	25	24	17	17	23	18	18	20	19
127 Diseases of Male Genital Organs (not Venereal)	8	—	—	2	—	1	1	1	2	1	—	—	—
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	9	—	3	—	—	2	2	—	—	2	—	—	—
129 Uterine Tumour (non-Cancerous)	51	5	6	3	—	7	3	5	5	2	7	3	5
130 Other Diseases of Uterus — —	32	6	5	3	2	4	4	1	3	1	1	1	1
131 Cysts, and Other Tumours of Ovary	40	3	4	3	2	2	3	3	7	4	3	3	3
132 Other Dis. of Female Genit. Organs	39	4	3	2	5	2	2	3	4	3	5	4	2
133 Non-Puerperal Diseases of Breast	5	1	1	—	—	—	2	—	—	—	1	—	—
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134 (a) Abortion, Miscarriage — —	44	6	3	8	5	3	2	1	1	2	2	4	7
(c) Uncontrollable Vomiting — —	12	2	2	—	—	—	2	1	—	—	3	1	1
(d) Ectopic Gestation — — —	22	2	—	1	1	1	2	3	2	2	4	1	3
(e) Other Diseases and Accidents of Pregnancy (b)	15	—	1	1	—	—	1	2	3	—	—	3	4
135 Puerperal Hæmorrhage — —	107	12	10	9	14	7	10	9	3	8	8	10	7
136 Other Accidents of Childbirth —	75	2	5	18	5	11	6	4	7	8	4	2	3
137 Puerperal Sepsis — — —	242	34	19	20	18	25	14	12	15	13	15	24	33
138 Puerp. Albuminuria, Convulsions	134	13	14	12	13	13	13	5	16	9	13	6	7
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	51	5	4	9	4	6	6	3	3	7	1	3	—
140 (a) Puerperal Insanity — —	7	1	—	1	—	2	—	—	—	—	—	—	3
(b) Other Puerperal Diseases — —	129	16	10	16	22	17	10	6	6	2	9	5	10
141 Puerperal Diseases of Breast —	2	1	—	1	—	—	—	—	—	—	—	—	—
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142 (a) Senile Gangrene — — —	230	25	19	23	20	21	16	15	18	19	17	18	19
(b) Noma, Cancrum Oris — —	8	—	—	2	1	1	2	—	—	1	—	—	1
(c) Other Gangrene — — —	17	—	—	2	1	3	1	2	1	—	2	2	3
143 Carbuncle, Boil — — — —	31	2	8	5	2	1	1	3	2	2	3	1	1
144 Phlegmon, Acute Abscess — —	150	16	11	14	14	13	8	11	7	15	14	11	16
145 Ulcer, Other Diseases of Skin and Cellular Tissue	83	8	11	5	7	9	7	4	5	6	6	8	7

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
IX. DISEASES OF ORGANS OF LOCOMOTION.													
Dis. of Bones (Mastoid excluded)	90	10	9	6	6	1	10	5	9	10	7	9	8
Diseases of Joints - - -	28	4	1	3	2	3	1	4	4	1	1	2	2
Other Dis. of Locomotor Syst. (148)	2	-	1	-	-	-	1	-	-	-	-	-	-
X. MALFORMATIONS.													
Congenital Malformations - -	613	50	55	65	58	48	47	44	37	48	55	50	56
XI. DISEASES OF EARLY INFANCY.													
(a) Premature Birth - - -	2532	272	238	251	227	204	202	186	187	167	160	198	240
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	1961	185	193	194	188	180	153	129	121	124	144	155	195
Other Diseases peculiar to Early Infancy	373	29	34	46	48	28	23	26	25	26	30	28	30
Lack of Care - - - -	6	-	-	-	-	-	2	1	1	-	1	-	1
XII. OLD AGE.													
(a) Senile Dementia - - -	66	5	5	4	6	12	3	5	9	6	3	3	5
(b) Senile Decay - - -	3511	405	292	335	325	287	271	241	242	238	251	276	348
XIII. VIOLENT CAUSES.													
Suicide (155-162) - - -	236	18	16	26	29	20	14	20	18	16	25	16	18
Poisoning by Food - - -	13	1	2	1	1	2	1	-	1	-	1	-	3
Other Accidental Poisonings -	39	2	-	5	5	2	4	4	8	1	1	3	4
Burns and Scalds (166) - -	366	38	32	39	31	33	21	24	20	23	26	32	47
Exposure to Poisonous Vapours -	41	2	2	3	6	5	-	1	3	3	1	7	8
Drowning - - - -	452	48	38	43	35	34	45	37	45	25	31	33	38
Accidents with Fire Arms - -	25	2	-	3	-	6	2	2	4	2	2	1	1
Accidents with Instruments and Weapons	1	-	-	-	1	-	-	-	-	-	-	-	-
Accidental Falls - - -	290	30	18	28	21	24	26	28	25	17	19	27	27
(a) Accidents in Coal Mines -	118	13	3	15	17	11	11	10	5	11	2	10	10
(b) Accidents in Other Mines -	2	-	-	-	-	-	-	-	-	1	1	-	1
(c) Accidents in Quarries - -	7	-	-	-	-	2	3	-	-	-	1	-	-
Accidents with Machinery - -	29	5	2	6	3	3	-	4	1	2	1	1	1
(a) Accidents on Railways - -	141	10	15	17	10	10	7	8	12	18	13	10	11
(b) Acc. with Horses and Vehicles	36	4	1	3	2	3	5	6	3	3	2	3	1
(c) Accidents with Motor Vehicles	161	8	12	9	7	11	16	17	11	10	26	20	14
(d) Accidents with Tramways -	48	4	8	8	2	-	1	5	4	4	6	1	5
(e) Other Crushing Accidents -	35	3	1	1	3	3	3	4	1	5	4	3	4
Hunger - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Weather Agencies (178, 179) -	25	4	6	4	-	2	1	2	-	-	1	1	4
(a) Overlaying - - - -	38	5	2	5	3	4	4	2	2	2	1	2	6
(b) Suffocation (otherwise) - -	77	11	7	3	5	8	4	5	7	7	4	7	9
(c) Other Accidents (176, 181, 185)	675	53	70	57	52	57	42	53	60	52	52	69	58
Homicide (182, 183) - - -	30	2	2	3	2	3	2	4	4	2	-	1	5
Execution - - - -	2	-	-	-	-	2	-	-	-	-	-	-	-
War Casualties (not Sickness) -	31	4	1	2	4	6	2	2	3	3	-	3	1
IV. ILL-DEFINED CAUSES.													
Dropsy - - - -	20	1	-	-	5	1	4	-	1	2	3	1	2
(a) Syncope - - - -	181	20	13	15	16	13	13	23	10	19	12	9	18
(b) Sudden Death (not otherwise defined)	25	1	4	3	-	6	1	-	-	2	2	3	3
(a) Heart Failure - - -	728	93	72	83	60	59	62	43	48	44	54	53	57
(c) Teething - - - -	4	-	-	-	-	-	-	2	-	-	-	1	1
(e) Other Ill-defined Diseases (b, d)	78	9	4	6	9	4	2	12	5	7	4	5	11
(f) Dis. not Specified, Nat. Causes	343	25	35	37	23	36	30	21	26	31	25	18	36

	SEXES.		Age.												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
I. DISEASES OF NERVOUS SYSTEM.															
Encephalitis - - - -	20	18	2	6	2	4	9	4	4	4	-	1	2	-	
(a) Cerebro-Spinal Meningitis -	33	23	12	15	8	10	6	-	3	1	1	-	-	-	
(b) Meningitis, Basal, Nature unspecified (b)	106	85	82	55	18	10	7	7	4	4	3	1	-	-	
Locomotor Ataxy - - - -	17	5	-	1	-	-	-	-	1	6	12	2	-	-	
Other Diseases of Spinal Cord -	39	37	-	-	-	1	-	8	14	12	19	16	6	-	
Cerebral Hæmorrhage, Apoplexy	478	488	7	-	1	-	6	10	37	117	277	327	184	-	
Softening of Brain - - - -	31	18	-	-	-	-	-	-	2	2	11	24	10	-	
(a) Hemiplegia - - - -	68	64	-	-	-	-	-	2	3	20	26	51	30	-	
(b) Paralysis, Cause or Nature unspecified (b)	4	6	1	-	-	-	1	-	-	2	1	2	3	-	
General Paralysis of Insane -	57	15	-	-	-	2	-	5	36	24	5	-	-	-	
Other Insanity - - - -	16	21	-	-	-	-	2	5	4	5	7	6	8	-	
Epilepsy - - - -	29	22	2	1	3	-	8	8	10	10	4	3	2	-	
Convulsions (not Puerperal) (70)	93	75	138	25	2	-	1	-	1	1	-	-	-	-	
Chorea - - - -	2	2	-	-	1	-	1	-	-	-	2	-	-	-	
Neuralgia, Neuritis - - - -	1	4	-	-	-	-	-	-	-	2	-	2	1	-	
(a) Cerebral Tumour - - - -	13	13	-	1	2	-	5	4	6	3	4	1	-	-	
(b) Other Diseases of Nervous System (a, b)	16	12	5	2	4	-	1	1	1	3	2	5	4	-	
Diseases of Eye and Annexa -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Mastoid Disease - - - -	7	3	1	1	1	1	3	2	-	1	-	-	-	-	
(b) Diseases of Ear - - - -	20	10	8	-	2	1	6	5	1	4	3	-	-	-	
DISEASES OF CIRCULATORY SYSTEM.															
Endocarditis - - - -	4	6	1	1	-	2	3	-	-	1	2	-	-	-	
Acute Endocarditis - - - -	25	41	-	2	2	3	9	17	12	13	8	-	-	-	
(a) Valvular Disease - - - -	267	332	3	1	7	12	28	45	56	98	145	134	70	-	
(b) Fatty Degeneration of Heart	26	22	-	-	-	-	-	-	5	9	18	14	2	-	
(c) Other Organic Diseases of Heart	248	241	2	2	4	2	8	14	20	65	128	146	98	-	
Angina Pectoris - - - -	26	18	-	-	-	-	-	1	1	7	15	14	6	-	
(a) Aneurysm - - - -	29	15	-	-	-	-	-	3	6	11	17	3	4	-	
(b) Arterio-sclerosis - - - -	42	38	-	-	-	-	-	-	-	2	15	30	33	-	
(c) Other Diseases of Arteries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(d) Cerebral Embolism, Thrombosis	34	37	-	-	-	-	2	1	3	7	9	23	26	-	
(e) Embolism and Thrombosis, not Cerebral	12	3	-	-	-	-	-	-	3	5	2	5	-	-	
Diseases of Veins - - - -	-	3	-	-	-	-	-	-	1	1	1	-	-	-	
(a) Lymphatism, Status Lymphaticus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Other Dis. of Lymphatic System	1	4	2	1	-	-	-	-	1	-	-	-	1	-	
(c) Hæmorrhage, Other Diseases of Circulatory System	5	6	1	-	-	-	-	-	1	2	2	2	3	-	
DISEASES OF RESPIRATORY SYSTEM.															
Diseases of Nose - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
(a) Laryngitis - - - -	5	5	3	2	-	-	-	-	2	-	-	2	1	-	
(b) Other Diseases of Larynx (a)	10	1	8	1	2	-	-	-	-	-	-	-	-	-	
Diseases of Thyroid - - - -	-	5	-	-	-	-	-	-	-	-	-	4	1	-	
Bronchitis (89) - - - -	704	614	249	55	9	-	15	20	68	123	249	296	234	-	
Broncho-pneumonia - - - -	617	548	510	309	28	6	31	35	34	50	73	61	28	-	
Pneumonia - - - -	705	447	122	93	21	12	105	132	150	169	169	119	60	-	
(a) Pleurisy - - - -	55	25	3	5	2	1	2	5	8	14	21	15	4	-	
(b) Pulmonary Apoplexy - - - -	-	3	-	-	-	-	-	1	-	1	1	-	-	-	
(c) Pulmonary Congestion (c, d)	53	58	38	12	1	1	1	-	3	9	12	17	17	-	
(d) Gangrene of Lung - - - -	7	2	-	-	-	-	1	-	-	2	4	1	1	-	
(e) Asthma - - - -	8	8	-	-	-	-	-	1	1	2	7	5	-	-	
(f) Pulmonary Emphysema - - - -	2	2	-	1	-	-	-	-	-	1	1	1	-	-	
(g) Fibroid Diseases of Lung - -	4	1	-	-	-	-	-	-	2	1	2	-	-	-	
(h) Other Diseases of Respiratory System	2	2	-	-	1	-	-	-	1	1	-	-	1	-	

			SEXES.		Age.												Age not over
			Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
V. DIS. OF DIGESTIVE SYSTEM.																	
99	Dis. of Mouth, Teeth.	Oral Sepsis	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
101	Diseases of Pharynx, Oesophagus, Tonsillitis (100)		11	7	5	3	-	-	3	1	2	2	1	-	-	1	
102	Gastric Ulcer	- - -	52	31	-	1	-	1	8	11	23	21	10	7	1		
103	Other Dis. of Stomach.	Gastritis	67	56	49	10	2	1	3	-	6	10	17	18	7		
104	Diarrhoea, Enteritis (under 2 years)		196	164	332	28	-	-	-	-	-	-	-	-	-		
105	Diarrhoea, Enteritis (over 2 years)		59	60	-	25	2	2	4	9	11	18	15	22			
107	Intestinal Parasites (106)	- -	1	-	-	-	-	-	1	-	-	-	-	-	-		
108	Appendicitis, Typhlitis	- -	63	46	1	3	16	17	28	7	6	14	7	8	2		
109	(a) Hernia	- - -	19	32	8	-	-	-	1	2	5	5	14	14	2		
	(b) Intestinal Obstruction	- -	39	31	17	3	2	2	3	7	7	5	9	10	5		
110	Other Diseases of Intestine	- -	9	5	3	-	2	-	-	2	1	-	2	4	-		
111	Acute Yellow Atrophy of Liver	-	-	2	-	-	-	-	2	-	-	-	-	-	-		
112	Hydatids of Liver	- - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
113	Cirrhosis of Liver	- - -	27	18	1	-	-	-	-	-	7	11	15	10	1		
114	Gallstones	- - -	6	17	-	-	-	-	-	2	1	4	2	10	4		
115	Other Diseases of Liver	- -	13	26	1	-	1	-	3	2	4	8	9	6	5		
116	Diseases of Spleen	- - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
117	Peritonitis, cause not specified	-	8	15	5	3	2	1	-	2	1	5	2	1	1		
118	Other Diseases of Digestive System		4	5	-	-	-	-	1	-	2	2	2	2	-		
VI. DISEASES OF GENITO- URINARY SYSTEM.																	
119	Acute Nephritis	- - -	33	20	1	7	2	-	4	5	7	8	11	4	4		
120	(a) Bright's Disease	- - -	278	186	-	-	-	1	9	24	38	98	130	111	53		
	(b) Uræmia	- - -	14	10	-	-	-	-	-	2	2	4	10	2	4		
122	Other Dis. of Kidney, Chyluria (121)		12	15	8	2	-	-	1	2	2	3	3	5	1		
123	Urinary Calculus	- - -	5	5	-	1	-	-	-	-	3	1	2	2	1		
124	Diseases of Bladder	- - -	31	10	2	-	-	-	-	-	1	4	12	9	13		
125	Dis. of Urethra, Urinary Abscess		19	-	-	-	-	-	-	1	3	5	7	3	8		
126	Diseases of Prostate	- - -	46	-	-	-	-	-	-	-	-	1	13	24	8		
127	Diseases of Male Genital Organs (not Venereal)		4	-	2	-	-	-	-	-	-	1	-	1	-		
128	Menorrhagia, Uterine Hæmorrhage (not Puerperal)		-	3	-	-	-	-	-	-	2	1	-	-	-		
129	Uterine Tumour (non-Cancerous)		-	15	-	-	-	-	-	2	5	7	1	-	-		
130	Other Diseases of Uterus	- -	-	12	-	-	-	-	2	2	4	1	1	2	-		
131	Cysts, and Other Tumours of Ovary		-	8	-	-	-	-	-	-	-	3	3	-	2		
132	Other Dis. of Female Genit. Organs		-	7	-	-	-	1	-	2	3	-	-	-	1		
133	Non-Puerperal Diseases of Breast		-	-	-	-	-	-	-	-	-	-	-	-	-		
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.																	
134	(a) Abortion, Miscarriage	- -	-	11	-	-	-	-	1	6	4	-	-	-	-		
	(c) Uncontrollable Vomiting	- -	-	6	-	-	-	-	-	3	3	-	-	-	-		
	(d) Ectopic Gestation	- -	-	3	-	-	-	-	-	1	2	-	-	-	-		
	(e) Other Diseases and Accidents of Pregnancy (b)		-	5	-	-	-	-	-	-	5	-	-	-	-		
135	Puerperal Hæmorrhage	- -	-	30	-	-	-	-	2	17	11	-	-	-	-		
136	Other Accidents of Childbirth	- -	-	19	-	-	-	-	1	11	6	1	-	-	-		
137	Puerperal Sepsis	- - -	-	82	-	-	-	-	19	42	21	-	-	-	-		
138	Puerp. Albuminuria, Convulsions		-	22	-	-	-	-	4	13	5	-	-	-	-		
139	Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism		-	14	-	-	-	-	2	8	3	1	-	-	-		
140	(a) Puerperal Insanity	- -	-	2	-	-	-	-	-	2	-	-	-	-	-		
	(b) Other Puerperal Diseases	- -	-	37	-	-	-	-	7	18	12	-	-	-	-		
141	Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.																	
142	(a) Senile Gangrene	- - -	13	18	-	-	-	-	-	-	-	-	3	14	14		
	(b) Noma, Cancrum Oris	- -	1	3	-	3	1	-	-	-	-	-	-	-	-		
	(d) Other Gangrene (c)	- -	2	3	-	1	-	-	-	-	-	1	2	1	-		
143	Carbuncle, Boil	- - -	8	1	-	-	-	-	-	1	1	-	2	4	1		
144	Phlegmon, Acute Abscess	- -	21	17	11	2	-	-	6	-	2	3	7	5	2		
145	Ulcer, Other Diseases of Skin and Cellular Tissue		8	10	10	2	-	-	-	-	1	1	3	-	1		

	SEXES.		Age.												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
DISEASES OF ORGANS OF LOCOMOTION.															
Dis. of Bones (Mastoid excluded)	8	5	-	1	3	2	3	1	-	-	2	-	1	-	
Diseases of Joints - - -	1	1	1	-	-	-	1	-	-	-	-	-	-	-	
Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
X. MALFORMATIONS.															
Congenital Malformations - -	77	62	131	5	-	1	1	1	-	-	-	-	-	-	
XI. DISEASES OF EARLY INFANCY.															
a) Premature Birth - - -	331	298	629	-	-	-	-	-	-	-	-	-	-	-	
b) Congenital Debility, Icterus, Sclerema (c, d, e)	320	189	509	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases peculiar to Early Infancy	45	34	79	-	-	-	-	-	-	-	-	-	-	-	
Lack of Care - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	-	
XII. OLD AGE.															
a) Senile Dementia - - -	8	6	-	-	-	-	-	-	-	-	4	6	4	-	
b) Senile Decay - - - -	191	301	-	-	-	-	-	-	-	-	-	108	384	-	
XIII. VIOLENT CAUSES.															
Suicide (155-162) - - -	48	13	-	-	-	-	4	9	16	15	13	2	2	-	
Poisoning by Food - - -	1	1	-	-	1	1	-	-	-	-	-	-	-	-	
Other Accidental Poisonings	7	6	-	1	-	1	2	2	2	3	1	1	-	-	
Burns and Scalds (166) - -	44	58	9	45	9	2	6	1	6	8	7	8	1	-	
Exposure to Poisonous Vapours -	8	5	-	-	-	1	-	3	1	5	2	-	1	-	
Drowning - - - -	77	12	-	1	4	5	13	11	19	22	10	4	-	-	
Accidents with Fire Arms - -	2	-	-	-	-	-	1	-	1	-	-	-	-	-	
Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Accidental Falls - - - -	118	34	-	7	4	2	15	13	24	33	27	16	11	-	
a) Accidents in Coal Mines -	7	-	-	-	-	-	2	2	2	-	-	1	-	-	
b) Accidents in Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
c) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Accidents with Machinery - -	8	2	-	-	-	1	4	3	-	2	-	-	-	-	
a) Accidents on Railways - -	28	1	-	-	-	-	9	3	6	7	3	1	-	-	
b) Acc. with Horses and Vehicles	15	3	-	5	-	2	-	3	-	4	2	1	1	-	
c) Accidents with Motor Vehicles	37	16	-	6	21	2	4	3	2	2	5	6	2	-	
d) Accidents with Tramways -	26	7	-	6	2	-	2	1	3	5	6	5	3	-	
e) Other Crushing Accidents -	10	-	-	-	-	-	2	1	-	4	3	-	-	-	
Hunger - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	
Weather Agencies (178, 179)	2	-	-	-	-	-	-	-	1	-	-	1	-	-	
a) Overlaying - - - -	3	4	7	-	-	-	-	-	-	-	-	-	-	-	
b) Suffocation (otherwise) - -	10	9	7	2	-	-	-	2	-	1	6	1	-	-	
c) Other Accidents (176, 181, 185)	71	29	2	3	4	2	14	6	9	16	20	10	14	-	
Homicide (182, 183) - - -	10	6	4	3	1	-	2	-	3	1	1	-	1	-	
Execution - - - -	2	-	-	-	-	-	2	-	-	-	-	-	-	-	
War Casualties (not Sickness)	9	-	-	-	-	-	3	5	1	-	-	-	-	-	
IV. ILL-DEFINED CAUSES.															
Dropsy - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	
a) Syncope - - - -	21	20	4	-	-	1	-	3	2	7	9	10	5	-	
b) Sudden Death (not otherwise defined)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
a) Heart Failure - - - -	131	65	19	-	1	-	4	3	20	32	42	47	28	-	
c) Teething - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
e) Other Ill-defined Diseases (b, d)	6	13	1	8	-	-	1	-	-	-	9	-	-	-	
f) Dis. not Specified, Nat. Causes	40	28	24	1	1	-	-	3	7	8	9	12	3	-	

CAUSES OF DEATH IN EDINBURGH IN 1920.

	SEXES.		Age												
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
All Causes - - - - -	2129	2313	688	189	78	48	176	239	307	480	658	797	782		
I. GENERAL DISEASES.															
1 Enteric Fever - - - - -	1	1	-	-	-	-	1	-	1	-	-	-	-		
2 Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Malaria - - - - -	2	-	-	-	-	-	-	1	1	-	-	-	-		
5 (a) Vaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Smallpox Unvaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) Vaccination Doubtful - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
6 Measles - - - - -	23	19	13	25	3	-	1	-	-	-	-	-	-		
7 Scarlet Fever - - - - -	4	9	1	3	6	1	1	1	-	-	-	-	-		
8 Whooping-cough - - - - -	5	5	5	5	-	-	-	-	-	-	-	-	-		
9 (a) Diphtheria - - - - -	32	31	9	31	18	4	1	-	-	-	-	-	-		
(c) Croup, Membr. Laryngitis (b)	1	-	-	1	-	-	-	-	-	-	-	-	-		
10 Influenza - - - - -	5	14	-	1	-	-	1	2	1	2	4	3	5		
13 Cholera Nostras - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
14 Dysentery - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-		
18 Erysipelas - - - - -	9	11	1	1	1	-	2	1	4	-	3	4	3		
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	3	2	3	-	-	-	-	-	1	-	1	-	-		
20 (a) Pyæmia, Septicæmia (not Puerperal) (b)	5	7	2	1	-	1	-	3	-	1	2	1	1		
(c) Vaccinia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
21 Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
22 Anthrax - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
23 Rabies, Hydrophobia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
24 Tetanus - - - - -	2	-	1	-	-	-	1	-	-	-	-	-	-		
28 Pulmonary Tuberculosis, Phthisis	160	121	1	1	2	4	54	72	57	55	22	12	1		
29 (a) Acute Phthisis - - - - -	1	4	-	-	-	-	2	1	1	1	-	-	-		
(b) Acute Miliary Tuberculosis - - - - -	5	3	2	-	3	-	1	1	-	-	1	-	-		
30 Tuberculous Meningitis - - - - -	24	14	11	15	6	2	2	1	1	-	-	-	-		
31 Abdominal Tuberculosis - - - - -	13	17	1	9	2	2	3	1	4	5	3	-	-		
32 Tuberculosis of Spine - - - - -	3	1	-	-	-	-	1	-	-	2	1	-	-		
33 Tuberculosis of Joints - - - - -	3	2	-	-	-	1	1	2	-	-	-	-	1		
35 Tuberculosis of Other Organs, Disseminated Tuberculosis (34)	21	25	4	6	3	3	6	4	4	7	5	1	3		
36 Rickets, Osteomalacia - - - - -	2	1	2	1	-	-	-	-	-	-	-	-	-		
37 Syphilis - - - - -	21	14	29	2	-	-	1	2	-	1	-	-	-		
38 Other Venereal Diseases - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-		
45 (a) Carcinoma - - - - -	123	166	-	-	-	-	2	7	22	53	85	90	30		
(b) Sarcoma - - - - -	10	12	-	-	-	1	2	5	2	2	5	4	1		
(c) Malignant Disease, other or not defined	61	99	-	-	-	-	1	2	13	31	47	41	25		
46 Other Tumours (Situation undefined)	-	2	-	-	-	-	-	-	1	-	-	1	-		
47 Rheumatic Fever - - - - -	5	5	-	-	1	1	2	3	-	1	1	-	1		
48 (a) Chronic Rheumatism - - - - -	1	2	-	-	-	-	-	-	-	-	1	1	1		
(b) Osteo-arthritis - - - - -	3	7	-	-	-	-	-	-	-	-	4	4	2		
(c) Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
49 Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
50 Diabetes - - - - -	14	21	-	1	-	1	4	3	2	2	13	6	3		
51 Exophthalmic Goitre - - - - -	1	4	-	-	-	-	2	-	1	2	-	-	-		
52 Addison's Disease - - - - -	2	2	-	-	-	-	-	-	1	2	1	-	-		
53 (a) Leucocythæmia - - - - -	2	4	-	1	-	-	-	-	2	1	-	2	-		
(b) Lymphadenoma - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
54 Anæmia, Chlorosis - - - - -	17	16	1	-	-	-	-	1	2	9	9	8	3		
55 (b) Purpura - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-		
(c) Hæmophilia - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-		
(d) Other General Diseases (a)	-	1	-	-	-	-	-	-	-	-	-	1	-		
56 Alecholism - - - - -	10	3	-	-	-	-	-	1	4	7	1	-	-		
57 Chronic Lead Poisoning - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-		
58 Other Chronic Occupational Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
59 Other Chronic Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
DISEASES OF NERVOUS SYSTEM.															
Phalitis - - - -	5	9	-	-	-	-	3	1	3	2	2	1	2	-	-
Cerebro-spinal Meningitis -	1	6	4	1	-	1	-	-	-	-	1	-	-	-	-
Meningitis, Basal, Nature, unspecified (b)	12	17	16	2	2	1	-	1	3	3	-	1	-	-	-
Motor Ataxy - - - -	6	1	-	-	-	-	-	-	-	2	4	1	-	-	-
Other Diseases of Spinal Cord -	13	16	-	-	-	-	1	1	3	4	9	4	7	-	-
Cerebral Hæmorrhage, Apoplexy	145	206	4	1	-	-	1	3	9	31	79	111	112	-	-
Swelling of Brain - - - -	6	16	-	-	-	-	-	-	-	-	5	7	10	-	-
Hemiplegia - - - -	16	20	-	-	-	-	-	-	1	4	7	13	11	-	-
Paralysis, Cause or Nature unspecified (b)	-	3	-	-	-	-	-	-	-	-	1	1	1	-	-
General Paralysis of Insane -	19	3	-	-	-	-	-	2	8	9	3	-	-	-	-
General Insanity - - - -	-	6	-	-	-	-	-	-	-	1	1	1	3	-	-
Psychosis - - - -	13	8	-	1	1	-	5	4	3	3	2	2	-	-	-
Convulsions (not Puerperal) (70)	19	21	36	4	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Neuralgia, Neuritis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral Tumour - - - -	4	6	-	-	-	-	-	2	1	6	1	-	-	-	-
Other Diseases of Nervous System (a, b)	1	4	1	-	-	-	-	1	-	-	-	1	2	-	-
Diseases of Eye and Annexa -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Measles Disease - - - -	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Diseases of Ear - - - -	5	4	-	1	-	1	2	-	3	-	1	1	-	-	-
DISEASES OF CIRCULATORY SYSTEM.															
Endocarditis - - - -	1	3	-	-	-	-	1	1	1	-	-	-	1	-	-
Valvular Disease - - - -	13	6	-	-	-	1	4	3	3	6	2	-	-	-	-
Fatty Degeneration of Heart	103	125	-	-	1	-	5	13	17	38	44	65	45	-	-
Other Organic Diseases of Heart	11	17	-	-	-	-	-	-	2	4	6	12	4	-	-
Aneurysm of Pectoris - - - -	92	120	1	-	-	-	2	3	8	12	48	68	70	-	-
Aneurysm - - - -	17	10	-	-	-	-	-	-	-	2	10	10	5	-	-
Arterio-sclerosis - - - -	12	2	-	-	-	-	-	-	1	6	4	2	1	-	-
Other Diseases of Arteries -	31	24	-	-	-	-	-	-	-	3	8	19	25	-	-
Cerebral Embolism, Thrombosis	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Embolism and Thrombosis, not Cerebral	22	41	-	-	-	-	-	-	2	4	9	19	29	-	-
Diseases of Veins - - - -	2	3	-	-	-	-	-	-	-	-	3	1	1	-	-
Lymphatism, Status Lymphaticus	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Dis. of Lymphatic System	6	2	6	1	1	-	-	-	-	-	-	-	-	-	-
Hæmorrhage, Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.															
Diseases of Nose - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Laryngitis - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx (a) -	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid - - - -	1	2	-	-	-	-	-	-	-	2	1	-	-	-	-
Phthisis (89) - - - -	131	165	44	5	3	1	-	6	9	16	43	73	96	-	-
Pneumonia - - - -	76	75	60	24	-	1	3	5	7	6	19	12	14	-	-
Emphysema - - - -	111	84	22	8	2	3	14	16	23	29	26	30	22	-	-
Pulmonary Apoplexy - - - -	14	7	1	-	1	1	2	-	1	4	2	4	5	-	-
Pulmonary Congestion (c, d) -	15	17	8	2	-	1	3	1	2	1	1	5	8	-	-
Chronic Disease of Lung - - - -	4	-	-	-	-	-	-	-	1	1	-	2	-	-	-
Chronic Bronchitis - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Pulmonary Emphysema - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Fibroid Diseases of Lung - - - -	2	2	-	-	-	-	-	-	-	1	3	-	-	-	-
Other Diseases of Respiratory System	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-

	SEXES.		Age												Age not over
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
V. DIS. OF DIGESTIVE SYSTEM.															
99 Dis. of Mouth, Teeth. Oral Sepsis	2	1	1	-	-	-	-	-	1	-	-	-	1		
101 Diseases of Pharynx, Œsophagus, Tonsillitis (100)	-	4	-	2	-	-	2	-	-	-	-	-	-		
102 Gastric Ulcer - - - -	10	5	-	-	-	-	1	1	2	5	4	2	-		
103 Other Dis. of Stomach. Gastritis	12	17	12	-	-	1	-	-	-	6	1	3	6		
104 Diarrhœa, Enteritis (under 2 years)	30	22	49	3	-	-	-	-	-	-	-	-	-		
105 Diarrhœa, Enteritis (over 2 years)	19	20	-	3	3	-	-	-	5	5	6	7	10		
107 Intestinal Parasites (106) - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
108 Appendicitis, Typhlitis - - -	11	13	-	-	3	3	6	4	2	3	3	-	-		
109 (a) Hernia - - - - -	9	10	2	-	-	-	-	1	1	2	4	7	2		
(b) Intestinal Obstruction - -	13	11	6	1	2	-	2	-	1	3	1	3	5		
110 Other Diseases of Intestine -	6	3	1	-	-	-	-	-	-	2	2	3	1		
111 Acute Yellow Atrophy of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-		
112 Hydatids of Liver - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
113 Cirrhosis of Liver - - - -	8	3	-	-	-	-	-	-	-	2	5	2	2		
114 Gallstones - - - - -	1	4	-	-	-	-	-	-	-	1	1	1	2		
115 Other Diseases of Liver - -	3	5	-	-	-	1	-	2	-	1	1	1	2		
116 Diseases of Spleen - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
117 Peritonitis, cause not specified -	-	4	-	-	3	-	1	-	-	-	-	-	-		
118 Other Diseases of Digestive System	1	2	-	-	-	-	-	-	1	-	2	-	-		
VI. DISEASES OF GENITO-URINARY SYSTEM.															
119 Acute Nephritis - - - -	6	7	1	2	1	-	-	-	4	1	2	-	2		
120 (a) Bright's Disease - - - -	48	48	-	1	1	-	2	4	9	21	25	28	5		
(b) Uræmia - - - - -	7	7	1	-	-	-	2	1	1	5	1	1	2		
122 Other Dis. of Kidney, Chyluria (121)	5	9	2	-	-	-	-	-	2	4	1	4	1		
123 Urinary Calculus - - - -	1	1	-	-	-	-	-	1	-	-	-	1	-		
124 Diseases of Bladder - - - -	6	5	-	-	-	-	-	-	-	1	1	4	5		
125 Dis. of Urethra, Urinary Abscess	4	1	-	-	-	-	-	-	-	1	2	2	-		
126 Diseases of Prostate - - - -	18	-	-	-	-	-	-	-	1	-	2	8	7		
127 Diseases of Male Genital Organs (not Venereal)	2	-	-	-	-	-	-	-	-	-	-	-	2		
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-		
129 Uterine Tumour (non-Cancerous)	-	2	-	-	-	-	-	-	-	1	-	-	1		
130 Other Diseases of Uterus - -	-	1	1	-	-	-	-	-	-	-	-	-	-		
131 Cysts, and Other Tumours of Ovary	-	2	-	-	-	-	-	-	2	-	-	-	-		
132 Other Dis. of Female Genit. Organs	-	7	-	-	-	-	3	2	1	1	-	-	-		
133 Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-		
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.															
134 (a) Abortion, Miscarriage - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) Uncontrollable Vomiting - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
(d) Ectopic Gestation - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-		
(e) Other Diseases and Accidents of Pregnancy (b)	-	-	-	-	-	-	-	-	-	-	-	-	-		
135 Puerperal Hæmorrhage - - -	-	3	-	-	-	-	3	-	-	-	-	-	-		
136 Other Accidents of Childbirth -	-	5	-	-	-	-	-	2	3	-	-	-	-		
137 Puerperal Sepsis - - - - -	-	15	-	-	-	-	2	9	4	-	-	-	-		
138 Puerp. Albuminuria, Convulsions	-	7	-	-	-	-	-	7	-	-	-	-	-		
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	4	-	-	-	-	-	1	3	-	-	-	-		
140 (a) Puerperal Insanity - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Other Puerperal Diseases - -	-	11	-	-	-	-	1	6	4	-	-	-	-		
141 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-		
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.															
142 (a) Senile Gangrene - - - -	7	5	-	-	-	-	-	-	-	-	2	4	6		
(b) Noma, Cancrum Oris - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-		
(d) Other Gangrene (c) - - - -	2	-	1	-	-	-	-	-	-	-	1	-	-		
143 Carbuncle, Boil - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-		
144 Phlegmon, Acute Abscess - - -	7	6	3	-	-	-	-	1	1	2	2	1	3		
145 Ulcer, Other Diseases of Skin and Cellular Tissue	1	3	-	1	-	-	-	-	-	1	1	-	1		

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
X. DISEASES OF ORGANS OF LOCOMOTION.															
Dis. of Bones (Mastoid excluded)	4	2	2	1	1	-	1	-	-	1	-	-	-	-	
Diseases of Joints - - -	3	-	1	-	-	1	-	-	-	-	1	-	-	-	
Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
X. MALFORMATIONS.															
Congenital Malformations - -	23	12	32	1	1	1	-	-	-	-	-	-	-	-	
XI. DISEASES OF EARLY INFANCY.															
(a) Premature Birth - - -	82	62	144	-	-	-	-	-	-	-	-	-	-	-	
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	46	38	84	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases peculiar to Early Infancy	26	12	38	-	-	-	-	-	-	-	-	-	-	-	
Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
XII. OLD AGE.															
(a) Senile Dementia - - -	1	4	-	-	-	-	-	-	-	-	-	1	4	-	
(b) Senile Decay - - - -	48	113	-	-	-	-	-	-	-	-	-	35	126	-	
XIII. VIOLENT CAUSES.															
Suicide (155-162) - - -	22	5	-	-	-	-	2	4	5	6	5	4	1	-	
Poisoning by Food - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
Other Accidental Poisonings -	-	4	-	-	-	-	1	-	1	-	1	1	-	-	
Burns and Scalds (166) - -	7	14	-	9	2	2	2	1	-	-	3	-	2	-	
Exposure to Poisonous Vapours -	1	3	-	-	-	-	-	-	-	-	1	1	2	-	
Drowning - - - -	10	-	-	2	-	1	1	1	2	2	1	-	-	-	
Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Accidental Falls - - - -	11	10	-	-	1	-	-	-	3	5	3	3	6	-	
(a) Accidents in Coal Mines -	4	-	-	-	-	-	-	1	3	-	-	-	-	-	
(b) Accidents in Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Accidents with Machinery - -	3	-	-	-	-	-	1	-	-	1	-	1	-	-	
(a) Accidents on Railways - -	7	-	-	-	-	1	-	1	1	1	2	1	-	-	
(b) Acc. with Horses and Vehicles	2	-	-	-	1	-	-	1	-	-	-	-	-	-	
(c) Accidents with Motor Vehicles	6	5	-	2	2	1	1	1	1	1	1	1	-	-	
(d) Accidents with Tramways -	1	1	-	-	-	-	-	-	-	1	-	-	1	-	
(e) Other Crushing Accidents -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	
Hunger - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Weather Agencies (178, 179) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Overlaying - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	-	
(b) Suffocation (otherwise) - -	3	2	4	-	-	-	-	-	-	1	-	-	-	-	
(c) Other Accidents (176, 181, 185)	24	20	1	1	-	2	2	4	4	4	7	5	14	-	
Homicide (182, 183) - - -	2	3	2	-	-	-	-	2	-	1	-	-	-	-	
Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
War Casualties (not Sickness) -	2	-	-	-	-	-	1	-	1	-	-	-	-	-	
XIV. ILL-DEFINED CAUSES.															
Dropsy - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	-	
(a) Syncope - - - -	4	5	-	-	-	-	-	-	1	-	1	5	2	-	
(b) Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Heart Failure - - - -	6	10	-	1	-	-	-	1	-	2	4	6	2	-	
(c) Teething - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(e) Other Ill-defined Diseases (b, d)	-	3	-	1	-	-	-	-	-	-	1	1	-	-	
(f) Dis. not Specified, Nat. Causes	-	1	1	-	-	-	-	-	-	-	-	-	-	-	

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
H. DISEASES OF NERVOUS SYSTEM.															
Encephalitis - - - -	2	8	-	-	-	-	2	-	-	3	2	1	2	-	
a) Cerebro-spinal Meningitis -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
c) Meningitis, Basal, Nature un- specified (b)	7	8	5	4	1	2	2	-	-	-	1	-	-	-	
Locomotor Ataxy - - - -	3	-	-	-	-	-	-	-	-	-	2	1	-	-	
d) Other Diseases of Spinal Cord -	10	11	-	-	-	-	-	2	2	8	5	3	1	-	
Cerebral Hæmorrhage, Apoplexy	51	98	1	-	-	-	-	2	2	17	40	42	45	-	
Softening of Brain - - - -	4	8	-	-	1	-	-	2	1	1	2	4	1	-	
a) Hemiplegia - - - -	20	25	1	-	-	-	-	1	-	2	5	24	12	-	
c) Paralysis, Cause or Nature un- specified (b)	2	1	-	-	-	-	-	-	-	-	-	3	-	-	
General Paralysis of Insane -	1	1	-	-	-	-	-	-	-	2	-	-	-	-	
e) Other Insanity - - - -	1	2	-	-	-	-	1	1	1	-	-	-	-	-	
Epilepsy - - - -	5	3	-	-	-	2	1	2	-	2	-	1	-	-	
f) Convulsions (not Puerperal) (70)	8	13	17	3	-	1	-	-	-	-	-	-	-	-	
Chorea - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	
Neuralgia, Neuritis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
c) Cerebral Tumour - - - -	2	1	-	-	-	-	-	-	-	3	-	-	-	-	
d) Other Diseases of Nervous System (a, b)	2	-	-	-	-	-	-	-	1	-	1	-	-	-	
Diseases of Eye and Annexa -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
a) Mastoid Disease - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
b) Diseases of Ear - - - -	3	1	-	-	-	2	-	-	-	1	1	-	-	-	
DISEASES OF CIRCULATORY SYSTEM.															
Pericarditis - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
Acute Endocarditis - - - -	7	2	-	-	-	-	-	3	3	1	2	-	-	-	
a) Valvular Disease - - - -	66	88	1	-	1	3	5	9	8	23	44	28	32	-	
b) Fatty Degeneration of Heart -	2	1	-	-	-	-	-	-	-	-	2	-	1	-	
c) Other Organic Diseases of Heart	41	57	-	-	-	-	2	3	4	12	19	31	27	-	
Angina Pectoris - - - -	5	3	-	-	-	-	-	1	-	2	-	4	1	-	
a) Aneurysm - - - -	6	2	-	-	-	-	-	-	-	3	3	1	1	-	
b) Arterio-sclerosis - - - -	19	24	-	-	-	-	-	-	-	1	5	12	25	-	
c) Other Diseases of Arteries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
a) Cerebral Embolism, Thrombosis	9	15	-	-	-	-	-	-	2	1	7	4	10	-	
b) Embolism and Thrombosis, not Cerebral	-	1	-	-	-	-	-	-	-	-	1	-	-	-	
Diseases of Veins - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
a) Lymphatism, Status Lympha- ticus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
b) Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hæmorrhage, Other Diseases of Circulatory System	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
DISEASES OF RESPIRATORY SYSTEM.															
Diseases of Nose - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
b) Laryngitis - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
c) Other Diseases of Larynx (a) -	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
Diseases of Thyroid - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis (89) - - - -	99	115	53	8	1	-	4	1	5	14	31	45	52	-	
Broncho-pneumonia - - - -	148	110	123	68	7	2	8	13	9	6	7	12	3	-	
Pneumonia - - - -	80	78	5	7	2	5	15	22	16	18	31	20	17	-	
Pleurisy - - - -	5	1	1	1	-	1	-	-	-	1	1	1	-	-	
a) Pulmonary Apoplexy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
b) Pulmonary Congestion (c, d) -	8	9	-	2	-	-	-	-	-	4	1	2	8	-	
Ångrene of Lung - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Asthma - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pulmonary Emphysema - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
a) Fibroid Diseases of Lung -	-	1	-	-	-	-	-	-	-	-	-	-	1	-	
b) Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

	SEXES.		Age												Age not over
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
V. DIS. OF DIGESTIVE SYSTEM.															
99 Dis. of Mouth, Teeth. Oral Sepsis	3	1	1	-	-	-	-	-	1	1	-	-	1	-	-
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	2	1	-	1	1	-	-	-	-	-	1	-	-	-	-
102 Gastric Ulcer - - - -	6	5	-	-	-	-	1	2	3	1	2	-	2	-	-
103 Other Dis. of Stomach. Gastritis	4	8	6	1	-	-	-	-	1	1	-	3	-	-	-
104 Diarrhoea, Enteritis (under 2 years)	64	33	95	7	-	-	-	-	-	-	-	-	-	-	-
105 Diarrhoea, Enteritis (over 2 years)	10	13	-	7	1	1	-	1	1	1	5	4	2	-	-
107 Intestinal Parasites (106) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis - -	8	5	1	1	-	-	4	1	2	2	-	2	-	-	-
109 (a) Hernia - - - -	3	4	-	-	-	-	1	-	-	1	2	3	-	-	-
(b) Intestinal Obstruction - -	5	2	2	-	-	-	1	-	-	-	1	3	-	-	-
110 Other Diseases of Intestine -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
111 Acute Yellow Atrophy of Liver -	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-
112 Hydatids of Liver - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
113 Cirrhosis of Liver - - -	-	4	-	-	-	-	-	-	-	1	3	-	-	-	-
114 Gallstones - - - -	-	2	-	-	-	-	-	-	1	-	-	-	1	-	-
115 Other Diseases of Liver - -	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-
116 Diseases of Spleen - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117 Peritonitis, cause not specified -	3	1	-	-	-	1	1	1	-	-	1	-	-	-	-
118 Other Diseases of Digestive System	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
VI. DISEASES OF GENITO-URINARY SYSTEM.															
119 Acute Nephritis - - -	2	4	-	-	-	-	2	1	-	-	-	2	1	-	-
120 (a) Bright's Disease - - -	31	21	1	-	-	1	3	4	5	9	14	9	6	-	-
(b) Uræmia - - - -	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-
122 Other Dis. of Kidney, Chyluria(121)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
123 Urinary Calculus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 Diseases of Bladder - - -	5	2	-	-	-	-	-	1	-	-	1	3	2	-	-
125 Dis. of Urethra, Urinary Abscess	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-
126 Diseases of Prostate - - -	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-
127 Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
129 Uterine Tumour (non-Cancerous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130 Other Diseases of Uterus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
131 Cysts, and Other Tumours of Ovary	-	4	-	-	-	-	-	-	1	-	-	3	-	-	-
132 Other Dis. of Female Genit. Organs	-	3	-	-	-	-	-	1	1	-	-	1	-	-	-
133 Non-Puerperal Diseases of Breast	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.															
134 (a) Abortion, Miscarriage - -	-	4	-	-	-	-	1	1	2	-	-	-	-	-	-
(c) Uncontrollable Vomiting - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Ectopic Gestation - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
(e) Other Diseases and Accidents of Pregnancy (b)	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
135 Puerperal Hæmorrhage - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136 Other Accidents of Childbirth -	-	5	-	-	-	-	-	3	2	-	-	-	-	-	-
137 Puerperal Sepsis - - -	-	9	-	-	-	-	1	3	5	-	-	-	-	-	-
138 Puerp. Albuminuria, Convulsions	-	11	-	-	-	-	3	6	2	-	-	-	-	-	-
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
140 (a) Puerperal Insanity - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Puerperal Diseases - -	-	4	-	-	-	-	-	4	-	-	-	-	-	-	-
141 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.															
142 (a) Senile Gangrene - - -	7	10	-	-	-	-	-	-	-	-	1	3	13	-	-
(b) Noma, Cancrum Oris - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Other Gangrene (c) - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
143 Carbuncle, Boil - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
144 Phlegmon, Acute Abscess - -	6	4	7	-	-	-	2	-	-	-	1	-	-	-	-
145 Ulcer, Other Diseases of Skin and Cellular Tissue	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-

	SEXES.		Age											Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
I. DISEASES OF ORGANS OF LOCOMOTION.														
Dis. of Bones (Mastoid excluded)	2	-	-	-	1	-	-	-	-	-	-	1	-	-
Diseases of Joints - - -	1	1	-	-	-	-	1	-	-	-	-	1	-	-
Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.														
Congenital Malformations - -	14	12	25	1	-	-	-	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.														
a) Premature Birth - - -	57	34	91	-	-	-	-	-	-	-	-	-	-	-
b) Congenital Debility, Icterus, Sclerema (c, d, e)	70	48	118	-	-	-	-	-	-	-	-	-	-	-
Other Diseases peculiar to Early Infancy	11	4	15	-	-	-	-	-	-	-	-	-	-	-
Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.														
a) Senile Dementia - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	-
b) Senile Decay - - - -	27	65	-	-	-	-	-	-	-	-	-	18	74	-
XIII. VIOLENT CAUSES.														
Suicide (155-162) - - -	3	7	-	-	-	-	-	5	1	4	-	-	-	-
Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidental Poisonings	1	2	-	-	-	-	-	1	2	-	-	-	-	-
Burns and Scalds (166) - -	3	10	1	8	1	-	-	-	-	-	1	1	1	-
Exposure to Poisonous Vapours	1	3	-	-	-	-	-	-	-	2	1	-	1	-
Drowning - - - -	5	3	-	-	-	-	1	1	1	2	2	1	-	-
Accidents with Fire Arms -	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental Falls - - -	10	1	-	-	-	-	1	-	3	2	4	1	-	-
a) Accidents in Coal Mines	-	-	-	-	-	-	-	-	-	-	-	-	-	-
b) Accidents in Other Mines	-	-	-	-	-	-	-	-	-	-	-	-	-	-
c) Accidents in Quarries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents with Machinery -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
a) Accidents on Railways -	1	-	-	-	-	-	1	-	-	-	-	-	-	-
b) Acc. with Horses and Vehicles	1	-	-	-	-	-	-	-	-	-	1	-	-	-
c) Accidents with Motor Vehicles	2	2	-	1	1	1	-	-	-	-	-	1	-	-
d) Accidents with Tramways	1	-	-	-	-	-	-	-	-	-	1	-	-	-
e) Other Crushing Accidents	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Hunger - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weather Agencies (178, 179)	1	1	-	-	-	-	-	2	-	-	-	-	-	-
a) Overlaying - - - -	6	3	9	-	-	-	-	-	-	-	-	-	-	-
b) Suffocation (otherwise) -	1	5	4	-	-	-	-	-	-	1	-	1	-	-
c) Other Accidents (176, 181, 185)	14	17	-	-	2	1	3	1	2	5	3	7	7	-
Homicide (182, 183) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
War Casualties (not Sickness)	1	-	-	-	-	-	-	-	1	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.														
Dropsy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
a) Syncope - - - -	13	8	2	-	-	1	-	1	2	3	6	5	2	-
b) Sudden Death (not otherwise defined)	2	2	1	-	-	-	-	-	-	1	-	-	2	-
a) Heart Failure - - - -	15	7	1	-	1	-	-	-	-	4	5	7	4	-
c) Teething - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
e) Other Ill-defined Diseases (b, d)	-	2	1	1	-	-	-	-	-	-	-	-	-	-
f) Dis. not Specified, Nat. Causes	2	5	-	1	-	-	-	-	-	2	-	2	2	-

CAUSES OF DEATH IN ABERDEEN IN 1920.

	SEXES.		Age													Age not over
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
All Causes - - - - -	1183	1219	591	144	45	25	125	129	160	188	277	365	353			
I. GENERAL DISEASES.																
1 Enteric Fever - - - - -	-	2	-	-	-	1	-	1	-	-	-	-	-	-		
2 Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Malaria - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-		
5 (a) { Vaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Smallpox { Unvaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) { Vaccination - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) { Doubtful - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6 Measles - - - - -	15	26	15	24	2	-	-	-	-	-	-	-	-	-		
7 Scarlet Fever - - - - -	1	3	1	2	1	-	-	-	-	-	-	-	-	-		
8 Whooping-cough - - - - -	13	16	20	9	-	-	-	-	-	-	-	-	-	-		
9 (a) Diphtheria - - - - -	12	16	1	14	11	-	-	2	-	-	-	-	-	-		
(c) Croup, Membr. Laryngitis (b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
10 Influenza - - - - -	6	8	1	1	-	-	1	-	1	-	3	1	6	-		
13 Cholera Nostras - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
14 Dysentery - - - - -	1	2	-	-	-	-	-	1	1	-	1	-	-	-		
18 Erysipelas - - - - -	7	-	3	-	-	-	-	-	1	2	1	-	-	-		
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	2	-	-	-	-	-	-	1	1	-	-	-	-	-		
20 (a) Pyæmia, Septicæmia (not Puerperal) (b)	3	2	1	-	-	-	1	2	-	1	-	-	-	-		
(c) Vaccinia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
21 Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
22 Anthrax - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
23 Rabies, Hydrophobia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
24 Tetanus - - - - -	-	-	-	-	-	-	-	-	1	-	-	-	-	-		
28 Pulmonary Tuberculosis, Phthisis	57	94	3	3	1	4	36	44	32	11	13	4	-	-		
29 (a) Acute Phthisis - - - - -	1	1	-	-	-	-	-	-	1	1	-	-	-	-		
(b) Acute Miliary Tuberculosis - - - - -	1	4	2	1	-	-	1	1	-	-	-	-	-	-		
30 Tuberculous Meningitis - - - - -	7	11	4	4	4	3	2	1	-	-	-	-	-	-		
31 Abdominal Tuberculosis - - - - -	8	6	1	5	1	-	3	-	1	2	1	-	-	-		
32 Tuberculosis of Spine - - - - -	3	1	-	-	-	1	1	1	1	-	-	-	-	-		
33 Tuberculosis of Joints - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-		
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	7	10	-	5	-	1	3	3	2	2	1	-	-	-		
36 Rickets, Osteomalacia - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-		
37 Syphilis - - - - -	16	6	20	-	-	-	-	1	-	-	-	1	-	-		
38 Other Venereal Diseases - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
45 (a) Carcinoma' - - - - -	53	90	-	-	-	-	-	6	12	35	35	37	18	-		
(b) Sarcoma - - - - -	9	3	-	1	-	-	2	2	1	2	1	2	1	-		
(c) Malignant Disease, other or not defined } 39-44	16	39	-	-	-	-	-	-	6	5	15	18	11	-		
46 Other Tumours (Situation undefined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
47 Rheumatic Fever - - - - -	-	3	-	-	1	-	1	-	-	1	-	-	-	-		
48 (a) Chronic Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Osteo-arthritis - - - - -	1	2	-	-	-	-	-	-	-	2	-	1	-	-		
(c) Gout - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-		
49 Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
50 Diabetes - - - - -	15	9	2	-	-	1	1	1	2	5	6	4	2	-		
51 Exophthalmic Goitre - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-		
52 Addison's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
53 (a) Leucocythæmia - - - - -	2	1	-	1	-	-	-	-	-	-	2	-	-	-		
(b) Lymphadenoma - - - - -	2	-	-	-	-	-	1	-	-	-	1	-	-	-		
54 Anæmia, Chlorosis - - - - -	6	8	-	-	-	-	-	2	-	3	5	4	-	-		
55 (b) Purpura - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) Hæmophilia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(d) Other General Diseases (a) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-		
56 Alcoholism - - - - -	2	-	-	-	-	-	-	-	-	-	1	-	1	-		
57 Chronic Lead Poisoning - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
58 Other Chronic Occupational Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
59 Other Chronic Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
II. DISEASES OF NERVOUS SYSTEM.															
Encephalitis - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	
(a) Cerebro-spinal Meningitis -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
(c) Meningitis, Basal, Nature unspecified (b)	8	6	4	3	1	-	2	2	1	1	-	-	-	-	
Locomotor Ataxy - - - -	4	-	-	-	-	-	-	-	2	-	1	1	-	-	
Other Diseases of Spinal Cord -	8	9	-	-	-	1	1	1	3	-	3	7	1	-	
Cerebral Hæmorrhage, Apoplexy	75	98	1	-	-	-	-	4	5	11	39	63	50	-	
Softening of Brain - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
(a) Hemiplegia - - - -	6	6	-	-	-	-	-	-	-	1	1	5	5	-	
(c) Paralysis, Cause or Nature unspecified (b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
General Paralysis of Insane -	5	-	-	-	-	-	-	2	1	2	-	-	-	-	
Other Insanity - - - -	1	3	-	-	-	-	-	-	-	3	1	-	-	-	
Epilepsy - - - - -	7	5	2	-	-	-	4	1	1	2	2	-	-	-	
Convulsions (not Puerperal) (70) -	19	15	30	4	-	-	-	-	-	-	-	-	-	-	
Chorea - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	-	
Neuralgia, Neuritis - - - -	3	-	-	-	-	-	-	-	-	1	1	1	-	-	
(c) Cerebral Tumour - - - -	1	1	-	-	-	-	-	1	-	1	-	-	-	-	
(d) Other Diseases of Nervous System (a, b)	2	1	1	-	-	-	-	1	-	-	-	-	1	-	
Diseases of Eye and Annexa -	2	-	-	-	-	-	1	-	1	-	-	-	-	-	
(a) Mastoid Disease - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
(b) Diseases of Ear - - - -	4	2	-	2	-	-	1	1	-	1	1	-	-	-	
III. DISEASES OF CIRCULATORY SYSTEM.															
Pericarditis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	
Acute Endocarditis - - - -	5	3	-	-	-	-	3	-	1	2	2	-	-	-	
(a) Valvular Disease - - - -	42	61	-	-	-	1	5	3	10	7	22	29	26	-	
(b) Fatty Degeneration of Heart	-	3	-	-	-	-	-	-	-	1	1	1	-	-	
(c) Other Organic Diseases of Heart	40	50	-	-	-	2	1	2	2	10	17	30	26	-	
Angina Pectoris - - - - -	5	4	-	-	-	-	-	-	-	2	1	4	2	-	
(a) Aneurysm - - - - -	11	1	-	-	-	-	-	-	3	4	4	-	1	-	
(b) Arterio-sclerosis - - - -	19	15	-	-	-	-	-	-	-	2	7	12	13	-	
(c) Other Diseases of Arteries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Cerebral Embolism, Thrombosis	6	10	-	-	-	-	-	-	-	5	2	6	3	-	
(b) Embolism and Thrombosis, not Cerebral	4	1	1	-	-	-	-	-	-	1	1	1	1	-	
Diseases of Veins - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Lymphatism, Status Lymphaticus	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
(b) Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hæmorrhage, Other Diseases of Circulatory System	-	2	-	-	-	-	-	-	-	-	1	1	-	-	
IV. DISEASES OF RESPIRATORY SYSTEM.															
Diseases of Nose - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
(b) Laryngitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
(c) Other Diseases of Larynx (a) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of Thyroid - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis (89) - - - - -	85	83	49	4	3	-	1	1	3	6	17	39	45	-	
Broncho-pneumonia - - - -	58	61	66	25	-	-	1	3	4	3	4	9	4	-	
Pneumonia - - - - -	69	44	11	8	3	2	7	11	12	11	24	13	11	-	
Pleurisy - - - - -	6	3	1	-	-	-	-	-	1	3	3	1	-	-	
(a) Pulmonary Apoplexy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Pulmonary Congestion (c, d) -	5	4	2	-	-	-	-	-	-	-	-	2	5	-	
Gangrene of Lung - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Asthma - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2	-	
Pulmonary Emphysema - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
(a) Fibroid Diseases of Lung -	-	3	-	-	-	-	1	-	-	-	-	1	1	-	
(b) Other Diseases of Respiratory System	-	1	-	-	-	-	-	-	-	-	1	-	-	-	

	SEXES.		Age												Age not noted
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
V. DIS. OF DIGESTIVE SYSTEM.															
99 Dis. of Mouth, Teeth, Oral Sepsis	2	-	1	-	1	-	-	-	-	-	-	-	-	-	
101 Diseases of Pharynx, Œsophagus, Tonsillitis (100)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
102 Gastric Ulcer	4	1	-	-	-	-	2	-	-	2	1	-	-	-	
103 Other Dis; of Stomach. Gastritis	13	5	11	2	1	-	1	-	-	-	-	3	-	-	
104 Diarrhoea, Enteritis (under 2 years)	19	14	31	2	-	-	-	-	-	-	-	-	-	-	
105 Diarrhoea, Enteritis, (over 2 years)	12	4	-	1	1	2	1	1	2	3	1	2	2	-	
107 Intestinal Parasites (106)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
108 Appendicitis, Typhlitis	8	3	-	-	2	1	2	1	2	2	-	1	-	-	
109 (a) Hernia	2	1	2	-	-	-	-	-	-	-	-	1	-	-	
(b) Intestinal Obstruction	7	7	3	1	-	-	-	-	3	-	2	3	2	-	
110 Other Diseases of Intestine	1	2	-	-	-	-	1	-	-	1	-	-	1	-	
111 Acute Yellow Atrophy of Liver	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
112 Hydatids of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
113 Cirrhosis of Liver	2	1	-	-	2	-	-	-	-	-	-	-	1	-	
114 Gallstones	3	3	-	-	-	-	-	-	-	-	-	5	1	-	
115 Other Diseases of Liver	5	3	-	-	-	-	2	1	1	-	3	-	1	-	
116 Diseases of Spleen	-	1	-	-	-	-	-	-	-	-	1	-	-	-	
117 Peritonitis, cause not specified	1	2	-	-	2	-	1	-	-	-	-	-	-	-	
118 Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VI. DISEASES OF GENITO- URINARY SYSTEM.															
119 Acute Nephritis	3	4	-	1	-	2	1	2	-	-	1	-	-	-	
120 (a) Bright's Disease	30	26	-	-	2	-	1	2	8	12	7	15	9	-	
(b) Uræmia	1	2	-	-	-	-	-	-	1	1	-	1	-	-	
122 Other Dis. of Kidney, Chyluria (121)	2	2	-	-	-	-	-	-	-	-	1	1	2	-	
123 Urinary Calculus	1	-	-	-	-	-	1	-	-	-	-	-	-	-	
124 Diseases of Bladder	4	-	-	-	-	-	-	-	-	1	1	1	1	-	
125 Dis. of Urethra, Urinary Abscess	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
126 Diseases of Prostate	12	-	-	-	-	-	-	-	-	-	1	6	5	-	
127 Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
129 Uterine Tumour (non-Cancerous)	-	2	-	-	-	-	-	-	-	1	1	-	-	-	
130 Other Diseases of Uterus	-	2	-	-	1	-	-	-	1	-	-	-	-	-	
131 Cysts, and other Tumours of Ovary	-	3	-	-	-	-	1	-	-	-	-	2	-	-	
132 Other Dis. of Female Genit. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
133 Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.															
134 (a) Abortion, Miscarriage	-	2	-	-	-	-	-	-	2	-	-	-	-	-	
(c) Uncontrollable Vomiting	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
(d) Ectopic Gestation	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
(e) Other Diseases and Accidents of Pregnancy (b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
135 Puerperal Hæmorrhage	-	5	-	-	-	-	1	3	1	-	-	-	-	-	
136 Other Accidents of Childbirth	-	3	-	-	-	-	-	2	1	-	-	-	-	-	
137 Puerperal Sepsis	-	5	-	-	-	-	3	1	1	-	-	-	-	-	
138 Puerp. Albuminuria, Convulsions	-	6	-	-	-	-	5	1	-	-	-	-	-	-	
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
140 (a) Puerperal Insanity	-	7	-	-	-	-	2	1	4	-	-	-	-	-	
(b) Other Puerperal Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141 Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.															
142 (a) Senile Gangrene	3	4	-	-	-	-	-	-	-	-	-	-	7	-	
(b) Noma, Cancrum Oris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(d) Other Gangrene (c)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
143 Carbuncle, Boil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
144 Phlegmon, Acute Abscess	3	1	1	-	-	-	1	-	-	1	-	1	-	-	
145 Ulcer, other Diseases of Skin and Cellular Tissue	-	2	2	-	-	-	-	-	-	-	-	-	-	-	

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
DISEASES OF ORGANS OF LOCOMOTION.															
Dis. of Bones (Mastoid excluded)	3	3	1	-	1	1	3	-	-	-	-	-	-	-	-
Diseases of Joints - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.															
Congenital Malformations - -	11	5	14	1	-	-	1	-	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.															
a) Premature Birth - - -	70	52	122	-	-	-	-	-	-	-	-	-	-	-	-
b) Congenital Debility, Icterus, Sclerema (c, d, e)	67	54	121	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases peculiar to Early Infancy	14	12	26	-	-	-	-	-	-	-	-	-	-	-	-
Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.															
a) Senile Dementia - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
b) Senile Decay - - -	20	56	-	-	-	-	-	-	-	-	-	6	70	-	-
XIII. VIOLENT CAUSES.															
Homicide (155-162) - - -	10	2	-	-	-	-	1	1	3	1	2	4	-	-	-
Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidental Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds (166) - -	6	7	1	10	-	-	-	-	2	-	-	-	-	-	-
Exposure to Poisonous Vapours	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - - -	16	7	-	-	1	-	8	5	2	3	2	-	2	-	-
Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental Falls - - -	2	1	-	-	-	-	-	2	-	-	-	-	1	-	-
a) Accidents in Coal Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
b) Accidents in Other Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
c) Accidents in Quarries - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Accidents with Machinery - -	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
d) Accidents on Railways - - -	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-
e) Acc. with Horses and Vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents with Motor Vehicles	2	3	-	1	2	-	-	-	-	1	-	-	1	-	-
f) Accidents with Tramways - -	1	2	-	2	-	-	-	-	-	-	-	-	-	1	-
Other Crushing Accidents	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Struck by Rail or other heavy engine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weather Agencies (178, 179)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Overloading - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation (otherwise) - -	3	1	2	-	-	-	2	-	-	-	-	-	-	-	-
Other Accidents (176, 181, 185)	12	10	1	4	-	1	2	2	1	-	2	2	7	-	-
Infanticide (182, 183) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
War Casualties (not Sickness)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.															
Autopsy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
a) Syncope - - - -	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-
b) Sudden Death (not otherwise defined)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
c) Heart Failure - - - -	11	6	1	-	-	-	-	-	3	2	5	5	1	-	-
d) Teething - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-defined Diseases (b, d)	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-
e) Dis. not Specified, Nat. Causes	9	2	5	-	-	-	-	-	2	1	1	2	-	-	-

CAUSES OF DEATH IN PAISLEY IN 1920.

	SEXES.		Age												Age not defined
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
All Causes - - - - -	588	536	215	92	26	16	64	75	72	96	168	177	123		
I. GENERAL DISEASES.															
1 Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Typhus Fever - - - - -	3	2	-	-	-	-	-	1	1	3	-	-	-	-	
4 Malaria - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5 (a) Vaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Smallpox Unvaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Vaccination Doubtful - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6 Measles - - - - -	10	11	5	15	1	-	-	-	-	-	-	-	-	-	
7 Scarlet Fever - - - - -	2	6	-	4	3	-	1	-	-	-	-	-	-	-	
8 Whooping-cough - - - - -	5	13	9	6	3	-	-	-	-	-	-	-	-	-	
9 (a) Diphtheria - - - - -	3	5	3	4	1	-	-	-	-	-	-	-	-	-	
(c) Croup, Membr. Laryngitis (b) - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
10 Influenza - - - - -	5	2	-	-	-	-	1	1	-	1	2	2	-	-	
13 Cholera Nostras - - - - -	-	-	-	-	-	-	-	-	-	-	2	-	-	-	
14 Dysentery - - - - -	2	-	-	-	-	-	-	-	-	-	2	-	-	-	
18 Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
20 (a) Pyæmia, Septicæmia (not Puer- peral) (b) - - - - -	4	-	2	-	-	-	-	-	-	-	2	-	-	-	
(c) Vaccinia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
21 Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
22 Anthrax - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
23 Rabies, Hydrophobia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24 Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
28 Pulmonary Tuberculosis, Phthisis - - - - -	43	39	-	3	1	6	27	19	8	12	5	1	-	-	
29 (a) Acute Phthisis - - - - -	1	2	-	-	-	-	1	2	-	-	-	-	-	-	
(b) Acute Miliary Tuberculosis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
30 Tuberculous Meningitis - - - - -	5	8	1	4	4	1	2	1	-	-	-	-	-	-	
31 Abdominal Tuberculosis - - - - -	4	4	-	5	-	2	-	-	1	-	-	-	-	-	
32 Tuberculosis of Spine - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
33 Tuberculosis of Joints - - - - -	2	-	-	-	1	-	-	1	-	-	-	-	-	-	
35 Tuberculosis of other Organs, Dis- seminated Tuberculosis (34) - - - - -	6	5	1	3	1	2	1	3	-	-	-	-	-	-	
36 Rickets, Osteomalacia - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
37 Syphilis - - - - -	3	1	3	-	-	-	-	-	-	1	-	-	-	-	
38 Other Venereal Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
45 (a) Carcinoma - - - - -	30	33	-	-	-	-	-	1	6	12	18	16	10	-	
(b) Sarcoma - - - - -	3	3	-	-	-	-	1	2	1	2	-	-	-	-	
(c) Malignant Disease, } 39-44 other or not defined	17	14	-	-	-	-	1	2	1	5	9	11	2	-	
46 Other Tumours (Situation un- defined) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
47 Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	
48 (a) Chronic Rheumatism - - - - -	-	2	-	-	-	-	-	-	-	-	1	1	-	-	
(b) Osteo-arthritis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
49 Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
50 Diabetes - - - - -	1	5	-	-	-	-	-	1	3	-	1	1	-	-	
51 Exophthalmic Goitre - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
52 Addison's Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	
53 (a) Leucocythæmia - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
(b) Lymphadenoma - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
54 Anæmia, Chlorosis - - - - -	3	4	-	-	-	-	-	-	2	3	1	1	-	-	
55 (b) Purpura - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Hæmophilia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(d) Other General Diseases (a) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
56 Alcoholism - - - - -	1	2	-	-	-	-	-	-	-	2	1	-	-	-	
57 Chronic Lead Poisoning - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
58 Other Chronic Occupational Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
59 Other Chronic Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

	SEXES.		Age												Age not over 75
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
V. DIS. OF DIGESTIVE SYSTEM.															
99 Dis. of Mouth, Teeth. Oral Sepsis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	2	1	-	2	-	-	1	-	-	-	-	-	-	-	-
102 Gastric Ulcer - - - -	5	6	-	-	-	-	1	2	3	2	2	1	-	-	-
103 Other Dis. of Stomach. Gastritis	4	6	-	-	-	-	-	1	1	-	2	4	2	-	-
104 Diarrhoea, Enteritis (under 2 years)	12	11	21	2	-	-	-	-	-	-	-	-	-	-	-
105 Diarrhoea, Enteritis (over 2 years)	6	5	-	3	-	-	1	1	-	1	1	2	2	-	-
107 Intestinal Parasites (106) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis - - -	1	2	-	-	1	-	1	-	-	1	-	-	-	-	-
109 (a) Hernia - - - - -	2	3	-	-	-	-	-	-	-	2	1	1	1	-	-
(b) Intestinal Obstruction - -	3	-	-	1	1	1	-	-	-	-	-	-	-	-	-
110 Other Diseases of Intestine - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
111 Acute Yellow Atrophy of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
112 Hydatids of Liver - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
113 Cirrhosis of Liver - - - -	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-
114 Gallstones - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-
115 Other Diseases of Liver - - -	1	2	-	-	-	-	-	-	1	-	1	1	-	-	-
116 Diseases of Spleen - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117 Peritonitis, cause not specified -	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-
118 Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI. DISEASES OF GENITO-URINARY SYSTEM.															
119 Acute Nephritis - - - -	3	1	-	2	-	-	-	-	1	-	-	1	-	-	-
120 (a) Bright's Disease - - - -	9	11	-	-	-	-	-	2	3	3	4	8	-	-	-
(b) Uræmia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122 Other Dis. of Kidney, Chyluria (121)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
123 Urinary Calculus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 Diseases of Bladder - - - -	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-
125 Dis. of Urethra, Urinary Abscess	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
126 Diseases of Prostate - - - -	4	-	-	-	-	-	-	-	-	-	1	3	-	-	-
127 Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
129 Uterine Tumour (non-Cancerous)	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
130 Other Diseases of Uterus - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
131 Cysts. and Other Tumours of Ovary	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
132 Other Dis. of Female Genit. Organs	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
133 Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.															
134 (a) Abortion, Miscarriage - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
(c) Uncontrollable Vomiting - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Ectopic Gestation - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(e) Other Diseases and Accidents of Pregnancy (b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
135 Puerperal Hæmorrhage - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-
136 Other Accidents of Childbirth -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
137 Puerperal Sepsis - - - - -	-	3	-	-	-	-	1	1	1	-	-	-	-	-	-
138 Puerp. Albuminuria, Convulsions	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-
140 (a) Puerperal Insanity - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Puerperal Diseases - -	-	3	-	-	-	-	2	-	1	-	-	-	-	-	-
141 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.															
142 (a) Senile Gangrene - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-
(b) Noma, Cancrum Oris - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Other Gangrene (c) - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
143 Carbuncle, Boil - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
144 Phlegmon, Acute Abscess - - -	3	1	-	-	-	-	-	-	-	1	3	-	-	-	-
145 Ulcer, Other Diseases of Skin and Cellular Tissue	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
DISEASES OF ORGANS OF LOCOMOTION.															
Diseases of Bones (Mastoid excluded)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Joints - - -	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.															
Congenital Malformations - -	6	6	12	-	-	-	-	-	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.															
Premature Birth - - -	22	20	42	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility, Icterus, Sclerema (c, d, e)	16	12	28	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases peculiar to Early Infancy	3	1	4	-	-	-	-	-	-	-	-	-	-	-	-
Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.															
Senile Dementia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Senile Decay - - - -	23	29	-	-	-	-	-	-	-	-	-	9	43	-	-
XIII. VIOLENT CAUSES.															
Homicide (155-162) - - -	2	2	-	-	-	-	1	1	-	2	-	-	-	-	-
Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidental Poisonings	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds (166) - -	2	8	-	6	-	-	-	-	-	2	2	-	-	-	-
Exposure to Poisonous Vapours -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - - - -	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental Falls - - - -	9	5	-	-	2	-	-	2	2	1	6	-	1	-	-
Accidents in Coal Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents in Other Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents in Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents with Machinery - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents on Railways - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Acc. with Horses and Vehicles	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Accidents with Motor Vehicles	3	2	-	2	2	-	-	-	-	1	-	-	-	-	-
Accidents with Tramways - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Crushing Accidents - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weather Agencies (178, 179) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Overlying - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation (otherwise) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents (176, 181, 185)	5	2	-	1	-	2	1	-	-	1	1	1	-	-	-
Homicide (182, 183) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
War Casualties (not Sickness) -	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
IV. ILL-DEFINED CAUSES.															
Apoplexy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syncope - - - - -	2	1	-	-	-	-	-	-	-	1	1	-	1	-	-
Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Heart Failure - - - - -	3	3	-	-	-	-	-	-	1	-	2	1	2	-	-
Teething - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-defined Diseases (b, d)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Dis. not Specified, Nat. Causes	2	2	-	-	-	-	-	-	1	-	1	1	1	-	-

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
I. DISEASES OF NERVOUS SYSTEM.															
Encephalitis - - - -	-	5	-	-	-	-	1	-	3	-	1	-	-	-	-
(a) Cerebro-spinal Meningitis -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
(b) Meningitis, Basal, Nature unspecified (b)	3	12	5	5	1	1	2	-	1	-	-	-	-	-	-
Locomotor Ataxy - - - -	4	-	-	-	-	-	-	-	-	2	2	-	-	-	-
Other Diseases of Spinal Cord -	4	5	1	-	1	-	-	-	1	3	2	1	-	-	-
Cerebral Hæmorrhage, Apoplexy	28	32	-	-	-	-	-	-	3	7	13	16	21	-	-
Softening of Brain - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
(a) Hemiplegia - - - -	8	7	-	-	-	-	-	-	-	-	3	6	6	-	-
(b) Paralysis, Cause or Nature unspecified (b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
General Paralysis of Insane -	6	2	-	-	-	-	-	4	1	3	-	-	-	-	-
Other Insanity - - - -	1	3	-	-	-	-	2	-	2	-	-	-	-	-	-
Epilepsy - - - -	2	2	-	1	-	-	-	1	-	1	-	-	1	-	-
Convulsions (not Puerperal (70)	7	5	11	1	-	-	-	-	-	-	-	-	-	-	-
Chorea - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neuralgia, Neuritis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Cerebral Tumour - - - -	3	1	-	-	-	-	-	-	3	-	-	-	1	-	-
(b) Other Diseases of Nervous System (a, b)	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of Eye and Annexa -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Mastoid Disease - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
(b) Diseases of Ear - - - -	3	-	-	1	-	-	-	-	-	1	-	1	-	-	-
DISEASES OF CIRCULATORY SYSTEM.															
Pericarditis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute Endocarditis - - - -	8	6	1	-	1	3	1	3	-	1	1	3	-	-	-
(a) Valvular Disease - - - -	37	30	1	-	1	1	3	1	3	12	14	19	12	-	-
(b) Fatty Degeneration of Heart -	1	5	-	-	-	-	-	-	-	-	1	5	-	-	-
(c) Other Organic Diseases of Heart	32	17	-	-	-	-	-	2	1	3	9	19	15	-	-
Angina Pectoris - - - -	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
(a) Aneurysm - - - -	4	1	-	-	-	-	-	-	3	1	1	-	-	-	-
(b) Arterio-sclerosis - - - -	4	3	-	-	-	-	-	-	-	1	-	2	4	-	-
(c) Other Diseases of Arteries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Cerebral Embolism, Thrombosis	6	6	-	-	-	-	-	-	-	2	1	7	2	-	-
(e) Embolism and Thrombosis, not Cerebral	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-
Diseases of Veins - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Lymphatism, Status Lympha- ticus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage. Other Diseases of Circulatory System	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
DISEASES OF RESPIRATORY SYSTEM.															
Diseases of Nose - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Laryngitis - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
(b) Other Diseases of Larynx (a)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of Thyroid - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis (89) - - - -	38	37	26	2	-	-	-	1	2	4	9	17	14	-	-
Broncho-pneumonia - - - -	31	20	24	10	1	-	2	1	5	-	3	2	3	-	-
Pneumonia - - - -	30	23	9	5	1	2	3	7	8	8	3	6	1	-	-
Pleurisy - - - -	4	1	-	-	-	-	-	-	2	2	1	-	-	-	-
(a) Pulmonary Apoplexy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Pulmonary Congestion (c, d)	1	6	-	-	-	-	1	-	1	1	-	-	4	-	-
(c) Gangrene of Lung - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
(d) Asthma - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Pulmonary Emphysema - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
(a) Fibroid Diseases of Lung -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Diseases of Respiratory System	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
IX. DISEASES OF ORGANS OF LOCOMOTION.															
Dis. of Bones (Mastoid excluded)		1	-	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of Joints - - -	2	1	-	-	-	-	1	-	1	-	1	-	-	-	-
Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.															
Congenital Malformations - -	4	5	8	1	-	-	-	-	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.															
(a) Premature Birth - - -	38	20	58	-	-	-	-	-	-	-	-	-	-	-	-
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	21	24	45	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases peculiar to Early Infancy	2	4	6	-	-	-	-	-	-	-	-	-	-	-	-
Lack of Care - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.															
(a) Senile Dementia - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
(b) Senile Decay - - -	9	21	-	-	-	-	-	-	-	-	-	4	26	-	-
XIII. VIOLENT CAUSES.															
Suicide (155-162) - - -	4	2	-	-	-	-	-	2	3	-	-	-	-	1	-
Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidental Poisonings	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Burns and Scalds (166) - -	7	2	6	-	-	1	-	1	-	-	1	-	-	-	-
Exposure to Poisonous Vapours	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - -	5	1	-	-	-	-	-	1	2	2	1	-	-	-	-
Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental Falls - - -	8	5	-	1	-	3	-	3	4	2	-	-	-	-	-
(a) Accidents in Coal Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Accidents in Other Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Accidents in Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents with Machinery - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Accidents on Railways - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(b) Acc. with Horses and Vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Accidents with Motor Vehicles	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-
(d) Accidents with Tramways - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
(e) Other Crushing Accidents - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hunger - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weather Agencies (178-179) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Overlaying - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(b) Suffocation (otherwise) - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(c) Other Accidents (176, 181, 185)	9	-	-	1	1	-	-	-	-	2	2	2	1	-	-
Homicide (182, 183) - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
War Casualties (not Sickness) -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
IV. ILL-DEFINED CAUSES.															
Dropsy - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Syncope - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Heart Failure - - -	8	4	-	-	-	-	-	-	1	2	4	3	2	-	-
(c) Teething - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(e) Other Ill-defined Diseases (b, d)	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
(f) Dis. not Specified, Nat. Causes	2	1	2	-	-	-	-	-	-	-	-	1	-	-	-

CAUSES OF DEATH IN GREENOCK IN 1920.

	SEXES.		Age													Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
All Causes - - - - -	702	626	280	153	24	20	69	89	99	112	169	186	127	-		
I. GENERAL DISEASES.																
1 Enteric Fever - - - - -	2	-	-	-	-	-	-	-	1	1	-	-	-	-		
2 Typhus Fever - - - - -	4	2	-	-	-	-	2	1	2	1	-	-	-	-		
4 Malaria - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-		
5 (a) Smallpox { Vaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) { Unvaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) { Vaccination Doubtful - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6 Measles - - - - -	11	11	5	15	1	-	-	-	-	1	-	-	-	-		
7 Scarlet Fever - - - - -	-	4	-	2	-	-	1	1	-	-	-	-	-	-		
8 Whooping-cough - - - - -	5	17	10	10	2	-	-	-	-	-	-	-	-	-		
9 (a) Diphtheria - - - - -	4	2	-	6	-	-	-	-	-	-	-	-	-	-		
(c) Croup, Membr. Laryngitis (b) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
10 Influenza - - - - -	5	7	4	1	-	-	2	-	-	1	1	1	2	-		
13 Cholera Nostras - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
14 Dysentery - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
18 Erysipelas - - - - -	1	2	-	-	-	-	-	-	-	1	1	1	-	-		
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
20 (a) Pyæmia, Septicæmia (not Puerperal) (b) - - - - -	2	1	-	-	-	1	-	1	1	-	-	-	-	-		
(c) Vaccinia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
21 Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
22 Anthrax - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
23 Rabies, Hydrophobia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
24 Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
28 Pulmonary Tuberculosis, Phthisis - - - - -	38	43	-	3	1	4	18	23	15	12	1	4	-	-		
29 (a) Acute Phthisis - - - - -	1	3	-	1	-	-	1	1	1	-	-	-	-	-		
(b) Acute Miliary Tuberculosis - - - - -	1	1	-	-	-	-	1	-	1	-	-	-	-	-		
30 Tuberculous Meningitis - - - - -	12	7	4	8	5	1	1	-	-	-	-	-	-	-		
31 Abdominal Tuberculosis - - - - -	9	13	3	8	2	2	3	1	1	2	-	-	-	-		
32 Tuberculosis of Spine - - - - -	2	3	-	-	-	1	1	3	-	-	-	-	-	-		
33 Tuberculosis of Joints - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34) - - - - -	3	5	1	1	1	1	3	-	-	1	-	-	-	-		
36 Rickets, Osteomalacia - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
37 Syphilis - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	-		
38 Other Venereal Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
45 (a) Carcinoma - - - - -	25	29	-	-	-	-	-	2	3	13	15	15	6	-		
(b) Sarcoma - - - - -	1	3	-	-	-	-	-	-	-	1	1	2	-	-		
(c) Malignant Disease, other or not defined } 39-44	11	21	-	-	-	-	-	1	4	8	10	7	2	-		
46 Other Tumours (Situation undefined) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
47 Rheumatic Fever - - - - -	4	2	-	-	-	1	1	1	2	1	-	-	-	-		
48 (a) Chronic Rheumatism - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-		
(b) Osteo-arthritis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
49 Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
50 Diabetes - - - - -	4	5	-	-	-	-	2	-	1	-	1	5	-	-		
51 Exophthalmic Goitre - - - - -	-	2	-	-	-	-	-	-	1	1	-	-	-	-		
52 Addison's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
53 (a) Leucocythæmia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Lymphadenoma - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-		
54 Anæmia, Chlorosis - - - - -	4	7	-	-	-	-	-	2	1	3	2	3	-	-		
55 (b) Purpura - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) Hæmophilia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(d) Other General Diseases (a) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
56 Alcoholism - - - - -	1	1	-	-	-	-	-	-	1	1	-	-	-	-		
57 Chronic Lead Poisoning - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
58 Other Chronic Occupational Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
59 Other Chronic Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

			SEXES.		Age												Age not stated.
			Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
II. DISEASES OF NERVOUS SYSTEM.																	
60	Encephalitis	- - - -	3	-	-	-	-	1	1	-	1	-	-	-	-	-	
61	(a) Cerebro-spinal Meningitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(c) Meningitis, Basal, Nature unspecified (b)		13	21	12	18	-	-	1	-	1	2	-	-	-	-	
62	Locomotor Ataxy	- - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
63	Other Diseases of Spinal Cord	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	
64	Cerebral Hæmorrhage, Apoplexy		40	43	-	-	-	-	-	-	3	8	25	24	23	-	
65	Softening of Brain	- - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	-	
66	(a) Hemiplegia	- - - -	6	8	-	-	-	-	-	-	-	-	5	7	2	-	
	(c) Paralysis, Cause or Nature unspecified (b)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
67	General Paralysis of Insane	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
68	Other Insanity	- - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	
69	Epilepsy	- - - -	2	-	-	-	-	-	1	1	-	-	-	-	-	-	
71	Convulsions (not Puerperal) (70)		10	5	13	2	-	-	-	-	-	-	-	-	-	-	
72	Chorea	- - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	-	
73	Neuralgia, Neuritis	- - - -	-	2	-	-	-	-	-	-	2	-	-	-	-	-	
74	(c) Cerebral Tumour	- - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	-	
	(d) Other Diseases of Nervous System (a, b)		1	2	-	-	-	-	-	-	3	-	-	-	-	-	
75	Diseases of Eye and Annexa	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
76	(a) Mastoid Disease	- - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	
	(b) Diseases of Ear	- - - -	4	1	-	2	-	-	2	-	1	-	-	-	-	-	
III. DISEASES OF CIRCULATORY SYSTEM.																	
77	Pericarditis	- - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
78	Acute Endocarditis	- - - -	1	2	-	-	-	-	1	-	1	1	-	-	-	-	
79	(a) Valvular Disease	- - - -	22	25	1	-	-	1	2	1	5	3	12	16	6	-	
	(b) Fatty Degeneration of Heart	-	3	1	-	-	-	-	-	-	-	-	1	3	-	-	
	(c) Other Organic Diseases of Heart		44	29	-	-	1	-	4	1	4	2	18	26	17	-	
80	Angina Pectoris	- - - -	3	2	-	-	-	-	-	-	-	-	-	5	-	-	
81	(a) Aneurysm	- - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Arterio-sclerosis	- - - -	4	5	-	-	-	-	-	-	-	-	1	3	5	-	
	(c) Other Diseases of Arteries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
82	(a) Cerebral Embolism, Thrombosis		-	2	1	-	-	-	-	-	-	-	-	-	1	-	
	(b) Embolism and Thrombosis, not Cerebral		1	2	-	-	-	-	1	1	-	-	1	-	-	-	
83	Diseases of Veins	- - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
84	(a) Lymphatism, Status Lympha- ticus		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Other Dis. of Lymphatic System		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
85	Hæmorrhage, Other Diseases of Circulatory System		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
IV. DISEASES OF RESPIRATORY SYSTEM.																	
86	Diseases of Nose	- - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	
87	(b) Laryngitis	- - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(c) Other Diseases of Larynx (a)	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
88	Diseases of Thyroid	- - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
90	Bronchitis (89)	- - - -	49	40	21	3	1	-	2	3	4	7	16	19	13	-	
91	Broncho-pneumonia	- - - -	30	32	26	23	1	-	2	3	3	2	1	-	1	-	
92	Pneumonia	- - - -	43	21	10	11	1	-	2	6	11	4	9	8	2	-	
93	Pleurisy	- - - -	9	-	-	2	-	-	-	-	3	1	2	1	-	-	
94	(a) Pulmonary Apoplexy	- - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Pulmonary Congestion (c, d)	-	3	7	3	3	-	-	-	1	-	-	-	2	1	-	
95	Gangrene of Lung	- - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
96	Asthma	- - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
97	Pulmonary Emphysema	- - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
98	(a) Fibroid Diseases of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Other Diseases of Respiratory System		1	1	-	-	1	-	-	-	-	1	-	-	-	-	

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
V. DIS. OF DIGESTIVE SYSTEM.															
99 Dis. of Mouth, Teeth. Oral Sepsis	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	3	-	-	1	-	-	1	-	-	-	1	-	-	-	
102 Gastric Ulcer - - - -	5	2	-	-	-	-	-	3	-	-	-	1	3	-	
103 Other Dis. of Stomach. Gastritis	3	12	4	4	-	1	-	-	2	1	1	2	-	-	
104 Diarrhœa, Enteritis (under 2 years)	19	12	19	12	-	-	-	-	-	-	-	-	-	-	
105 Diarrhœa, Enteritis (over 2 years)	6	4	-	2	1	-	-	2	-	2	2	-	1	-	
107 Intestinal Parasites (106)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
108 Appendicitis, Typhlitis - -	4	3	-	1	1	1	-	3	-	-	1	-	-	-	
109 (a) Hernia - - - -	-	2	-	-	-	-	-	-	-	1	-	1	-	-	
(b) Intestinal Obstruction - -	4	2	1	1	-	1	1	1	-	1	-	-	-	-	
110 Other Diseases of Intestine -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
111 Acute Yellow Atrophy of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
112 Hydatids of Liver - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
113 Cirrhosis of Liver - - - -	2	-	-	-	-	-	-	-	-	1	-	-	1	-	
114 Gallstones - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	
115 Other Diseases of Liver - -	1	3	-	1	-	-	-	-	-	-	2	-	1	-	
116 Diseases of Spleen - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
117 Peritonitis, cause not specified -	1	1	-	-	1	-	-	-	-	1	-	-	-	-	
118 Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VI. DISEASES OF GENITO-URINARY SYSTEM.															
119 Acute Nephritis - - - -	4	4	-	1	1	1	1	-	2	1	1	-	-	-	
120 (a) Bright's Disease - - - -	10	8	1	-	-	-	2	3	3	5	4	-	-	-	
(b) Uræmia - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
122 Other Dis. of Kidney, Chyluria (121)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
123 Urinary Calculus - - - -	1	1	-	-	-	-	-	-	1	-	-	1	-	-	
124 Diseases of Bladder - - - -	3	1	-	-	-	-	-	-	1	2	-	1	-	-	
125 Dis. of Urethra, Urinary Abscess	2	-	-	-	-	-	-	-	-	1	-	1	-	-	
126 Diseases of Prostate - - - -	2	-	-	-	-	-	-	-	-	-	1	1	-	-	
127 Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
129 Uterine Tumour (non-Cancerous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
130 Other Diseases of Uterus - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
131 Cysts, and Other Tumours of Ovary	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
132 Other Dis. of Female Genit. Organs	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
133 Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.															
134 (a) Abortion, Miscarriage - -	-	3	-	-	-	-	-	3	-	-	-	-	-	-	
(c) Uncontrollable Vomiting - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(d) Ectopic Gestation - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(e) Other Diseases and Accidents of Pregnancy (b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
135 Puerperal Hæmorrhage - - -	-	3	-	-	-	-	-	3	-	-	-	-	-	-	
136 Other Accidents of Childbirth -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137 Puerperal Sepsis - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	-	
138 Puerp. Albuminuria, Convulsions	-	3	-	-	-	-	2	-	1	-	-	-	-	-	
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	2	-	-	-	-	-	1	1	-	-	-	-	-	
140 (a) Puerperal Insanity - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	-	
(b) Other Puerperal Diseases - -	-	3	-	-	-	-	-	2	1	-	-	-	-	-	
141 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.															
142 (a) Senile Gangrene - - - -	2	2	-	-	-	-	-	-	-	-	1	1	2	-	
(b) Noma, Cancrum Oris - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
(d) Other Gangrene (c) - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
143 Carbuncle, Boil - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
144 Phlegmon, Acute Abscess - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	
145 Ulcer, Other Diseases of Skin and Cellular Tissue	2	-	1	-	-	-	-	-	-	-	1	-	-	-	

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
X. DISEASES OF ORGANS OF LOCOMOTION.															
Dis. of Bones (Mastoid excluded) -	3	-	1	-				1	-	1					
Diseases of Joints - - -	-	-	-	-				-	-	-					
Other Dis. of Locomotor Syst. (148)	-	-	-	-				-	-	-					
X. MALFORMATIONS.															
Congenital Malformations - -	5	4	9	-				-	-	-					
XI. DISEASES OF EARLY INFANCY.															
(a) Premature Birth - - -	34	20	54	-											
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	37	23	60	-											
Other Diseases peculiar to Early Infancy	4	2	6	-											
Lack of Care - - - -	-	-	-	-											
XII. OLD AGE.															
(a) Senile Dementia - - -	-	-	-	-											
(b) Senile Decay - - - -	17	22	-	-								11	28		
XIII. VIOLENT CAUSES.															
Suicide (155-162) - - -	4	1	-	-				1	-	2	1		1		
Poisoning by Food - - -	-	-	-	-				-	-	-	-		-		
Other Accidental Poisonings	-	1	-	1				-	-	-	-		-		
Burns and Scalds (166) - -	4	4	2	4				-	-	-	1	1			
Exposure to Poisonous Vapours -	1	-	-	-				-	-	-	1	-	-		
Drowning - - - -	10	1	-	1			2	2	2	1	3				
Accidents with Fire Arms - -	-	-	-	-				-	-	-	-		-		
Accidents with Instruments and Weapons	-	-	-	-				-	-	-	-		-		
Accidental Falls - - -	1	3	-	-			1	-	-	1	-		2		
(a) Accidents in Coal Mines - -	-	-	-	-				-	-	-	-		-		
(b) Accidents in Other Mines - -	-	-	-	-				-	-	-	-		-		
(c) Accidents in Quarries - - -	-	-	-	-				-	-	-	-		-		
Accidents with Machinery - -	-	-	-	-				-	-	-	-		-		
(a) Accidents on Railways - - -	-	-	-	-				-	-	-	-		-		
(b) Acc. with Horses and Vehicles	-	-	-	-				-	-	-	-		-		
(c) Accidents with Motor Vehicles	1	-	-	1				-	-	-	-		-		
(d) Accidents with Tramways - -	1	-	-	-				-	-	-	1		-		
(e) Other Crushing Accidents - -	2	-	-	-				-	-	-	2		-		
Hunger - - - -	-	-	-	-				-	-	-	-		-		
Weather Agencies (178, 179) - -	-	-	-	-				-	-	-	-		-		
(a) Overlaying - - - -	-	1	1	-				-	-	-	-		-		
(b) Suffocation (otherwise) - -	-	-	-	-				-	-	-	-		-		
(c) Other Accidents (176, 181, 185)	25	2	-	2	2	1	4	4	2	3	5	3	1		
Homicide (182, 183) - - -	-	-	-	-				-	-	-	-		-		
Execution - - - -	-	-	-	-				-	-	-	-		-		
War Casualties (not Sickness) -	-	-	-	-				-	-	-	-		-		
XIV. ILL-DEFINED CAUSES.															
Dropsy - - - -	-	-	-	-											
(a) Syncope - - - -	3	2	-	-				1	1	1		1	1		
(b) Sudden Death (not otherwise defined)	-	-	-	-				-	-	-	-		-		
(a) Heart Failure - - - -	12	7	-	-				-	-	2	9	5	3		
(c) Teething - - - -	-	-	-	-				-	-	-	-		-		
(e) Other Ill-defined Diseases (b, d)	2	2	-	1		1		-	-	-	2		-		
(f) Dis. not Specified, Nat. Causes	3	1	1	-		-		-	-	1	1	1	-		

CAUSES OF DEATH IN LANARK—MIDDLE WARD, IN 1920.

	SEXES.		Age												Age not stated
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
All Causes - - - - -	1527	1355	766	318	82	59	141	159	202	216	321	322	296	-	
I. GENERAL DISEASES.															
1 Enteric Fever - - - - -	3	3	-	-	1	1	3	-	1	-	-	-	-	-	
2 Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4 Malaria - - - - -	2	-	-	-	-	-	-	1	-	1	-	-	-	-	
5 (a) } Vaccinated - - - - -	4	1	-	-	-	-	-	-	3	1	1	-	-	-	
(b) Smallpox } Unvaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) } Vaccination Doubtful - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6 Measles - - - - -	40	36	25	47	4	-	-	-	-	-	-	-	-	-	
7 Scarlet Fever - - - - -	9	6	1	10	1	2	-	1	-	-	-	-	-	-	
8 Whooping-cough - - - - -	26	25	26	22	3	-	-	-	-	-	-	-	-	-	
9 (a) Diphtheria - - - - -	13	14	2	20	5	-	-	-	-	-	-	-	-	-	
(c) Croup, Membr. Laryngitis (b) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10 Influenza - - - - -	10	3	2	1	-	-	-	1	2	2	1	1	3	-	
13 Cholera Nostras - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
14 Dysentery - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
18 Erysipelas - - - - -	3	4	3	-	-	-	-	1	1	2	-	-	-	-	
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27) - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	
20 (a) Pyæmia, Septicæmia (not Puerperal) (b) - - - - -	1	4	1	-	-	-	-	1	1	1	-	-	1	-	
(c) Vaccinia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
21 Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
22 Anthrax - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
23 Rabies, Hydrophobia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24 Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
28 Pulmonary Tuberculosis, Phthisis - - - - -	68	77	1	9	2	6	32	36	31	11	12	5	-	-	
29 (a) Acute Phthisis - - - - -	2	3	-	-	-	-	2	-	3	-	-	-	-	-	
(b) Acute Miliary Tuberculosis - - - - -	3	1	1	-	-	-	3	-	-	-	-	-	-	-	
30 Tuberculous Meningitis - - - - -	23	19	18	19	2	2	1	-	-	-	-	-	-	-	
31 Abdominal Tuberculosis - - - - -	14	19	5	12	4	5	3	2	1	1	-	-	-	-	
32 Tuberculosis of Spine - - - - -	2	2	-	1	2	1	-	-	-	-	-	-	-	-	
33 Tuberculosis of Joints - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
35 Tuberculosis of Other Organs, Disseminated Tuberculosis (34) - - - - -	13	7	4	4	1	2	3	3	1	2	-	-	-	-	
36 Rickets, Osteomalacia - - - - -	2	1	2	1	-	-	-	-	-	-	-	-	-	-	
37 Syphilis - - - - -	1	5	4	1	-	-	-	-	-	1	-	-	-	-	
38 Other Venereal Diseases - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
45 (a) Carcinoma - - - - -	53	62	-	-	-	-	-	3	8	25	34	30	15	-	
(b) Sarcoma - - - - -	6	4	-	1	-	2	2	-	1	3	-	1	-	-	
(c) Malignant Disease, other or not defined } 39-44	25	21	-	-	-	-	-	1	4	8	13	16	4	-	
46 Other Tumours (Situation undefined) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
47 Rheumatic Fever - - - - -	5	5	-	-	-	2	3	2	1	1	1	-	-	-	
48 (a) Chronic Rheumatism - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	
(b) Osteo-arthritis - - - - -	1	1	-	-	-	-	-	-	-	1	-	1	-	-	
(c) Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
49 Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
50 Diabetes - - - - -	10	11	-	-	-	-	1	1	2	5	7	3	2	-	
51 Exophthalmic Goitre - - - - -	1	2	-	-	-	-	-	1	1	-	1	-	-	-	
52 Addison's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
53 (a) Leucocythæmia - - - - -	1	3	-	1	-	1	-	1	-	-	1	-	-	-	
(b) Lymphadenoma - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
54 Anæmia, Chlorosis - - - - -	9	16	-	2	-	-	1	3	2	6	7	3	1	-	
55 (b) Purpura - - - - -	2	1	-	1	-	-	1	-	-	1	-	-	-	-	
(c) Hæmophilia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(d) Other General Diseases (a) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
56 Alcoholism - - - - -	1	1	-	-	-	-	-	-	1	1	-	-	-	-	
57 Chronic Lead Poisoning - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
58 Other Chronic Occupational Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
59 Other Chronic Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45	55-	65-	75 and over		
II. DISEASES OF NERVOUS SYSTEM.															
Encephalitis - - - -	6	4	-	-	-	2	1	1	1	4	1	-	-	-	
(a) Cerebro-Spinal Meningitis -	6	8	5	5	1	1	1	-	1	-	-	-	-	-	
(c) Meningitis, Basal, Nature unspecified (b)	24	22	20	16	3	4	-	1	-	-	2	-	-	-	
Locomotor Ataxy - - - -	2	-	-	-	-	-	-	-	-	1	1	-	-	-	
Other Diseases of Spinal Cord -	9	6	-	1	-	1	-	1	1	3	2	5	1	-	
Cerebral Hæmorrhage, Apoplexy	68	82	1	1	-	1	1	12	10	34	50	40	-	-	
Softening of Brain - - - -	2	3	-	-	-	-	-	-	-	2	1	2	-	-	
(a) Hemiplegia - - - -	7	15	-	-	-	-	-	-	-	2	1	13	6	-	
(c) Paralysis, Cause or Nature unspecified (b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
General Paralysis of Insane -	3	1	-	-	-	-	1	1	2	-	-	-	-	-	
Other Insanity - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Epilepsy - - - -	7	5	1	-	-	2	2	2	2	-	3	-	-	-	
Convulsions (not Puerperal) (70)	21	14	29	4	1	-	-	-	-	-	-	-	1	-	
Chorea - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Neuralgia, Neuritis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Cerebral Tumour - - - -	2	3	1	-	-	1	-	1	2	-	-	-	-	-	
(d) Other Diseases of Nervous System (a, b)	1	1	-	-	-	-	-	-	-	1	-	1	-	-	
Diseases of Eye and Annexa -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Mastoid Disease - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	-	
(b) Diseases of Ear - - - -	2	4	1	1	1	-	3	-	-	-	-	-	-	-	
III. DISEASES OF CIRCULATORY SYSTEM.															
Pericarditis - - - -	1	2	-	-	-	-	-	-	-	1	1	-	1	-	
Acute Endocarditis - - - -	4	7	-	-	3	-	1	1	1	4	1	-	-	-	
(a) Valvular Disease - - - -	73	66	1	-	4	4	9	15	8	18	34	24	22	-	
(b) Fatty Degeneration of Heart -	2	5	-	-	-	-	-	-	-	-	2	1	4	-	
(c) Other Organic Diseases of Heart	35	41	4	1	-	-	1	-	3	9	15	22	21	-	
Angina Pectoris - - - -	8	1	-	-	-	-	-	-	-	1	3	3	2	-	
(a) Aneurysm - - - -	3	1	-	-	-	-	-	-	-	2	1	1	-	-	
(b) Arterio-sclerosis - - - -	6	3	-	-	-	-	-	-	-	1	3	3	2	-	
(c) Other Diseases of Arteries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Cerebral Embolism, Thrombosis	5	4	-	-	-	-	-	-	1	1	3	3	1	-	
(b) Embolism and Thrombosis, not Cerebral	2	2	1	-	-	-	-	-	-	1	1	1	-	-	
Diseases of Veins - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Lymphatism, Status Lymphaticus	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
(b) Other Dis. of Lymphatic System	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
Hæmorrhage, Other Diseases of Circulatory System	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
IV. DISEASES OF RESPIRATORY SYSTEM.															
Diseases of Nose - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Laryngitis - - - -	3	4	2	2	3	-	-	-	-	-	-	-	-	-	
(c) Other Diseases of Larynx (a) -	3	-	1	2	-	-	-	-	-	-	-	-	-	-	
Diseases of Thyroid - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	
Bronchitis (89) - - - -	127	94	67	14	2	1	1	4	4	13	42	38	35	-	
Broncho-pneumonia - - - -	86	83	77	50	4	1	6	2	4	4	7	10	4	-	
Pneumonia - - - -	87	50	18	19	2	3	12	23	17	8	19	10	6	-	
Pleurisy - - - -	7	5	-	-	2	-	-	-	1	2	4	2	1	-	
(a) Pulmonary Apoplexy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Pulmonary Congestion (c, d) -	11	6	3	2	1	-	-	-	-	-	2	2	7	-	
Gangrene of Lung - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Asthma - - - -	2	-	-	-	1	-	-	-	-	1	-	-	-	-	
Pulmonary Emphysema - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	
(a) Fibroid Diseases of Lung -	5	-	-	-	-	-	-	-	-	-	1	3	1	-	
(b) Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

		SEXES.		Age												Age not stated
		Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
V. DIS. OF DIGESTIVE SYSTEM.																
99	Dis. of Mouth, Teeth. Oral Sepsis	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
101	Diseases of Pharynx, Œsophagus. Tonsillitis (100)	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-
102	Gastric Ulcer - - - -	7	9	-	-	-	1	1	2	4	2	3	-	3	-	-
103	Other Dis. of Stomach. Gastritis	9	6	7	1	1	-	-	-	1	1	2	1	1	-	-
104	Diarrhœa, Enteritis (under 2 years)	71	44	98	17	-	-	-	-	-	-	-	-	-	-	-
105	Diarrhœa, Enteritis (over 2 years)	11	6	-	4	3	-	1	1	1	3	-	1	3	-	-
107	Intestinal Parasites (106)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Appendicitis, Typhlitis - -	14	9	-	-	3	4	7	2	4	2	1	-	-	-	-
109	(a) Hernia - - - - -	3	2	-	-	-	-	-	-	1	2	-	1	1	-	-
	(b) Intestinal Obstruction - -	8	6	4	-	2	-	-	1	2	1	1	1	2	-	-
110	Other Diseases of Intestine -	3	-	1	-	1	-	-	-	-	-	-	-	1	-	-
111	Acute Yellow Atrophy of Liver -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
112	Hydatids of Liver - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
113	Cirrhosis of Liver - - - -	2	3	-	-	-	-	-	-	-	5	-	-	-	-	-
114	Gallstones - - - - -	-	3	-	-	-	-	-	-	-	1	1	1	-	-	-
115	Other Diseases of Liver - -	3	3	1	-	-	-	-	-	2	2	1	-	-	-	-
116	Diseases of Spleen - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Peritonitis, cause not specified -	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
118	Other Diseases of Digestive System	-	4	-	-	-	-	-	-	2	-	1	1	-	-	-
VI. DISEASES OF GENITO- URINARY SYSTEM.																
119	Acute Nephritis - - - -	4	7	1	1	1	1	1	2	1	-	-	2	1	-	-
120	(a) Bright's Disease - - - -	25	18	-	1	-	1	2	4	3	10	13	6	3	-	-
	(b) Uræmia - - - - -	3	-	-	-	-	-	-	-	1	1	-	-	1	-	-
122	Other Dis. of Kidney, Chyluria (121)	2	1	-	-	-	-	-	-	1	-	1	1	-	-	-
123	Urinary Calculus - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
124	Diseases of Bladder - - - -	3	1	-	-	-	-	-	-	-	1	-	3	-	-	-
125	Dis. of Urethra, Urinary Abscess	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126	Diseases of Prostate - - - -	8	-	-	-	-	-	-	-	-	-	4	1	3	-	-
127	Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
128	Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
129	Uterine Tumour (non-Cancerous)	-	3	-	-	-	-	-	-	3	-	-	-	-	-	-
130	Other Diseases of Uterus - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
131	Cysts, and Other Tumours of Ovary	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
132	Other Dis. of Female Genit. Organs	-	3	-	1	-	-	-	1	-	-	-	-	1	-	-
133	Non-Puerperal Diseases of Breast	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.																
134	(a) Abortion, Miscarriage - -	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-
	(c) Uncontrollable Vomiting - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	(d) Ectopic Gestation - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	(e) Other Diseases and Accidents of Pregnancy (b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
135	Puerperal Hæmorrhage - - -	-	6	-	-	-	-	-	-	6	-	-	-	-	-	-
136	Other Accidents of Childbirth -	-	3	-	-	-	-	-	2	1	-	-	-	-	-	-
137	Puerperal Sepsis - - - - -	-	23	-	-	-	-	9	6	8	-	-	-	-	-	-
138	Puerp. Albuminuria, Convulsions	-	6	-	-	-	-	1	3	2	-	-	-	-	-	-
139	Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-
140	(a) Puerperal Insanity - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	(b) Other Puerperal Diseases - -	-	4	-	-	-	-	-	1	3	-	-	-	-	-	-
141	Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.																
142	(a) Senile Gangrene - - - -	6	5	-	-	-	-	-	-	-	-	2	4	5	-	-
	(b) Noma, Cancrum Oris - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(d) Other Gangrene (c) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
143	Carbuncle, Boil - - - - -	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
144	Phlegmon, Acute Abscess - - -	1	3	2	-	-	-	-	-	-	1	1	-	-	-	-
145	Ulcer, Other Diseases of Skin and Cellular Tissue	1	4	3	-	-	-	1	-	-	1	-	-	-	-	-

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
I. DISEASES OF ORGANS OF LOCOMOTION.															
Dis. of Bones (Mastoid excluded)	4	2	-	-	3	1	1	-	-	1	-	-	-	-	-
Diseases of Joints - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Dis. of Locomotor Syst. (148)	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.															
Congenital Malformations - -	20	29	47	-	2	-	-	-	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.															
a) Premature Birth - - -	74	64	138	-	-	-	-	-	-	-	-	-	-	-	-
b) Congenital Debility, Icterus, Sclerema (c, d, e)	59	43	102	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases peculiar to Early Infancy	10	9	19	-	-	-	-	-	-	-	-	-	-	-	-
Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.															
a) Senile Dementia - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
b) Senile Decay - - - -	36	60	-	-	-	-	-	-	-	-	-	23	73	-	-
XIII. VIOLENT CAUSES.															
Suicide (155-162) - - -	3	1	-	-	-	-	-	-	1	2	1	-	-	-	-
Poisoning by Food - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Accidental Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds (166) - -	17	12	1	18	1	-	3	-	1	2	1	2	-	-	-
Exposure to Poisonous Vapours -	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Drowning - - - - -	15	-	-	-	2	1	1	3	2	1	4	1	-	-	-
Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental Falls - - -	7	1	-	-	1	1	1	1	3	-	-	1	-	-	-
a) Accidents in Coal Mines - -	32	-	-	-	-	-	9	8	10	4	1	-	-	-	-
b) Accidents in Other Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
c) Accidents in Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents with Machinery - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
a) Accidents on Railways - - -	6	2	-	-	-	1	2	1	1	3	-	-	-	-	-
b) Acc. with Horses and Vehicles	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
c) Accidents with Motor Vehicles	8	1	-	-	3	-	2	-	3	-	1	-	-	-	-
d) Accidents with Tramways - -	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
e) Other Crushing Accidents - -	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-
Hunger - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weather Agencies (178, 179) - -	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-
a) Overlaying - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
b) Suffocation (otherwise) - - -	4	1	1	-	-	-	1	-	-	-	2	1	-	-	-
c) Other Accidents (176, 181, 185)	18	5	-	1	2	2	1	1	3	2	4	3	4	-	-
Homicide (182, 183) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
War Casualties (not Sickness) -	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
IV. ILL-DEFINED CAUSES.															
Dropsy - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
a) Syncope - - - - -	3	2	1	-	-	-	1	-	-	-	-	2	1	-	-
b) Sudden Death (not otherwise defined)	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
a) Heart Failure - - - -	10	12	1	-	-	-	-	1	1	3	3	6	7	-	-
c) Teething - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
e) Other Ill-defined Diseases (b, d)	2	1	-	3	-	-	-	-	-	-	-	-	-	-	-
f) Dis. not Specified, Nat. Causes	8	4	6	-	-	-	-	1	-	1	1	2	1	-	-

YEAR 1920.

Population—Census 1921, - - 158,969.

COUNTIES --Aberdeen and Kincardine.

Do. Do. 1911, - - 163,891.

Do. estimated to middle of 1920, 159,254.

PUBLIC HEALTH DISTRICT—Aberdeen (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	5010	346	204	4868	2476	2392
Illegitimate Births -	546	118	23	451	226	225
Marriages - - -	2123	-	-	-	-	-
Deaths - - -	2493	282	191	2402	1183	1219

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	31.5	30.6	-
Marriage-rate - - -	13.3	-	-
Death-rate—All Causes - - -	15.7	15.1	15.3
Do. —Phthisis - - -	-	0.96	-
Do. —All Tuberculosis - - -	-	1.33	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.86	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—121.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													7 a ov
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85-	95-	
*Enteric Fever - - -	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - -	15	26	15	24	2	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - -	1	3	1	2	1	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - -	13	16	20	9	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	12	16	1	14	11	-	-	2	-	-	-	-	-	-	-	-
Influenza - - -	6	8	1	1	-	-	1	-	1	-	3	1	-	-	-	-
Erysipelas - - -	7	-	3	-	-	-	-	-	1	2	1	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - -	58	95	3	3	1	4	36	44	33	12	13	4	-	-	-	-
Tuberculous Meningitis - - -	7	11	4	4	4	3	2	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	8	6	1	5	1	-	3	-	1	2	1	-	-	-	-	-
Other Tuberculous Diseases - - -	12	15	2	6	1	2	5	5	3	2	1	-	-	-	-	-
Cancer, Malignant Disease - - -	78	132	-	1	-	-	2	8	19	42	51	57	-	-	-	-
Rheumatic Fever - - -	-	3	-	-	1	-	1	-	-	1	-	-	-	-	-	-
Meningitis - - -	8	6	4	3	1	-	2	2	1	1	-	-	-	-	-	-
Organic Heart Disease - - -	92	122	-	-	-	3	9	5	13	22	43	65	-	-	-	-
Bronchitis - - -	85	83	49	4	3	-	1	1	3	6	17	39	-	-	-	-
Pneumonia (all forms) - - -	127	105	77	33	3	2	8	14	16	14	28	22	-	-	-	-
Other Diseases of Respiratory Organs - - -	13	14	5	-	-	-	1	-	1	4	4	4	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - -	19	14	31	2	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	8	3	-	-	2	1	2	1	2	2	-	1	-	-	-	-
All Liver Diseases (not Malignant) - - -	11	7	-	-	2	-	2	1	2	-	3	5	-	-	-	-
Other Diseases of Digestive System - - -	43	23	17	4	5	2	6	1	6	6	5	9	-	-	-	-
Nephritis and Bright's Disease - - -	34	32	-	1	2	2	2	4	9	13	8	16	-	-	-	-
Puerperal Sepsis - - -	-	5	-	-	-	-	3	1	1	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	25	-	-	-	-	8	8	9	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - -	148	111	257	1	-	-	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - -	46	31	4	17	3	2	12	9	6	5	4	3	-	-	-	-
Suicide - - -	10	2	-	-	-	-	1	1	3	1	2	4	-	-	-	-
Other Defined Diseases - - -	300	292	90	9	2	3	17	20	23	50	85	128	-	-	-	-
Diseases Ill-defined or Unknown - - -	22	11	6	1	-	-	-	-	7	3	8	7	-	-	-	-
Total - - -	1183	1219	591	144	45	25	125	129	160	188	277	365	37	-	-	-

AR 1920.

Population—Census 1921, - - 1,542.
Do. Do. 1911, - - 1,240.
Do. estimated to middle of 1920, 1,510.

CNTY—**Aberdeen.**

BLIC HEALTH DISTRICT—**Ballater** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	24	1	1	24	15	9
Legitimate Births -	4	0	1	5	2	3
Marriages - - -	10	-	-	-	-	-
Deaths - - -	14	0	1	15	6	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15·9	15·9	-
Marriage-rate - - - - -	6·6	-	-
Death-rate—All Causes - - - - -	9·3	9·9	8·8
Do. —Phthisis - - - - -	-	0·66	-
Do. —All Tuberculosis - - - - -	-	0·66	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·32	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—208.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—20·8.

CAUSES OF DEATH (corrected for transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Epidemic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cholera Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Crouping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Purulent Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cerebral Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Septicæmic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Endocarditis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ischemic Heart Disease - - - - -	2	2	-	-	-	-	-	-	-	-	-	-	4	
Nephritis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	1	1	-	-	1	-	-	-	-	-	1	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dysentery and Enteritis (under 2 years) - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Septicæmic Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Genital Debility and Malformation, including Premature Birth - - - - -	-	3	3	-	-	-	-	-	-	-	-	-	-	
Accidental Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	6	9	5	-	1	-	-	1	-	-	1	-	7	

YEAR 1920.

Population—Census 1921, - - 1,261
Do. Do. 1911, - - 1,307
Do. estimated to middle of 1920, 1,263

COUNTY—**Aberdeen.**

PUBLIC HEALTH DISTRICT—**Ellon** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	35	1	2	36	22	14
Illegitimate Births - -	6	-	1	7	4	3
Marriages - - -	52	-	-	-	-	-
Deaths - - -	13	1	2	14	7	7

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	27·7	28·5	-
Marriage-rate - - - - -	41·2	-	-
Death-rate—All Causes - - -	10·3	11·1	9·1
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - -	-	0·00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—28.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—19·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	-
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	2	2	-	-	-	-	-	-	1	1	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	1	-	-	-	-	-	-	-	-	1	1	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Respiratory Organs	1	1	1	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	1	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	1	1	-	-	-	-	-	-	-	-	1	1	-
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	7	7	1	-	-	-	-	-	2	1	3	3	-

AR 1920.

Population—Census 1921, - - - 10,514.
Do. Do. 1911, - - - 10,574.
Do. estimated to middle of 1920, 10,507.

UNTY—**Aberdeen.**

BLIC HEALTH DISTRICT—**Fraserburgh** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	380	7	6	379	191	188
Illegitimate Births -	34	-	1	35	17	18
Marriages - -	99	-	-	-	-	-
Deaths - - -	145	19	10	136	63	73

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	36.2	36.1	-
Marriage-rate - - -	9.4	-	-
Death-rate—All Causes - - -	13.8	12.9	13.4
Do. —Phthisis - - -	-	0.86	-
Do. —All Tuberculosis - - -	-	1.33	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.05	-

Infant Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—95.
Legitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
cholera Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
crouping-cough - - - - -	4	3	5	2	-	-	-	-	-	-	-	-	-	
diphtheria and Croup - - - - -	1	1	-	-	2	-	-	-	-	-	-	-	-	
influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
phthisis, Pulmonary Tuberculosis - - - - -	1	8	-	-	-	-	1	4	3	1	-	-	-	
tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
chronic Tuberculosis - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
other Tuberculous Diseases - - - - -	1	2	-	-	-	-	1	-	2	-	-	-	-	
cancer, Malignant Disease - - - - -	7	7	-	-	-	-	-	-	2	3	4	1	4	
pneumatic Fever - - - - -	1	1	-	-	-	-	1	-	-	-	1	-	-	
peritonitis - - - - -	-	2	-	1	1	-	-	-	-	-	-	-	-	
chronic Heart Disease - - - - -	5	7	-	-	-	1	-	-	2	-	3	1	5	
nephritis - - - - -	4	3	3	-	-	-	-	-	-	-	1	1	2	
pneumonia (all forms) - - - - -	1	5	4	1	1	-	-	-	-	-	-	-	-	
other Diseases of Respiratory Organs - - - - -	-	2	-	-	-	-	-	-	1	-	-	1	-	
dysentery and Enteritis (under 2 years) - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
appendicitis and Typhlitis - - - - -	1	2	-	1	-	-	1	-	-	-	-	-	1	
liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	1	-	1	-	-	-	
other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
gout and Bright's Disease - - - - -	1	2	-	2	-	-	-	-	-	-	-	1	-	
septicæmia - - - - -	-	3	-	-	-	-	-	2	1	-	-	-	-	
other Diseases and Accidents of pregnancy and Parturition - - - - -	-	2	-	-	-	-	1	-	1	-	-	-	-	
congenital Debility and Malformation, including Premature Birth - - - - -	9	5	14	-	-	-	-	-	-	-	-	-	-	
unlabeled Deaths, excluding Suicide - - - - -	4	1	-	-	-	-	1	2	1	-	-	-	1	
accidents - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
other Defined Diseases - - - - -	18	15	6	4	2	1	1	-	1	1	5	6	6	
diseases ill-defined or Unknown - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	63	73	36	12	6	2	7	9	14	6	14	11	19	

YEAR 1920.

Population—Census 1921, - - - 3,752.

Do. Do. 1911, - - - 4,229.

COUNTY—**Aberdeen.**

Do. estimated to middle of 1920, 3,794.

PUBLIC HEALTH DISTRICT—**Huntly (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	107	10	3	100	54	46
Illegitimate Births -	25	6	1	20	11	9
Marriages - - -	49	-	-	-	-	-
Deaths - - -	74	6	3	71	36	35

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28.2	26.4	-
Marriage-rate - - - - -	12.9	-	-
Death-rate—All Causes - - - - -	19.5	18.7	16.0
Do. —Phthisis - - - - -	-	1.05	-
Do. —All Tuberculosis - - - - -	-	1.84	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.79	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—70.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—20.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	70 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	2	-	-	-	1	2	-	-	-	-	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	-	-	-	-	-	1	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	6	3	-	-	-	-	-	-	1	-	-	4	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	5	-	-	-	-	1	-	2	2	1	-	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	5	2	2	-	-	-	-	-	-	-	-	2	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System - - - - -	2	1	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	4	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	15	-	-	-	1	-	-	4	1	4	1	1	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Total - - - - -	36	35	7	-	2	1	2	5	-	8	4	16	2	

YEAR 1920.

Population—Census 1921, - - - 3,900.

Do. Do. 1911, - - - 3,960.

Do. estimated to middle of 1920, 3,901.

COUNTY—**Aberdeen.**PUBLIC HEALTH DISTRICT—**Inverurie** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	105	3	7	109	58	51
Illegitimate Births - -	14	-	3	17	12	5
Marriages - - -	55	-	-	-	-	-
Deaths - - -	42	0	9	51	19	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26·9	27·9	-
Marriage-rate - - - - -	14·1	-	-
Death-rate—All Causes - - - - -	10·8	13·1	11·7
Do. —Phthisis - - - - -	-	0·26	-
Do. —All Tuberculosis - - - - -	-	0·26	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—101.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	1	1	-	-	-	-	-	-	-	-	1	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	2	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	5	-	-	-	-	-	1	-	2	2	-	-	
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2	
Pneumonia (all forms) - - - - -	3	5	1	1	-	-	-	1	1	1	2	1	1	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	2	-	-	-	-	-	-	-	-	3	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	3	4	7	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	7	9	1	-	-	-	1	-	1	3	3	3	4	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	19	32	11	1	-	-	2	1	4	7	6	11	8	

YEAR 1920.

Population—Census 1921, - - - 741.

Do. Do. 1911, - - - 818.

COUNTY—**Aberdeen.**

Do. estimated to middle of 1920, 748.

PUBLIC HEALTH DISTRICT—**Kintore** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	17	2	-	15	7	8
Illegitimate Births -	4	1	-	3	1	2
Marriages - - -	4	-	-	-	-	-
Deaths - - -	14	0	2	16	7	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.7	20.1	-
Marriage-rate - - - - -	5.3	-	-
Death-rate—All Causes - - - - -	18.7	21.4	17.6
Do. —Phthisis - - - - -	-	1.34	-
Do. —All Tuberculosis - - - - -	-	1.34	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	4.01	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—200.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—20.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	70 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	2	2	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	2	-	-	-	-	-	-	-	1	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	3	-	-	-	-	-	-	-	-	-	1	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	2	-	-	-	-	-	-	-	-	-	1	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	7	9	3	1	-	-	1	-	-	1	1	3	6	

YEAR 1920.

Population—Census 1921, - - - 1,015.

Do. Do. 1911, - - - 1,110.

Do. estimated to middle of 1920, 1,023.

COUNTY—**Aberdeen.**PUBLIC HEALTH DISTRICT—**Old Meldrum (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	24	2	1	23	16	7
Illegitimate Births -	4	2	1	3	2	1
Marriages - - -	15	-	-	-	-	-
Deaths - - -	11	1	5	15	8	7

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23·5	22·5	-
Marriage-rate - - - - -	14·7	-	-
Death-rate—All Causes - - - - -	10·8	14·7	10·7
Do. —Phthisis - - - - -	-	1·96	-
Do. —All Tuberculosis - - - - -	-	2·93	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—43.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	2	-	-	-	-	-	1	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	1	-	-	1	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2	
Other Diseases of Respiratory Organs - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	3	-	-	-	-	1	-	-	-	2	3	-	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	8	7	1	1	-	-	-	2	1	1	1	2	6	

YEAR 1920.

Population—Census 1921, - - - 13,126.
Do. Do. 1911, - - - 13,613.
Do. estimated to middle of 1920, 13,158.

COUNTY—Aberdeen.

PUBLIC HEALTH DISTRICT—Peterhead (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	455	5	9	459	231	228
Illegitimate Births -	40	-	2	42	22	20
Marriages - - -	191	-	-	-	-	-
Deaths - - -	199	4	19	214	103	111

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	34.6	34.9	-
Marriage-rate - - - - -	7.7	-	-
Death-rate—All Causes - - -	15.1	16.3	16.2
Do. —Phthisis - - - - -	-	1.22	-
Do. —All Tuberculosis - - -	-	1.44	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.22	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—148.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	3	3	2	4	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Phthisis, Pulmonary Tuberculosis - -	10	6	-	-	-	2	4	3	4	2	1	-	-	
Tuberculous Meningitis - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	4	14	-	-	-	-	1	-	-	4	4	6	3	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	6	8	-	-	-	1	1	-	-	-	1	5	6	
Bronchitis - - - - -	10	15	15	-	-	-	-	1	-	1	-	4	4	
Pneumonia (all forms) - - - -	15	4	8	2	-	1	2	-	3	1	2	-	-	
Other Diseases of Respiratory Organs -	-	2	-	1	-	-	-	-	1	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	4	5	9	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	2	2	-	-	-	-	-	-	-	-	-	3	1	
Other Diseases of Digestive System -	4	3	-	1	-	-	1	-	-	1	2	1	1	
Nephritis and Bright's Disease - -	1	5	1	-	-	-	-	-	-	1	1	2	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	-	3	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	11	10	21	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	6	4	-	1	-	-	3	1	-	1	1	-	3	
Suicide - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Other Defined Diseases - - - -	16	21	7	2	-	1	-	-	1	3	3	7	13	
Diseases Ill-defined or Unknown -	5	4	3	1	-	-	-	-	1	-	-	2	2	
Total - - - - -	103	111	63	12	-	6	13	8	11	14	16	31	35	

YEAR 1920.

Population—Census 1921, - - - 1,267.
Do. Do. 1911, - - - 1,308.
Do. estimated to middle of 1920, 1,270.

COUNTY—Aberdeen.

PUBLIC HEALTH DISTRICT—Rosehearty (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	46	4	1	43	32	11
Illegitimate Births -	6	-	-	6	3	3
Marriages - - -	19	-	-	-	-	-
Deaths - - -	17	0	1	18	10	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	36·2	33·9	-
Marriage-rate - - - - -	15·0	-	-
Death-rate—All Causes - - - - -	13·4	14·2	11·9
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - - - -	-	0·79	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	3·15	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—93.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	1	2	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	1	-	-	-	-	-	-	-	-	-	-	3	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	10	8	4	2	1	1	-	1	-	-	1	2	6	

YEAR 1920.

COUNTY—**Aberdeen.**

PUBLIC HEALTH DISTRICT—**Turriff** (Burgh).

Population—Census 1921, - - - 2,152.
Do. Do. 1911, - - - 2,346.
Do. estimated to middle of 1920, 2,168.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	70	5	4	69	36	33
Illegitimate Births -	15	4	2	13	11	2
Marriages - - -	30	-	-	-	-	-
Deaths - - -	33	2	3	34	16	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	32·3	31·8	-
Marriage-rate - - - - -	13·8	-	-
Death-rate—All Causes - - - - -	15·2	15·7	12·1
Do. —Phthisis - - - - -	-	0·46	-
Do. —All Tuberculosis - - - - -	-	0·46	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—72.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—18·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	4	-	-	-	-	-	-	1	1	-	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	1	-	-	-	-	-	-	-	2	1	2	2	
Bronchitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	2	2	-	1	2	-	-	-	-	-	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	-	-	1	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	3	1	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	-	7	-	-	-	-	-	-	-	-	1	-	6	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Total - - - - -	16	18	5	2	2	-	1	-	1	4	3	4	12	

YEAR 1920.

Population—Census 1921, - - - 22,777.
Do. Do. 1911, - - - 22,876.
Do. estimated to middle of 1920, 22,759.

COUNTY—Aberdeen.

PUBLIC HEALTH DISTRICT—Aberdeen (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	435	20	53	468	237	231
Illegitimate Births - -	48	9	34	73	31	42
Marriages - - -	135	-	-	-	-	-
Deaths - - -	406	173	43	276	137	139

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.1	20.6	-
Marriage-rate - - - - -	5.9	-	-
Death-rate—All Causes - - - -	17.8	12.1	10.6
Do. —Phthisis - - - - -	-	0.66	-
Do. —All Tuberculosis - - - -	-	0.75	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.35	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—68.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	1	2	-	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	6	9	-	1	-	1	2	4	2	2	2	-	1	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Tuberculous Diseases - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - -	11	17	-	-	-	-	1	3	6	8	9	9	1	
Rheumatic Fever - - - - -	-	2	-	-	1	-	-	1	-	-	-	-	-	
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	25	21	-	-	-	1	1	1	3	2	18	20	20	
Bronchitis - - - - -	6	6	4	1	-	-	-	1	1	-	1	4	4	
Pneumonia (all forms) - - - - -	12	6	3	1	-	3	1	3	1	1	3	2	2	
Other Diseases of Respiratory Organs	-	2	-	-	-	-	-	1	1	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	8	7	5	2	-	-	-	-	1	3	3	1	1	
Nephritis and Bright's Disease - -	3	3	-	-	-	-	-	1	1	2	-	2	2	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	1	1	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	2	5	7	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	5†	3	-	3	-	-	-	2	-	-	-	-	2	
Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Defined Diseases - - - - -	47	48	5	2	1	2	3	1	2	5	12	24	38	
Diseases Ill-defined or Unknown -	4	2	2	-	-	-	-	-	-	1	1	1	1	
Total - - - - -	137†	139	32	13	3	3	10	12	17	22	31	60	72	

† Including 1 of unstated age.

YEAR 1920.

Population—Census 1921, - - - 8,628.
Do. Do. 1911, - - - 9,495.
Do. estimated to middle of 1920, 8,702.

COUNTY—**Aberdeen.**

PUBLIC HEALTH DISTRICT—**Alford** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	233	6	15	242	100	142
Illegitimate Births -	43	1	8	50	28	22
Marriages - - -	46	-	-	-	-	-
Deaths - - -	83	-	17	100	61	39

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26·8	27·8	-
Marriage-rate - - - - -	5·3	-	-
Death-rate—All Causes - - - - -	9·5	11·5	10·0
Do. —Phthisis - - - - -	-	0·46	-
Do. —All Tuberculosis - - - - -	-	0·46	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·23	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—70.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—20·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	2	2	-	-	-	-	1	-	1	-	1	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	8	5	-	-	-	-	-	-	1	1	4	3	4	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	9	3	-	-	-	-	-	1	-	2	-	5	4	
Bronchitis - - - - -	2	2	-	-	-	-	-	-	1	-	-	-	3	
Pneumonia (all forms) - - - - -	1	2	1	-	-	-	-	-	-	-	1	-	1	
Other Diseases of Respiratory Organs -	1	-	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	-	-	-	-	-	-	1	-	-	-	1	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System -	6	-	1	-	1	-	-	-	-	2	1	-	1	
Nephritis and Bright's Disease - - -	3	2	-	-	-	-	-	-	1	-	1	2	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	9	3	12	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	2	-	-	-	1	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	13	13	1	1	-	-	1	-	1	1	2	4	15	
Diseases Ill-defined or Unknown - -	1	4	1	-	-	-	-	-	-	-	-	-	4	
Total - - - - -	61	39	17	2	2	-	2	3	6	6	11	17	34	

YEAR 1920.

COUNTY—**Aberdeen.**

PUBLIC HEALTH DISTRICT—**Deer** (County District).

Population—Census 1921, - - - 27,176.
Do. Do. 1911, - - - 28,439.
Do. estimated to middle of 1920, 27,266.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	761	20	27	768	372	396
Illegitimate Births -	104	7	17	114	60	54
Marriages - - -	159	-	-	-	-	-
Deaths - - -	363	16	42	389	204	185

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	27·9	28·2	-
Marriage-rate - - - - -	5·8	-	-
Death-rate—All Causes - - - - -	13·3	14·3	12·2
Do. —Phthisis - - - - -	-	0·73	-
Do. —All Tuberculosis - - - - -	-	0·95	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·84	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—89.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	1	-	-	-	-	-	2	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	3	3	5	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	4	-	-	2	1	2	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Phthisis, Pulmonary Tuberculosis - - - - -	7	13	-	-	-	1	2	9	3	5	-	-	-	
Tuberculous Meningitis - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	1	-	-	-	-	-	2	-	-	1	-	-	
Cancer, Malignant Disease - - - - -	15	14	-	-	-	-	1	-	-	5	5	14	4	
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	29	24	-	-	-	-	-	2	1	2	12	14	22	
Bronchitis - - - - -	15	18	9	1	-	-	1	1	1	-	-	2	18	
Pneumonia (all forms) - - - - -	14	7	7	1	1	-	-	3	1	3	2	-	3	
Other Diseases of Respiratory Organs - - - - -	4	-	1	-	-	-	-	-	1	-	-	2	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	5	2	6	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
All Liver Diseases (not Malignant) - - - - -	-	2	-	-	-	-	-	-	-	-	1	1	-	
Other Diseases of Digestive System - - - - -	12	7	4	1	1	-	1	2	1	4	2	2	1	
Nephritis and Bright's Disease - - - - -	5	2	-	-	-	-	1	1	-	-	-	2	3	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	13	14	27	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	7†	2	-	1	1	-	1	-	1	2	-	-	2	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	64	62	7	1	-	-	3	2	6	5	7	30	65	
Diseases Ill-defined or Unknown - - - - -	2	2	1	-	1	-	-	-	-	1	-	-	1	
Total - - - - -	204†	185	68	12	6	2	13	26	16	27	30	68	120	

† Including 1 of unstated age.

YEAR 1920.

Population—Census 1921, - - - 12,036.

Do. Do. 1911, - - - 12,218.

COUNTY—**Aberdeen.**

Do. estimated to middle of 1920, 12,039.

PUBLIC HEALTH DISTRICT—**Deeside** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	227	5	22	244	117	127
Illegitimate Births -	37	3	12	46	23	23
Marriages - - -	59	-	-	-	-	-
Deaths - - -	130	4	24	150	63	87

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18·9	20·3	-
Marriage-rate - - - - -	4·9	-	-
Death-rate—All Causes - - - - -	10·8	12·5	10·6
Do. —Phthisis - - - - -	-	0·75	-
Do. —All Tuberculosis - - - - -	-	1·25	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·33	-

*Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—70.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—18·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	3	-	3	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	6	-	-	-	-	4	2	-	2	1	-	-	
Tuberculous Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	2	-	-	1	-	-	-	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	2	-	-	-	-	1	-	1	-	-	1	-	
Cancer, Malignant Disease - - - - -	6	10	-	-	-	-	-	-	1	2	6	4	3	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	11	7	-	-	-	1	-	-	-	1	4	7	5	
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	1	1	-	
Pneumonia (all forms) - - - - -	4	3	3	2	-	-	-	-	1	1	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	2	-	-	-	-	-	-	-	-	1	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Nephritis and Bright's Disease - - - - -	-	2	-	-	-	-	-	-	-	-	1	-	1	
Puerperal Sepsis - - - - -	-	4	-	-	-	-	1	2	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	2	8	10	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	3	-	1	-	-	1	-	-	-	1	1	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	29	28	3	-	-	1	3	1	3	5	4	8	29	
Diseases Ill-defined or Unknown - - - - -	3	1	-	-	-	-	-	-	-	3	1	-	-	
Total - - - - -	63	87	17	7	1	2	10	6	8	15	21	22	41	

YEAR 1920.

Population—Census 1921, - - - 13,311.

Do. Do. 1911, - - - 13,917.

Do. estimated to middle of 1920, 13,353.

COUNTY—**Aberdeen.**PUBLIC HEALTH DISTRICT—**Ellon** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	336	14	25	347	182	165
Illegitimate Births - -	58	8	16	66	31	35
Marriages - - -	57	-	-	-	-	-
Deaths - - -	134	5	26	155	83	72

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth rate - - - - -	25.2	26.0	-
Marriage-rate - - - - -	4.3	-	-
Death-rate—All Causes - - - - -	10.0	11.6	10.2
Do. —Phthisis - - - - -	-	0.45	-
Do. —All Tuberculosis - - - - -	-	0.82	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.60	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—95.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—19.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10	15	25	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	2	2	2	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	2	-	-	-	-	1	2	1	1	-	1	-	
Tuberculous Meningitis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	-	1	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	-	1	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	9	7	-	-	-	-	1	1	-	2	7	4	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	11	9	-	-	-	-	-	1	1	1	6	3	8	
Bronchitis - - - - -	6	2	3	-	-	-	-	-	-	-	-	3	2	
Pneumonia (all forms) - - - - -	8	5	5	-	-	-	1	2	3	-	-	1	1	
Other Diseases of Respiratory Organs - - - - -	-	3	-	-	-	-	-	-	-	-	1	-	2	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	1	-	-	-	-	-	1	-	-	-	2	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Digestive System - - - - -	3	2	1	-	-	-	-	1	-	-	1	2	-	
Nephritis and Bright's Disease - - - - -	1	4	-	-	-	-	-	-	-	-	-	4	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	5	8	13	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	2	1	-	-	-	-	-	-	2	-	-	2	
Suicide - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Defined Diseases - - - - -	22	17	3	-	-	-	3	1	1	4	-	8	19	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	1	
Total - - - - -	83	72	33	2	-	3	7	11	6	10	16	29	38	

YEAR 1920.

Population—Census 1921, - - - 13,045.

Do. Do. 1911, - - - 13,980.

COUNTY—**Aberdeen**.

Do. estimated to middle of 1920, 13,121.

PUBLIC HEALTH DISTRICT—**Garioch** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Numbers.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	336	20	29	345	183	162
Illegitimate Births -	67	10	23	80	33	47
Marriages - - -	69	-	-	-	-	-
Deaths - - -	156	6	19	169	88	81

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	25·6	26·3	-
Marriage-rate - - -	5·3	-	-
Death-rate—All Causes - - -	11·9	12·9	11·3
Do. —Phthisis - - -	-	0·46	-
Do. —All Tuberculosis - - -	-	0·53	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·14	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—81.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—23·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												7 a ov
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	3	1	-	3	1	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	1	3	4	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-		
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Erysipelas - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	3	3	-	-	-	1	2	-	2	1	-	-	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	4	7	-	-	-	-	2	-	-	1	4	2	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	10	9	-	-	-	-	1	-	-	1	3	7	-		
Bronchitis - - - - -	5	4	1	-	-	-	-	-	-	-	1	2	-		
Pneumonia (all forms) - - - - -	5	7	2	3	-	-	-	-	-	2	1	1	-		
Other Diseases of Respiratory Organs - - - - -	2	2	-	-	-	-	-	-	-	2	-	-	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	3	2	5	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System - - - - -	4	5	-	1	-	2	-	-	-	-	1	3	-		
Nephritis and Bright's Disease - - - - -	2	2	-	-	-	-	-	-	-	-	1	1	-		
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	8	3	11	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	5	1	-	1	-	-	2	1	-	-	1	1	-		
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-		
Other Defined Diseases - - - - -	28	27	3	1	2	2	-	1	-	1	8	10	27		
Diseases Ill-defined or Unknown - - - - -	2	2	1	-	-	-	-	-	-	-	2	-	1		
Total - - - - -	88	81	28	9	3	6	7	4	2	9	23	27	51		

YEAR 1920.

Population—Census 1921, - - - 6,423.

COUNTY—**Aberdeen.**

Do. Do. 1911, - - - 6,953.

Do. estimated to middle of 1920, 6,467.

PUBLIC HEALTH DISTRICT—**Huntly** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers.		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	169	5	12	176	98	78
Illegitimate Births -	25	4	5	26	11	15
Marriages - - -	21	-	-	-	-	-
Deaths - - -	77	2	5	80	48	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26·1	27·2	-
Marriage-rate - - - - -	3·2	-	-
Death-rate—All Causes - - - - -	11·9	12·4	10·5
Do. —Phthisis - - - - -	-	0·31	-
Do. —All Tuberculosis - - - - -	-	0·31	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·31	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—74.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1	5	10	15	25	35	45	55	65	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	2	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	3	-	-	-	-	-	-	1	-	4	1	-	
Rheumatic Fever - - - - -	1	1	-	1	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	10	4	-	-	-	-	1	-	-	2	6	5	-	
Bronchitis - - - - -	7	4	4	-	-	-	-	-	-	1	2	4	-	
Pneumonia (all forms) - - - - -	2	3	-	1	2	-	-	1	-	1	-	-	-	
Other Diseases of Respiratory Organs -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Bill Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Nephritis and Bright's Disease - -	4	1	-	-	-	1	1	-	2	-	-	-	1	
Septicæmia - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Constitutional Debility and Malforma- tion, including Premature Birth - - -	4	1	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	2	-	-	-	-	1	-	-	1	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	9	11	1	-	-	-	-	-	-	2	5	12	-	
Diseases Ill-defined or Unknown - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	48	32	13	2	2	1	4	5	1	4	6	17	25	

YEAR 1920.

Population—Census 1921, - - - 10,684.

COUNTY—**Aberdeen.**

Do. Do. 1911, - - - 11,331.

Do. estimated to middle of 1920, 10,734.

PUBLIC HEALTH DISTRICT—**Turriff** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	317	12	14	319	160	159
Illegitimate Births -	71	9	13	75	37	38
Marriages - - -	67	-	-	-	-	-
Deaths - - -	115	0	16	131	57	74

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29·5	29·7	-
Marriage-rate - - - - -	6·2	-	-
Death-rate—All Causes - - - - -	10·7	12·2	10·5
Do. —Phthisis - - - - -	-	0·56	-
Do. —All Tuberculosis - - - - -	-	0·75	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·28	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—75.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—23·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE									
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	2	-	1	-	1	-	-	-	-	-	-
Influenza - - - - -	-	1	-	-	-	-	-	-	-	1	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	5	-	-	-	-	2	-	2	2	-	-
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	5	-	-	-	-	-	-	1	1	-	1
Rheumatic Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	2	-	-	-	-	-
Organic Heart Disease - - - - -	4	8	-	-	-	-	-	1	-	2	-	6
Bronchitis - - - - -	5	2	2	-	-	-	-	-	1	-	-	1
Pneumonia (all forms) - - - - -	6	4	2	1	-	1	-	1	1	-	-	3
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	1	1	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System - - - - -	2	2	1	1	1	1	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	1	-	-	-	1	1	-	-	-	-	1
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	1	1	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	8	7	14	1	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	22	28	4	-	-	-	1	-	-	-	3	12
Diseases Ill-defined or Unknown - - - - -	-	2	-	1	-	-	-	-	-	-	1	-
Total - - - - -	57	74	24	6	2	5	6	4	8	7	5	24

AR 1920.

Population—Census 1921, - - - 6,757.
Do. Do. 1911, - - - 7,625.
Do. estimated to middle of 1920, 6,833.

UNTY—Argyll.

BUBLIC HEALTH DISTRICT—Campbeltown (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	217	9	2	210	112	98
Legitimate Births -	29	3	1	27	15	12
Marriages - - -	71	-	-	-	-	-
Deaths - - -	110	7	3	106	53	53

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	31·8	30·7	-
Marriage-rate - - - - -	10·4	-	-
Death-rate—All Causes - - - - -	16·1	15·5	14·3
Do. —Phthisis - - - - -	-	1·17	-
Do. —All Tuberculosis - - - - -	-	1·76	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·59	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—110.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Erysipeloid - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipeloid - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Erysipeloid - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Crouping-cough - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Erysipeloid - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	5	-	-	-	1	4	2	-	1	-	-	-	
Tuberculous Meningitis - - - - -	1	2	-	1	1	1	-	-	-	-	-	-	-	
Spinal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	5	-	-	-	-	-	-	-	1	4	3	1	
Erysipeloid - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Conjunctivitis - - - - -	1	1	-	1	-	1	-	-	-	-	-	-	-	
Ischaemic Heart Disease - - - - -	2	7	-	-	-	-	-	-	-	-	-	5	4	
Endocarditis - - - - -	3	3	4	1	-	-	-	-	-	-	1	-	-	
Pneumonia (all forms) - - - - -	11	4	5	-	-	-	1	2	1	2	1	2	1	
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	2	
Erysipeloid and Enteritis (under 2 years) - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	-	-	1	-	-	1	
Other Diseases of Digestive System - - - - -	1	1	-	-	-	-	-	1	-	1	-	-	-	
Gonorrhoea and Bright's Disease - - - - -	1	4	-	-	-	-	-	1	1	-	-	2	1	
Erysipeloid - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Genital Debility and Malformation, including Premature Birth - - - - -	2	3	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	6	1	-	-	-	2	1	2	1	1	-	-	-	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	12	10	6	-	-	1	1	-	2	1	4	2	5	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Total - - - - -	53	53	23	4	2	6	7	8	5	9	11	15	16	

YEAR 1920.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Dunoon (Burgh).

Population—Census 1921, - - - 14,735.
Do. Do. 1911, - - - 6,859.
Do. estimated to middle of 1920, 6,497.†

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	164	19	11	156	91	65
Illegitimate Births - -	8	2	6	12	6	6
Marriages - - -	41	-	-	-	-	-
Deaths - - -	102	22	19	99	41	58

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25·2	24·0	-
Marriage-rate - - - - -	6·3	-	-
Death-rate—All Causes - - - - -	15·7	15·2	12·5
Do. —Phthisis - - - - -	-	1·23	-
Do. —All Tuberculosis - - - - -	-	2·00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·15	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—58.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	4	4	-	-	-	-	2	2	2	1	-	1	-		
Tuberculous Meningitis - - - - -	1	2	1	1	-	1	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	1	8	-	-	-	-	-	-	-	2	2	5	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	4	7	-	-	-	-	-	-	-	-	3	5	-		
Bronchitis - - - - -	3	-	1	-	-	-	-	-	-	-	-	1	-		
Pneumonia (all forms) - - - - -	2	1	1	-	-	-	2	-	-	-	-	-	-		
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-		
Other Diseases of Digestive System - - - - -	2	2	-	-	-	-	-	-	-	-	-	1	-		
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	-		
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-		
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	2	-	1	-	-	-	-	-	1	-	-	-	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	15	28	2	-	-	-	1	1	1	3	4	7	24		
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-		
Total - - - - -	41	58	9	4	-	1	6	4	5	6	10	22	32		

† See footnote, Table 5.

YEAR 1920.

Population—Census 1921, - - - 490.
Do. Do. 1911, - - - 533.
Do. estimated to middle of 1920, 493.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Inveraray (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	6	-	1	7	5	2
Illegitimate Births	-	-	-	-	-	-
Marriages -	2	-	-	-	-	-
Deaths - - -	11	0	4	15	8	7

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12.2	14.2	-
Marriage-rate - - - - -	4.1	-	-
Death-rate—All Causes - - - - -	22.3	30.4	21.6
Do. —Phthisis - - - - -	-	2.03	-
Do. —All Tuberculosis - - - - -	-	2.03	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	1	1-	5	10	15	25	35-	45	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	1	-	-	-	-	-	-	-	-	1	1	1	
Pneumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Peritonitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	1	-	1	
Pneumonia (all forms) - - - - -	1	1	-	1	-	-	1	-	-	-	-	-	-	
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Al Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Periperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	2	-	-	-	-	-	-	-	-	1	1	2	
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Total - - - - -	8	7	-	1	-	-	1	1	-	1	4	2	5	

YEAR 1920.

Population—Census 1921, - - - 939.
Do. Do. 1911, - - - 921.
Do. estimated to middle of 1920, 936.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Lochgilphead (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	20	2	-	18	6	12
Illegitimate Births -	-	-	-	-	-	-
Marriages - - -	4	-	-	-	-	-
Deaths - - -	12	1	1	12	3	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21·4	19·2	-
Marriage-rate - - - - -	4·3	-	-
Death-rate—All Causes - - - - -	12·8	12·8	9·6
Do. —Phthisis - - - - -	-	2·14	-
Do. —All Tuberculosis - - - - -	-	3·21	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·07	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—56.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	2	-	-	-	-	-	-	-	-	-	3	-	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	-	-	1	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	3	9	1	-	1	-	-	3	1	-	-	3	3	

YEAR 1920.

Population—Census 1921, - - - 6,344.
Do. Do. 1911, - - - 5,557.
Do. estimated to middle of 1920, 6,259.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Oban (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	109	3	4	110	60	50
Illegitimate Births -	7	1	2	8	5	3
Marriages - - -	54	-	-	-	-	-
Deaths - - -	94	19	11	86	45	41

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	17.4	• 17.6	-
Marriage-rate - - -	8.6	-	-
Death-rate—All Causes - - -	15.0	13.7	13.2
Do. —Phthisis - - -	-	0.96	-
Do. —All Tuberculosis - - -	-	1.12	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.96	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—73.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - -	2	2	-	-	4	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	5	1	-	-	-	-	1	2	1	1	1	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	2	3	-	-	-	-	-	1	1	-	2	-	1	
Rheumatic Fever - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	2	2	-	-	-	-	-	-	1	-	1	1	1	
Bronchitis - - -	2	3	1	-	-	-	-	-	-	1	1	-	2	
Pneumonia (all forms) - - -	-	2	-	-	-	-	1	-	-	-	-	-	1	
Other Diseases of Respiratory Organs -	1	1	-	-	-	-	-	-	-	1	-	1	-	
Diarrhoea and Enteritis (under 2 years) -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	1	2	-	-	1	-	1	-	-	1	-	-	-	
Ill Liver Diseases (not Malignant) - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System -	1	1	-	-	1	-	-	-	-	-	-	-	1	
Nephritis and Bright's Disease - -	1	4	-	-	-	-	2	-	-	-	1	-	2	
Septicæmic Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	4	-	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	4	-	-	-	-	-	-	1	-	1	-	2	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	16	18	1	1	1	-	-	-	-	2	5	8	16	
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Total - - -	45	41	8	1	7	1	5	5	3	8	11	13	24	

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	13	-	2	15	6	9
Illegitimate Births -	1	-	-	1	1	-
Marriages - - -	3	-	-	-	-	-
Deaths - - -	10	0	0	10	2	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.1	17.4	-
Marriage-rate - - - - -	3.5	-	-
Death-rate—All Causes - - - -	11.6	11.6	8.6
Do. —Phthisis - - - -	-	1.16	-
Do. —All Tuberculosis - - -	-	2.32	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—67.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Cancer, Malignant Disease - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	1	-	-	-	-	-	-	-	2	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	-	3	-	-	-	-	-	-	-	-	-	1	2	
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	2	8	1	-	-	-	-	-	-	2	2	2	3	

YEAR 1920.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Ardnamurchan (County District).

Population—Census 1921, - - - 2,497.
Do. Do. 1911, - - - 2,822.
Do. estimated to middle of 1920, 2,526.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	35	-	5	40	19	21
Illegitimate Births -	2	-	2	4	2	2
Marriages - - -	4	-	-	-	-	-
Deaths - - -	36	2	4	38	16	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13.9	15.8	-
Marriage-rate - - - - -	1.6	-	-
Death-rate—All Causes - - - - -	14.3	15.0	11.0
Do. —Phthisis - - - - -	-	1.19	-
Do. —All Tuberculosis - - - - -	-	1.19	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.79	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—100.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	2	-	-	-	-	3	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	1	-	-	-	-	-	1	-	1	-	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	2	1	-	-	-	-	1	-	-	1	1	-	-	
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	1	-	-	1	-	-	
Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	9	-	-	1	-	-	-	-	3	2	3	6	
Diseases Ill-defined or Unknown - - - - -	1	3	2	-	-	-	-	-	-	-	1	-	1	
Total - - - - -	16	22	4	-	1	2	-	4	2	3	6	7	9	

YEAR 1920.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Cowal (County District).

Population—Census 1921, - - - 9,626.
Do. Do. 1911, - - - 8,194.
Do. estimated to middle of 1920, 9,473.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	97	1	2	98	50	48
Illegitimate Births -	1	-	-	1	-	1
Marriages - - -	21	-	-	-	-	-
Deaths - - -	113	14	11	110	54	56

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	10·2	10·3	-
Marriage-rate - - - - -	2·2	-	-
Death-rate—All Causes - - - - -	11·9	11·6	9·8
Do. —Phthisis - - - - -	-	0·53	-
Do. —All Tuberculosis - - - - -	-	0·53	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—31.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—1·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	1	-	-	-	-	-	1	-	-	1	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	2	-	-	-	-	-	1	2	1	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	10	-	-	-	-	-	-	1	1	9	2	2	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Meningitis - - - - -	2	-	-	-	1	-	-	-	1	-	-	-	-	
Organic Heart Disease - - - - -	7	9	-	-	-	-	1	1	1	1	3	5	4	
Bronchitis - - - - -	3	4	-	-	-	-	-	-	-	-	-	3	4	
Pneumonia (all forms) - - - - -	2	4	-	1	-	1	-	-	-	-	-	1	3	
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	1	-	-	-	1	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	2	-	-	-	-	-	-	-	-	-	1	2	
Other Diseases of Digestive System - - - - -	1	5	-	-	-	-	-	2	-	-	-	3	1	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	1	-	-	-	-	-	-	-	1	2	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	20	16	1	1	-	1	-	-	1	2	5	4	21	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	54	56	3	2	2	2	1	5	7	7	21	20	40	

YEAR 1920.

Population—Census 1921, - - - 6,496.

Do. Do. 1911, - - - 7,130.

Do. estimated to middle of 1920, 5,550.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Islay (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	104	8	5	101	48	53
Illegitimate Births -	21	-	2	23	12	11
Marriages - - -	16	-	-	-	-	-
Deaths - - -	84	0	6	90	52	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.9	15.4	-
Marriage-rate - - - - -	2.4	-	-
Death-rate—All Causes - - - - -	12.8	13.7	10.9
Do. —Phthisis - - - - -	-	1.53	-
Do. —All Tuberculosis - - - - -	-	1.68	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.15	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—30.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—22.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			1	1	5	10	15	25	35	45	55	65	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	6	4	-	-	-	1	2	2	1	1	3	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	3	-	-	-	-	-	1	-	-	-	5	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	9	4	-	-	-	-	-	-	-	1	1	8	3	
Bronchitis - - - - -	5	3	-	-	-	1	1	-	-	-	-	2	4	
Pneumonia (all forms) - - - - -	2	1	1	-	-	-	-	-	-	-	-	1	1	
Other Diseases of Respiratory Organs -	2	-	-	-	-	-	-	1	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years)	-	1	-	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - -	1	4	-	-	-	-	-	-	-	-	-	4	1	
Nephritis and Bright's Disease - - -	2	1	-	-	-	-	-	-	-	-	1	2	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	2	1	-	-	-	-	1	-	-	-	-	1	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	16	16	1	-	-	-	2	1	-	1	5	5	17	
Diseases Ill-defined or Unknown - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	52	38	3	1	-	3	6	5	2	3	10	29	28	

YEAR 1920.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Kintyre (County District).

Population—Census 1921, - - - 6,675.
Do. Do. 1911, - - - 6,660.
Do. estimated to middle of 1920, 6,666.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	138	-	3	141	59	82
Illegitimate Births -	24	-	-	24	11	13
Marriages - - -	30	-	-	-	-	-
Deaths - - -	67	2	12	77	42	35

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20·7	21·2	-
Marriage-rate - - - - -	4·5	-	-
Death-rate—All Causes - - - - -	10·1	11·6	10·3
Do. —Phthisis - - - - -	-	0·90	-
Do. —All Tuberculosis - - - - -	-	1·05	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·30	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—43.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	2	-	-	-	-	1	3	-	1	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	6	-	-	-	-	-	-	-	2	3	3	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	4	-	-	-	-	-	-	-	-	1	2	5	
Bronchitis - - - - -	1	3	-	-	-	-	-	1	-	-	-	2	1	
Pneumonia (all forms) - - - - -	4	3	-	1	-	-	2	-	-	2	-	2	-	
Other Diseases of Respiratory Organs - - - - -	3	3	-	-	-	-	-	-	-	2	1	-	3	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	-	-	-	-	-	2	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	3	1	-	-	-	-	-	-	-	-	1	1	2	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	2	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	1	1	-	1	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - - - -	12	7	5	-	-	-	1	-	-	2	-	3	8	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	1	-	-	-	-	-	1	
Total - - - - -	42	35	6	3	2	-	8	4	1	9	7	14	23	

YEAR 1920.

Population—Census 1921, - - - 9,680.

COUNTY—**Argyll**.

Do. Do. 1911, - - - 11,087.

Do. estimated to middle of 1920, 9,806.

PUBLIC HEALTH DISTRICT—**Lorn** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	192	4	15	203	99	104
Illegitimate Births -	5	1	4	8	6	2
Marriages - - -	37	-	-	-	-	-
Deaths - - -	134	3	26	157	84	73

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19·6	20·7	-
Marriage-rate - - - - -	3·8	-	-
Death-rate—All Causes - - - - -	13·7	16·0	13·4
Do. —Phthisis - - - - -	-	1·63	-
Do. —All Tuberculosis - - - - -	-	2·14	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·51	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—44.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·9 .

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	3	-	2	1	1	-	-	-	-	-	-	-	
Influenza - - - - -	2	-	-	-	-	-	-	-	-	-	1	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	10	6	-	-	-	-	3	4	1	3	1	4	-	
Tuberculous Meningitis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	3	-	-	-	-	1	2	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	10	5	-	1	-	-	-	-	2	1	8	2	1	
Rheumatic Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	6	-	-	-	-	1	-	-	2	2	5	1	
Bronchitis - - - - -	5	9	3	-	-	-	-	-	-	-	-	3	8	
Pneumonia (all forms) - - - - -	3	4	1	1	-	-	-	-	1	2	1	-	1	
Other Diseases of Respiratory Organs - - - - -	3	2	-	-	-	-	-	-	-	1	1	-	3	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	-	-	-	-	-	2	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	4	2	-	-	-	-	-	-	-	1	1	4	-	
Nephritis and Bright's Disease - - - - -	3	1	-	-	-	-	-	-	1	-	2	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	2	2	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	3	-	-	-	-	-	2	2	-	2	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	27	23	1	-	-	-	2	3	2	-	8	8	26	
Diseases Ill-defined or Unknown - - - - -	1	2	-	-	-	-	-	-	1	-	-	-	2	
Total - - - - -	84	73	9	4	2	1	10	13	10	10	27	27	44	

YEAR 1920.

Population—Census 1921, - - - 6,764
Do. Do. 1911, - - - 7,127.
Do. estimated to middle of 1920, 6,792.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Mid-Argyll (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	96	5	5	96	45	51
Illegitimate Births -	13	2	-	11	5	6
Marriages - - -	23	-	-	-	-	-
Deaths - - -	110	30	13	93	46	47

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14.1	14.1	-
Marriage-rate - - - - -	3.4	-	-
Death-rate—All Causes - - - - -	16.2	13.7	11.1
Do. —Phthisis - - - - -	-	0.44	-
Do. —All Tuberculosis - - - - -	-	0.88	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.59	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—94.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	-	-	1	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	-	2	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	-	-	-	-	-	1	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	4	8	-	-	-	-	-	-	-	4	4	3	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	10	7	-	-	-	-	-	-	2	1	-	7	7	
Bronchitis - - - - -	4	3	1	-	-	-	-	1	-	-	-	2	3	
Pneumonia (all forms) - - - - -	2	1	-	1	-	-	-	1	-	-	1	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	1	-	-	-	-	-	-	-	1	1	-	1	
Nephritis and Bright's Disease - - - - -	2	2	1	-	-	-	-	-	-	-	2	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	2	-	-	-	-	2	-	-	1	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	10	16	3	-	-	-	-	-	2	2	4	5	10	
Diseases Ill-defined or Unknown - - - - -	1	1	1	-	-	-	-	-	1	-	-	-	-	
Total - - - - -	46	47	9	3	2	-	5	4	5	10	12	18	25	

YEAR 1920.

Population—Census 1921, - - - 5,003.

Do. Do. 1911, - - - 5,399.

Do. estimated to middle of 1920, 5,036.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Mull (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	80	1	3	82	39	43
Illegitimate Births -	6	-	1	7	3	4
Marriages - - -	6	-	-	-	-	-
Deaths - - -	68	2	5	71	33	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.9	16.3	-
Marriage-rate - - - - -	1.2	-	-
Death-rate—All Causes - - - - -	13.5	14.1	10.1
Do. —Phthisis - - - - -	-	1.19	-
Do. —All Tuberculosis - - - - -	-	1.59	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.20	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—49.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	2	-	-	-	-	1	3	1	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	-	-	1	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	7	3	-	-	-	-	-	-	-	1	1	6	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	5	-	-	-	-	-	-	-	2	2	4	3	
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	2	-	-	-	-	-	-	-	-	2	1	1	
Nephritis and Bright's Disease - - - - -	-	2	-	-	-	-	-	-	-	-	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	17	1	-	-	-	-	1	-	-	6	5	12	
Diseases Ill-defined or Unknown - - - - -	-	2	-	1	-	-	-	-	-	-	-	1	-	
Total - - - - -	33	38	4	2	1	1	1	4	1	5	12	22	18	

YEAR 1920.

COUNTY—**Ayr**.PUBLIC HEALTH DISTRICT—**Ardrossan** (Burgh).

Population—Census 1921, - - - 7,214.

Do. Do. 1911, - - - 5,760.

Do. estimated to middle of 1920, 7,063.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	204	3	6	207	109	98
Illegitimate Births -	10	-	2	12	7	5
Marriages - - -	47	-	-	-	-	-
Deaths - - -	87	4	16	99	50	49

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	28·9	29·3	-
Marriage-rate - - -	6·7	-	-
Death-rate—All Causes - - -	12·3	14·0	14·8
Do. —Phthisis - - -	-	0·00	-
Do. —All Tuberculosis - - -	-	0·14	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·28	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—13·0

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	a	o
*Enteric Fever - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	3	1	-	-	1	-	-	-	-	-	-	2	-	-
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - -	2	1	1	2	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	6	3	-	-	-	-	-	-	1	1	1	5	-	-
Bronchitis - - -	1	3	-	-	-	-	-	-	-	1	1	1	-	-
Pneumonia (all forms) - - -	5	6	4	-	-	-	1	2	-	1	1	1	-	-
Other Diseases of Respiratory Organs - - -	2	1	-	1	1	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System - - -	2	3	-	1	1	-	-	-	2	-	1	-	-	-
Nephritis and Bright's Disease - - -	2	-	-	-	-	1	-	-	-	1	-	-	-	-
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - -	8	7	15	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - -	4	5	2	2	-	-	2	-	1	-	-	1	-	-
Suicide - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	11	14	3	-	-	-	-	-	4	3	4	5	-	-
Diseases Ill-defined or Unknown - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Total - - -	50	49	27	6	4	2	5	3	8	8	7	15	1	1

YEAR 1920.

Population—Census 1921, - 35,741.

COUNTY—Ayr.

Do. Do 1911, - 32,986.

Do. estimated to middle of 1920, 35,427.

PUBLIC HEALTH DISTRICT—Ayr (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	900	48	15	867	422	445
Illegitimate Births -	73	17	8	64	33	31
Marriages - - -	390	-	-	-	-	-
Deaths - - -	513	105	36	444	205	239

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25·4	24·5	-
Marriage-rate - - - - -	11·0	-	-
Death-rate—All Causes - - - - -	14·5	12·5	12·7
Do. —Phthisis - - - - -	-	0·68	-
Do. —All Tuberculosis - - - - -	-	1·13	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·62	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—84.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	3	1	2	1	1	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	2	-	1	1	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	4	-	1	4	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	10	14	-	-	1	1	8	6	4	2	-	2	-	
Tuberculous Meningitis - - - - -	4	-	2	1	-	-	-	1	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	2	1	2	-	-	-	-	-	-	1	-	-	
Other Tuberculous Diseases - - - - -	3	5	1	-	2	-	2	1	-	2	-	-	-	
Cancer, Malignant Disease - - - - -	8	28	-	-	-	-	-	-	1	9	9	8	9	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	-	-	-	-	-	1	1	-	-	-	-	-	
Organic Heart Disease - - - - -	17	22	-	-	-	2	-	2	3	3	10	10	9	
Bronchitis - - - - -	18	13	4	2	1	-	-	-	1	5	4	8	6	
Pneumonia (all forms) - - - - -	22	20	11	3	1	1	1	4	1	5	2	6	7	
Other Diseases of Respiratory Organs - - - - -	4	2	-	-	-	-	-	-	2	-	1	1	2	
Diarrhoea and Enteritis (under 2 years) - - - - -	7	3	9	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	4	-	-	-	1	2	1	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	3	-	-	-	-	-	-	1	2	-	1	-	
Other Diseases of Digestive System - - - - -	8	5	3	1	-	-	-	-	2	1	4	-	2	
Nephritis and Bright's Disease - - - - -	8	15	-	1	1	-	2	3	2	5	4	3	2	
Septicæmic Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	5	-	-	-	-	1	3	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	21	14	34	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	9	61	-	1	1	1	2	2	2	-	1	1	3	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	48	66	5	1	1	1	-	3	10	11	12	35	35	
Diseases Ill-defined or Unknown - - - - -	8	4	-	-	-	-	-	-	1	1	3	4	3	
Total - - - - -	205	239†	73	17	14	7	19	27	31	46	52	79	78	

† Including 1 of unstated age.

YEAR 1920.

Population—Census 1921, - - - 3,541.

Do Do. 1911, - - - 3,417.

COUNTY—**Ayr.**

Do. estimated to middle of 1920, 3,525.

PUBLIC HEALTH DISTRICT—**Cumnock and Holmhead (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	115	2	4	117	55	62
Illegitimate Births -	7	-	-	7	3	4
Marriages - - -	39	-	-	-	-	-
Deaths - - -	53	2	2	53	24	29

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	32·6	33·2	-
Marriage-rate - - - - -	11·1	-	-
Death-rate—All Causes - - - - -	15·0	15·0	13·8
Do. —Phthisis - - - - -	-	0·28	-
Do. —All Tuberculosis - - - - -	-	0·57	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·57	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—77.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												75- and over
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	1	-	-	-	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-		
Cancer, Malignant Disease - - - -	-	4	-	-	-	-	-	-	-	1	2	-	1		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-		
Organic Heart Disease - - - - -	1	5	-	-	-	-	-	-	-	2	-	1	3		
Bronchitis - - - - -	1	2	-	-	-	-	-	-	-	-	-	2	1		
Pneumonia (all forms) - - - - -	3	3	1	-	1	-	-	-	1	1	1	-	1		
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-		
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	-	-	2	-		
Other Diseases of Digestive System	2	1	1	-	1	-	-	-	-	-	-	1	-		
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malforma- tion, including Premature Birth	3	3	6	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide ..	2	2	-	2	-	-	1	-	-	-	1	-	-		
Suicide - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-		
Other Defined Diseases - - - - -	8	1	1	-	-	-	-	-	-	2	1	3	2		
Diseases Ill-defined or Unknown - -	2	1	-	-	-	-	-	-	-	-	2	1	-		
Total - - - - -	24	29	9	4	2	-	1	-	3	8	7	11	8		

MAR 1920.

Population—Census 1921, - - - 3,339.

COUNTY—Ayr.

Do. Do. 1911, - - - 3,590.

Do. estimated to middle of 1920, - 3,360.

PUBLIC HEALTH DISTRICT—**Darvel** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	72	2	4	74	39	35
Illegitimate Births -	2	1	2	3	1	2
Marriages - - -	32	-	-	-	-	-
Deaths - - -	33	0	5	38	19	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	21·4	22·0	-
Marriage-rate - - -	9·5	-	-
Death-rate—All Causes - - -	9·8	11·3	12·6
Do. —Phthisis - - -	-	1·19	-
Do. —All Tuberculosis - - -	-	1·79	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·30	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—81.
 Legitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15	25-	35	45	55-	65-	75 and over	
typhoid Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
crouping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
phthisis, Pulmonary Tuberculosis - - -	2	2	-	-	-	-	1	2	-	1	-	-	-	
tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
chronic Tuberculosis - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
other Tuberculous Diseases - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
cancer, Malignant Disease - - -	1	3	-	-	-	-	-	-	-	-	2	2	-	
pneumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
organic Heart Disease - - -	1	1	-	-	-	-	-	-	-	-	1	-	1	
nephritis - - -	1	1	1	-	-	-	-	-	-	-	-	1	-	
pneumonia (all forms) - - -	-	3	1	-	-	-	-	1	-	-	1	-	-	
other Diseases of Respiratory Organs - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
other Diseases of Digestive System - - -	1	2	-	-	-	-	-	1	-	-	1	-	1	
nephritis and Bright's Disease - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
periperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
congenital Debility and Malformation, including Premature Birth - - -	4	1	1	1	-	-	-	-	-	-	-	-	-	
sudden Deaths, excluding Suicide - - -	2	1	-	1	-	-	1	1	-	-	-	-	-	
suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
other Defined Diseases - - -	3	4	-	-	-	-	1	-	-	1	3	1	1	
diseases ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - -	19	19	6	3	-	-	3	6	1	2	8	6	3	

YEAR 1920.

Population—Census 1921, - - - 4,977.
Do. Do. 1911, - - - 5,296.
Do. estimated to middle of 1920, 5,002.

COUNTY—**Ayr.**

PUBLIC HEALTH DISTRICT—**Galston** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	123	3	3	123	73	50
Illegitimate Births -	2	-	-	2	1	1
Marriages - - -	59	-	-	-	-	-
Deaths - - -	63	0	5	68	36	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.6	24.6	-
Marriage-rate - - - - -	11.8	-	-
Death-rate—All Causes - - - - -	12.6	13.6	15.0
Do. —Phthisis - - - - -	-	0.80	-
Do. —All Tuberculosis - - - - -	-	1.20	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—122.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—1.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	1	1	2	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	2	-	-	-	-	1	-	-	2	1	-	-	
Tuberculous Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	2	-	-	-	-	-	-	-	1	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	1	-	-	-	-	-	-	-	-	-	2	1	
Bronchitis - - - - -	2	3	1	-	-	-	-	1	-	-	1	1	1	
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	2	-	1	-	-	-	-	1	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System - - - - -	3	1	1	1	-	-	-	1	-	-	-	1	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	5	2	7	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	-	-	1	-	1	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	14	11	3	-	1	-	-	-	1	4	6	4	6	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	36	32	15	4	1	1	5	3	3	8	9	9	10	

YEAR 1920.

Population—Census 1921, . . . 7,272.

Do. Do. 1911, . . . 4,473.

Do. estimated to middle of 1920, 4,581.†

COUNTY—**Ayr.**PUBLIC HEALTH DISTRICT—**Girvan** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	145	5	7	147	83	64
Illegitimate Births -	10	1	2	11	7	4
Marriages - - -	38	-	-	-	-	-
Deaths - - -	55	6	12	61	33	28

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	31·7	32·1	-
Marriage-rate - - - - -	8·3	-	-
Death-rate—All Causes - - - - -	12·0	13·3	11·6
Do. —Phthisis - - - - -	-	0·65	-
Do. —All Tuberculosis - - - - -	-	1·09	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·44	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—61.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	2	-	-	-	2	-	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	1	1	-	1	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	3	-	-	-	-	-	-	1	2	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	3	-	-	-	-	2	-	-	-	1	1	1	
Bronchitis - - - - -	1	5	1	-	-	-	-	-	-	1	1	1	3	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	2	-	-	1	-	-	-	1	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	4	2	-	1	-	1	-	-	-	3	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	4	2	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	2	1	-	1	-	-	-	-	1	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	11	7	-	-	-	-	2	1	2	1	5	7	-	
Diseases Ill-defined or Unknown - - -	3	1	-	-	-	-	-	-	-	1	2	1	-	
Total - - - - -	33	28	9	4	-	4	5	3	4	8	11	13	-	

† See footnote, Table 5.

YEAR 1920.

Population—Census 1921, - - - 11,826.
Do. Do. 1911, - - - 10,179.
Do. estimated to middle of 1920, 11,652.

COUNTY—Ayr.

PUBLIC HEALTH DISTRICT—Irvine (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	380	11	11	380	182	198
Illegitimate Births -	23	-	2	25	14	11
Marriages - - -	121	-	-	-	-	-
Deaths - - -	147	2	28	173	94	79

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	32·6	32·6	-
Marriage-rate - - - - -	10·4	-	-
Death-rate—All Causes - - - - -	12·6	14·8	15·0
Do. —Phthisis - - - - -	-	0·60	-
Do. —All Tuberculosis - - - - -	-	0·77	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·37	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—116.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males	Females	-1	1-	5-	10-	15-	25-	35-	45-	55	65-	75 and over	
*Enteric Fever - - - - -	1	1	-	-	-	-	1	1	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	3	3	2	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	1	1	1	-	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	5	-	-	-	1	3	1	-	1	-	-	1	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	2	-	1	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	8	4	-	-	-	-	-	-	3	4	2	3	-	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Meningitis - - - - -	2	1	1	1	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	11	-	-	-	-	1	-	-	1	2	3	7	
Bronchitis - - - - -	3	3	1	-	-	-	-	-	-	-	-	4	1	
Pneumonia (all forms) - - - - -	12	12	8	6	-	-	-	1	2	1	2	1	3	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	3	5	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	1	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Nephritis and Bright's Disease - - - - -	3	1	-	-	-	-	1	1	1	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	13	4	17	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	7	2	-	-	1	-	2	1	-	3	1	-	1	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	29	21	6	-	-	2	3	1	1	4	7	10	16	
Diseases Ill-defined or Unknown - - - - -	3	1	2	-	-	-	-	-	-	-	1	-	1	
Total - - - - -	94	79	44	12	2	5	12	8	7	15	16	22	30	

YEAR 1920.

Population—Census 1921, - - - 35,756.
Do. Do. 1911, - - - 34,728.
Do. estimated to middle of 1920, 35,611.

COUNTY—Ayr.

PUBLIC HEALTH DISTRICT—Kilmarnock (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,632	38	24	1,018	531	487
Illegitimate Births -	63	8	7	62	31	31
Marriages - - -	367	-	-	-	-	-
Deaths - - -	486	100	46	432	226	206

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29·0	28·6	-
Marriage-rate - - - - -	10·3	-	-
Death-rate—All Causes - - - - -	13·6	12·1	13·2
Do. —Phthisis - - - - -	-	0·84	-
Do. —All Tuberculosis - - - - -	-	1·29	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·62	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—71.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	4	-	-	-	-	-	-	-	-	1	-	3	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	3	3	-	3	2	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	2	-	-	-	-	-	1	-	-	1	-	-	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	11	19	-	1	1	1	7	4	5	4	4	2	1	-	
Tuberculous Meningitis - - - - -	2	2	1	2	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	3	-	-	1	1	1	-	-	-	-	1	-	-	
Other Tuberculous Diseases - - - - -	4	4	-	1	-	1	1	1	1	1	1	1	-	-	
Cancer, Malignant Disease - - - - -	20	10	-	-	-	-	-	1	3	3	10	11	2	-	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
Meningitis - - - - -	7	1	5	3	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	13	24	-	-	-	1	-	3	1	4	13	11	4	-	
Bronchitis - - - - -	26	10	9	2	1	-	-	-	-	5	6	5	8	-	
Pneumonia (all forms) - - - - -	20	26	15	8	-	-	1	3	4	4	6	3	2	-	
Other Diseases of Respiratory Organs - - - - -	3	2	-	-	-	-	-	-	1	-	3	1	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	6	8	12	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	1	-	-	-	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	-	1	1	-	-	-	-	
Other Diseases of Digestive System - - - - -	7	10	1	-	1	1	2	-	1	2	4	4	1	-	
Nephritis and Bright's Disease - - - - -	5	9	-	-	-	-	1	1	-	2	5	4	1	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	-	1	2	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	15	7	22	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	11	5	-	1	2	1	2	4	3	1	-	1	1	-	
Suicide - - - - -	3	-	-	-	-	-	-	-	2	1	-	-	-	-	
Other Defined Diseases - - - - -	51	51	4	3	1	-	3	3	4	7	16	32	29	-	
Diseases Ill-defined or Unknown - - - - -	9	3	2	2	-	-	-	-	1	4	1	1	1	-	
Total - - - - -	226	206	72	30	9	8	19	22	30	41	70	81	50	-	

YEAR 1920.

Population—Census 1921, - - - 5,404.
Do. Do. 1911, - - - 4,945.
Do. estimated to middle of 1920, 5,352.

COUNTY—**Ayr.**

PUBLIC HEALTH DISTRICT—**Kilwinning** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	186	1	13	198	117	81
Illegitimate Births -	8	-	4	12	7	5
Marriages - - -	62	-	-	-	-	-
Deaths - - -	53	2	7	58	32	26

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	34·8	37·0	-
Marriage-rate - - - - -	11·6	-	-
Death-rate—All Causes - - - - -	9·9	10·8	11·2
Do. —Phthisis - - - - -	-	0·37	-
Do. —All Tuberculosis - - - - -	-	0·93	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·56	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—86.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	1	1	-	1	-	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	4	-	-	-	-	-	-	-	-	3	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Organic Heart Disease - - - - -	1	2	-	-	-	-	1	1	1	-	-	-	-	
Bronchitis - - - - -	1	1	-	1	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	4	1	1	1	-	-	-	1	1	-	1	-	-	
Other Diseases of Respiratory Organs -	3	-	2	1	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	3	-	3	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	4	5	9	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	2	1	-	-	-	-	1	-	1	-	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	6	2	-	-	1	-	1	-	1	2	3	4	
Diseases Ill-defined or Unknown -	1	1	-	-	-	-	1	-	-	-	-	-	1	
Total - - - - -	32	26	17	5	1	1	5	5	3	3	6	5	7	

YEAR 1920.

COUNTY—**Ayr.**PUBLIC HEALTH DISTRICT—**Largs** (Burgh).

Population—Census 1921, - - - 9,450.
 Do. Do. 1911, - - - 3,724.
 Do. estimated to middle of 1920, 3,819.‡

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	83	6	2	79	37	42
Illegitimate Births -	9	1	2	10	5	5
Marriages - - -	26	-	-	-	-	-
Deaths - - -	57	8	11	60	22	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21·7	20·7	-
Marriage-rate - - - - -	6·8	-	-
Death-rate—All Causes - - - - -	14·9	15·7	13·6
Do. —Phthisis - - - - -	-	0·26	-
Do. —All Tuberculosis - - - - -	-	0·26	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·26	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—101.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	7	-	-	-	-	-	-	1	-	2	3	4	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	1	-	-	-	-	-	-	-	-	-	3	2	
Bronchitis - - - - -	-	4	2	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	1	-	1	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	3	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	1	-	1	-	-	-	1	-	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	16	-	-	-	-	-	2	1	1	7	10	3	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	22	38	8	1	-	-	-	5	3	2	10	19	12	

‡ See footnote, Table 5.

YEAR 1920.
COUNTY—**Ayr.**
PUBLIC HEALTH DISTRICT—**Maybole** (Burgh).

Population—Census 1921, - - - 4,436.
Do. Do. 1911, - - - 4,889.
Do. estimated to middle of 1920, 4,474.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	133	12	6	127	61	66
Illegitimate Births -	11	2	-	9	4	5
Marriages - - -	35	-	-	-	-	-
Deaths - - -	79	7	3	75	36	39

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29·7	28·4	-
Marriage-rate - - - - -	7·8	-	-
Death-rate—All Causes - - - - -	17·7	16·8	16·3
Do. —Phthisis - - - - -	-	0·89	-
Do. —All Tuberculosis - - - - -	-	2·46	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·45	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—157.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	3	-	-	-	-	3	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	1	2	-	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	2	1	1	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	2	-	-	-	-	-	-	-	-	-	2	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	4	-	-	-	-	1	-	-	-	2	1	4	
Bronchitis - - - - -	4	3	2	-	-	-	-	-	-	-	1	1	3	
Pneumonia (all forms) - - - - -	5	2	1	-	-	1	-	-	1	1	-	1	2	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System - - - - -	4	2	3	1	-	-	-	-	-	-	1	1	-	
Nephritis and Bright's Disease - - - - -	3	3	-	-	-	-	2	-	-	-	2	2	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	3	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	8	2	-	-	-	-	-	1	1	3	3	3	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	36	39	20	4	1	1	7	2	3	2	10	11	14	

YEAR 1920.

COUNTY—Ayr.

PUBLIC HEALTH DISTRICT—Newmilns and Greenholm (Burgh).

Population—Census 1921, - - - 4,163.
Do. Do. 1911, - - - 4,806.
Do. estimated to middle of 1920, 4,221.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	108	7	6	107	49	58
Illegitimate Births -	1	-	2	3	1	2
Marriages - - -	35	-	-	-	-	-
Deaths - - -	46	0	9	55	19	36

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25·6	25·3	-
Marriage-rate - - - - -	8·3	-	-
Death-rate—All Causes - - - - -	10·9	13·0	13·8
Do. —Phthisis - - - - -	-	0·95	-
Do. —All Tuberculosis - - - - -	-	1·18	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·47	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—65.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	2	-	-	-	-	1	2	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	5	-	-	-	-	-	-	-	1	1	1	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	3	-	-	-	-	-	-	-	-	1	3	1	
Bronchitis - - - - -	1	4	-	-	-	-	-	-	-	-	2	1	2	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	2	1	-	-	-	-	-	-	-	-	1	-	
*Diarrhœa and Enteritis (under 2 years)	2	-	1	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	2	5	-	1	-	-	-	1	-	1	-	2	2	
Nephritis and Bright's Disease - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	3	2	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	1	1	-	1	-	-	1	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	9	-	-	-	-	-	-	2	-	1	3	7	
Diseases Ill-defined or Unknown - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	19	36	7	3	-	-	3	4	3	2	5	12	16	

YEAR 1920.

Population—Census 1921, - - - 8,516.
Do. Do. 1911, - - - 4,879.
Do. estimated to middle of 1920, - 6,019.‡

COUNTY—Ayr.

PUBLIC HEALTH DISTRICT—Prestwick (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere	Both Sexes.	Males.	Females
Births - - -	169	8	13	174	76	98
Illegitimate Births -	5	2	4	7	3	4
Marriages - - -	35	-	-	-	-	-
Deaths - - -	79	16	23	86	37	49

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	28.1	28.9	-
Marriage-rate - - -	5.8	-	-
Death-rate—All Causes - - -	13.1	14.3	13.6
Do. —Phthisis - - -	-	0.50	-
Do. —All Tuberculosis - - -	-	0.66	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.50	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—75.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	1	2	-	1	1	1	-	-	-	-	-	-	-	
*Whooping-cough - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	2	-	-	1	-	-	1	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	3	-	-	-	1	-	-	-	-	1	1	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - -	5	5	-	-	-	-	-	-	-	3	5	-	2	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	5	5	-	-	-	-	-	-	-	1	3	4	2	
Bronchitis - - -	2	3	-	-	-	-	-	-	-	-	-	3	2	
Pneumonia (all forms) - - -	1	3	1	1	-	-	-	-	-	1	-	1	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	2	1	3	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	1	1	-	-	-	-	-	-	-	1	-	1	-	
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System -	1	3	-	-	2	-	-	-	-	-	1	1	-	
Nephritis and Bright's Disease - - -	-	3	-	-	-	-	-	-	-	1	2	-	-	
Puerperal Sepsis - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	4	2	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Suicide - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - -	8	15	3	-	-	-	-	-	1	-	5	6	8	
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Total - - -	37	49	13	3	5	1	-	4	2	9	18	17	14	

‡ See footnote, Table 5.

YEAR 1920.

Population—Census 1921, - - - 13,477.

COUNTY—**Ayr.**

Do. Do. 1911, - - - 8,585.

Do. estimated to middle of 1920, 8,450.±

PUBLIC HEALTH DISTRICT—**Salcoats** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	349	14	12	347	161	186
Illegitimate Births -	15	5	4	14	4	10
Marriages - - -	86	-	-	-	-	-
Deaths - - -	127	8	25	144	65	79

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	41.3	41.1	-
Marriage-rate - - - - -	10.2	-	-
Death-rate—All Causes - - - - -	15.0	17.0	16.7
Do. —Phthisis - - - - -	-	1.30	-
Do. —All Tuberculosis - - - - -	-	1.66	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.71	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—72.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45	55-	65-	75 and over	
*Enteric Fever - - - - -	2	1	-	1	-	-	-	2	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	4	7	-	-	1	-	5	-	2	3	-	-	-	
Tuberculous Meningitis - - - - -	2	1	-	3	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	8	7	1	-	-	-	-	-	-	3	3	4	4	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	9	9	-	-	-	-	1	-	1	2	5	6	3	
Bronchitis - - - - -	8	5	3	2	-	-	-	1	-	-	-	3	4	
Pneumonia (all forms) - - - - -	7	6	2	4	1	-	-	2	1	1	1	-	1	
Other Diseases of Respiratory Organs -	-	2	-	-	-	-	-	-	-	1	-	1	-	
Diarrhoea and Enteritis (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	1	-	-	1	-	2	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	2	1	-	-	1	-	-	1	-	1	-	-	-	
Nephritis and Bright's Disease - - -	-	2	-	-	-	-	-	-	1	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	7	5	12	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	3	2	-	1	1	-	1	-	-	-	2	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	24	3	1	-	1	-	1	-	3	3	6	14	
Diseases Ill-defined or Unknown -	1	3	-	-	-	-	-	1	-	2	-	1	-	
Total - - - - -	65	79	25	13	5	1	9	8	5	16	15	21	26	

± See footnote, Table 5.

YEAR 1920.

Population—Census 1921, - - - 2,853.
Do. Do. 1911, - - - 2,841.
Do. estimated to middle of 1920, 2,848.

COUNTY—Ayr. •

PUBLIC HEALTH DISTRICT—Stewarton (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	71	5	6	72	38	34
Illegitimate Births -	4	1	1	4	1	3
Marriages - - -	31	-	-	-	-	-
Deaths - - -	21	0	9	30	13	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24·9	25·3	-
Marriage-rate - - - - -	10·9	-	-
Death-rate—All Causes - - - - -	7·4	10·5	10·0
Do. —Phthisis - - - - -	-	0·35	-
Do. —All Tuberculosis - - - - -	-	1·05	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·35	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—42.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	1	-	-	-	-	-	-	-	-	1	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	-	-	-	-	1	-	-	-	-	1	-	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	2	1	-	-	1	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Digestive System - - - - -	-	4	-	-	-	1	-	1	-	1	-	1	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	1	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	2	-	1	-	-	-	1	1	-	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	3	-	-	-	-	-	-	-	2	-	2	1	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Total - - - - -	13	17	3	2	-	1	3	2	4	4	2	6	3	

YEAR 1920.

Population—Census 1921, - - - 9,474.
Do. Do. 1911, - - - 6,628.
Do. estimated to middle of 1920, 7,827.‡

COUNTY—Ayr.

PUBLIC HEALTH DISTRICT—Troon (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	174	4	16	186	90	96
Illegitimate Births -	6	2	8	12	5	7
Marriages - - -	62	-	-	-	-	-
Deaths - - -	75	5	15	85	51	34

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.2	23.8	-
Marriage-rate - - - - -	7.9	-	-
Death-rate—All Causes - - - - -	9.6	10.9	11.8
Do. —Phthisis - - - - -	-	1.15	-
Do. —All Tuberculosis - - - - -	-	1.79	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.38	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—86.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	7	-	-	-	4	-	4	1	-	-	-	-	
Tuberculous Meningitis - - - - -	3	1	1	-	2	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	3	-	-	-	-	-	-	1	4	2	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	2	-	-	-	-	1	-	-	1	1	2	-	
Bronchitis - - - - -	2	1	2	1	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	6	2	2	-	-	-	-	1	-	1	2	2	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	1	1	-	-	-	-	-	-	-	-	-	1	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	1	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	3	5	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	-	1	-	-	-	1	-	-	-	1	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	18	5	3	-	-	1	-	1	3	6	3	6	-	
Diseases Ill-defined or Unknown - - - - -	-	2	-	-	-	-	-	-	-	-	2	-	-	
Total - - - - -	51	34	16	4	2	2	5	4	7	7	13	11	14	

‡ See footnote, Table 5.

YEAR 1920.

COUNTY—**Ayr**.

PUBLIC HEALTH DISTRICT—**Ayr** (County District).

Population—Census 1921, - - - 42,541.
Do. Do. 1911, - - - 42,233.
Do. estimated to middle of 1920, - 42,458.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1383	35	61	1409	743	666
Illegitimate Births -	102	3	22	121	64	57
Marriages - - -	375	-	-	-	-	-
Deaths - - -	527	73	77	531	280	251

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	32·6	33·2	-
Marriage-rate - - - - -	8·8	-	-
Death-rate—All Causes - - - - -	12·4	12·5	12·9
Do. —Phthisis - - - - -	-	0·71	-
Do. —All Tuberculosis - - - - -	-	0·94	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·06	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—87.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	4	7	3	8	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	3	2	-	-	3	-	2	-	-	-	-	-	-	
*Whooping-cough - - - - -	4	2	4	2	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	3	4	-	4	3	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	2	1	-	-	-	2	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis. Pulmonary Tuberculosis -	17	13	1	1	1	3	9	3	7	2	1	1	1	
Tuberculous Meningitis - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	3	2	-	3	1	-	-	-	-	1	-	-	-	
Other Tuberculous Diseases - - - - -	3	-	-	-	-	1	1	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	24	22	-	-	-	-	-	2	3	4	14	16	7	
Rheumatic Fever - - - - -	-	2	-	-	-	1	1	-	-	-	-	-	-	
Meningitis - - - - -	2	6	3	-	3	-	1	-	-	-	1	-	-	
Organic Heart Disease - - - - -	18	29	-	-	-	-	-	-	3	8	12	12	12	
Bronchitis - - - - -	28	17	13	4	-	-	-	1	-	1	8	13	5	
Pneumonia (all forms) - - - - -	25	24	20	6	-	1	2	1	4	5	2	4	4	
Other Diseases of Respiratory Organs	7	1	-	-	-	1	-	-	-	3	1	3	-	
*Diarrhœa and Enteritis (under 2 years)	13	3	16	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	4	1	-	-	-	2	3	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	3	-	-	1	-	-	-	1	-	1	1	-	
Other Diseases of Digestive System	12	9	1	4	1	-	-	1	2	6	2	4	-	
Nephritis and Bright's Disease - - -	4	11	1	-	-	-	1	1	-	-	5	5	2	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	7	-	-	-	-	-	3	4	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	26	22	48	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	16	6	2	2	-	2	3	4	2	4	-	1	2	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	51	50	9	2	2	1	3	2	4	8	12	23	35	
Diseases Ill-defined or Unknown -	8	3	-	1	-	-	-	-	-	3	2	1	4	
Total - - - - -	280	251	123	38	15	12	30	20	30	45	62	84	72	

YEAR 1920.

Population—Census 1921, - - - 14,051.

Do. Do. 1911, - - - 12,996.

Do. estimated to middle of 1920, 13,931.

COUNTY—**Ayr.**PUBLIC HEALTH DISTRICT—**Carriek** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	335	21	23	337	189	148
Illegitimate Births -	36	3	8	41	26	15
Marriages - - -	63	-	-	-	-	-
Deaths - - -	142	7	22	157	90	67

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.0	24.2	-
Marriage-rate - - - - -	4.5	-	-
Death-rate—All Causes - - - - -	10.2	11.3	10.8
Do. —Phthisis - - - - -	-	0.65	-
Do. —All Tuberculosis - - - - -	-	0.72	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.50	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—95.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	5	-	-	-	-	5	2	1	-	1	-	-	
Tuberculous Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	13	2	-	-	-	-	1	-	1	1	5	3	4	
Rheumatic Fever - - - - -	2	-	-	1	-	-	-	-	1	-	-	-	-	
Meningitis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	9	-	-	1	-	1	-	1	-	1	5	5	
Bronchitis - - - - -	2	6	3	-	-	-	-	-	1	1	1	-	2	
Pneumonia (all forms) - - - - -	3	3	1	2	-	1	-	-	-	-	-	-	2	
Other Diseases of Respiratory Organs - - - - -	1	2	-	-	-	-	-	-	-	1	-	-	2	
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	1	1	-	-	-	-	-	1	-	-	-	1	
Nephritis and Bright's Disease - - - - -	4	3	-	-	-	-	1	2	-	-	1	3	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	15	6	20	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	6	3	-	1	-	-	2	1	3	1	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	20	18	1	2	1	-	1	-	1	3	4	5	20	
Diseases Ill-defined or Unknown - - - - -	4	4	1	-	-	-	-	-	-	1	-	2	4	
Total - - - - -	90	67	32	12	2	1	12	5	12	8	13	18	42	

YEAR 1920.

Population—Census 1921, - - - 24,842.
Do. Do. 1911, - - - 23,979.
Do. estimated to middle of 1920, 24,727.

COUNTY—**Ayr.**

PUBLIC HEALTH DISTRICT—**Kilmarnock** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	672	17	28	683	307	376
Illegitimate Births -	41	2	11	50	23	27
Marriages - - -	183	-	-	-	-	-
Deaths - - -	291	22	53	322	164	158

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	27.2	27.6	-
Marriage-rate - - - - -	7.4	-	-
Death-rate—All Causes - - - - -	11.8	13.0	13.3
Do. —Phthisis - - - - -	-	0.85	-
Do. —All Tuberculosis - - - - -	-	1.42	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.73	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—89.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	2	-	2	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	13	8	-	-	1	-	8	4	4	2	1	1	-	
Tuberculous Meningitis - - - - -	2	2	2	1	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	3	2	-	-	-	-	1	-	-	1	-	-	
Other Tuberculous Diseases - - - - -	4	2	1	1	-	-	3	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	8	18	-	-	-	-	1	-	3	2	7	11	2	
Rheumatic Fever - - - - -	1	1	-	-	-	-	1	-	-	-	1	-	-	
Meningitis - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	11	19	-	-	-	-	1	1	2	-	8	10	8	
Bronchitis - - - - -	14	13	5	-	-	-	-	2	-	1	-	14	5	
Pneumonia (all forms) - - - - -	9	8	5	3	-	-	-	1	3	1	1	2	1	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	8	4	12	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	2	-	-	-	1	2	-	-	1	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	11	2	2	-	-	1	1	-	2	1	1	2	3	
Nephritis and Bright's Disease - - - - -	5	8	-	-	-	-	-	-	1	1	4	4	3	
Puerperal Sepsis - - - - -	-	3	-	-	-	-	1	2	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	-	2	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	12	10	22	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	12	3	-	2	-	-	3	3	1	-	2	-	4	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	41	40	8	1	1	-	1	-	2	4	16	26	22	
Diseases Ill-defined or Unknown - - - - -	5	5	-	-	-	-	-	-	1	-	1	5	3	
Total - - - - -	164	158	61	12	4	2	22	15	22	13	43	75	53	

YEAR 1920.

Population—Census 1921, - - - 50,381.

COUNTY—**Ayr.**

Do. Do. 1911, - - - 47,403.

Do. estimated to middle of 1920, 50,027.

PUBLIC HEALTH DISTRICT—**Northern Ayr** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1400	45	48	1403	726	677
Illegitimate Births -	79	17	11	73	36	37
Marriages - - -	336	-	-	-	-	-
Deaths - - -	576	51	81	606	310	296

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28·0	28·0	-
Marriage-rate - - - - -	6·7	-	-
Death-rate—All Causes - - - - -	11·5	12·1	12·2
Do. —Phthisis - - - - -	-	0·76	-
Do. —All Tuberculosis - - - - -	-	1·10	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·66	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—76.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	2	-	1	-	1	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	4	-	4	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	7	3	2	6	1	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Erysipelas - - - - -	-	2	-	-	-	-	-	-	1	-	1	-	-	
Phthisis, Pulmonary Tuberculosis -	16	22	-	2	-	1	12	11	4	5	1	1	1	
Tuberculous Meningitis - - - - -	2	4	3	1	2	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	2	-	1	-	-	2	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	7	1	-	1	-	1	4	-	-	2	-	-	-	
Cancer, Malignant Disease - - - - -	22	21	1	-	-	1	-	-	2	5	17	12	5	
Rheumatic Fever - - - - -	1	1	-	-	-	-	1	-	-	1	-	-	-	
Meningitis - - - - -	3	6	5	1	1	-	2	-	-	-	-	-	-	
Organic Heart Disease - - - - -	29	34	1	-	1	-	2	1	4	4	16	17	17	
Bronchitis - - - - -	23	16	7	3	1	-	-	-	2	2	4	9	11	
Pneumonia (all forms) - - - - -	18	17	8	4	4	1	1	2	2	2	1	4	6	
Other Diseases of Respiratory Organs	7	4	1	-	-	-	-	1	-	2	3	1	3	
*Diarrhœa and Enteritis (under 2 years)	8	8	16	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	4	1	-	-	-	1	3	-	1	-	-	-	-	
All Liver Diseases (not Malignant) -	3	4	-	-	-	1	1	-	-	-	1	2	2	
Other Diseases of Digestive System	7	6	2	2	-	-	-	-	1	2	3	1	2	
Nephritis and Bright's Disease - - -	7	7	-	-	-	-	-	4	2	4	2	2	-	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	6	-	-	-	-	2	3	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	23	15	38	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	17	3	-	2	2	-	4	1	1	5	5	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	91	100	15	3	3	-	4	2	9	14	23	29	89	
Diseases Ill-defined or Unknown - -	8	9	2	1	-	-	1	1	1	3	2	2	4	
Total - - - - -	310	296	106	27	16	8	40	28	31	51	79	80	140	

YEAR 1920.

Population—Census 1921, - - - 953.
Do. Do. 1911, - - - 1,048.
Do. estimated to middle of 1920, 961.

COUNTY—**Banff.**

PUBLIC HEALTH DISTRICT—**Aberchirder** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	36	-	2	38	16	22
Illegitimate Births -	6	-	1	7	2	5
Marriages - - -	12	-	-	-	-	-
Deaths - - -	12	0	5	17	8	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfer and for Age and Sex Distribution.
Birth-rate - - - - -	37·5	39·5	-
Marriage-rate - - - - -	12·5	-	-
Death-rate—All Causes - - - - -	12·5	17·7	13·6
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - - - -	-	0·00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—132.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—18·4.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	2	-	-	-	-	1	-	1	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	2	-	-	-	-	-	-	-	-	2	-	1	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	1	1	1	-	-	-	-	1	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	1	-	-	-	-	-	-	-	1	1	1	1	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	8	9	5	-	-	-	1	1	1	2	3	1	3	

YEAR 1920.
COUNTY—**Banff**.
PUBLIC HEALTH DISTRICT—**Banff** (Burgh).

Population—Census 1921, - - - 3,517.
Do. Do. 1911, - - - 3,821.
Do. estimated to middle of 1920, 3,543.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	101	10	3	94	37	57
Illegitimate Births -	9	5	2	6	2	4
Marriages - - -	48	-	-	*	-	-
Deaths - - -	73	27	5	51	23	28

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28·5	26·5	-
Marriage-rate - - - - -	13·5	-	-
Death-rate—All Causes - - - - -	20·6	14·4	12·5
Do. —Phthisis - - - - -	-	0·85	-
Do. —All Tuberculosis - - - - -	-	1·13	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—43.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·4.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	3	-	-	-	-	1	2	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Cancer, Malignant Disease - - - - -	2	4	-	-	-	-	-	-	-	1	-	2	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	5	-	-	-	-	-	-	1	-	1	1	5	
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	2	
Pneumonia (all forms) - - - - -	3	2	1	1	1	-	-	-	-	1	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - - - -	1	3	-	-	-	-	1	-	-	1	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	3	-	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	6	8	-	-	-	-	-	-	1	-	1	3	9	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	23	28	4	1	1	-	2	3	2	4	4	10	20	

YEAR 1920.

COUNTY—**Banff.**

PUBLIC HEALTH DISTRICT—**Buckie** (Burgh).

Population—Census 1921, - - - 8,690.
Do. Do. 1911, - - - 8,897.
Do. estimated to middle of 1920, 8,699.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	332	2	8	338	165	173
Illegitimate Births -	27	-	-	27	16	11
Marriages - - -	75	-	-	-	-	-
Deaths - - -	133	1	8	140	77	63

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	38.2	38.9	-
Marriage-rate - - - - -	8.6	-	-
Death-rate—All Causes - - - - -	15.3	16.1	15.9
Do. —Phthisis - - - - -	-	0.57	-
Do. —All Tuberculosis - - - - -	-	0.80	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.34	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—107.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	3	-	-	-	-	1	-	3	-	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	3	-	-	-	-	-	-	-	-	1	1	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	2	-	2	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	6	1	-	-	-	-	-	2	1	2	2	5	
Bronchitis - - - - -	-	3	1	-	-	-	-	-	-	-	1	-	1	
Pneumonia (all forms) - - - - -	10	8	7	4	-	-	1	2	-	-	-	3	1	
Other Diseases of Respiratory Organs -	1	-	-	-	-	-	-	-	-	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years)	1	2	3	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Other Diseases of Digestive System -	2	5	1	-	-	-	-	-	1	-	-	3	2	
Nephritis and Bright's Disease - - -	-	3	-	-	-	-	-	1	-	1	1	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	14	4	17	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	12	-	1	-	-	-	3	4	2	1	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	22	18	5	-	-	1	2	2	1	1	9	7	12	
Diseases Ill-defined or Unknown - -	2	2	-	-	-	-	-	-	-	-	-	1	3	
Total - - - - -	77	63	36	7	1	2	8	10	9	5	17	17	28	

YEAR 1920.

COUNTY—**Banff.**

PUBLIC HEALTH DISTRICT —**Charlestown of Aberlour** (Burgh).

Population—Census 1921, - - - 1,255.
Do. Do. 1911, - - - 1,272.
Do. estimated to middle of 1920, 1,255.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	19	3	1	17	10	7
Illegitimate Births -	3	-	1	4	2	2
Marriages - - -	9	-	-	-	-	-
Deaths - - -	10	0	0	10	6	4

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.1	13.5	-
Marriage-rate - - - - -	7.2	-	-
Death-rate—All Causes - - - - -	8.0	8.0	8.6
Do. —Phthisis - - - - -	-	0.80	-
Do. —All Tuberculosis - - - - -	-	0.80	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2.39	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—118.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—23.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	-	1	-	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	2	-	-	-	-	-	-	-	-	-	-	3	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	6	4	2	-	3	-	-	-	-	1	1	-	3	

YEAR 1920.

Population Census 1921, - - - 1,986.
Do. Do. 1911, - - - 1,992.
Do. estimated to middle of 1920, 1,985.

COUNTY—**Banff.**

PUBLIC HEALTH DISTRICT—**Cullen** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	81	4	2	79	36	43
Illegitimate Births ..	7	-	2	9	4	5
Marriages - - -	18	-	-	-	-	-
Deaths - - -	22	0	2	24	10	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	40·8	39·8	-
Marriage-rate - - - - -	9·1	-	-
Death-rate—All Causes - - - - -	11·1	12·1	10·2
Do. —Phthisis - - - - -	-	1·01	-
Do. —All Tuberculosis - - - - -	-	1·01	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·50	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—63.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	3	-	-	-	-	-	1	-	-	-	-	2	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	-	1	-	-	-	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	2	2	-	-	-	-	-	-	-	-	-	1	3	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	3	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	2	-	-	-	-	-	-	1	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	2	-	-	-	-	-	-	-	-	-	3	-	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Total - - - - -	10	14	5	-	1	-	1	1	1	1	2	5	7	

YEAR 1920.

Population—Census 1921, - - - 1,454.

COUNTY—**Banff.**

Do. Do. 1911, - - - 1,626.

Do. estimated to middle of 1920, 1,469.

PUBLIC HEALTH DISTRICT—**Dufftown** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	34	1	1	34	18	16
Illegitimate Births -	8	-	1	9	3	6
Marriages - - -	15	-	-	-	-	-
Deaths - - -	23	0	3	26	17	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23·1	23·1	-
Marriage-rate - - - - -	10·2	-	-
Death-rate—All Causes - - - - -	15·7	17·7	13·0
Do. —Phthisis - - - - -	-	1·36	-
Do. —All Tuberculosis - - - - -	-	1·36	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·68	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—59.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—26·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	-	1	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	-	-	-	-	-	-	-	-	-	1	3	1	
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	7	-	-	-	-	-	1	-	2	1	-	7	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	17	9	2	-	-	-	2	1	1	2	3	5	10	

YEAR 1920.
COUNTY—**Banff.**
PUBLIC HEALTH DISTRICT—**Findochty** (Burgh).

Population—Census 1921, - - - 1,646.
Do. Do. 1911, - - - 1,785.
Do. estimated to middle of 1920, 1,658.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	65	1	1	65	29	36
Illegitimate Births -	7	-	-	7	2	5
Marriages - - -	15	-	-	-	-	-
Deaths - - -	12	1	2	13	8	5

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	39·2	39·2	-
Marriage-rate - - - - -	9·0	-	-
Death-rate—All Causes - - - - -	7·2	7·8	8·1
Do. —Phthisis - - - - -	-	0·60	-
Do. —All Tuberculosis - - - - -	-	0·60	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—15.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	2	2	-	2	-	-	1	-	-	-	-	-	1	
Other Diseases of Respiratory Organs -	1	-	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	-	-	-	-	-	1	-	-	-	-	-	1	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	8	5	1	2	-	-	3	2	-	-	1	1	3	

YEAR 1920.

Population—Census 1921, - - - 4,270.

COUNTY—**Banff**.

Do. Do. 1911, - - - 4,499.

Do. estimated to middle of 1920, 4,287.

PUBLIC HEALTH DISTRICT—**Keith** (Burgh).

REGISTRATION RETURNS.

	Number Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	113	3	4	114	60	54
Illegitimate Births -	14	-	4	18	6	12
Marriages - - -	44	-	-	-	-	-
Deaths -- - - -	69	5	4	68	28	40

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26.4	26.6	-
Marriage-rate - - - - -	10.3	-	-
Death-rate—All Causes - - - - -	16.1	15.9	13.5
Do. —Phthisis - - - - -	-	0.70	-
Do. —All Tuberculosis - - - - -	-	1.63	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.23	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—61.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	-	1	2	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	3	-	-	-	1	1	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	5	-	-	-	-	-	-	-	-	1	4	4	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	7	-	-	-	-	-	1	-	2	2	4	-	
Bronchitis - - - - -	-	3	-	-	-	-	-	-	-	-	1	2	-	
Pneumonia (all forms) - - - - -	1	4	3	-	-	-	-	-	-	1	-	1	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	3	1	-	-	-	-	-	-	-	-	2	2	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	1	-	-	-	-	-	1	1	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	10	12	-	-	-	-	1	-	1	4	5	11	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	28	40	7	1	-	1	1	4	4	3	8	15	24	

YEAR 1920.

Population—Census 1921, - - - 3,345.
Do. Do. 1911, - - - 3,411.
Do. estimated to middle of 1920, 3,347.

COUNTY—**Banff.**

PUBLIC HEALTH DISTRICT—**Macduff** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	107	7	4	104	51	53
Illegitimate Births -	6	1	2	7	2	5
Marriages - - -	11	-	-	-	-	-
Deaths - - -	48	0	9	57	28	29

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	32.0	31.1	-
Marriage-rate - - - - -	3.3	-	-
Death-rate—All Causes - - - - -	14.3	17.0	13.7
Do. —Phthisis - - - - -	-	0.90	-
Do. —All Tuberculosis - - - - -	-	0.90	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—96.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	1	-	-	-	-	1	1	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	4	-	-	-	-	-	-	-	-	1	4	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	3	-	-	-	-	-	-	1	-	-	3	1	
Bronchitis - - - - -	5	2	1	-	-	-	-	-	-	-	-	1	5	
Pneumonia (all forms) - - - - -	2	3	1	1	-	1	-	1	-	1	-	-	-	
Other Diseases of Respiratory Organs -	1	1	-	-	-	-	-	-	-	-	-	-	2	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	2	2	1	-	1	-	-	-	-	-	1	-	1	
Nephritis and Bright's Disease - -	2	3	-	-	-	-	1	-	1	1	-	2	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	3	3	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	2	1	1	-	1	-	-	-	1	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	6	-	-	-	-	-	1	1	-	-	3	5	
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Total - - - - -	28	29	10	1	2	1	2	4	4	3	2	13	15	

YEAR 1920.

Population—Census 1921, - - - 1,664.
Do. Do. 1911, - - - 1,746.
Do. estimated to middle of 1920, 1,670.

COUNTY—**Banff.**

PUBLIC HEALTH DISTRICT—**Portknockie** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	52	-	1	53	36	17
Illegitimate Births -	-	-	-	-	-	-
Marriages - - -	3	-	-	-	-	-
Deaths - - -	11	0	7	18	8	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	31.1	31.7	-
Marriage-rate - - - - -	1.8	-	-
Death-rate—All Causes - - - - -	6.6	10.8	11.4
Do. —Phthisis - - - - -	-	1.20	-
Do. —All Tuberculosis - - - - -	-	1.80	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—57.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.00.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	-	-	1	-	-	-	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	2	-	-	1	-	-	-	-	-	-	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	-	3	1	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	2	-	-	-	-	-	-	-	-	-	2	2	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Total - - - - -	8	10	3	-	1	-	-	3	-	-	1	6	4	

YEAR 1920.

Population—Census 1921, - - - 1,723.
Do. Do. 1911, - - - 1,951.
Do. estimated to middle of 1920, 1,743.

COUNTY—**Banff.**

PUBLIC HEALTH DISTRICT—**Portsoy** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	50	1	2	51	27	24
Illegitimate Births -	6	-	1	7	5	2
Marriages - - -	25	-	-	-	-	-
Deaths - - -	38	4	0	34	17	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28·7	29·3	-
Marriage-rate - - - - -	14·3	-	-
Death-rate—All Causes - - - - -	21·8	19·5	15·6
Do. —Phthisis - - - - -	-	0·57	-
Do. —All Tuberculosis - - - - -	-	0·57	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·15	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—98.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	1	-	-	2	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	-	-	-	2	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	-	-	-	-	-	-	-	-	1	-	1	1	
Bronchitis - - - - -	2	3	3	-	-	-	1	-	-	-	1	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System - - - - -	-	3	1	-	-	-	-	-	-	-	-	-	2	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	3	4	-	-	-	-	-	-	-	-	2	2	3	
Diseases Ill-defined or Unknown - - - - -	1	2	-	-	-	-	-	-	-	-	-	-	3	
Total - - - - -	17	17	5	1	3	-	1	-	3	2	3	6	10	

YEAR 1920.

COUNTY—**Banff**.

PUBLIC HEALTH DISTRICT—**Banff** (County District).

Population—Census 1921, - - - 15,680.
Do. Do. 1911, - - - 16,901.
Do. estimated to middle of 1920, 15,780.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	452	14	22	460	244	216
Illegitimate Births -	73	6	13	80	38	42
Marriages - -	66	-	-	-	-	-
Deaths - - -	181	14	20	187	102	85

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28·6	29·2	-
Marriage-rate - - - - -	4·2	-	-
Death-rate—All Causes - - - - -	11·5	11·9	10·5
Do. —Phthisis - - - - -	-	0·38	-
Do. —All Tuberculosis - - - - -	-	0·51	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·51	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—91.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			1	1	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	5	1	-	-	-	-	1	3	-	1	-	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	9	8	-	-	-	-	-	-	-	2	5	6	4	
Rheumatic Fever - - - - -	2	-	1	-	-	-	-	-	-	-	1	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	8	-	-	-	-	-	-	-	-	1	2	11	
Bronchitis - - - - -	7	7	6	1	-	-	-	-	-	-	-	-	7	
Pneumonia (all forms) - - - - -	7	8	4	-	1	-	-	3	1	-	1	2	3	
Other Diseases of Respiratory Organs - - - - -	4	4	-	-	-	-	-	-	1	-	3	1	3	
Diarrhoea and Enteritis (under 2 years) - - - - -	3	1	3	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	1	-	-	-	1	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	
Other Diseases of Digestive System - - - - -	4	2	1	1	-	-	-	-	-	-	1	1	2	
Nephritis and Bright's Disease - - - - -	1	2	-	-	-	-	-	-	2	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	12	9	21	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	3	-	1	-	2	-	-	1	-	-	-	3	
Suicide - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - - - -	30	24	5	-	-	-	2	2	1	7	7	8	22	
Diseases Ill-defined or Unknown - - - - -	3	1	-	-	1	-	-	-	-	-	-	2	1	
Total - - - - -	102	85	42	4	4	3	5	9	7	11	20	25	57	

YEAR 1920.

COUNTY—**Banff**.

PUBLIC HEALTH DISTRICT—**Keith** (County District).

Population—Census 1921, - - - 11,110.
Do. Do. 1911, - - - 12,453.
Do. estimated to middle of 1920, 11,227.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	284	9	10	285	139	146
Illegitimate Births -	48	2	7	53	25	28
Marriages - - -	28	-	-	-	-	-
Deaths - - -	128	0	21	149	77	72

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25·3	25·4	-
Marriage-rate - - - - -	2·5	-	-
Death-rate—All Causes - - - - -	11·4	13·3	11·1
Do. —Phthisis - - - - -	-	0·45	-
Do. —All Tuberculosis - - - - -	-	0·71	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·45	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—63.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—18·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	-	-	1	-	-	-	-	-	-	-	-	1	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	4	-	-	-	-	1	-	3	-	1	-	-	
Tuberculous Meningitis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	8	8	-	-	-	-	-	-	2	1	6	4	3	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	10	7	-	-	-	-	-	-	1	1	2	4	9	
Bronchitis - - - - -	2	5	-	1	-	-	-	-	-	1	-	2	3	
Pneumonia (all forms) - - - - -	6	7	2	1	-	-	-	1	1	4	-	2	2	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	1	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	2	-	-	-	-	-	-	-	-	1	2	-	
Other Diseases of Digestive System - - - - -	6	2	-	-	-	-	-	-	1	-	3	2	2	
Nephritis and Bright's Disease - - - - -	3	2	-	-	-	-	-	-	2	1	-	2	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	5	5	10	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	3	-	2	-	-	-	-	-	1	-	-	2	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	22	17	2	-	1	1	-	-	-	3	5	8	19	
Diseases Ill-defined or Unknown - - - - -	3	4	1	1	-	-	-	-	-	-	-	2	3	
Total - - - - -	77	72	18	7	1	3	1	1	10	16	19	29	44	

YEAR 1920.

Population—Census 1921, - - - 1,295.

COUNTY—**Berwick.**

Do. Do. 1911, - - - 1,375.

Do. estimated to middle of 1920, 1,301.

PUBLIC HEALTH DISTRICT—**Coldstream** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	25	1	2	26	12	14
Illegitimate Births -	3	-	-	3	1	2
Marriages - - -	7	-	-	-	-	-
Deaths - - -	23	-	3	26	18	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	19·2	20·0	-
Marriage-rate - - -	5·4	-	-
Death-rate—All Causes - - -	17·7	20·0	16·2
Do. —Phthisis - - -	-	1·54	-
Do. —All Tuberculosis - - -	-	1·54	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—115.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	-	2	-	-	-	-	-	-	-	1	1	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	1	1	-	-	-	-	-	1	-	-	-	-	1	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Bronchitis - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - -	3	4	-	-	-	-	-	-	-	1	1	1	4	
Other Diseases of Respiratory Organs - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Bill Liver Diseases (not Malignant) - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - -	3	-	1	-	1	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Septic Peritonitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Constitutional Debility and Malformation, including Premature Birth - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	4	1	-	-	-	-	-	-	-	1	1	1	2	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - -	18	8	3	-	1	-	-	1	1	4	5	3	8	

YEAR 1920.

COUNTY—**Berwick.**

PUBLIC HEALTH DISTRICT—**Duns** (Burgh).

Population—Census 1921, - - - 1,868.
Do. Do. 1911, - - - 2,069.
Do. estimated to middle of 1920, 1,886.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	48	6	2	44	28	16
Illegitimate Births -	5	-	-	5	3	2
Marriages - - -	17	-	-	-	-	-
Deaths - - -	28	1	4	31	12	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25·5	23·3	-
Marriage-rate - - - - -	9·0	-	-
Death-rate—All Causes	14·8	16·4	13·3
Do. —Phthisis - - - - -	-	0·53	-
Do. —All Tuberculosis - - -	-	0·53	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·53	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected 114.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	2	-	-	-	-	-	-	-	1	-	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	3	-	-	-	-	-	-	1	-	-	2	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	1	-	-	-	-	-	-	-	1	-	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	1	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	6	1	-	-	-	-	-	-	-	1	4	6	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	12	19	5	1	-	-	-	2	2	4	1	10	6	

YEAR 1920.

Population—Census 1921, - - - 2,477.

Do. Do. 1911, - - - 2,453.

Do. estimated to middle of 1920, 2,472.

COUNTY—**Berwick.**PUBLIC HEALTH DISTRICT—**Eyemouth** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	66	2	1	65	31	34
Illegitimate Births -	3	-	-	3	2	1
Marriages - - -	17	-	-	-	-	-
Deaths - - -	27	1	3	29	13	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26·7	26·3	-
Marriage-rate - - - - -	6·9	-	-
Death-rate—All Causes - - - - -	10·9	11·7	11·5
Do. —Phthisis - - - - -	-	1·21	-
Do. —All Tuberculosis - - - - -	-	1·21	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·40	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—31.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	1	-	-	-	-	1	-	1	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	2	-	-	-	-	-	-	-	1	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	2	
Bronchitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	4	1	-	1	-	-	1	-	-	1	-	1	1	
Other Diseases of Respiratory Organs -	-	2	-	-	-	-	-	-	-	-	-	-	2	
Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	2	-	1	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	2	-	-	-	-	-	1	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	3	-	-	-	-	-	-	-	1	1	1	2	
Diseases Ill-defined or Unknown - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	13	16	2	2	-	-	3	-	3	4	3	4	8	

YEAR 1920.

COUNTY—**Berwick.**PUBLIC HEALTH DISTRICT—**Lauder** (Burgh).

Population—Census 1921, - - - 759.
 Do. Do. 1911, - - - 659.
 Do. estimated to middle of 1920, 748.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	10	-	1	11	5	6
Illegitimate Births -	2	-	1	3	2	1
Marriages - - -	2	-	-	-	-	-
Deaths - - -	4	1	1	4	0	4

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13·4	14·7	-
Marriage-rate - - - - -	2·7	-	-
Death-rate—All Causes - - - - -	5·3	5·3	4·2
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - - - -	-	0·00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—27·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	a o
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	-	4	-	-	-	-	1	1	-	-	-	1	-

YEAR 1920.

Population—Census 1921, - - - 8,893.
Do. Do. 1911, - - - 9,017.
Do. estimated to middle of 1920, 8,894.

COUNTY—Berwick.

PUBLIC HEALTH DISTRICT—East Berwick (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	172	15	9	166	89	77
Illegitimate Births -	11	-	2	13	3	10
Marriages - - -	57	-	-	-	-	-
Deaths - - -	89	2	19	106	54	52

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19·3	18·7	-
Marriage-rate - - - - -	6·4	-	-
Death-rate—All Causes - - - - -	10·0	11·9	10·5
Do. —Phthisis - - - - -	-	0·45	-
Do. —All Tuberculosis - - - - -	-	0·45	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·56	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—54.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	1	-	-	-	-	-	1	2	-	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	7	8	-	-	-	-	-	-	-	3	3	8	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	10	-	-	-	-	-	-	-	1	4	7	5	
Bronchitis - - - - -	2	1	-	-	-	-	-	-	1	-	-	-	2	
Pneumonia (all forms) - - - - -	8	2	-	1	-	-	1	-	1	2	4	1	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	-	-	-	2	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	2	-	-	-	-	-	-	-	-	1	-	1	
Other Diseases of Digestive System - - - - -	2	3	1	-	-	-	-	-	-	1	-	1	2	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	-	2	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	3	3	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	2	-	-	-	1	-	-	1	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	11	13	-	-	1	-	1	-	2	-	3	6	11	
Diseases Ill-defined or Unknown - - - - -	3	1	-	-	-	-	-	1	-	-	1	1	1	
Total - - - - -	54	52	9	2	1	1	3	4	10	7	19	25	25	

YEAR 1920.

COUNTY—**Berwick.**

PUBLIC HEALTH DISTRICT—**Middle Berwick** (County District).

Population—Census 1921, - - - 7,723.
Do. Do. 1911, - - - 8,365.
Do. estimated to middle of 1920, 7,776.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	165	3	14	176	101	75
Illegitimate Births -	20	-	7	27	16	11
Marriages - - -	52	-	-	-	-	-
Deaths - - -	80	3	13	90	39	51

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21·2	22·6	-
Marriage-rate - - - - -	6·7	-	-
Death-rate—All Causes - - - - -	10·3	11·6	10·4
Do. —Phthisis - - - - -	-	1·03	-
Do. —All Tuberculosis - - - - -	-	1·16	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·13	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—45.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	·1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	4	4	-	-	-	1	3	-	-	1	1	2	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	8	-	-	-	-	-	-	-	4	2	4	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	8	-	-	-	-	-	-	3	1	3	2	3	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	6	8	2	1	-	-	-	-	-	-	5	1	5	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Digestive System -	2	1	-	-	-	-	-	-	-	1	2	-	-	
Nephritis and Bright's Disease - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	3	1	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	-	-	-	1	1	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	13	16	2	-	-	-	-	-	-	3	1	3	20	
Diseases Ill-defined or Unknown - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	39	51	8	1	-	1	5	2	3	11	16	12	31	

YEAR 1920.

COUNTY—**Berwick.**

PUBLIC HEALTH DISTRICT—**West Berwick** (County District).

Population—Census 1921, - - - 5,380.
Do. Do. 1911, - - - 5,705.
Do. estimated to middle of 1920, 5,405.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	107	2	8	113	62	51
Illegitimate Births -	9	-	3	12	7	5
Marriages - - -	36	-	-	-	-	-
Deaths - - -	44	4	13	53	20	33

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.8	20.9	-
Marriage-rate - - - - -	6.7	-	-
Death-rate—All Causes - - - - -	8.1	9.8	8.9
Do. —Phthisis - - - - -	-	0.37	-
Do. —All Tuberculosis - - - - -	-	0.37	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.37	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—71.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	-	2	-	-	-	-	1	-	-	-	1	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	3	-	-	-	-	-	1	-	2	1	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	2	-	-	-	1	-	-	1	1	1	1	1
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2
Pneumonia (all forms) - - - - -	1	1	1	-	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	2	-	-	-	-	-	-	-	2	1	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System - - - - -	2	3	-	1	-	-	1	-	-	-	2	1	1
Nephritis and Bright's Disease - - - - -	-	4	-	1	-	1	-	-	-	-	1	1	-
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	3	1	3	-	1	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	8	9	1	-	-	-	1	-	-	5	3	7	-
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	20	33	8	-	4	-	2	4	1	2	10	10	12

YEAR 1920.

COUNTY—**Bute.**

PUBLIC HEALTH DISTRICT—**Millport** (Burgh).

Population—Census 1921, - - - 5,834.
Do. Do. 1911, - - - 1,614.
Do. estimated to middle of 1920, 1,464.‡

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	21	3	-	18	7	11
Illegitimate Births -	-	-	-	-	-	-
Marriages - - -	2	-	-	-	-	-
Deaths - - -	34	9	1	26	9	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14·3	12·3	-
Marriage-rate - - - - -	1·4	-	-
Death-rate—All Causes - - - - -	23·2	17·8	14·6
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - - - -	-	1·37	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—56.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·00.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	-	1	1	-	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	1	1	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	4	-	-	-	-	-	-	1	-	1	3	1	
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	1	-	-	1	
Pneumonia (all forms) - - - - -	1	1	1	-	-	-	-	1	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	2	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	5	-	-	1	-	-	-	-	2	-	1	4	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	9	17	1	-	1	-	-	2	-	4	4	5	9	

‡ See footnote, Table 5.

YEAR 1920.

Population—Census 1921, - - - 15,218.

Do. Do. 1911, - - - 9,299.

Do. estimated to middle of 1920, 8,646.†

COUNTY—**Bute.**PUBLIC HEALTH DISTRICT—**Rothesay** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	191	22	8	177	91	86
Illegitimate Births -	25	10	7	22	10	12
Marriages - - -	60	-	-	-	-	-
Deaths - - -	137	27	13	123	45	78

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.1	20.5	-
Marriage-rate - - - - -	6.9	-	-
Death-rate—All Causes - - - - -	15.8	14.2	12.7
Do. —Phthisis - - - - -	-	0.69	-
Do. —All Tuberculosis - - - - -	-	0.81	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.23	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—40.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10	15	25-	35-	45	55-	65	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	4	-	-	-	-	1	3	1	-	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	3	8	-	-	-	-	-	-	-	2	1	6	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	12	-	-	-	1	-	-	-	-	3	12	2	
Bronchitis - - - - -	3	3	-	1	-	-	-	-	-	-	2	2	1	
Pneumonia (all forms) - - - - -	2	6	-	-	-	-	-	1	-	-	-	2	5	
Other Diseases of Respiratory Organs -	-	1	-	-	-	-	-	-	-	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases of Digestive System -	1	7	-	-	-	-	-	-	-	1	3	4	-	
Nephritis and Bright's Disease - - -	1	4	-	-	-	-	-	-	-	1	2	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	-	3	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	2	-	-	-	-	-	-	-	1	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	19	25	4	-	-	-	-	-	1	4	5	5	25	
Diseases Ill-defined or Unknown - - -	2	2	-	-	-	-	-	-	-	-	-	2	2	
Total - - - - -	45	78	7	3	-	1	1	6	4	11	18	34	38	

† See footnote, Table 5.

YEAR 1920.

COUNTY—**Bute.**

PUBLIC HEALTH DISTRICT—**Arran** (County District).

Population—Census 1921, - - - 8,294.
Do. Do. 1911, - - - 4,628.
Do. estimated to middle of 1920, 4,156.‡

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	46	1	8	53	24	29
Illegitimate Births -	1	-	4	5	1	4
Marriages - - -	15	-	-	-	-	-
Deaths - - -	52	5	8	55	21	34

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	11.1	12.8	-
Marriage-rate - - - - -	3.6	-	-
Death-rate—All Causes - - - -	12.5	13.2	10.4
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—38.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	2	6	-	-	-	-	-	-	-	1	3	4	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	-	3	-	-	-	-	-	-	-	-	2	1	-	
Bronchitis - - - - -	2	4	-	1	-	-	-	-	-	-	1	1	3	
Pneumonia (all forms) - - - -	4	-	-	-	-	-	1	-	-	-	-	1	2	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	1	2	-	-	-	-	-	-	-	-	1	1	1	
Nephritis and Bright's Disease - -	2	1	-	-	-	-	-	-	-	1	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	1	-	-	-	-	1	-	-	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	6	15	-	-	-	-	-	-	1	1	2	7	10	
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	21	34	2	1	-	-	2	-	1	5	10	17	17	

‡ See footnote, Table 5.

YEAR 1920.

Population—Census 1921, - - 4,247.

COUNTY—**Bute**.

Do. Do. 1911, - - 2,552.

Do. estimated to middle of 1920, 2,174.‡

PUBLIC HEALTH DISTRICT—**Bute** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	37	4	4	37	20	17
Illegitimate Births -	2	1	3	4	3	1
Marriages - - -	9	-	-	-	-	-
Deaths - - -	27	8	7	26	13	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17·0	17·0	-
Marriage-rate - - - - -	4·1	-	-
Death-rate—All Causes - - - - -	12·4	12·0	10·4
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - - - -	-	0·46	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—27.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	1	1-	5-	10-	15	25	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	3	-	-	-	-	-	1	-	-	-	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	-	-	1	-	-	-	-	-	1	-	-	-	
Organic Heart Disease - - - - -	4	4	-	-	-	-	-	-	-	-	1	4	3	
Bronchitis - - - - -	1	2	-	-	-	-	-	-	-	-	-	-	3	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	3	-	-	-	-	-	-	2	-	2	1	2	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	13	13	1	-	1	-	-	1	2	2	3	6	10	

‡ See footnote, Table 5.

YEAR 1920.

COUNTY—**Bute.**

PUBLIC HEALTH DISTRICT—**Cumbræ** (County District).

Population—Census 1921 - - - 118.
Do. Do. 1911, - - - 93.
Do. estimated to middle of 1920, 82.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1	-	-	1	1	-
Illegitimate Births -	-	-	-	-	-	-
Marriages - - -	-	-	-	-	-	-
Deaths - - -	0	0	0	0	0	0

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.†

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	-	-	-
Marriage-rate - - - - -	-	-	-
Death-rate—All Causes - - - - -	-	-	-
Do. —Phthisis - - - - -	-	-	-
Do. —All Tuberculosis - - - - -	-	-	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	-	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	

† The Population of this District is too small for the calculation of significant rates.

YEAR 1920.

Population—Census 1921, - - - 3,039.
Do. Do. 1911, - - - 3,335.
Do. estimated to middle of 1920, 3,064.

COUNTY—**Caithness.**

PUBLIC HEALTH DISTRICT—**Thurso** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	86	5	4	85	41	44
Illegitimate Births -	8	-	1	9	1	8
Marriages - - -	38	-	-	-	-	-
Deaths - - -	71	2	2	71	27	44

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28.1	27.7	-
Marriage-rate - - - - -	12.4	-	-
Death-rate—All Causes - - - - -	23.2	23.2	18.2
Do. —Phthisis - - - - -	-	0.33	-
Do. —All Tuberculosis - - - - -	-	0.65	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.65	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—176.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	3	-	-	-	-	-	-	1	2	1	-	-	
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	8	-	-	-	1	-	-	-	-	5	5	-	
Bronchitis - - - - -	6	11	7	1	-	1	-	-	-	1	1	6	-	
Pneumonia (all forms) - - - - -	1	2	-	-	-	1	-	1	-	1	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System - - - - -	3	4	-	1	-	1	-	1	1	-	1	2	-	
Nephritis and Bright's Disease - - - - -	1	2	-	-	-	-	1	-	-	-	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	1	1	-	-	-	-	-	1	-	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	8	3	-	-	-	-	-	1	-	3	7	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	27	44	15	2	-	1	1	3	2	1	4	13	23	

YEAR 1920.

Population—Census 1921, - - - 8,115.
Do. Do. 1911, - - - 9,086.
Do. estimated to middle of 1920, 8,200.

COUNTY—**Caithness.**

PUBLIC HEALTH DISTRICT—**Wick** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	260	2	1	259	136	123
Illegitimate Births -	17	-	1	18	6	12
Marriages - - -	83	-	-	-	-	-
Deaths - - -	125	3	8	130	63	67

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	31.7	31.6	-
Marriage-rate - - - - -	10.1	-	-
Death-rate—All Causes - - - - -	15.2	15.9	14.5
Do. —Phthisis - - - - -	-	0.73	-
Do. —All Tuberculosis - - - - -	-	1.34	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.98	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—112.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	2	-	1	-	-	2	-	2	1	-	-	-	
Tuberculous Meningitis - - - - -	2	-	-	1	-	-	-	1	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	2	-	-	-	1	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	8	-	-	-	-	-	-	-	2	2	4	3	
Rheumatic Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	10	-	-	-	1	-	-	1	-	4	3	6	
Bronchitis - - - - -	3	3	2	-	-	-	-	-	-	-	-	2	2	
Pneumonia (all forms) - - - - -	3	8	2	1	-	-	2	-	-	1	-	2	3	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	3	1	4	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	
Other Diseases of Digestive System - - - - -	5	4	2	-	-	-	1	-	1	-	1	2	2	
Nephritis and Bright's Disease - - - - -	4	1	1	-	-	-	-	-	-	-	1	2	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	11	5	16	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	2	-	1	-	-	-	-	-	-	1	1	-	
Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Defined Diseases - - - - -	15	12	-	1	-	1	-	1	1	3	3	7	10	
Diseases Ill-defined or Unknown - - - - -	1	3	-	-	-	-	-	-	-	1	-	2	1	
Total - - - - -	63	67	29	5	1	5	7	3	5	8	12	26	29	

YEAR 1920.

Population—Census 1921, - - - 17,130.

Do. Do. 1911, - - - 19,589.

Do. estimated to middle of 1920, 17,350.

COUNTY—**Caithness.**PUBLIC HEALTH DISTRICT—**Caithness** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	388	19	19	388	215	173
Illegitimate Births -	59	2	6	63	31	32
Marriages - - -	89	-	-	-	-	-
Deaths - - -	252	7	11	256	102	154

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.4	22.4	-
Marriage-rate - - - - -	5.1	-	-
Death-rate—All Causes - - - - -	14.5	14.8	10.4
Do. —Phthisis - - - - -	-	0.46	-
Do. —All Tuberculosis - - - - -	-	0.75	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.23	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—62.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	3	-	1	1	-	1	-	-	-	-	-	-	
Influenza - - - - -	2	1	-	-	-	-	-	-	-	-	-	-	3	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	4	-	-	-	-	2	3	2	-	1	-	-	
Tuberculous Meningitis - - - - -	1	1	-	-	1	-	-	1	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Tuberculous Diseases - - - - -	-	2	-	-	-	-	-	-	1	-	1	-	-	
Cancer, Malignant Disease - - - - -	10	15	-	-	-	-	-	-	-	3	5	7	10	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	23	15	1	-	-	-	-	-	-	2	4	12	19	
Bronchitis - - - - -	9	14	3	2	-	-	-	-	1	-	2	2	13	
Pneumonia (all forms) - - - - -	9	5	4	2	1	-	-	-	1	1	2	1	2	
Other Diseases of Respiratory Organs - - - - -	2	2	-	-	-	-	-	-	-	1	1	1	1	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	5	2	-	-	-	-	-	1	-	1	2	2	1	
Nephritis and Bright's Disease - - - - -	5	-	-	-	-	-	-	1	-	-	1	2	1	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	-	2	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	5	7	12	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	6	4	1	-	2	-	-	2	-	1	1	1	2	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Defined Diseases - - - - -	17	66	1	-	-	-	-	1	1	2	6	12	60	
Diseases Ill-defined or Unknown - - - - -	3	4	2	-	-	-	-	-	-	-	1	2	2	
Total - - - - -	102	154	24	5	6	-	4	12	8	12	28	43	114	

YEAR 1920.

COUNTY—**Clackmannan.**

PUBLIC HEALTH DISTRICT—**Alloa** (Burgh).

Population—Census 1921, - - - 12,421.
Do. Do. 1911, - - - 11,893.
Do. estimated to middle of 1920, 12,355.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	347	7	13	353	170	183
Illegitimate Births -	19	1	4	22	13	9
Marriages - -	116	-	-	-	-	-
Deaths - - -	145	12	13	146	83	63

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28·1	28·6	-
Marriage-rate - - - - -	9·4	-	-
Death-rate—All Causes - - - -	11·7	11·8	12·7
Do. —Phthisis - - - - -	-	0·57	-
Do. —All Tuberculosis - - - -	-	0·89	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·32	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—62.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·2.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	3	4	-	-	1	1	-	4	-	-	1	-	-	
Tuberculous Meningitis - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Cancer, Malignant Disease - - -	11	9	-	-	-	-	-	-	3	3	5	8	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	6	1	5	-	1	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - -	10	7	-	-	-	-	-	-	-	-	5	7	5	
Bronchitis - - - - -	4	6	2	-	-	1	-	-	1	2	2	-	2	
Pneumonia (all forms) - - - -	7	4	5	1	-	1	1	-	-	1	2	-	-	
Other Diseases of Respiratory Organs	1	1	-	-	-	-	-	-	-	1	1	-	-	
*Diarrhœa and Enteritis (under 2 years)	-	3	2	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	2	1	-	-	-	-	-	1	-	1	1	-	-	
Other Diseases of Digestive System	5	2	1	-	-	-	1	-	-	-	2	3	-	
Nephritis and Bright's Disease - -	3	1	-	-	-	-	-	1	1	1	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	3	2	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	4	-	-	-	-	-	1	-	-	2	-	1	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - - -	18	16	1	-	1	1	-	-	3	1	10	11	6	
Diseases Ill-defined or Unknown -	4	1	-	-	-	-	-	-	-	1	1	3	-	
Total - - - - -	83	63	22	3	4	5	4	7	10	13	31	33	14	

YEAR 1920.

Population—Census 1921, - - - 4,107.
Do. Do. 1911, - - - 4,332.
Do. estimated to middle of 1920, 4,124.

COUNTY—Clackmannan.

PUBLIC HEALTH DISTRICT—Alva (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	111	4	4	111	52	59
Illegitimate Births -	10	-	-	10	7	3
Marriages - - -	49	-	-	-	-	-
Deaths - - -	66	2	5	69	34	35

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26·9	26·9	-
Marriage-rate - - - - -	11·9	-	-
Death-rate—All Causes - - - - -	16·0	16·7	15·4
Do. —Phthisis - - - - -	-	0·73	-
Do. —All Tuberculosis - - - - -	-	0·73	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—90.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	1	-	-	-	-	1	-	1	-	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Organic Heart Disease - - - - -	3	10	-	-	-	-	-	1	-	-	5	5	2	
Bronchitis - - - - -	1	2	1	-	-	-	-	-	2	-	-	-	-	
Pneumonia (all forms) - - - - -	2	-	1	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Respiratory Organs -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Nephritis and Bright's Disease - - -	1	3	-	-	-	-	-	-	-	2	-	2	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	5	3	7	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other Defined Diseases - - - - -	19	8	1	-	-	-	1	-	-	1	1	7	16	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	34	35	10	1	-	1	2	2	4	4	7	17	21	

YEAR 1920.

COUNTY—**Clackmannan.**

PUBLIC HEALTH DISTRICT—**Dollar** (Burgh).

Population—Census 1921, - - - 1,584.
Do. Do. 1911, - - - 1,497.
Do. estimated to middle of 1920, 1,573.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	33	-	1	34	13	21
Illegitimate Births -	3	-	-	3	-	3
Marriages - - -	7	-	-	-	-	-
Deaths - - -	17	0	3	20	10	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.0	21.6	-
Marriage-rate - - - - -	4.5	-	-
Death-rate—All Causes - - - - -	10.8	12.7	11.1
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.64	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—29.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and ove	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	-	2	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	3	-	-	-	-	-	-	-	1	1	4	-	
Bronchitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	4	-	-	-	-	-	-	-	-	-	2	4	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	10	10	1	-	-	1	-	-	-	3	2	7	6	

YEAR 1920.

Population—Census 1921, - - - 3,100.

COUNTY—**Clackmannan.**

Do. Do. 1911, - - - 3,105.

Do. estimated to middle of 1920, 3,096.

PUBLIC HEALTH DISTRICT—**Tillicoultry** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	89	3	4	90	46	44
Illegitimate Births -	5	-	1	6	3	3
Marriages - - -	26	-	-	-	-	-
Deaths - - -	32	1	8	39	13	26

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28·7	29·1	- .
Marriage-rate - - - - -	8·4	-	-
Death-rate—All Causes - - - - -	10·3	12·6	11·3
Do. —Phthisis - - - - -	-	0·32	-
Do. —All Tuberculosis - - - - -	-	0·65	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·32	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—44.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5	10-	15	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	3	-	-	-	-	-	-	-	1	2	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	4	-	-	-	1	-	-	-	2	3	-	-	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Pneumonia (all forms) - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	2	-	-	-	-	-	1	-	-	1	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	12	1	1	-	1	-	1	-	4	5	7	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	13	26	4	1	-	1	1	1	3	-	7	13	8	

YEAR 1920.

Population—Census 1921, - - - 11,331.
Do. Do. 1911, - - - 10,294.
Do. estimated to middle of 1920, 11,216.

COUNTY—**Clackmannan.**

PUBLIC HEALTH DISTRICT—**Clackmannan** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	290	3	7	294	148	146
Illegitimate Births -	14	-	2	16	9	7
Marriages - - -	71	-	-	-	-	-
Deaths - - -	110	4	13	119	67	52

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25.9	26.2	-
Marriage-rate - - - - -	6.3	-	-
Death-rate—All Causes - - - - -	9.8	10.6	10.6
Do. —Phthisis - - - - -	-	0.62	-
Do. —All Tuberculosis - - - - -	-	0.71	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.18	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—65.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	4	-	-	-	-	3	1	1	2	-	-	-	
Tuberculous Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	6	8	-	-	-	-	-	1	-	5	-	6	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	2	1	-	-	-	-	-	-	-	3	1	1	
Bronchitis - - - - -	8	4	1	1	-	-	-	-	-	-	3	3	4	
Pneumonia (all forms) - - - - -	9	2	5	-	-	-	1	1	1	1	1	1	-	
Other Diseases of Respiratory Organs - - - - -	2	-	-	1	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	2	1	-	-	-	-	-	-	-	-	2	-	1	
Other Diseases of Digestive System - - - - -	5	1	1	1	1	-	-	-	2	-	-	1	-	
Nephritis and Bright's Disease - - - - -	3	2	-	-	-	-	-	1	-	1	1	1	1	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	4	3	7	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	2	-	1	1	1	2	-	-	-	-	-	-	
Suicide - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Defined Diseases - - - - -	12	18	2	1	-	-	1	-	1	3	6	8	8	
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	-	-	-	1	1	
Total - - - - -	67	52	19	6	3	2	7	8	5	12	16	23	18	

YEAR 1920.

COUNTY—**Dumbarton.**

PUBLIC HEALTH DISTRICT—**Clydebank** (Burgh).

Population—Census 1901, - - - 46,515.
Do. Do. 1911, - - - 37,548.
Do. estimated to middle of 1920, 45,580

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,389	12	62	1,439	716	723
Illegitimate Births -	39	3	14	50	28	22
Marriages - - -	327	-	-	-	-	-
Deaths - - -	380	7	158	531	307	224

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	30.5	31.6	-
Marriage-rate - - - - -	7.2	-	-
Death-rate—All Causes - - - - -	8.3	11.6	13.4
Do. —Phthisis - - - - -	-	0.97	-
Do. —All Tuberculosis - - - - -	-	1.16	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.83	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—80.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1	5-	10-	15-	25	35	45	55	65-	75 and over	
Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Measles - - - - -	3	6	4	5	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Whooping-cough - - - - -	3	6	4	3	1	1	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	3	1	2	2	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	2	-	1	-	-	-	1	-	-	-	1	1	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Phthisis, Pulmonary Tuberculosis -	27	17	1	1	-	2	10	16	4	8	2	-	-	
Tuberculous Meningitis - - - - -	2	2	-	3	-	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	5	-	1	2	-	2	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	17	16	-	-	-	-	1	1	4	7	10	7	3	
Rheumatic Fever - - - - -	2	1	-	-	-	-	1	-	1	1	-	-	-	
Meningitis - - - - -	7	6	6	3	2	-	-	1	-	1	-	-	-	
Organic Heart Disease - - - - -	27	15	-	-	-	-	1	2	2	6	11	13	7	
Bronchitis - - - - -	15	13	8	3	-	-	-	-	-	2	8	4	3	
Pneumonia (all forms) - - - - -	42	21	15	9	-	-	5	7	7	11	4	1	4	
Other Diseases of Respiratory Organs	1	1	1	-	-	-	-	-	-	-	1	-	-	
Diarrhoea and Enteritis (under 2 years)	7	7	12	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	3	2	-	-	1	2	1	-	-	-	-	1	-	
All Liver Diseases (not Malignant) -	-	2	-	-	-	-	-	1	-	-	1	-	-	
Other Diseases of Digestive System	18	7	4	2	2	1	-	3	2	5	3	2	1	
Nephritis and Bright's Disease - - -	9	4	-	-	-	-	1	-	3	6	1	2	-	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	2	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	7	-	-	-	-	2	2	3	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	28	18	46	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	28	6	2	4	2	2	9	2	5	5	2	1	-	
Suicide - - - - -	3	-	-	-	-	-	1	1	-	1	-	-	-	
Other Defined Diseases - - - - -	51	51	9	2	2	2	4	3	8	20	18	16	18	
Diseases Ill-defined or Unknown -	8	3	1	-	-	-	-	-	2	2	2	3	1	
Total - - - - -	307	224	115	41	13	10	42	41	41	75	63	52	38	

YEAR 1920.

COUNTY—**Dumbarton.**

PUBLIC HEALTH DISTRICT—**Cove and Kilcreggan** (Burgh).

Population—Census 1921, - 1,447.
Do. Do. 1911. - 861.
Do. estimated to middle of 1920, 737.‡

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	11	-	-	11	4	7
Illegitimate Births -	-	-	-	-	-	-
Marriages - - -	3	-	-	-	-	-
Deaths - - -	11	4	4	11	5	6

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14.9	14.9	-
Marriage-rate - - - - -	4.1	-	-
Death-rate—All Causes - - - - -	14.9	14.9	12.0
Do. —Phthisis - - - - -	-	1.36	-
Do. —All Tuberculosis - - - - -	-	1.36	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—91.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.00.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	2	-	-	-	-	-	1	-	-	1	2	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	2	-	-	-	-	-	-	-	-	-	-	3	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	5	6	1	-	-	-	-	1	-	1	1	4	3	

‡ See footnote, Table 5.

YEAR 1920.

Population—Census 1921, - - - 22,933.

Do. Do. 1911, - - - 21,989.

Do. estimated to middle of 1920, 22,813.

COUNTY—**Dumbarton.**PUBLIC HEALTH DISTRICT—**Dumbarton (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	671	12	16	675	346	329
Illegitimate Births -	30	6	4	28	13	15
Marriages - - -	174	-	-	-	-	-
Deaths - - -	291	47	24	268	149	119

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29.4	29.6	-
Marriage-rate - - - - -	7.6	-	-
Death-rate—All Causes - - - - -	12.8	11.7	12.5
Do. —Phthisis - - - - -	-	0.75	-
Do. —All Tuberculosis - - - - -	-	1.14	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.53	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	2	2	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	8	9	-	-	1	1	5	3	3	2	-	1	1	
Tuberculous Meningitis - - - - -	2	3	1	4	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	1	-	-	-	1	-	-	
Cancer, Malignant Disease - - - - -	7	8	-	-	-	-	-	-	3	-	5	4	3	
Rheumatic Fever - - - - -	-	2	-	-	-	-	1	-	1	-	-	-	-	
Meningitis - - - - -	5	1	2	3	-	-	-	-	1	-	-	-	-	
Organic Heart Disease - - - - -	16	9	-	-	-	-	1	1	-	3	7	8	5	
Bronchitis - - - - -	15	7	1	2	-	-	-	-	1	3	4	6	5	
Pneumonia (all forms) - - - - -	17	12	12	9	2	-	1	2	1	1	-	-	1	
Other Diseases of Respiratory Organs - - - - -	2	1	-	-	-	-	-	-	-	1	1	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhilitis - - - - -	-	2	-	-	1	-	-	-	-	1	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System - - - - -	6	5	1	-	2	-	-	3	2	-	2	-	1	
Nephritis and Bright's Disease - - - - -	7	4	-	-	-	-	-	-	1	1	4	4	1	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	1	-	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	10	14	24	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	15	1	1	3	1	-	2	1	4	1	1	2	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	29	27	6	2	-	-	1	1	5	2	8	13	18	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	1	-	-	-	1	
Total - - - - -	149	119	56	27	8	1	13	12	26	16	31	39	36	

YEAR 1920.

COUNTY—**Dumbarton.**

PUBLIC HEALTH DISTRICT—**Helensburgh** (Burgh).

Population—Census 1921, - - - 9,701.
Do. Do. 1911, - - - 8,529.
Do. estimated to middle of 1920, 9,574.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	204	18	11	197	102	95
Illegitimate Births -	12	3	2	11	7	4
Marriages - - -	77	-	-	-	-	-
Deaths - - -	141	13	16	144	66	78

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21·3	20·6	-
Marriage-rate - - - - -	8·0	-	-
Death-rate—All Causes - - - - -	14·7	15·0	13·9
Do. —Phthisis - - - - -	-	1·25	-
Do. —All Tuberculosis - - - - -	-	1·46	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·73	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—102.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	2	-	3	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	6	6	-	-	-	2	4	2	1	2	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	-	-	1	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	17	-	-	-	-	-	1	2	3	2	6	8	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Meningitis - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	6	-	-	-	-	-	-	1	1	-	7	2	
Bronchitis - - - - -	1	4	2	-	-	-	-	-	-	1	-	-	2	
Pneumonia (all forms) - - - - -	5	5	2	-	-	-	-	1	1	-	1	2	3	
Other Diseases of Respiratory Organs - - - - -	3	-	1	-	-	-	-	-	-	1	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	-	-	-	1	1	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Digestive System - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	1	-	-	1	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	8	1	9	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	5	-	-	-	-	1	-	1	1	-	-	2	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	22	19	3	1	-	-	-	2	4	1	3	7	20	
Diseases Ill-defined or Unknown - - - - -	4	-	-	-	-	-	-	-	-	-	2	-	2	
Total - - - - -	66	78	20	7	1	2	5	7	14	13	10	23	42	

YEAR 1920.

Population—Census 1921, - - - 11,690.

COUNTY—**Dumbarton.**

Do. Do. 1911, - - - 11,932.

Do. estimated to middle of 1920, 11,700.

PUBLIC HEALTH DISTRICT—**Kirkintilloch** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	330	2	10	338	179	159
Illegitimate Births -	17	1	2	18	10	8
Marriages - - -	95	-	-	-	-	-
Deaths - - -	164	36	54	182	93	89

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28.2	28.9	-
Marriage-rate - - - - -	8.1	-	-
Death-rate—All Causes - - - - -	14.0	15.6	16.1
Do. —Phthisis - - - - -	-	0.77	-
Do. —All Tuberculosis - - - - -	-	1.20	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.88	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—80.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Small-pox - - - - -	4	7	-	-	4	3	-	1	-	-	3	-	-	
*Measles - - - - -	4	3	3	3	-	-	1	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	5	5	-	6	4	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	3	-	-	-	-	-	1	-	1	-	1	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	3	6	-	1	1	-	4	1	1	1	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	1	1	1	-	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	9	3	-	-	-	-	-	-	2	2	5	7	1	
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	10	8	-	-	-	-	-	-	-	2	7	5	4	
Bronchitis - - - - -	7	8	5	2	-	-	-	-	-	-	3	3	2	
Pneumonia (all forms) - - - - -	9	6	4	1	-	2	1	1	1	1	1	3	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years)	3	-	3	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	2	-	-	-	-	1	1	-	1	-	-	-	
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System -	5	3	-	2	-	-	-	1	-	2	1	2	-	
Nephritis and Bright's Disease - -	3	2	-	-	-	-	-	-	-	-	4	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	3	6	9	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	2	3	-	2	-	-	-	-	-	2	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	18	14	2	-	1	-	-	-	3	4	5	7	10	
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	93	89	27	21	11	5	8	8	7	17	30	28	20	

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	91	5	6	92	49	43
Illegitimate Births -	1	-	-	1	1	-
Marriages - - -	34	-	-	-	-	-
Deaths - - -	43	2	5	46	23	23

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20·5	20·7	-
Marriage-rate - - - - -	7·7	-	-
Death-rate—All Causes - - - - -	9·7	10·4	11·0
Do. —Phthisis - - - - -	-	1·58	-
Do. —All Tuberculosis - - - - -	-	1·58	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—65.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—1·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	4	-	-	-	-	2	1	3	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	2	-	-	-	-	-	-	-	1	1	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	2	-	-	-	-	-	-	-	-	1	2	-	
Bronchitis - - - - -	1	3	3	-	-	-	-	-	1	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	4	2	-	-	1	-	-	-	1	-	1	2	1	
Nephritis and Bright's Disease - - - - -	3	3	-	-	-	-	-	-	1	-	2	2	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	4	-	-	1	-	-	-	-	3	1	3	4	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	23	23	6	-	2	-	2	2	6	5	6	10	7	

YEAR 1920.

Population—Census 1921, - - - 23,808.

Do. Do. 1911, - - - 22,751.

Do. estimated to middle of 1920, 23,676.

COUNTY—**Dumbarton.**PUBLIC HEALTH DISTRICT—**Eastern Dumbarton** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	590	8	33	615	327	288
Illegitimate Births -	25	2	9	32	15	17
Marriages - - -	144	-	-	-	-	-
Deaths - - -	334	135	51	250	132	118

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	24.9	26.0	-
Marriage-rate - - -	6.1	-	-
Death-rate—All Causes - - -	14.1	10.6	11.0
Do. —Phthisis - - -	-	0.63	-
Do. —All Tuberculosis - - -	-	0.93	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.59	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—54.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	2	2	2	2	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	3	2	2	3	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	7	8	-	1	-	-	7	4	2	-	-	1	-	
Tuberculous Meningitis - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	3	1	-	3	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	9	14	-	1	-	-	1	1	1	5	2	7	5	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	2	1	-	-	-	1	-	-	1	-	-	-	
Organic Heart Disease - - - - -	13	5	-	-	-	-	1	-	4	2	6	3	2	
Bronchitis - - - - -	10	8	1	1	-	-	-	-	-	1	2	7	6	
Pneumonia (all forms) - - - - -	17	8	-	9	1	-	1	-	3	2	3	3	3	
Other Diseases of Respiratory Organs - - - - -	3	1	-	1	-	-	-	-	-	1	2	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	3	-	-	-	-	-	1	1	-	-	1	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	8	5	3	2	-	-	2	1	-	3	1	1	-	
Nephritis and Bright's Disease - - - - -	3	4	-	2	-	-	-	-	1	-	2	-	2	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	4	-	-	-	-	1	2	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	9	9	18	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	13	3	1	-	-	1	1	1	4	5	2	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	22	32	1	2	1	-	1	4	3	4	7	13	18	
Diseases Ill-defined or Unknown - - - - -	3	3	1	1	-	-	-	-	-	1	-	3	-	
Total - - - - -	132	118	33	31	3	1	19	15	20	25	28	39	36	

REGISTRATION RETURNS.						
	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	767	19	24	772	396	376
Illegitimate Births -	51	10	9	50	18	32
Marriages - - -	260	-	-	-	-	-
Deaths - - -	303	14	54	343	176	167

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.			
	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25·5	25·7	-
Marriage-rate - - - - -	8·6	-	-
Death-rate—All Causes - - - - -	10·1	11·4	12·0
Do. —Phthisis - - - - -	-	0·57	-
Do. —All Tuberculosis - - - - -	-	0·76	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·47	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—85.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·5.

CAUSES OF DEATH (corrected for Transfers)													
Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	2	2	4	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Erysipelas - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	9	8	-	-	-	-	5	4	2	3	2	1	-
Tuberculous Meningitis - - - - -	2	-	-	1	-	-	-	1	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	-	-	-	1	-	-	-	-	-	1	-
Cancer, Malignant Disease - - - - -	17	18	-	-	-	-	-	-	2	6	14	7	6
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	1	2	2	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	21	15	-	-	-	-	-	-	7	2	10	11	6
Bronchitis - - - - -	9	12	2	-	-	-	1	1	-	2	1	7	7
Pneumonia (all forms) - - - - -	17	17	5	5	-	1	3	3	5	4	2	4	2
Other Diseases of Respiratory Organs - - - - -	5	5	3	1	-	-	1	-	2	-	-	1	2
*Diarrhoea and Enteritis (under 2 years) - - - - -	3	3	6	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	4	-	1	-	-	2	1	1	-	1	-	-
All Liver Diseases (not Malignant) - - - - -	1	5	-	-	-	-	1	1	-	1	2	1	-
Other Diseases of Digestive System - - - - -	3	9	2	-	-	-	1	-	2	2	3	1	1
Nephritis and Bright's Disease - - - - -	3	5	-	-	-	-	-	-	4	1	2	1	-
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	20	13	33	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	12†	1	-	-	-	-	1	6	3	1	-	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	34	41	4	2	1	2	1	2	2	4	12	12	33
Diseases Ill-defined or Unknown - - - - -	7	1	3	-	-	-	1	-	-	-	2	1	1
Total - - - - -	176†	167	66	13	2	4	20	20	32	26	52	49	58

† Including 1 of unstated age.

YEAR 1920.

COUNTY—Dumfries.

PUBLIC HEALTH DISTRICT—Annan (Burgh).

Population—Census 1921, - - - 3,928.
Do. Do. 1911, - - - 4,219.
Do. estimated to middle of 1920, 3,951.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	109	8	4	105	47	58
Illegitimate Births -	8	1	1	8	1	7
Marriages - - -	51	-	-	-	-	-
Deaths - - -	54	2	9	61	28	33

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	27·6	26·6	-
Marriage-rate - - - - -	12·9	-	-
Death-rate—All Causes - - - - -	13·7	15·4	14·8
Do. —Phthisis - - - - -	-	1·27	-
Do. —All Tuberculosis - - - - -	-	2·02	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·27	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—86.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	1	1	-	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	-	-	1	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	2	-	-	-	-	-	1	2	2	-	-	-	
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	-	-	-	-	1	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	1	-	-	-	-	-	-	-	2	2	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	7	-	-	-	-	1	3	1	2	3	1	1	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	3	3	2	1	-	-	-	1	-	-	1	1	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	3	3	5	-	-	1	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	1	2	3	4	6	
Other Defined Diseases - - - - -	5	11	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Total - - - - -	28	33	9	4	3	1	3	3	7	5	7	10	9	

YEAR 1920.

COUNTY—Dumfries.

PUBLIC HEALTH DISTRICT—Dumfries (Burgh).

Population—Census 1921, - - - 15,778.
Do. Do. 1911, - - - 16,011.
Do. estimated to middle of 1920, 15,781.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	455	17	18	456	241	215
Illegitimate Births -	34	4	3	33	15	18
Marriages - - -	242	-	-	-	-	-
Deaths - - -	345	78	15	282	137	145

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate -	28·8	28·9	-
Marriage-rate - - -	15·3	-	-
Death-rate—All Causes - - -	21·9	17·9	18·4
Do. —Phthisis - - -	-	1·20	-
Do. —All Tuberculosis - -	-	1·39	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·76	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—75.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	2	2	-	4	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	2	2	1	3	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	3	-	-	-	-	1	-	-	-	1	-	1	
Phthisis, Pulmonary Tuberculosis -	8	11	-	1	-	2	5	5	2	1	3	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Tuberculous Diseases - - -	1	1	-	-	-	-	-	-	1	1	-	-	-	
Cancer, Malignant Disease - - -	20	16	-	-	-	-	-	-	4	7	12	12	1	
Rheumatic Fever - - -	1	2	-	-	-	-	2	-	-	1	-	-	-	
Meningitis - - -	5	2	2	1	-	-	-	3	1	-	-	-	-	
Organic Heart Disease - - -	11	9	-	-	-	-	1	-	-	3	5	7	4	
Bronchitis - - -	16	15	5	3	-	-	-	2	-	2	4	12	3	
Pneumonia (all forms) - - -	7	8	2	1	-	3	-	3	2	2	2	-	-	
Other Diseases of Respiratory Organs	1	1	-	-	-	-	-	-	-	-	-	1	1	
*Diarrhoea and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	1	3	-	-	-	-	2	1	1	-	-	-	-	
All Liver Diseases (not Malignant) -	1	2	-	-	-	-	-	1	1	1	-	-	-	
Other Diseases of Digestive System	5	5	-	-	1	1	-	1	3	2	-	1	1	
Nephritis and Bright's Disease - -	3	4	-	-	-	-	-	-	-	1	-	4	2	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	1	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	9	9	18	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	5	2	-	-	-	1	-	-	2	1	-	-	3	
Suicide - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	
Other Defined Diseases - - -	30	41	3	-	-	1	-	1	4	5	14	15	28	
Diseases Ill-defined or Unknown -	5	2	-	-	-	-	-	1	-	1	-	3	2	
Total - - -	137	145	34	14	1	8	11	19	23	28	43	55	46	

YEAR 1920.

Population—Census 1921, - - - 2,653.
Do. Do. 1911, - - - 2,930.
Do. estimated to middle of 1920, 2,677.

COUNTY—Dumfries.

PUBLIC HEALTH DISTRICT—Langholm (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	51	1	3	53	29	24
Illegitimate Births -	2	-	1	3	1	2
Marriages - - -	8	-	-	-	-	-
Deaths - - -	39	1	2	40	24	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.1	19.8	-
Marriage-rate - - - - -	3.0	-	-
Death-rate—All Causes - - - - -	14.6	14.9	13.0
Do. —Phthisis - - - - -	-	0.75	-
Do. —All Tuberculosis - - - - -	-	0.75	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—57.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	-	-	1	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	2	-	-	-	-	-	-	-	-	3	3	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	1	-	-	-	-	-	1	-	1	1	2	3	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2	1	-	-	-	-	-	1	-	1	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	5	8	2	-	-	-	-	-	-	2	2	2	5	
Diseases Ill-defined or Unknown - - - - -	1	1	-	1	-	-	-	-	-	-	1	-	-	
Total - - - - -	24	16	3	2	-	-	-	3	1	5	8	7	11	

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	29	1	1	29	15	14
Illegitimate Births -	7	-	-	7	4	3
Marriages - - -	11	-	-	-	-	-
Deaths - - -	15	0	1	16	5	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29.1	29.1	-
Marriage-rate - - - - -	11.1	-	-
Death-rate—All Causes - - - - -	15.1	16.1	13.0
Do. —Phthisis - - - - -	-	2.01	-
Do. —All Tuberculosis - - - - -	-	2.01	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—24.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	-	1	-	-	-	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	4	-	-	-	-	-	-	-	-	1	3	1	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	1	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	4	-	-	-	-	-	-	-	-	1	4	1	
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	5	11	-	-	-	-	-	1	1	-	3	9	2	

YEAR 1920.

Population—Census 1921, - - - 2,344.

COUNTY—**Dumfries.**

Do. Do. 1911, - - - 2,455.

Do. estimated to middle of 1920, 2,352.

PUBLIC HEALTH DISTRICT—**Lockerbie** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	52	-	1	53	28	25
Illegitimate Births -	2	-	-	2	1	1
Marriages - - -	19	-	-	-	-	-
Deaths - - -	16	0	6	22	12	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.1	22.5	-
Marriage-rate - - - - -	8.1	-	-
Death-rate—All Causes - - - - -	6.8	9.4	8.4
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.43	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—19.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	3	-	-	-	-	-	1	-	2	2	2	1	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	4	-	-	-	-	-	-	1	-	2	2	3	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Total - - - - -	12	10	1	-	-	-	-	3	2	3	5	4	4	

YEAR 1920.
COUNTY—**Dumfries.**
PUBLIC HEALTH DISTRICT—**Moffat** (Burgh).

Population—Census 1921, - - - 2,426.
Do. Do. 1911, - - - 2,079.
Do. estimated to middle of 1920, 2,389.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	40	3	1	38	22	16
Illegitimate Births -	1	-	1	2	1	1
Marriages - - -	15	-	-	-	-	-
Deaths - - -	35	3	3	35	15	20

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16·7	15·9	-
Marriage-rate - - - - -	6·3	-	-
Death-rate—All Causes - - - - -	14·7	14·7	12·5
Do. —Phthisis - - - - -	-	0·42	-
Do. —All Tuberculosis - - - - -	-	0·42	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·84	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—53.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	2	-	-	-	-	-	-	-	-	-	1	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	1	-	-	1	
Bronchitis - - - - -	1	3	-	-	-	-	-	-	1	-	-	1	2	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System - - - - -	-	2	-	-	-	-	-	-	1	-	-	1	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	11	1	-	-	-	-	-	1	1	1	5	8	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Total - - - - -	15	20	2	-	-	-	-	1	4	4	1	9	14	

YEAR 1920.

COUNTY—Dumfries.

PUBLIC HEALTH DISTRICT—Sanquhar (Burgh).

Population—Census 1921, - - - 1,700.
Do. Do. 1911, - - - 1,508.
Do. estimated to middle of 1920, 1,679.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	62	2	2	62	24	38
Illegitimate Births -	6	1	1	6	1	5
Marriages - - -	24	-	-	-	-	-
Deaths - - -	25	2	6	29	12	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	36·9	36·9	-
Marriage-rate - - - - -	14·3	-	-
Death-rate—All Causes - - - - -	14·9	17·3	16·9
Do. —Phthisis - - - - -	-	1·19	-
Do. —All Tuberculosis - - - - -	-	1·79	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·60	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—48.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	-	1	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	2	-	-	-	-	-	-	-	-	3	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	2	-	1	-	-	-	-	-	-	2	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	9	1	-	-	-	-	1	-	-	3	2	7	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	12	17	3	1	-	-	1	2	1	1	8	3	9	

YEAR 1920.

Population—Census 1921, - - - 12,551.
Do. Do. 1911, - - - 10,515.
Do. estimated to middle of 1920, 12,337.

COUNTY—**Dumfries.**

PUBLIC HEALTH DISTRICT—**Annan** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	362	25	22	359	195	164
Illegitimate Births -	40	6	7	41	20	21
Marriages - - -	84	-	-	-	-	-
Deaths - - -	158	5	10	163	78	85

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29·3	29·1	-
Marriage-rate - - - - -	6·8	-	-
Death-rate—All Causes - - - - -	12·8	13·2	12·1
Do. —Phthisis - - - - -	-	1·22	-
Do. —All Tuberculosis - - - - -	-	1·30	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·65	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—78.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	8	7	-	-	1	-	1	3	4	-	4	2	-	
Tuberculous Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	7	-	-	-	-	-	-	-	2	2	4	2	
Rheumatic Fever - - - - -	1	2	-	-	-	1	-	1	1	-	-	-	-	
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	8	7	-	-	-	-	1	2	1	2	1	3	5	
Bronchitis - - - - -	1	4	2	-	-	-	-	-	-	-	-	1	2	
Pneumonia (all forms) - - - - -	8	10	2	1	-	-	-	2	3	-	1	6	3	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	1	2	2	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	4	-	1	-	-	-	-	-	-	-	1	1	1	
Nephritis and Bright's Disease - - -	4	1	-	-	-	-	-	-	1	1	1	-	2	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	-	1	-	-	-	
Congenital Debility and Malformation, including Premature Birth	7	7	14	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Suicide - - - - -	1	1	-	-	-	-	-	1	-	-	-	1	-	
Other Defined Diseases - - - - -	25	29	4	-	1	-	1	3	2	6	5	8	24	
Diseases Ill-defined or Unknown - - -	2	2	1	-	-	-	-	-	1	-	1	1	-	
Total - - - - -	78	85	28	6	3	1	3	14	13	12	16	28	39	

YEAR 1920.

Population—Census 1921, - - - 8,819.
Do. Do. 1911, - - - 8,555.
Do. estimated to middle of 1920, 8,782.

COUNTY—Dumfries.

PUBLIC HEALTH DISTRICT— Dumfries (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	191	3	7	195	108	87
Illegitimate Births -	28	-	2	30	17	13
Marriages - - -	56	-	-	-	-	-
Deaths - - -	173	61	17	129	68	61

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21·7	22·2	-
Marriage-rate - - - - -	6·4	-	-
Death-rate—All Causes - - - - -	19·7	14·7	12·3
Do. —Phthisis - - - - -	-	0·68	-
Do. —All Tuberculosis - - - - -	-	1·02	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·46	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—133.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts--15·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	2	-	-	-	2	1	-	1	1	1	-	-	
Tuberculous Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	1	-	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	7	-	-	-	-	-	-	-	2	2	2	5	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	7	-	-	-	-	-	-	-	1	2	6	1	
Bronchitis - - - - -	3	2	1	-	-	-	-	-	-	-	1	2	1	
Pneumonia (all forms) - - - - -	9	8	2	3	2	-	1	2	1	1	4	1	-	
Other Diseases of Respiratory Organs - - - - -	2	1	-	-	-	-	-	-	-	1	1	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	3	-	-	-	-	-	1	-	-	2	-	-	
Other Diseases of Digestive System - - - - -	1	2	-	-	-	-	-	1	2	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	9	3	12	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	5	1	1	-	-	1	1	-	-	-	1	2	-	
Suicide - - - - -	1	1	-	-	-	-	-	-	1	1	-	-	-	
Other Defined Diseases - - - - -	17	16	5	-	-	-	2	2	1	1	6	8	8	
Diseases Ill-defined or Unknown - - - - -	4	1	2	-	-	-	-	-	-	-	1	-	2	
Total - - - - -	68	61	26	6	3	3	6	9	5	8	21	24	18	

YEAR 1920.

COUNTY—**Dumfries.**

PUBLIC HEALTH DISTRICT—**Langholm** (County District).

Population—Census 1921, - - - 3,070.
Do. Do. 1911, - - - 3,242.
Do. estimated to middle of 1920, 3,083.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Numbers.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	68	1	6	73	35	38
Illegitimate Births -	11	-	-	11	9	2
Marriages - - -	34	-	-	-	-	-
Deaths - - -	36	3	1	34	22	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.1	23.7	-
Marriage-rate - - - - -	11.0	-	-
Death-rate—All Causes - - - - -	11.7	11.0	9.3
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - - -	-	0.32	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.32	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—82.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	1	-	-	-	-	-	-	-	-	-	1	4	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	-	-	-	-	-	-	-	-	-	1	1	1	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	2	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	7	5	1	-	-	-	-	-	-	-	1	3	7	
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	-	-	1	-	1	
Total - - - - -	22	12	6	1	-	1	2	-	1	-	3	6	14	

YEAR 1920.

Population—Census 1921, - - - 8,409.

COUNTY—**Dumfries.**

Do. Do. 1911, - - - 8,545.

Do. estimated to middle of 1920, 8,412.

PUBLIC HEALTH DISTRICT—**Lockerbie** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	226	7	10	229	111	118
Illegitimate Births -	36	2	3	37	19	18
Marriages - - -	65	-	-	-	-	-
Deaths - - -	118	11	12	119	57	62

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26·9	27·2	-
Marriage-rate - - - - -	7·7	-	-
Death-rate—All Causes - - - - -	14·0	14·1	12·8
Do. —Phthisis - - - - -	-	0·83	-
Do. —All Tuberculosis - - - - -	-	1·31	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·24	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—61.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE.											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	5	2	-	-	-	2	3	1	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	2	-	-	1	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	-	-	-	-	1	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	7	15	-	-	-	-	1	1	1	4	7	5	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	9	-	-	-	-	-	-	-	3	4	8	-	
Bronchitis - - - - -	2	3	1	-	-	-	-	-	1	-	1	2	-	
Pneumonia (all forms) - - - - -	1	5	1	-	1	-	-	1	2	-	-	1	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	5	1	3	-	-	-	1	-	-	1	1	-	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	5	1	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	4	-	-	-	-	1	-	1	1	1	-	-	-	
Suicide - - - - -	2	-	-	-	-	-	-	1	-	1	-	-	-	
Other Defined Diseases - - - - -	14	21	1	-	-	3	-	1	1	5	3	21	-	
Diseases Ill-defined or Unknown -	1	1	-	-	-	1	-	-	-	1	-	-	-	
Total - - - - -	57	62	14	1	2	2	7	7	7	10	16	16	37	

YEAR 1920.

Population—Census 1921, - - - 12,698.
Do. Do. 1911, - - - 11,710.
Do. estimated to middle of 1920, 12,585.

COUNTY—Dumfries.

PUBLIC HEALTH DISTRICT---Thornhill (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	358	15	13	356	187	169
Illegitimate Births -	38	1	4	41	22	19
Marriages - - -	97	-	-	-	-	-
Deaths - - -	155	3	16	168	79	89

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28·4	28·3	-
Marriage-rate - - - - -	7·7	-	-
Death-rate—All Causes - - - - -	12·3	13·3	12·0
Do. —Phthisis - - - - -	-	0·95	-
Do. —All Tuberculosis - - - - -	-	1·11	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·64	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—81.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	1	1	-	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	7	5	-	-	1	-	4	3	2	1	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	2	-	-	-	-	1	-	-	-	-	1	-	
Cancer, Malignant Disease - - - - -	8	8	-	-	-	-	1	-	-	2	7	5	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	2	2	-	2	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	11	13	1	-	-	-	1	-	3	-	6	5	8	
Bronchitis - - - - -	5	8	2	-	-	-	-	-	-	1	1	6	3	
Pneumonia (all forms) - - - - -	3	5	3	-	-	-	-	-	-	-	4	-	1	
Other Diseases of Respiratory Organs -	1	1	-	-	-	-	-	-	1	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System -	-	2	1	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - -	1	2	-	-	-	-	1	-	-	-	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	7	3	10	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	3	1	-	-	-	-	2	-	1	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	23	32	4	-	-	-	-	-	4	1	3	12	31	
Diseases Ill-defined or Unknown -	1	1	1	-	-	-	-	-	-	-	1	-	-	
Total - - - - -	79	89	29	2	4	-	10	4	11	5	25	33	45	

YEAR 1920.

Population—Census 1921, - - - 3,146.
Do. Do. 1911, - - - 3,085.
Do. estimated to middle of 1920, 3,136.

COUNTY—Edinburgh (Midlothian).

PUBLIC HEALTH DISTRICT—Bonnyrigg (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	94	3	4	95	49	46
Illegitimate Births -	4	-	-	4	2	2
Marriages - - -	12	-	-	-	-	-
Deaths - - -	32	2	11	41	16	25

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	30.0	30.3	-
Marriage-rate - - - - -	3.8	-	-
Death-rate—All Causes - - - - -	10.2	13.1	12.9
Do. —Phthisis - - - - -	-	0.64	-
Do. —All Tuberculosis - - - - -	-	0.64	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.32	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—21.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	-	1	-	-	1	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	-	4	-	-	-	-	-	-	1	-	2	1	-
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Meningitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	-	2	-	-	-	-	-	-	-	-	1	1	-
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	-	2	-
Pneumonia (all forms) - - - - -	-	3	-	-	-	-	1	-	-	-	1	-	1
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System - - - - -	-	2	-	-	-	-	-	-	-	-	-	2	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	1	1	-	-	1	-	1	-	-	-	-	-
Suicide - - - - -	2	1	-	-	-	1	-	-	-	-	2	-	-
Other Defined Diseases - - - - -	6	7	-	-	1	-	-	1	1	2	3	5	-
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	16	25	2	-	3	-	3	3	3	3	8	10	6

YEAR 1920.

Population—Census 1921, - - - 7,238.

Do. Do. 1911, - - - 7,051.

COUNTY—**Edinburgh (Midlothian).**

Do. estimated to middle of 1920, 7,211.

PUBLIC HEALTH DISTRICT—**Dalkeith (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	170	3	23	190	92	98
Illegitimate Births -	9	1	4	12	8	4
Marriages - - -	60	-	-	-	-	-
Deaths - - -	101	12	27	116	57	59

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23·6	26·3	-
Marriage-rate - - - - -	8·3	-	-
Death-rate—All Causes - - - - -	14·0	16·1	15·4
Do. —Phthisis - - - - -	-	0·55	-
Do. —All Tuberculosis - - - - -	-	1·25	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·83	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—84.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	2	1	-	3	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	1	-	-	-	-	-	1	2	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Tuberculous Diseases - - - - -	2	2	-	-	-	-	1	-	1	-	2	-	-	
Cancer, Malignant Disease - - - - -	8	2	-	-	-	-	-	-	-	6	2	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	7	-	-	-	-	-	-	-	1	5	5	2	
Bronchitis - - - - -	4	8	4	-	-	-	-	-	-	-	2	3	3	
Pneumonia (all forms) - - - - -	6	4	1	5	-	-	1	-	-	1	2	-	-	
Other Diseases of Respiratory Organs - - - - -	1	4	-	2	-	-	-	-	-	-	1	-	2	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	-	-	-	-	1	-	-	1	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	6	7	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	4	-	1	1	3	1	-	-	-	-	2	-	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	14	14	2	1	-	-	-	-	1	2	-	4	18	
Diseases Ill-defined or Unknown - - - - -	2	2	-	-	-	-	-	-	1	1	-	1	1	
Total - - - - -	57	59	16	12	1	4	4	1	6	13	16	17	26	

YEAR 1920.

Population—Census 1921, - - - 311,760.

Do. Do. 1911, - - - 320,318.

Do. estimated to middle of 1920, 312,212.

COUNTY—**Edinburgh (Midlothian).**PUBLIC HEALTH DISTRICT—**Edinburgh (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	8352	1434	855	7773	3944	3829
Illegitimate Births -	889	291	46	644	335	309
Marriages - - -	4483	-	-	-	-	-
Deaths - - -	4931	977	488	4442	2129	2313

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26·8	24·9	-
Marriage-rate - - - - -	14·4	-	-
Death-rate—All Causes - - - - -	15·8	14·2	14·7
Do. —Phthisis - - - - -	-	0·92	-
Do. —All Tuberculosis - - - - -	-	1·34	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·59	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—89
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	1	-	-	-	-	1	-	1	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	23	19	13	25	3	-	1	-	-	-	-	-	-	
*Scarlet Fever - - - - -	4	9	1	3	6	1	1	1	-	-	-	-	-	
*Whooping-cough - - - - -	5	5	5	5	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	33	31	9	32	18	4	1	-	-	-	-	-	-	
Influenza - - - - -	5	14	-	1	-	-	1	2	1	2	4	3	5	
Erysipelas - - - - -	9	11	1	1	1	-	2	1	4	-	3	4	3	
Phthisis, Pulmonary Tuberculosis - - - - -	161	125	1	1	2	4	56	73	58	56	22	12	1	
Tuberculous Meningitis - - - - -	24	14	11	15	6	2	2	1	1	-	-	-	-	
Abdominal Tuberculosis - - - - -	13	17	1	9	2	2	3	1	4	5	3	-	-	
Other Tuberculous Diseases - - - - -	32	31	6	6	6	4	9	7	4	9	7	1	4	
Cancer, Malignant Disease - - - - -	194	277	-	-	-	1	5	14	37	86	137	135	56	
Rheumatic Fever - - - - -	5	5	-	-	1	1	2	3	-	1	1	-	1	
Meningitis - - - - -	12	17	16	2	2	1	-	1	3	3	-	1	-	
Organic Heart Disease - - - - -	237	281	1	-	1	1	12	20	31	62	110	155	125	
Bronchitis - - - - -	131	165	44	5	3	1	-	6	9	16	43	73	96	
Pneumonia (all forms) - - - - -	187	159	82	32	2	4	17	21	30	35	45	42	36	
Other Diseases of Respiratory Organs - - - - -	42	31	14	3	1	2	5	1	4	10	7	13	13	
*Diarrhœa and Enteritis (under 2 years) - - - - -	30	22	49	3	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	11	13	-	-	3	3	6	4	2	3	3	-	-	
All Liver Diseases (not Malignant) - - - - -	12	12	-	-	-	1	-	2	-	4	7	4	6	
Other Diseases of Digestive System - - - - -	72	77	22	6	8	1	6	2	11	23	20	25	25	
Nephritis and Bright's Disease - - - - -	61	62	2	3	2	-	4	5	14	27	28	29	9	
Puerperal Sepsis - - - - -	-	15	-	-	-	-	2	9	4	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	31	-	-	-	-	4	17	10	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	151	112	260	1	1	1	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	85	65	10	14	7	7	9	12	16	17	20	13	25	
Suicide - - - - -	22	5	-	-	-	-	2	4	5	6	5	4	1	
Other Defined Diseases - - - - -	557	667	139	20	3	7	25	31	57	113	187	271	371	
Diseases Ill-defined or Unknown - - - - -	10	20	1	2	-	-	-	1	1	2	6	12	5	
Total - - - - -	2129	2313	688	189	78	48	176	239	307	480	658	797	782	

YEAR 1920.

Population—Census 1921, - - - 913.
Do. Do. 1911, - - - 880.
Do. estimated to middle of 1920, 909.

COUNTY—**Edinburgh (Midlothian).**

PUBLIC HEALTH DISTRICT—**Lasswade (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	28	2	-	26	10	16
Illegitimate Births -	3	2	-	1	1	-
Marriages - - -	9	-	-	-	-	-
Deaths - - -	11	0	3	14	9	5

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	30·8	28·6	-
Marriage-rate - - - - -	9·9	-	-
Death-rate—All Causes - - - - -	12·1	15·4	15·8
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - - - -	-	1·10	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·10	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—38.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	-	1	-	1	
Bronchitis - - - - -	1	2	-	-	-	-	-	-	-	-	1	1	1	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Total - - - - -	9	5	1	2	-	-	2	-	-	-	3	1	5	

YEAR 1920.

COUNTY—**Edinburgh (Midlothian).**

PUBLIC HEALTH DISTRICT—**Leith (Burgh).**

Population—Census 1921, - - - 81,694.
Do. Do. 1911, - - - 80,488.
Do. estimated to middle of 1920, 81,476.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	2320	43	210	2487	1256	1231
Illegitimate Births -	114	6	38	146	76	70
Marriages - - -	762	-	-	-	-	-
Deaths - - -	973	24	269	1218	649	569

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28.5	30.5	-
Marriage-rate - - - - -	9.4	-	-
Death-rate—All Causes - - - - -	11.9	14.9	15.6
Do. —Phthisis - - - - -	-	1.14	-
Do. —All Tuberculosis - - - - -	-	1.73	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.58	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—101.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	5	5	2	7	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	4	-	-	2	2	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	6	4	-	7	3	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	2	-	1	-	-	-	-	-	1	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	50	43	1	2	3	4	27	15	21	15	3	1	1	
Tuberculous Meningitis - - - - -	15	4	4	8	5	1	-	1	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	5	12	1	6	1	3	2	3	-	-	1	-	-	
Other Tuberculous Diseases - - - - -	6	6	1	2	1	-	3	2	2	-	1	-	-	
Cancer, Malignant Disease - - - - -	45	64	-	-	1	-	-	3	8	16	38	27	16	
Rheumatic Fever - - - - -	2	2	-	-	2	1	1	-	-	-	-	-	-	
Meningitis - - - - -	3	12	5	5	1	1	2	-	1	-	-	-	-	
Organic Heart Disease - - - - -	80	58	2	-	2	4	4	6	4	17	26	46	27	
Bronchitis - - - - -	38	37	26	2	-	-	-	1	2	4	9	17	14	
Pneumonia (all forms) - - - - -	61	43	33	15	2	2	5	8	13	8	6	8	4	
Other Diseases of Respiratory Organs	10	8	-	1	-	-	1	-	5	3	1	3	4	
*Diarrhoea and Enteritis (under 2 years)	9	12	19	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	5	2	-	-	-	-	2	-	-	2	2	1	-	
All Liver Diseases (not Malignant) -	2	2	-	-	-	-	-	-	-	-	-	3	1	
Other Diseases of Digestive System	25	21	10	2	1	-	3	2	5	4	5	8	6	
Nephritis and Bright's Disease - -	24	17	1	-	1	-	1	2	6	10	8	8	4	
Puerperal Sepsis - - - - -	-	4	-	-	-	-	3	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	9	-	-	-	-	-	5	4	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	63	49	111	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	35	11	2	8	1	1	4	3	7	10	7	2	1	
Suicide - - - - -	4	2	-	-	-	-	-	2	3	-	-	-	1	
Other Defined Diseases - - - - -	139	135	28	7	1	2	6	6	26	32	39	56	71	
Diseases Ill-defined or Unknown -	10	6	2	-	-	-	-	-	1	2	5	4	2	
Total - - - - -	649	569	250	78	28	19	64	60	109	123	151	184	152	

YEAR 1920.

Population—Census 1921, - - - 3,441.
Do. Do. 1911, - - - 3,483.
Do. estimated to middle of 1920, 3,441.

COUNTY—Edinburgh (Midlothian).

PUBLIC HEALTH DISTRICT—Loanhead (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	113	5	3	111	57	54
Illegitimate Births -	5	1	-	4	1	3
Marriages - - -	42	-	-	-	-	-
Deaths - - -	27	1	3	29	14	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	32·8	32·3	-
Marriage-rate - - - - -	12·2	-	-
Death-rate—All Causes - - - - -	7·8	8·4	9·0
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - - - -	-	0·58	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—99.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	2	1	-	1	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	2	-	-	-	-	-	1	1	1	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	2	2	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	1	-	-	-	-	1	-	-	-	-	1	-	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Pneumonia (all forms) - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	2	2	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Defined Diseases - - - - -	3	3	-	-	1	-	-	-	1	1	1	1	2	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	14	15	11	2	2	-	-	3	2	3	2	2	2	

YEAR 1920.

Population—Census 1921, - - - 17,110.
Do. Do. 1911, - - - 15,938.
Do. estimated to middle of 1920, 16,974.

COUNTY—Edinburgh (Midlothian).

PUBLIC HEALTH DISTRICT—Musselburgh (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	573	7	27	593	318	275
Illegitimate Births - -	25	1	9	33	15	18
Marriages - - -	187	-	-	-	-	-
Deaths - - -	210	9	31	232	109	123

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	33·8	34·9	-
Marriage-rate - - - - -	11·0	-	-
Death-rate—All Causes - - - -	12·4	13·7	14·5
Do. —Phthisis - - - - -	-	1·12	-
Do. —All Tuberculosis - - - -	-	1·41	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·77	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—96.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	2	1	1	2	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - -	3	1	-	3	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	-	-	-	-	-	-	-	1	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	8	11	-	-	-	1	5	5	2	5	1	-	-	
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	2	-	1	-	-	-	-	-	1	1	-	-	
Cancer, Malignant Disease - - -	4	14	-	-	-	-	-	-	-	2	6	7	3	
Rheumatic Fever - - - - -	1	1	-	-	-	-	-	1	1	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Organic Heart Disease - - - -	13	19	-	1	-	-	1	1	-	5	7	10	7	
Bronchitis - - - - -	9	7	4	-	-	-	-	-	-	-	2	6	4	
Pneumonia (all forms) - - - -	15	12	13	3	1	1	3	-	3	1	2	-	-	
Other Diseases of Respiratory Organs	2	-	1	-	-	-	-	-	-	-	-	-	1	
Diarrhoea and Enteritis (under 2 years)	5	1	6	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	1	1	-	-	-	1	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	1	1	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System	2	6	3	1	-	-	-	1	-	-	-	2	1	
Nephritis and Bright's Disease - -	2	3	-	-	-	-	-	-	-	3	2	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	16	9	25	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	4	3	-	-	-	-	-	1	1	-	1	2	2	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	15	26	2	1	-	1	4	3	2	2	7	7	12	
Diseases Ill-defined or Unknown - -	2	2	1	-	-	-	-	-	-	-	-	1	2	
Total - - - - -	109	123	57	13	3	4	13	14	9	20	31	35	33	

YEAR 1920.

COUNTY—**Edinburgh (Midlothian).**

PUBLIC HEALTH DISTRICT—**Penicuik (Burgh).**

Population—Census 1921, - - - 2,673.
Do. Do. 1911, - - - 2,736.
Do. estimated to middle of 1920, 2,673.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	62	3	2	61	27	34
Illegitimate Births -	1	-	1	2	1	1
Marriages - - -	33	-	-	-	-	-
Deaths - - -	34	1	10	43	22	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23·2	22·8	-
Marriage-rate - - - - -	12·3	-	-
Death-rate—All Causes - - - - -	12·7	16·1	15·9
Do. —Phthisis - - - - -	-	0·75	-
Do. —All Tuberculosis - - - - -	-	1·49	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·75	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—49.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	-	1	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Cancer, Malignant Disease - - - - -	2	4	-	-	-	-	-	-	-	1	2	2	1	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	3	-	-	-	-	-	-	-	1	2	-	2	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	3	1	-	-	-	-	1	-	-	1	1	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	1	-	-	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	2	3	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	7	4	-	1	-	-	-	-	-	-	2	1	7	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	22	21	3	3	1	-	4	2	1	4	8	4	13	

YEAR 1920.

Population—Census 1921, - - - 19,327.
Do. Do. 1911, - - - 19,071.
Do. estimated to middle of 1920, 19,278.

COUNTY—Edinburgh (Midlothian).

PUBLIC HEALTH DISTRICT—Calder (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	551	19	31	563	316	247
Illegitimate Births -	33	2	10	41	25	16
Marriages - - -	148	-	-	-	-	-
Deaths - - -	164	4	59	219	121	98

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28·6	29·2	-
Marriage-rate - - - - -	7·7	-	-
Death-rate—All Causes - - - - -	8·5	11·4	11·9
Do. —Phthisis - - - - -	-	0·52	-
Do. —All Tuberculosis - - - - -	-	1·24	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·78	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—5·3.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	2	-	3	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	6	-	-	-	1	5	-	3	-	1	-	-	
Tuberculous Meningitis - - - - -	3	3	1	1	2	1	-	-	1	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	1	1	1	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	4	1	1	1	-	-	1	1	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	9	7	-	-	-	-	-	-	2	1	4	7	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	8	10	-	-	-	-	-	1	-	2	5	7	3	
Bronchitis - - - - -	7	4	2	1	-	-	-	-	-	1	3	4	-	
Pneumonia (all forms) - - - - -	13	4	-	1	-	-	2	1	2	3	1	4	3	
Other Diseases of Respiratory Organs - - - - -	3	3	1	1	-	1	-	-	-	1	-	1	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	5	4	9	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases of Digestive System - - - - -	7	1	2	2	-	-	2	-	-	1	1	-	-	
Nephritis and Bright's Disease - - - - -	5	5	-	-	-	-	2	-	3	2	2	1	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	2	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	7	3	9	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	10	3	1	1	1	-	-	2	3	1	1	3	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	29	32	2	-	-	3	3	4	1	3	7	14	24	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	1	-	-	-	-	1	
Total - - - - -	121	98	30	16	4	7	18	11	18	15	25	41	34	

YEAR 1920.

Population—Census 1921, - - - 7,153.
Do. Do. 1911, - - - 6,917.
COUNTY—**Edinburgh (Midlothian).** Do. estimated to middle of 1920, 7,121.

PUBLIC HEALTH DISTRICT—**Gala-Water** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	178	2	11	187	94	93
Illegitimate Births - -	9	-	2	11	4	7
Marriages - - -	55	-	-	-	-	-
Deaths - - -	65	1	11	75	48	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25·0	26·3	-
Marriage-rate - - - - -	7·7	-	-
Death-rate—All Causes - -	9·1	10·5	10·0
Do. —Phthisis - - - - -	-	0·42	-
Do. —All Tuberculosis - -	-	0·42	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·14	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—53.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	1	1	-	1	-	-	-	1	-	-	-	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	3	-	-	-	-	1	-	-	1	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	4	-	-	-	-	1	-	-	2	3	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	3	-	-	-	-	-	-	1	-	1	3	1	
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	2	
Pneumonia (all forms) - - - - -	1	1	-	-	-	-	-	-	-	1	-	-	1	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	-	-	-	-	-	-	-	-	1	-	-	1	
Nephritis and Bright's Disease - - - - -	4	1	-	-	-	-	-	-	2	-	-	1	2	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	5	3	8	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	7	1	-	-	-	1	1	2	-	1	1	1	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	15	9	-	-	-	-	-	1	1	1	1	6	14	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	2	-	-	
Total - - - - -	48	27	10	-	1	1	3	5	5	7	9	11	23	

YEAR 1920.

Population—Census 1921, - - - 23,975.

COUNTY—**Edinburgh (Midlothian).**

Do. Do. 1911, - - - 23,885.

Do. estimated to middle of 1920, 23,936.

PUBLIC HEALTH DISTRICT—**Lasswade (County District).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	683	27	35	691	370	321
Illegitimate Births -	35	2	8	41	19	22
Marriages - - -	125	-	-	-	-	-
Deaths - - -	267	52	46	261	145	116

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28.5	28.9	-
Marriage-rate - - - - -	5.2	-	-
Death-rate—All Causes - - - - -	11.2	10.9	11.0
Do. —Phthisis - - - - -	-	0.42	-
Do. —All Tuberculosis - - - - -	-	0.63	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.42	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—7.2.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	3	-	3	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	1	-	-	-	1	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	7	3	-	-	-	1	2	4	-	3	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	3	1	-	1	1	1	-	-	-	-	1	-	-	
Cancer, Malignant Disease - - - - -	13	12	-	-	-	-	1	1	-	5	6	9	3	
Rheumatic Fever - - - - -	2	-	-	-	-	1	1	-	-	-	-	-	-	
Meningitis - - - - -	4	2	3	2	-	-	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	14	14	-	-	-	-	-	1	3	-	8	10	6	
Bronchitis - - - - -	9	2	3	-	-	1	-	-	-	-	2	3	2	
Pneumonia (all forms) - - - - -	12	9	8	5	1	-	1	-	2	1	1	1	1	
Other Diseases of Respiratory Organs - - - - -	3	2	1	1	-	-	-	1	-	-	-	1	1	
*Diarrhœa and Enteritis (under 2 years) - - - - -	3	1	4	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	2	-	-	-	-	-	-	1	-	-	-	1	
Other Diseases of Digestive System - - - - -	4	7	-	1	1	3	-	-	-	-	4	1	1	
Nephritis and Bright's Disease - - - - -	1	2	-	-	-	-	1	-	-	1	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	1	2	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	10	11	21	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	18	2	-	1	1	3	3	1	2	3	4	1	1	
Suicide - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Defined Diseases - - - - -	37	35	7	1	1	2	1	4	2	4	10	15	25	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Total - - - - -	145	116	50	16	7	12	14	15	10	17	38	41	41	

YEAR 1920.

Population—Census 1921, - - - 27,948.
Do. Do. 1911, - - - 23,814.
Do. estimated to middle of 1920, 27,509.

COUNTY—Edinburgh (Midlothian).

PUBLIC HEALTH DISTRICT—Suburban (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	580	65	69	584	315	269
Illegitimate Births -	58	35	13	36	18	18
Marriages - - -	133	-	-	-	-	-
Deaths - - -	595	364	57	288	133	155

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.1	21.2	-
Marriage-rate - - - - -	4.8	-	-
Death-rate—All Causes - - - - -	21.6	10.5	10.4
Do. —Phthisis - - - - -	-	0.51	-
Do. —All Tuberculosis - - - - -	-	0.80	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.40	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—77.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	3	-	1	1	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	2	-	-	1	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	4	2	1	3	1	1	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	1	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	6	8	-	-	1	-	3	1	2	5	2	-	-	
Tuberculous Meningitis - - - - -	3	-	1	1	-	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	3	-	-	-	-	1	2	-	1	1	-	-	
Cancer, Malignant Disease - - - - -	10	16	-	-	-	-	-	-	-	2	9	12	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	2	-	-	1	-	1	-	-	1	1	-	-	
Organic Heart Disease - - - - -	15	22	-	-	-	-	1	-	3	3	6	11	13	
Bronchitis - - - - -	8	10	5	-	-	-	-	-	-	-	1	4	8	
Pneumonia (all forms) - - - - -	4	9	3	1	-	-	-	-	3	1	1	1	3	
Other Diseases of Respiratory Organs - - - - -	1	4	-	-	-	-	-	-	1	-	1	1	2	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	-	-	1	-	-	1	-	-	
All Liver Diseases (not Malignant) - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2	
Other Diseases of Digestive System - - - - -	7	6	1	1	-	-	-	1	2	-	1	4	3	
Nephritis and Bright's Disease - - - - -	5	3	-	-	-	-	-	1	1	-	2	3	1	
Puerperal Sepsis - - - - -	-	4	-	-	-	-	-	4	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	14	10	24	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	8	5	2	1	1	1	-	-	1	2	4	1	-	
Suicide - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - - - -	36	42	5	-	3	1	3	1	5	5	8	18	29	
Diseases Ill-defined or Unknown - - - - -	-	2	-	-	-	-	-	-	-	-	1	-	1	
Total - - - - -	133	155	45	9	9	3	10	13	19	20	39	56	65	

YEAR 1920.

Population—Census 1921, - - - 1,387.

COUNTY—**Elgin (Moray).**

Do. Do. 1911, - - - 1,595.

PUBLIC HEALTH DISTRICT—**Burghead (Burgh).**

Do. estimated to middle of 1920, 1,405.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	46	2	1	45	21	24
Illegitimate Births -	3	-	1	4	2	2
Marriages - - -	1	-	-	-	-	-
Deaths - - -	17	0	2	19	11	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	32.7	32.0	-
Marriage-rate - - - - -	0.7	-	-
Death-rate—All Causes - - - - -	12.1	13.5	12.3
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.42	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—67.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	1	-	-	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	5	4	1	-	-	-	-	-	-	-	1	1	6
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	11	8	3	-	1	-	-	-	1	-	3	4	7

YEAR 1920.

Population—Census 1921, - - - 7,776.
Do. Do. 1911, - - - 8,656.
Do. estimated to middle of 1920, 7,852.

COUNTY—**Elgin (Moray).**

PUBLIC HEALTH DISTRICT—**Elgin (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	223	12	5	216	109	107
Illegitimate Births -	48	7	2	43	23	20
Marriages - - -	169	-	-	-	-	-
Deaths - - -	153	30	16	139	61	78

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28.4	27.5	-
Marriage-rate - - - - -	21.5	-	-
Death-rate—All Causes - - - - -	19.5	17.7	15.4
Do. —Phthisis - - - - -	-	1.27	-
Do. —All Tuberculosis - - - - -	-	1.40	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.02	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—116.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—19.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	4	-	3	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Erysipelas - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	7	3	-	-	1	-	1	3	1	1	3	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	12	-	-	-	-	-	-	2	-	3	3	6	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	2	-	-	-	1	-	-	-	1	-	-	-	
Organic Heart Disease - - - - -	9	8	-	-	-	-	-	-	-	1	4	6	6	
Bronchitis - - - - -	2	5	2	-	-	-	-	-	-	-	-	2	3	
Pneumonia (all forms) - - - - -	4	5	2	1	-	-	-	1	-	2	-	1	2	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	5	5	2	-	1	-	1	-	-	1	2	1	2	
Nephritis and Bright's Disease - - - - -	2	1	-	-	-	-	-	-	-	-	1	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	4	7	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	1	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	15	26	3	-	-	-	2	3	2	4	3	11	13	
Diseases Ill-defined or Unknown - - - - -	4	1	1	-	-	-	-	-	-	-	-	-	4	
Total - - - - -	61	78	25	2	3	1	4	7	6	10	18	25	38	

YEAR 1920.

Population—Census 1921, - - - 4,116.

Do. Do. 1911. - - - 4,421.

Do. estimated to middle of 1920, 4,141.

COUNTY—**Elgin (Moray).**PUBLIC HEALTH DISTRICT—**Forres (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	105	11	8	102	55	47
Illegitimate Births -	18	5	3	16	9	7
Marriages - - -	39	-	-	-	-	-
Deaths - - -	58	0	11	69	38	36

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25.4	24.6	-
Marriage-rate - - - - -	9.4	-	-
Death-rate—All Causes - - - - -	14.0	16.7	13.9
Do. —Phthisis - - - - -	-	0.72	-
Do. —All Tuberculosis - - - - -	-	0.72	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.48	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—88.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	2	-	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	5	-	-	-	-	-	-	2	3	2	3	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	9	-	-	-	-	-	-	1	2	4	3	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	2	1	-	1	-	2	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	2	1	-	-	-	-	-	1	1	-	-	-	
Nephritis and Bright's Disease - - - - -	3	1	-	-	-	1	-	-	-	2	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	2	3	4	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	2	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	11	12	2	-	-	-	-	1	2	1	4	13	-	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-	
Total - - - - -	33	36	9	3	-	-	7	-	1	7	9	12	21	

YEAR 1920.

COUNTY—**Elgin (Moray).**

PUBLIC HEALTH DISTRICT—**Grantown-on-Spey (Burgh).**

Population—Census 1921, - - - 1,622.
Do. Do. 1911, - - - 1,451.
Do. estimated to middle of 1920, 1,603.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	34	1	5	38	15	23
Illegitimate Births -	4	-	5	9	3	6
Marriages - - -	16	-	-	-	-	-
Deaths - - -	19	0	3	22	12	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	21·2	23·7	-
Marriage-rate - - -	10·0	-	-
Death-rate—All Causes - - -	11·9	13·7	12·5
Do. —Phthisis - - -	-	0·62	-
Do. —All Tuberculosis - - -	-	0·62	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—53.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—23·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	2	2	-	-	-	-	-	-	-	-	1	1	2	
Rheumatic Fever - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Meningitis - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Organic Heart Disease - - -	-	3	-	-	-	-	-	-	-	-	1	-	2	
Bronchitis - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - -	2	-	-	-	-	-	-	-	-	-	-	1	1	
Other Diseases of Respiratory Organs - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	2	-	-	-	-	1	-	1	-	-	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	4	-	-	-	-	-	1	-	-	-	2	-	1	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - -	12	10	2	-	1	1	2	1	-	1	5	2	7	

YEAR 1920.

Population—Census 1921, - - - 4,166.

COUNTY—**Elgin (Moray).**

Do. Do. 1911, - - - 4,207

Do. estimated to middle of 1920, 4,165.

PUBLIC HEALTH DISTRICT—**Lossiemouth (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	158	5	3	156	80	76
Illegitimate Births -	10	1	1	10	5	5
Marriages - - -	18	-	-	-	-	-
Deaths - - -	49	0	13	62	35	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	37.9	37.5	-
Marriage-rate - - - - -	4.3	-	-
Death-rate—All Causes - - - - -	11.8	14.9	14.3
Do. —Phthisis - - - - -	-	0.72	-
Do. —All Tuberculosis - - - - -	-	1.68	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.72	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—64.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	1	-	-	-	1	-	1	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	2	-	-	1	2	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	3	-	-	-	-	-	-	-	1	1	3	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	3	1	-	-	-	-	-	-	-	1	2	1	-	
Bronchitis - - - - -	3	2	-	-	-	-	-	-	-	-	2	3	-	
Pneumonia (all forms) - - - - -	1	1	1	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	2	1	-	-	-	-	1	-	2	-	-	-	-	
Nephritis and Bright's Disease - - -	2	-	-	-	-	-	-	-	1	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	5	1	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	2	1	-	-	1	-	-	-	2	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	10	1	-	-	-	1	-	1	-	2	6	7	
Diseases Ill-defined or Unknown - - -	2	-	-	-	-	-	-	-	-	-	1	1	-	
Total - - - - -	35	27	10	2	3	2	2	1	5	4	7	14	12	

YEAR 1920.

Population—Census 1921, - - - 1,265.
Do. Do. 1911, - - - 1,350.
Do. estimated to middle of 1920, 1,271.

COUNTY—**Elgin (Moray).**

PUBLIC HEALTH DISTRICT—**Rothés (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	53	-	2	55	35	20
Illegitimate Births -	11	-	1	12	6	6
Marriages - - -	10	-	-	-	-	-
Deaths - - -	15	0	1	16	10	6

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	41·7	43·3	-
Marriage-rate - - -	7·9	-	-
Death-rate—All Causes - - -	11·8	12·6	10·0
Do. —Phthisis - - -	-	0·79	-
Do. —All Tuberculosis - - -	-	1·57	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·36	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—91.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—21·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	1	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Bronchitis - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - -	1	1	1	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Respiratory Organs - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	1	1	1	-	-	-	-	-	-	-	1	-	-	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - -	10	6	5	1	1	-	-	-	-	1	2	3	3	

YEAR 1920.

Population—Census 1921, - - - 21,229.

Do. Do. 1911, - - - 21,747.

Do. estimated to middle of 1920, 21,255.

COUNTY—**Elgin (Moray).**PUBLIC HEALTH DISTRICT—**Elgin (Moray)** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	522	27	28	523	248	275
Illegitimate Births -	72	11	19	80	40	40
Marriages - - -	89	-	-	-	-	-
Deaths - - -	264	33	24	255	116	139

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.6	24.6	-
Marriage-rate - - - - -	4.2	-	-
Death-rate—All Causes - - - - -	12.4	12.0	10.3
Do. —Phthisis - - - - -	-	0.61	-
Do. —All Tuberculosis - - - - -	-	1.04	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.47	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—69.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	2	1	1	1	-	1	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	2	-	-	1	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	1	-	-	-	-	-	-	-	1	-	-	1	
Phthisis, Pulmonary Tuberculosis - -	5	8	-	-	-	-	3	5	2	1	1	1	-	
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	1	-	1	-	-	1	-	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	4	1	-	-	-	-	1	1	1	1	-	1	-	
Cancer, Malignant Disease - - - - -	8	11	-	-	-	-	-	1	-	3	7	4	4	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	3	1	2	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	13	18	-	-	-	-	-	-	-	2	7	11	11	
Bronchitis - - - - -	4	8	2	-	-	-	-	-	2	-	2	2	4	
Pneumonia (all forms) - - - - -	9	8	3	-	-	1	-	2	1	1	1	4	4	
Other Diseases of Respiratory Organs -	3	6	-	-	-	-	1	-	-	2	1	1	4	
*Diarrhoea and Enteritis (under 2 years)	3	-	3	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	2	-	-	-	-	-	-	-	-	1	-	1	
Other Diseases of Digestive System -	6	5	1	-	-	-	1	2	-	2	1	2	2	
Nephritis and Bright's Disease - -	1	4	-	-	-	-	-	-	1	1	2	1	-	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	10	9	19	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	6	-	-	-	-	-	2	-	1	2	-	-	1	
Suicide - - - - -	2	-	-	-	-	-	-	2	-	-	-	-	-	
Other Defined Diseases - - - - -	32	47	5	1	1	-	2	2	1	4	10	18	35	
Diseases Ill-defined or Unknown -	1	2	-	-	-	-	-	-	-	1	-	2	-	
Total - - - - -	116	139	36	8	3	2	11	17	10	21	33	47	67	

YEAR 1920.

COUNTY—**Fife.**

PUBLIC HEALTH DISTRICT—**Anstruther-Easter** (Burgh).

Population—Census 1921, - - - 1,011.
Do. Do. 1911, - - - 1,147.
Do. estimated to middle of 1920, 1,023.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	13	-	-	14	10	4
Illegitimate Births -	-	-	-	-	-	-
Marriages - - -	5	-	-	-	-	-
Deaths - - -	13	1	0	12	7	5

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12·7	13·7	-
Marriage-rate - - - - -	4·9	-	-
Death-rate—All Causes - - - - -	12·7	11·7	11·0
Do. —Phthisis - - - - -	-	0·98	-
Do. —All Tuberculosis - - - - -	-	0·98	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·98	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—71.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	-	-	-	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	3	-	-	-	1	-	-	-	-	-	-	2	
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	2	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	7	5	1	-	-	-	1	-	-	-	1	2	7	

YEAR 1920.

Population—Census 1921, - - - 577.

COUNTY—Fife.

Do. Do. 1911, - - - 552.

Do. estimated to middle of 1920, 574.

PUBLIC HEALTH DISTRICT—Anstruther-Wester (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	9	1	2	10	5	5
Illegitimate Births -	-	-	-	-	-	-
Marriages - - -	1	-	-	-	-	-
Deaths - - -	8	0	1	9	6	3

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15·7	17·4	-
Marriage-rate - - - - -	1·7	-	-
Death-rate—All Causes - - - - -	13·9	15·7	13·2
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - - - -	-	0·00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	6	3	-	1	-	-	-	-	1	-	1	3	3	

YEAR 1920.
COUNTY—**Fife.**
PUBLIC HEALTH DISTRICT—**Auchtermuchty** (Burgh).

Population—Census 1921, - - - 1,250.
Do. Do. 1911, - - - 1,396.
Do. estimated to middle of 1920, 1,262.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	20	3	3	20	9	11
Illegitimate Births -	3	-	1	4	2	2
Marriages - - -	17	-	-	-	-	-
Deaths - - -	25	5	2	22	9	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	15·8	15·8	-
Marriage-rate - - -	13·5	-	-
Death-rate—All Causes - - -	19·8	17·4	12·4
Do. —Phthisis - - -	-	0·79	-
Do. —All Tuberculosis - - -	-	1·58	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), **corrected**—50.
Illegitimate Rate (Illegitimate Births per 100 Total Births), **corrected** for Transcripts—20·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	2	-	-	-	-	-	-	-	1	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	2	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	6	-	-	-	-	-	-	-	-	3	1	5	
Diseases Ill-defined or Unknown - - - - -	2	3	-	1	-	-	-	-	-	-	-	1	3	
Total - - - - -	9	13	1	2	-	1	1	-	-	1	4	2	10	

YEAR 1920.

Population—Census 1921, - - - 16,232.

COUNTY—**Fife.**

Do. Do. 1911, - - - 15,149.

Do. estimated to middle of 1920, 16,106.

PUBLIC HEALTH DISTRICT **Buckhaven, Methil, & Innerleven** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	560	15	20	565	276	289
Illegitimate Births -	19	2	6	23	9	14
Marriages - - -	168	-	-	-	-	-
Deaths - - -	219	19	31	231	139	92

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	34·8	35·1	-
Marriage-rate - - - - -	10·4	-	-
Death-rate—All Causes - - - - -	13·6	14·3	15·9
Do. —Phthisis - - - - -	-	0·68	-
Do. —All Tuberculosis - - - - -	-	0·93	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·87	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—108.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	3	-	1	-	1	-	1	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	5	1	1	-	-	1	1	-	-	-	1	1	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	6	5	-	-	-	-	6	-	3	2	-	-	-	
Tuberculous Meningitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	1	-	1	-	-	2	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	5	-	-	-	-	-	-	1	1	3	2	2	
Rheumatic Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	11	7	-	-	1	-	1	1	2	2	7	-	4	
Bronchitis - - - - -	3	5	1	-	-	-	-	-	-	1	-	3	3	
Pneumonia (all forms) - - - - -	22	9	7	6	-	-	3	3	2	3	2	3	2	
Other Diseases of Respiratory Organs - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	4	2	6	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	1	-	-	1	-	-	-	-	-	1	1	-	
All Liver Diseases (not Malignant) - - - - -	2	1	-	-	-	-	-	1	-	-	2	-	-	
Other Diseases of Digestive System - - - - -	2	3	2	-	1	-	1	-	-	-	-	-	1	
Nephritis and Bright's Disease - - - - -	4	6	-	-	-	1	-	-	-	2	5	1	1	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	25	11	36	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	9	1	-	1	-	-	2	5	1	-	1	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - - - -	25	26	3	-	-	-	-	3	1	5	7	11	21	
Diseases Ill-defined or Unknown - - - - -	3	-	1	-	-	-	-	-	-	2	-	-	-	
Total - - - - -	139	92	61	11	6	2	18	17	11	18	30	22	35	

YEAR 1920.

Population—Census 1921, - - - 5,707.
Do. Do. 1911, - - - 4,921.
Do. estimated to middle of 1920, 5,623.

COUNTY—Fife.

PUBLIC HEALTH DISTRICT—Burntisland (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	122	3	5	124	70	54
Illegitimate Births -	8	2	-	6	1	5
Marriages - - -	34	-	-	-	-	-
Deaths - - -	38	1	13	50	21	29

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21·7	22·1	-
Marriage-rate - - - - -	6·0	-	-
Death-rate—All Causes - - - - -	6·8	8·9	8·8
Do. —Phthisis - - - - -	-	0·18	-
Do. —All Tuberculosis - - - - -	-	0·53	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—16.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	2	-	-	-	-	-	-	1	-	1	-	-	
Cancer, Malignant Disease - - - - -	3	6	-	-	-	-	-	-	-	1	4	4	-	
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	3	-	-	-	-	-	1	-	2	4	1	-	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	-	-	-	1	-	-	2	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	11	1	-	-	-	-	-	1	-	-	3	11	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	21	29	2	2	-	-	2	4	2	3	13	10	12	

YEAR 1920.

Population—Census 1921, - - - 14,215.
Do. Do. 1911, - - - 14,029.
Do. estimated to middle of 1920, 14,180.

COUNTY—Fife.

PUBLIC HEALTH DISTRICT—Cowdenbeath (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	464	10	24	478	251	227
Illegitimate Births -	25	-	8	33	20	13
Marriages - - -	115	-	-	-	-	-
Deaths - - -	141	6	31	166	85	81

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	32·7	33·7	-
Marriage-rate - - - - -	8·1	-	-
Death-rate—All Causes - - - - -	9·9	11·7	13·0
Do. —Phthisis - - - - -	-	1·06	-
Do. —All Tuberculosis - - - - -	-	1·55	-
Do —Principal Epidemic Diseases (those asterisked below.)	-	1·06	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—96.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	2	1	1	1	1	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	6	2	7	1	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	8	7	-	-	-	-	3	5	2	2	3	-	-	
Tuberculous Meningitis - - - - -	-	2	-	1	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	2	-	-	-	1	1	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	-	-	-	1	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	4	9	-	-	-	-	-	-	-	4	5	3	1	
Rheumatic Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	3	-	-	-	-	-	-	1	2	2	3	1	
Bronchitis - - - - -	7	5	4	-	-	-	-	-	-	1	2	3	2	
Pneumonia (all forms) - - - - -	10	14	11	3	-	-	1	3	2	1	-	2	1	
Other Diseases of Respiratory Organs - - - - -	3	-	-	-	-	-	1	-	-	-	2	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System - - - - -	1	3	1	2	-	-	-	-	1	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2	1	-	-	-	-	-	-	2	-	1	-	-	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	4	-	-	-	-	2	-	1	1	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	13	3	16	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	7	1	-	1	-	-	1	3	1	1	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	11	15	3	1	-	1	1	-	1	2	5	6	6	
Diseases Ill-defined or Unknown - - - - -	-	3	-	1	-	-	-	-	1	-	1	-	-	
Total - - - - -	85	81	46	12	4	2	10	13	13	16	22	17	11	

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	34	5	1	30	12	18
Illegitimate Births -	2	-	1	3	1	2
Marriages - - -	6	-	-	-	-	-
Deaths - - -	18	0	5	23	9	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23·9	21·1	-
Marriage-rate - - - - -	4·2	-	-
Death-rate—All Causes - - - - -	12·7	16·2	12·9
Do. —Phthisis - - - - -	-	0·70	-
Do. —All Tuberculosis - - - - -	-	0·70	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—133.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE.											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	3	-	-	-	-	-	-	-	1	-	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	-	-	2	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	2	-	-	-	-	-	-	-	1	-	-	1	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	1	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	6	-	-	-	-	-	-	1	1	-	2	4	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	9	14	4	-	1	-	-	1	1	3	-	6	7	

YEAR 1920.

COUNTY—**Fife.**

PUBLIC HEALTH DISTRICT—**Culross** (Burgh).

Population—Census 1921, - - - 508.
Do. Do. 1911, - - - 456.
Do. estimated to middle of 1920, 502.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	9	1	-	8	3	5
Illegitimate Births -	-	-	-	-	-	-
Marriages - - -	5	-	-	-	-	-
Deaths - - -	8	0	3	11	7	4

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.9	15.9	-
Marriage-rate - - - - -	10.0	-	-
Death-rate—All Causes - - - - -	15.9	21.9	15.1
Do. —Phthisis - - - - -	-	1.99	-
Do. —All Tuberculosis - - - - -	-	1.99	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	2	-	1	-	-	-	-	-	1	-	-	3	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	7	4	-	1	-	-	-	-	1	1	1	1	6	

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	85	7	8	86	51	35
Illegitimate Births -	5	1	5	9	5	4
Marriages - - -	39	-	-	-	-	-
Deaths - - -	61	5	13	69	38	31

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20·4	20·7	-
Marriage-rate - - - - -	9·4	-	-
Death-rate—All Causes - - - - -	14·7	16·6	13·1
Do. —Phthisis - - - - -	-	0·96	-
Do. —All Tuberculosis - - - - -	-	0·96	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·48	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—116.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	2	-	-	1	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	2	-	-	-	-	1	1	-	1	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	3	-	-	-	-	-	1	-	-	1	4	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	9	5	-	-	-	-	-	1	-	-	1	6	6	
Bronchitis - - - - -	1	2	1	-	-	-	-	-	-	-	-	2	-	
Pneumonia (all forms) - - - - -	1	3	-	-	-	-	-	1	-	-	1	1	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	2	-	-	-	-	-	-	-	-	-	1	2	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	6	1	7	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	3	-	-	1	-	1	-	-	-	-	-	2	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	6	-	-	-	-	-	-	1	-	2	6	5	
Diseases Ill-defined or Unknown - - - - -	2	1	1	-	-	-	-	-	-	-	1	-	1	
Total - - - - -	38	31	10	1	2	-	4	5	1	1	7	20	18	

YEAR 1920.

Population—Census 1921, - - - 39,886.

COUNTY—**Fife.**

Do. Do. 1911, - - - 29,213.

Do. estimated to middle of 1920, 38,793.

PUBLIC HEALTH DISTRICT—**Dunfermline** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1060	25	41	1076	573	503
Illegitimate Births -	40	8	10	42	24	18
Marriages - - -	438	-	-	-	-	-
Deaths - - -	520	92	28	456	222	234

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	27·3	27·7	-
Marriage-rate - - - - -	11·3	-	-
Death-rate—All Causes - - - - -	13·4	11·8	12·1
Do. —Phthisis - - - - -	-	0·70	-
Do. —All Tuberculosis - - - - -	-	1·01	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·75	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—67.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	5	5	4	6	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	3	8	-	3	7	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	11	16	-	-	-	2	8	4	8	4	1	-	-	
Tuberculous Meningitis - - - - -	2	4	-	4	1	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	2	1	1	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	2	-	-	-	1	-	-	-	1	1	-	-	
Cancer, Malignant Disease - - - - -	15	29	-	-	-	-	-	2	2	9	12	8	11	
Rheumatic Fever - - - - -	-	2	-	-	1	-	-	-	-	-	1	-	-	
Meningitis - - - - -	4	4	1	4	-	2	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	19	29	-	-	-	-	1	3	4	4	10	15	11	
Bronchitis - - - - -	12	14	6	2	-	-	-	-	-	4	3	4	7	
Pneumonia (all forms) - - - - -	29	10	10	9	-	-	2	1	5	-	5	3	4	
Other Diseases of Respiratory Organs - - - - -	6	-	-	-	-	-	-	-	2	1	2	1	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	4	2	6	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	3	-	-	-	-	-	1	-	-	2	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System - - - - -	5	11	-	3	1	-	2	1	1	-	4	3	1	
Nephritis and Bright's Disease - - - - -	5	4	-	-	-	1	-	1	1	3	2	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	5	-	-	-	-	-	3	2	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	28	9	37	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	18+	5	-	2	3	-	4	1	2	4	-	4	2	
Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Defined Diseases - - - - -	48	67	6	-	-	2	6	5	3	10	9	30	44	
Diseases Ill-defined or Unknown - - - - -	3	2	1	-	-	-	-	-	-	-	-	2	2	
Total - - - - -	222+	234	72	35	14	11	24	23	30	40	52	72	82	

† Including 1 of unstated age.

YEAR 1920.

COUNTY—**Fife.**

PUBLIC HEALTH DISTRICT—**Dysart** (Burgh).

Population—Census 1921, - - - 4,598.
Do. Do. 1911, - - - 4,197.
Do. estimated to middle of 1920, 4,553.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	141	7	1	135	64	71
Illegitimate Births -	5	-	-	5	3	2
Marriages - - -	49	-	-	-	-	-
Deaths - - - -	35	0	11	46	22	24

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - -	31·0	29·7	-
Marriage-rate - - -	10·8	-	-
Death-rate—All Causes - - -	7·7	10·1	9·9
Do. —Phthisis - - - -	-	0·22	-
Do. —All Tuberculosis - - -	-	0·22	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·44	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—67.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup -	-	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	-	1	-	-	-
Tuberculous Meningitis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease -	-	1	-	-	-	-	-	-	-	1	-	-	-
Rheumatic Fever - - -	-	2	-	-	1	-	-	-	-	-	-	1	-
Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease -	2	3	-	-	-	-	-	-	-	-	2	2	1
Bronchitis - - - -	2	-	1	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) -	4	3	2	-	2	-	2	1	-	-	-	-	-
Other Diseases of Respiratory Organs -	1	-	-	-	-	-	-	-	-	-	-	-	1
*Diarrhoea and Enteritis (under 2 years)	-	1	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System -	1	1	-	1	-	1	-	-	-	-	-	-	-
Nephritis and Bright's Disease -	-	2	-	-	-	-	-	-	-	-	1	-	1
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth	2	4	5	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	1	-	-	-	1	-	1	-	1	-	1	-
Suicide - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases -	6	5	1	-	-	-	-	-	1	2	-	2	5
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - -	22	24	9	4	3	2	2	2	1	5	3	6	9

YEAR 1920.

Population—Census 1921, - - - 745.

COUNTY—**Fife.**

Do. Do. 1911, - - - 322.

Do. estimated to middle of 1920, 306.‡

PUBLIC HEALTH DISTRICT—**Earlsferry** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1	-	-	1	1	-
Illegitimate Births -	-	-	-	-	-	-
Marriages - - -	1	-	-	-	-	-
Deaths - - -	7	0	1	8	3	5

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	3·3	3·3	-
Marriage-rate - - - - -	3·3	-	-
Death-rate—All Causes - - - - -	22·9	26·1	22·4
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - - - -	-	0·00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	3	-	-	-	-	-	-	-	1	1	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	-	3	-	-	-	-	-	-	-	-	-	1	2	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	3	5	-	-	-	-	-	-	-	1	2	1	4	

‡ See footnote, Table 5.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	7	-	-	7	3	4
Illegitimate Births -	-	-	-	-	-	-
Marriages - - -	2	-	-	-	-	-
Deaths - - -	4	0	1	5	1	4

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected,	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	10·7	10·7	-
Marriage-rate - - - - -	3·1	-	-
Death-rate—All Causes - - - - -	6·1	7·7	6·3
Do. —Phthisis - - - - -	-	1·53	-
Do. —All Tuberculosis - - - - -	-	1·53	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	2	-	-	-	-	-	-	-	-	-	1	2
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	1	4	-	-	-	-	-	-	-	1	1	1	2

‡ See footnote, Table 5.

YEAR 1920.

Population—Census 1921, - - - 781.

COUNTY—**Fife.**

Do. Do. 1911, - - - 830.

Do. estimated to middle of 1920, 785.

PUBLIC HEALTH DISTRICT—**Falkland** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	15	-	1	16	9	7
Illegitimate Births - -	-	-	-	-	-	-
Marriages - - -	6	-	-	-	-	-
Deaths - - -	12	0	1	13	6	7

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.1	20.4	-
Marriage-rate - - - - -	7.6	-	-
Death-rate—All Causes - - -	15.3	16.6	12.5
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	1	1	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	2	-	-	-	1	-	-	-	-	1	-	-	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	-	-	-	-	-	-	-	-	1	1	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	4	-	-	-	-	-	-	1	-	-	1	4	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	6	7	-	-	-	-	1	-	1	1	3	3	4	

YEAR 1920.

COUNTY—Fife.

PUBLIC HEALTH DISTRICT—Inverkeithing (Burgh).

Population—Census 1921, - - - 3,350.
Do. Do. 1911, - - - 3,291.
Do. estimated to middle of 1920, 3,340.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	99	3	1	97	52	45
Illegitimate Births - -	3	-	1	4	1	3
Marriages - - -	15	-	-	-	-	-
Deaths - - -	25	1	18	42	27	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29·6	29·0	-
Marriage-rate - - - - -	4·5	-	-
Death-rate—All Causes - - - - -	7·5	12·6	12·7
Do. —Phthisis - - - - -	-	1·80	-
Do. —All Tuberculosis - - - - -	-	2·10	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·90	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—72
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	2	-	-	-	-	-	1	-	2	2	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	1	-	-	-	-	-	-	-	2	-	1	-	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	-	-	-	-	-	-	-	-	-	2	-	1	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	3	-	1	-	-	-	-	-	-	1	1	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	1	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	1	-	1	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	7	-	-	-	1	-	-	1	1	1	4	2	
Diseases Ill-defined or Unknown - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	27	15	7	1	-	2	3	3	2	6	7	7	4	

YEAR 1920.

Population—Census 1921, - - - 2,053.

COUNTY—**Fife**.

Do. Do. 1911, - - - 2,557.

Do. estimated to middle of 1920, 2,099.

PUBLIC HEALTH DISTRICT—**Kilrenny** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	50	4	2	48	22	26
Illegitimate Births -	1	-	-	1	1	-
Marriages - - -	20	-	-	-	-	-
Deaths - - -	23	1	1	23	13	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23·8	22·9	-
Marriage-rate - - - - -	9·5	-	-
Death-rate—All Causes - - - - -	11·0	11·0	10·0
Do. —Phthisis - - - - -	-	0·48	-
Do. —All Tuberculosis - - - - -	-	1·43	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—21.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	1	1	-	1	-	-	-	-	1	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	2	-	-	-	-	-	-	1	2	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Pneumonia (all forms) - - - - -	3	2	-	1	-	-	1	-	2	-	-	-	1	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	3	1	-	-	-	-	-	-	-	1	2	4	-	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	13	10	1	2	-	-	1	2	-	4	5	2	6	

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	59	1	4	62	35	27
Illegitimate Births -	4	-	2	6	1	5
Marriages - - -	15	-	-	-	-	-
Deaths - - -	21	3	2	20	10	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	40·7	42·7	-
Marriage-rate - - - - -	10·3	-	-
Death-rate—All Causes - - - - -	14·5	13·8	13·2
Do. —Phthisis - - - - -	-	2·07	-
Do. —All Tuberculosis - - - - -	-	2·07	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·69	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—65.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	1	-	-	-	-	2	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	2	-	-	-	-	-	-	-	1	1	2	2	
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Total - - - - -	10	10	4	-	1	-	3	-	2	2	2	3	3	

‡ See footnote, Table 5.

YEAR 1920.

Population—Census 1921, - - - 39,591.
Do. Do. 1911, - - - 39,601.
Do. estimated to middle of 1920, 39,543.

COUNTY —**Fife.**

PUBLIC HEALTH DISTRICT—**Kirkcaldy** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1115	9	17	1123	585	538
Illegitimate Births -	64	2	5	67	37	30
Marriages - -	358	-	-	-	-	-
Deaths - - -	550	27	62	585	273	312

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers ^s and for Age and Sex Distribution.
Birth-rate - - - - -	28.2	28.4	-
Marriage-rate - - - - -	9.1	-	-
Death-rate—All Causes - - -	13.9	14.8	15.1
Do. —Phthisis - - - - -	-	0.76	-
Do. —All Tuberculosis - - -	-	1.09	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.63	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —86.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.0.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	3	4	1	5	-	-	1	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	2	-	-	-	2	1	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	5	4	2	5	2	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	4	1	-	1	-	-	-	2	-	-	2	-	
Erysipelas - - - - -	-	2	-	-	-	-	-	-	-	1	1	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	10	20	-	-	1	-	9	7	3	6	2	2	-	
Tuberculous Meningitis - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	4	1	2	-	-	2	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	4	-	-	-	-	2	2	-	-	1	1	-	
Cancer, Malignant Disease - - - - -	20	21	-	-	-	-	-	-	2	8	6	15	10	
Rheumatic Fever - - - - -	3	2	-	-	-	1	1	3	-	-	-	-	-	
Meningitis - - - - -	5	2	3	4	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	43	42	-	1	-	2	-	2	7	10	17	23	23	
Bronchitis - - - - -	22	30	17	4	-	-	2	2	1	3	5	11	7	
Pneumonia (all forms) - - - - -	14	13	6	4	3	-	4	4	-	1	-	3	2	
Other Diseases of Respiratory Organs - - - - -	7	6	1	-	-	-	1	2	2	1	1	3	2	
Diarrhœa and Enteritis (under 2 years) - - - - -	3	3	6	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	2	-	-	1	-	-	-	1	1	1	-	-	
All Liver Diseases (not Malignant) - - - - -	2	2	-	-	-	-	-	1	-	-	-	1	2	
Other Diseases of Digestive System - - - - -	13	10	4	1	3	-	1	2	1	2	4	3	2	
Nephritis and Bright's Disease - - - - -	9	8	-	2	-	1	1	2	2	2	2	3	2	
Puerperal Sepsis - - - - -	-	3	-	-	-	-	1	-	2	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	10	-	-	-	-	-	7	3	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	22	20	42	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	17	6	1	2	1	3	3	5	1	2	2	-	3	
Suicide - - - - -	2	-	-	-	-	-	-	-	-	1	-	1	-	
Other Defined Diseases - - - - -	58	83	9	1	-	3	1	2	8	9	20	36	52	
Diseases Ill-defined or Unknown - - - - -	6	4	3	1	-	-	-	1	-	-	1	4	-	
Total - - - - -	273	312	97	34	12	12	30	42	35	47	63	108	105	

YEAR 1920.

COUNTY—**Fife.**

PUBLIC HEALTH DISTRICT—**Ladybank and Monkston** (Burgh).

Population—Census 1921, - - - 1,168.
Do. Do. 1911, - - - 1,266.
Do. estimated to middle of 1920, 1,177.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	24	2	1	23	12	11
Illegitimate Births -	-	-	-	-	-	-
Marriages - - -	7	-	-	-	-	-
Deaths - - -	10	0	4	14	4	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20·4	19·5	-
Marriage-rate - - - - -	5·9	-	-
Death-rate—All Causes - - - - -	8·5	11·9	9·8
Do. —Phthisis - - - - -	-	1·70	-
Do. —All Tuberculosis - - - - -	-	1·70	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—43.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	2	-	-	-	-	1	-	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	1	-	-	-	-	-	-	-	2	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	2	-	-	-	-	-	-	-	-	1	-	2	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	-	5	1	-	-	-	-	-	-	1	1	2	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	4	10	1	-	-	-	1	-	1	4	3	2	2	

YEAR 1920.

Population—Census 1921, - - - 2,339.

COUNTY—**Fife**.

Do. Do. 1911, - - - 2,390.

Do. estimated to middle of 1920, 2,341.

PUBLIC HEALTH DISTRICT—**Leslie** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	72	-	3	75	38	37
Illegitimate Births -	2	-	-	2	2	-
Marriages - - -	27	-	-	-	-	-
Deaths - - -	23	0	4	27	9	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	30·8	32·0	-
Marriage-rate - - - - -	11·5	-	-
Death-rate—All Causes - - - - -	9·8	11·5	9·9
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - - - -	-	0·00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—80.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	3	-	-	-	-	-	-	-	2	2	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	2	-	-	-	-	-	-	-	-	2	2	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	-	1	-	-	-	-	-	-	-	-	1	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	3	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	7	1	-	-	-	-	-	1	2	-	1	5	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	9	18	6	-	-	1	-	-	1	4	5	5	5	

YEAR 1920.

Population—Census 1921, - - - 7,180.
Do. Do. 1911, - - - 6,651.
Do. estimated to middle of 1920, 7,119.

COUNTY—**Fife.**

PUBLIC HEALTH DISTRICT—**Leven** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	181	8	10	183	91	92
Illegitimate Births -	4	-	3	7	3	4
Marriages - - -	56	-	-	-	-	-
Deaths - - -	79	4	16	91	47	44

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25.4	25.7	-
Marriage-rate - - - - -	7.9	-	-
Death-rate—All Causes - - - - -	11.1	12.8	13.6
Do. —Phthisis - - - - -	-	0.56	-
Do. —All Tuberculosis - - - - -	-	0.70	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.56	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—104.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	1	1	-	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	1	1	-	-	-	-	1	-	-	-	1	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Phthisis, Pulmonary Tuberculosis - - - - -	3	1	-	-	-	-	2	-	1	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	3	6	-	-	-	-	-	-	-	2	1	4	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	8	-	-	-	-	-	-	1	-	4	4	5	
Bronchitis - - - - -	3	-	1	-	-	-	-	-	1	-	-	-	1	
Pneumonia (all forms) - - - - -	6	5	1	3	-	1	1	1	3	-	-	1	-	
Other Diseases of Respiratory Organs - - - - -	1	2	-	-	-	-	1	1	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System - - - - -	2	1	1	-	-	-	-	-	-	-	-	1	1	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	1	1	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	4	4	8	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	1	1	1	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	9	3	-	-	-	1	1	1	2	2	3	4	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Total - - - - -	47	44	19	4	1	1	6	6	9	6	9	16	14	

YEAR 1920.

Population—Census 1921, - - - 10,666.

COUNTY—**Fife.**

Do. Do. 1911, - - - 9,922.

Do. estimated to middle of 1920, 10,580.

PUBLIC HEALTH DISTRICT—**Lochgelly** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	389	5	9	393	190	203
Illegitimate Births - -	18	-	6	24	11	13
Marriages - - -	99	-	-	-	-	-
Deaths - - -	97	0	21	118	63	55

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	36·8	37·1	-
Marriage-rate - - - - -	9·4	-	-
Death-rate—All Causes - - - - -	9·2	11·2	12·1
Do. —Phthisis - - - - -	-	0·57	-
Do. —All Tuberculosis - - - - -	-	0·95	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·23	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—74.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Ferer - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Smali-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	4	1	2	3	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	2	-	1	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	3	-	2	-	1	1	-	-	2	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	2	-	1	-	1	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	4	-	-	-	-	-	-	1	2	5	1	-	
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Organic Heart Disease - - - - -	4	4	-	-	1	-	1	-	-	3	1	1	1	
Bronchitis - - - - -	2	4	2	-	-	-	-	-	-	-	1	3	-	
Pneumonia (all forms) - - - - -	10	8	6	1	-	-	-	3	1	4	3	-	-	
Other Diseases of Respiratory Organs - - - - -	2	1	-	-	1	-	-	-	2	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	4	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Other Diseases of Digestive System - - - - -	-	3	1	-	1	-	-	-	-	-	-	1	-	
Nephritis and Bright's Disease - - - - -	2	1	-	-	-	-	-	1	-	-	2	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	6	4	9	-	1	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	7	1	-	-	1	1	1	2	2	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	10	11	4	-	-	-	-	-	1	1	4	5	6	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	63	55	29	9	6	3	4	7	9	12	19	12	8	

YEAR 1920.

Population—Census 1921, - - - 1,610.
Do. Do. 1911, - - - 1,641.
Do. estimated to middle of 1920, 1,611.

COUNTY—**Fife.**

PUBLIC HEALTH DISTRICT—**Markinch** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	47	1	2	48	24	24
Illegitimate Births -	1	-	2	3	1	2
Marriages - - -	28	-	-	-	-	-
Deaths - - -	22	0	4	26	11	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29·2	29·8	-
Marriage-rate - - - - -	17·4	-	-
Death-rate—All Causes - - - - -	13·7	16·1	13·9
Do. —Phthisis - - - - -	-	0·62	-
Do. —All Tuberculosis - - - - -	-	0·62	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·62	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·3.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	2	-	-	-	-	-	-	-	-	1	2	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	1	-	-	-	-	-	-	-	1	-	1	-	
Bronchitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
*Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	8	1	-	-	-	1	-	1	2	2	3	1	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	11	15	4	1	-	1	1	1	2	4	3	7	2	

YEAR 1920.

Population—Census 1921, - - - 2,178.
Do. Do. 1911, - - - 1,977
Do. estimated to middle of 1920, 2,155.

COUNTY—**Fife.**

PUBLIC HEALTH DISTRICT—**Newburgh** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	39	-	1	40	23	17
Illegitimate Births -	5	-	1	6	4	2
Marriages - - -	9	-	-	-	-	-
Deaths - - -	28	0	5	33	14	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18.1	18.6	-
Marriage-rate - - - - -	4.2	-	-
Death-rate—All Causes - - - - -	13.0	15.3	11.7
Do. —Phthisis - - - - -	-	0.46	-
Do. —All Tuberculosis - - - - -	-	0.46	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.93	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—75.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	2	-	-	-	-	-	-	-	2	1	-	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	1	-	-	-	-	-	-	-	1	-	1	1	
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	10	-	-	-	1	-	-	1	1	1	3	6	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Total - - - - -	14	19	3	2	-	1	2	-	1	5	2	5	12	

YEAR 1920.

Population—Census 1921, - - - 3,320.

COUNTY—**Fife.**

Do. Do. 1911, - - - 3,643.

Do. estimated to middle of 1920, 3,348.

PUBLIC HEALTH DISTRICT—**Newport (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	53	1	3	55	25	30
Illegitimate Births -	1	-	1	2	1	1
Marriages - - -	13	-	-	-	-	-
Deaths - - -	57	0	7	64	32	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.8	16.4	-
Marriage-rate - - - - -	3.9	-	-
Death-rate—All Causes - - - - -	17.0	19.1	16.3
Do. —Phthisis - - - - -	-	0.30	-
Do. —All Tuberculosis - - - - -	-	0.30	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.30	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—91.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.6.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	5	-	-	-	-	-	-	1	-	2	6	-	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Meningitis - - - - -	1	1	1	-	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	6	-	-	-	-	-	-	-	-	1	4	4	
Bronchitis - - - - -	2	6	-	-	-	-	-	-	-	-	1	1	6	
Pneumonia (all forms) - - - - -	1	2	-	1	-	1	-	-	-	-	-	-	1	
Other Diseases of Respiratory Organs -	2	-	-	-	-	1	1	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Nephritis and Bright's Disease - -	3	1	-	-	-	-	-	-	1	-	1	-	2	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	13	8	1	-	1	-	2	-	-	-	6	2	9	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	32	32	5	1	2	3	3	-	2	1	11	13	23	

YEAR 1920.

Population—Census 1921, - - - 1,751.
Do. Do. 1911, - - - 1,888.
Do. estimated to middle of 1920, 1,762.

COUNTY—**Fife.**

PUBLIC HEALTH DISTRICT—**Pittenweem** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	42	5	1	38	16	22
Illegitimate Births -	1	-	1	2	-	2
Marriages - - -	12	-	-	-	-	-
Deaths - - -	19	1	2	20	14	6

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23·8	21·6	-
Marriage-rate - - - - -	6·8	-	-
Death-rate—All Causes - - - - -	10·8	11·4	10·3
Do. —Phthisis - - - - -	-	3·41	-
Do. —All Tuberculosis - - - - -	-	3·41	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—53.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	6	-	-	-	-	4	1	-	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	1	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	2	-	-	-	-	-	-	-	1	-	2	-	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	-	-	-	-	-	-	-	-	1	-	4	-	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	14	6	2	-	1	-	4	1	-	-	4	-	8	

YEAR 1920.

COUNTY—**Fife.**

PUBLIC HEALTH DISTRICT—**St. Andrews (Burgh).**

Population—Census 1921, - - - 9,336.
Do, Do. 1911, - - - 7,887.
Do. estimated to middle of 1920, 9,183.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	122	4	5	123	64	59
Illegitimate Births -	8	-	2	10	6	4
Marriages - - -	44	-	-	-	-	-
Deaths - - -	98	5	9	102	45	57

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13.3	13.4	-
Marriage-rate - - - - -	4.8	-	-
Death-rate—All Causes - - - - -	10.7	11.1	11.2
Do. —Phthisis - - - - -	-	0.33	-
Do. —All Tuberculosis - - - - -	-	0.54	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.54	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—73.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	3	-	1	2	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	3	-	-	-	-	1	-	1	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	2	-	-	-	-	-	-	-	1	2	1	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	8	16	-	-	-	-	-	1	2	2	3	10	6	
Bronchitis - - - - -	2	4	-	-	-	-	-	-	-	-	-	1	5	
Pneumonia (all forms) - - - - -	3	2	-	-	-	1	-	-	-	-	1	1	2	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	2	1	-	-	-	-	-	-	-	1	-	1	
Nephritis and Bright's Disease - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	2	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	17	19	2	-	-	-	-	-	1	2	6	12	13	
Diseases Ill-defined or Unknown - - - - -	1	2	-	-	-	-	-	-	-	-	1	2	-	
Total - - - - -	45	57	9	1	3	2	1	3	5	6	14	28	30	

YEAR 1920.

Population—Census 1921, - - - 3,296.
Do. Do. 1911, - - - 3,272
Do. estimated to middle of 1920, 3,290.

COUNTY—Fife.

PUBLIC HEALTH DISTRICT—Tayport (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	78	3	5	80	40	40
Illegitimate Births -	5	-	2	7	3	4
Marriages - - -	31	-	-	-	-	-
Deaths - - -	52	0	3	55	22	33

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23·7	24·3	-
Marriage-rate - - - - -	9·4	-	-
Death-rate—All Causes - - - - -	15·8	16·7	14·5
Do. —Phthisis - - - - -	-	1·52	-
Do. —All Tuberculosis - - - - -	-	2·13	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—100.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	5	-	-	-	-	3	1	1	-	-	-	-	
Tuberculous Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	4	-	-	-	-	-	-	-	-	4	-	1	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	5	-	-	-	1	-	-	-	2	-	-	4	
Bronchitis - - - - -	-	3	1	-	-	-	-	-	-	-	1	1	1	
Pneumonia (all forms) - - - - -	-	4	1	-	-	-	-	-	-	-	1	2	2	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - - - -	-	2	-	-	-	-	-	-	-	2	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	4	-	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	-	1	-	-	1	-	-	-	2	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	6	-	1	-	-	-	-	2	4	1	6	6	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Total - - - - -	22	33	8	2	1	1	2	3	1	3	10	9	15	

YEAR 1920.

COUNTY—**Fife.**

PUBLIC HEALTH DISTRICT—**Cupar** (County District).

Population—Census 1921, - - - 15,400.

Do. Do. 1911, - - - 15,523.

Do. estimated to middle of 1920, 15,393.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	297	20	29	306	143	163
Illegitimate Births -	31	1	12	42	21	21
Marriages - - -	98	-	-	-	-	-
Deaths - - -	228	70	24	182	73	109

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.3	19.9	-
Marriage-rate - - - - -	6.4	-	-
Death-rate—All Causes - - - - -	14.8	11.8	9.6
Do. —Phthisis - - - - -	-	0.45	-
Do. —All Tuberculosis - - - - -	-	0.78	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.26	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—78.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE.											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	2	-	-	-	-	1	1	-	-	-	-	1	
Erysipelas - - - - -	-	2	-	-	-	-	-	-	1	-	1	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	4	-	-	-	2	2	2	1	-	-	-	-	
Tuberculous Meningitis - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	2	-	-	-	-	-	1	-	-	-	-	1	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	6	8	-	-	-	-	1	3	2	1	2	5	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	11	19	-	-	-	1	1	-	-	6	8	14	-	
Bronchitis - - - - -	2	3	1	-	-	-	-	-	-	1	1	2	-	
Pneumonia (all forms) - - - - -	3	3	-	2	-	2	-	-	-	-	2	-	-	
Other Diseases of Respiratory Organs - - - - -	-	2	-	-	-	-	-	-	-	-	-	2	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	2	-	-	1	1	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	1	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	11	5	16	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	4	-	1	-	-	1	1	-	1	1	-	2	
Suicide - - - - -	-	2	-	-	-	-	-	1	-	-	1	-	-	
Other Defined Diseases - - - - -	25	40	2	1	-	-	-	1	2	2	7	14	36	
Diseases Ill-defined or Unknown - - - - -	2	3	-	-	-	-	-	-	-	-	2	1	2	
Total - - - - -	73	109	24	5	2	1	6	8	12	7	19	32	66	

YEAR 1920.

COUNTY—Fife.

PUBLIC HEALTH DISTRICT—Dunfermline (County District).

Population—Census 1921, - - - 34,873.
Do. Do. 1911, - - - 30,293.
Do. estimated to middle of 1920, 34,382.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes	Males.	Females
Births - - -	1037	19	31	1049	521	528
Illegitimate Births - -	52	3	9	58	29	29
Marriages - - -	287	-	-	-	-	-
Deaths - - -	335	14	59	380	186	194

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	30.2	30.5	-
Marriage-rate - - - - -	8.3	-	-
Death-rate—All Causes - - - -	9.7	11.1	11.5
Do. —Phthisis - - - - -	-	0.44	-
Do. —All Tuberculosis - - - -	-	0.64	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.84	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—84.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	2	2	1	3	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	4	4	4	4	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - -	3	4	-	6	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Phthisis, Pulmonary Tuberculosis -	9	6	-	1	-	-	6	2	4	2	-	-	-	
Tuberculous Meningitis - - - -	2	2	1	2	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	2	-	-	-	-	-	-	2	-	-	-	-	-	
Cancer, Malignant Disease - - -	11	27	-	-	-	-	-	2	4	9	11	6	6	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Meningitis - - - - -	1	1	-	1	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	16	15	-	-	-	1	3	-	2	5	4	8	8	
Bronchitis - - - - -	13	16	9	-	-	-	-	-	-	1	4	6	9	
Pneumonia (all forms) - - - -	21	16	14	7	-	1	-	1	1	3	2	5	3	
Other Diseases of Respiratory Organs	2	3	-	2	-	-	-	-	-	1	1	-	1	
Diarrhoea and Enteritis (under 2 years)	1	7	7	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	2	2	-	-	-	-	-	-	1	-	1	2	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Digestive System	8	7	4	3	-	-	1	-	1	1	3	-	2	
Nephritis and Bright's Disease - -	4	4	-	-	-	-	-	1	1	2	3	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	5	-	-	-	-	2	2	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	24	14	33	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	20	3	-	2	-	1	2	1	7	5	2	2	1	
Suicide - - - - -	1	1	-	-	-	-	-	-	-	1	-	-	1	
Other Defined Diseases - - - - -	34	46	10	2	-	2	3	3	1	9	10	17	23	
Diseases Ill-defined or Unknown -	3	6	-	1	-	-	-	1	-	-	1	5	1	
Total - - - - -	186	194	88	36	2	6	19	15	23	39	42	53	57	

YEAR 1920.

COUNTY—**Fife.**

PUBLIC HEALTH DISTRICT—**Kirkcaldy** (County District).

Population—Census 1921, - - - 44,568.
Do. Do. 1911, - - - 40,701.
Do. estimated to middle of 1920, 44,136.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1457	32	48	1473	746	727
Illegitimate Births -	88	6	17	99	49	50
Marriages - - -	291	-	-	-	-	-
Deaths - - -	492	64	80	508	263	245

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	33.0	33.4	-
Marriage-rate - - - - -	6.6	-	-
Death-rate—All Causes - - - - -	11.1	11.5	12.0
Do. —Phthisis - - - - -	-	0.63	-
Do. —All Tuberculosis - - - - -	-	0.97	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.02	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—89.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	10	3	8	5	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	6	3	-	4	3	2	-	-	-	-	-	-	-	
Influenza - - - - -	2	-	-	1	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	2	-	1	-	-	-	-	-	1	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	11	17	-	-	1	1	9	7	8	-	1	-	1	
Tuberculous Meningitis - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	4	5	1	6	1	-	-	-	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	2	1	1	1	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	21	17	-	-	-	-	2	3	2	6	14	9	2	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Meningitis - - - - -	6	-	1	2	2	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	8	15	-	-	1	-	-	1	1	3	8	3	6	
Bronchitis - - - - -	15	15	14	3	-	-	-	-	1	-	4	5	3	
Pneumonia (all forms) - - - - -	21	21	6	10	4	-	6	2	2	3	1	4	4	
Other Diseases of Respiratory Organs -	3	7	4	-	-	-	-	-	-	2	-	4	-	
*Diarrhoea and Enteritis (under 2 years)	14	7	19	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	4	-	1	-	-	2	1	-	-	-	-	-	
All Liver Diseases (not Malignant) -	5	2	-	-	-	-	1	-	1	-	1	4	-	
Other Diseases of Digestive System -	14	13	7	2	1	1	-	4	2	3	3	3	1	
Nephritis and Bright's Disease - - -	10	7	2	1	-	1	-	2	-	2	7	2	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	10	-	-	-	-	2	5	3	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	27	22	48	-	1	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	23	9	1	3	4	5	4	1	1	4	3	4	2	
Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Defined Diseases - - - - -	50	59	16	3	-	1	7	3	5	10	15	20	29	
Diseases Ill-defined or Unknown - -	5	4	1	-	-	-	-	-	-	1	3	4	-	
Total - - - - -	263	245	131	46	20	12	36	30	28	34	60	63	48	

YEAR 1920.

Population—Census 1921, - - - 15,175.
Do. Do. 1911, - - - 15,343.
Do. estimated to middle of 1920, 15,172.

COUNTY—Fife.

PUBLIC HEALTH DISTRICT—St. Andrews (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	310	15	15	310	152	158
Illegitimate Births -	18	-	2	20	8	12
Marriages - - -	91	-	-	-	-	-
Deaths - - -	139	5	14	148	73	75

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20·4	20·4	-
Marriage-rate - - - - -	6·0	-	-
Death-rate—All Causes - - - - -	9·2	9·8	9·2
Do. —Phthisis - - - - -	-	0·79	-
Do. —All Tuberculosis - - - - -	-	0·86	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·26	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—32.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	6	6	-	-	-	-	2	3	4	2	1	-	-	
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	8	8	-	-	1	-	-	-	-	1	4	6	4	
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	10	-	-	-	-	-	1	-	1	3	8	4	
Bronchitis - - - - -	3	4	-	-	-	-	-	-	-	2	2	2	1	
Pneumonia (all forms) - - - - -	3	6	-	-	-	-	1	2	2	2	-	1	1	
Other Diseases of Respiratory Organs	2	-	-	-	-	-	-	-	-	-	-	2	-	
*Diarrhœa and Enteritis (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	2	-	-	-	-	-	-	-	-	2	-	1	
Other Diseases of Digestive System -	1	2	-	-	-	-	-	-	-	-	1	2	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	3	1	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	1	-	-	-	-	-	1	-	-	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	34	28	3	-	1	2	1	1	2	3	7	13	29	
Diseases Ill-defined or Unknown - -	-	3	-	-	-	-	-	-	-	1	1	1	-	
Total - - - - -	73	75	10	2	3	3	4	8	9	12	21	36	40	

YEAR 1920.

COUNTY—**Forfar.**

PUBLIC HEALTH DISTRICT—**Arbroath** (Burgh).

Population—Census 1921, - - - 19,499.
Do. Do. 1911, - - - 20,647.
Do. estimated to middle of 1920, 19,587.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	475	6	8	477	250	227
Illegitimate Births -	29	1	3	31	14	17
Marriages - - -	186	-	-	-	-	-
Deaths - - -	291	13	15	293	123	170

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.3	24.4	-
Marriage-rate - - - - -	9.5	-	-
Death-rate—All Causes - - - - -	14.9	15.0	13.7
Do. —Phthisis - - - - -	-	0.92	-
Do. —All Tuberculosis - - - - -	-	1.23	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.97	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—82.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	3	1	1	3	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	3	3	3	3	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	1	-	1	1	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	8	10	-	-	-	-	8	4	2	2	1	1	-	
Tuberculous Meningitis - - - - -	2	-	1	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	3	-	-	-	-	-	-	1	-	-	-	1	1	
Cancer, Malignant Disease - - - - -	6	21	-	-	-	-	-	1	2	5	11	8	-	
Rheumatic Fever - - - - -	1	1	-	-	-	1	-	-	-	-	1	-	-	
Meningitis - - - - -	2	2	-	2	-	-	-	1	-	-	-	1	-	
Organic Heart Disease - - - - -	14	12	-	-	-	-	1	1	2	1	7	10	4	
Bronchitis - - - - -	12	19	6	2	-	-	1	-	-	1	4	12	5	
Pneumonia (all forms) - - - - -	7	6	2	1	2	-	-	2	-	-	4	1	1	
Other Diseases of Respiratory Organs	2	1	-	1	-	-	-	-	-	-	-	1	1	
*Diarrhoea and Enteritis (under 2 years)	2	4	4	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	-	1	-	-	-	1	-	-	
All Liver Diseases (not Malignant) -	-	2	-	-	-	-	-	-	-	1	-	1	-	
Other Diseases of Digestive System	4	5	-	1	-	-	2	-	2	-	2	1	1	
Nephritis and Bright's Disease - -	1	3	-	-	-	-	-	-	1	2	1	-	-	
Puerperal Sepsis - - - - -	-	3	-	-	-	-	-	2	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	9	4	13	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	2	1	-	-	-	1	1	-	-	-	-	1	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	34	67	7	1	1	-	-	1	5	8	20	18	40	
Diseases Ill-defined or Unknown -	3	3	1	-	-	-	-	-	-	-	1	3	1	
Total - - - - -	123	170	39	17	5	3	14	13	15	20	54	59	54	

YEAR 1920.

Population—Census 1921, - - - 7,446.

COUNTY—**Forfar**.

Do. Do. 1911, - - - 8,439.

Do. estimated to middle of 1920, 7,534.

PUBLIC HEALTH DISTRICT—**Brechin** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	164	9	4	159	81	78
Illegitimate Births -	19	-	1	20	9	11
Marriages - -	67	-	-	-	-	-
Deaths - - -	113	4	4	113	52	61

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21·8	21·1	-
Marriage-rate - - - - -	8·9	-	-
Death-rate—All Causes - - -	15·0	15·0	13·3
Do. —Phthisis - - - - -	-	0·66	-
Do. —All Tuberculosis - - -	-	0·80	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·27	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—63.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	3	-	-	-	-	1	-	1	-	-	3	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Cancer, Malignant Disease - - -	1	7	-	-	-	-	-	-	1	2	1	1	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	4	6	-	-	-	-	-	1	1	1	2	2	3	
Bronchitis - - - - -	2	2	-	-	-	-	-	-	-	-	-	1	3	
Pneumonia (all forms) - - - -	2	3	-	-	1	-	-	-	2	-	-	1	1	
Other Diseases of Respiratory Organs	2	1	-	-	-	-	-	-	-	-	-	2	1	
*Diarrhoea and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Other Diseases of Digestive System -	4	2	-	-	-	-	-	-	-	1	3	-	2	
Nephritis and Bright's Disease - -	6	5	-	-	-	-	-	-	-	-	5	4	2	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	4	4	7	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	-	-	1	-	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	19	24	2	-	-	-	1	-	1	-	7	14	18	
Diseases Ill-defined or Unknown -	2	1	-	-	-	-	-	-	1	-	-	-	2	
Total - - - - -	52	61	10	2	1	-	2	1	8	4	19	30	36	

YEAR 1920.

COUNTY—**Forfar.**

PUBLIC HEALTH DISTRICT—**Carnoustie** (Burgh).

Population—Census 1921, - - - 5,957.
Do. Do. 1911, - - - 5,358.
Do. estimated to middle of 1920, 5,891.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	108	4	3	107	58	49
Illegitimate Births -	6	-	1	7	4	3
Marriages - - -	37	-	-	-	-	-
Deaths - - -	50	1	9	58	23	35

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18·3	18·2	-
Marriage-rate - - - - -	6·3	-	-
Death-rate—All Causes - - - - -	8·5	9·8	8·4
Do. —Phthisis - - - - -	-	0·68	-
Do. —All Tuberculosis - - - - -	-	0·85	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·17	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—56.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Phthisis, Pulmonary Tuberculosis - -	1	3	-	-	-	-	1	2	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	2	-	-	-	-	-	1	-	-	2	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	8	-	-	-	-	-	-	-	1	3	2	4	
Bronchitis - - - - -	2	1	2	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	1	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	9	15	-	-	-	-	-	-	2	1	3	7	11	
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	23	35	6	1	-	-	2	4	3	2	9	14	17	

YEAR 1920.

Population—Census 1921, - - - 168,217.
Do. Do. 1911, - - - 176,351.
Do. estimated to middle of 1920, 168,804.

COUNTY —**Forfar.**

PUBLIC HEALTH DISTRICT—**Dundee** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	5108	313	252	5047	2610	2437
Illegitimate Births -	457	50	20	427	219	208
Marriages - - -	2094	-	-	-	-	-
Deaths - - -	2830	104	86	2812	1354	1458

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	30.3	29.9	-
Marriage-rate - - - - -	12.4	-	-
Death-rate—All Causes - - - - -	16.8	16.7	17.2
Do. —Phthisis - - - - -	-	1.08	-
Do. —All Tuberculosis - - - - -	-	1.49	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.14	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —131.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	4	-	-	-	1	1	-	2	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Measles - - - - -	12	15	10	15	2	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	3	3	1	2	-	-	2	-	1	-	-	-	-	
Whooping-cough - - - - -	14	10	17	7	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	13	17	6	16	8	-	-	-	-	-	-	-	-	
Influenza - - - - -	4	6	3	-	-	-	-	2	-	1	1	-	3	
Erysipelas - - - - -	-	3	-	-	-	-	-	-	-	2	-	-	1	
Phthisis. Pulmonary Tuberculosis -	95	88	-	1	3	4	38	37	36	34	22	7	1	
Tuberculous Meningitis - - - - -	8	13	4	10	3	2	2	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	8	7	2	5	2	2	2	1	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	20	13	1	9	5	2	5	2	4	-	5	-	-	
Cancer, Malignant Disease - - - - -	83	133	-	-	-	-	1	3	18	41	65	59	29	
Rheumatic Fever - - - - -	1	2	-	-	-	-	2	-	1	-	-	-	-	
Meningitis - - - - -	7	8	5	4	1	2	2	-	-	-	1	-	-	
Organic Heart Disease - - - - -	121	152	1	-	1	3	7	17	15	38	67	63	61	
Bronchitis - - - - -	99	115	53	8	1	-	4	1	5	14	31	45	52	
Pneumonia (all forms) - - - - -	228	188	128	75	9	7	23	35	25	24	38	32	20	
Other Diseases of Respiratory Organs	15	12	3	4	-	1	-	-	-	5	2	3	9	
Diarrhoea and Enteritis (under 2 years)	64	38	95	7	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	8	5	1	1	-	-	4	1	2	2	-	2	-	
All Liver Diseases (not Malignant) -	2	8	-	-	-	-	1	1	1	2	3	-	2	
Other Diseases of Digestive System	37	36	9	9	2	2	4	4	6	6	12	14	5	
Nephritis and Bright's Disease - - -	34	26	1	-	-	1	5	6	5	9	14	12	7	
Puerperal Sepsis - - - - -	-	9	-	-	-	-	1	3	5	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	27	-	-	-	-	4	15	8	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	141	94	234	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	50	47	14	9	4	2	8	5	9	12	13	12	9	
Suicide - - - - -	3	7	-	-	-	-	-	5	1	4	-	-	-	
Other Defined Diseases - - - - -	248	351	68	4	3	5	12	14	18	54	90	136	195	
Diseases Ill-defined or Unknown -	32	24	5	2	1	1	-	-	2	10	11	14	10	
Total - - - - -	1354	1458	661	189	46	35	127	154	164	258	375	399	404	

YEAR 1920.

Population—Census 1921, - - - 9,585.

COUNTY—**Forfar**.

Do. Do. 1911, - - - 10,849.

PUBLIC HEALTH DISTRICT—**Forfar** (Burgh).

Do. estimated to middle of 1920, 9,697.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	233	14	2	221	125	96
Illegitimate Births -	20	4	2	18	14	4
Marriages - - -	97	-	-	-	-	-
Deaths - - -	157	10	13	160	78	82

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.0	22.8	-
Marriage-rate - - - - -	10.0	-	-
Death-rate—All Causes - - -	16.2	16.5	15.4
Do. —Phthisis - - - - -	-	0.93	-
Do. —All Tuberculosis - - -	-	1.34	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.52	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—95.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	2	2	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	7	2	-	-	-	-	2	2	2	1	2	-	-	
Tuberculous Meningitis - - -	2	1	1	1	-	-	-	-	1	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - -	8	19	-	-	-	-	-	-	2	4	9	7	5	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	5	-	2	-	-	1	2	-	-	-	-	-	-	
Organic Heart Disease - - -	11	8	-	-	-	-	-	1	-	2	5	6	5	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - -	-	2	-	-	-	-	-	-	-	-	-	2	-	
Other Diseases of Respiratory Organs	1	1	1	1	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	3	-	-	-	-	-	2	-	-	-	1	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	3	3	-	-	-	1	-	1	1	-	1	-	2	
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	1	-	-	1	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	7	5	12	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	2	-	-	-	-	-	-	1	-	-	1	1	
Suicide - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Defined Diseases - - -	22	31	2	-	-	-	-	-	3	9	2	13	24	
Diseases Ill-defined or Unknown -	4	1	-	1	-	-	-	-	-	1	1	2	-	
Total - - - - -	78	82	21	4	2	2	6	6	11	17	21	32	38	

YEAR 1920.

Population—Census 1921, - - - 3,408.

COUNTY—**Forfar.**

Do. Do. 1911, - - - 3,776.

Do. estimated to middle of 1920, 3,440.

PUBLIC HEALTH DISTRICT—**Kirriemuir** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	60	7	3	56	27	29
Illegitimate Births -	6	1	2	7	3	4
Marriages - - -	24	-	-	-	-	-
Deaths - - -	52	5	10	57	24	33

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.4	16.3	-
Marriage-rate - - - - -	7.0	-	-
Death-rate—All Causes - - - - -	15.1	16.6	14.1
Do. —Phthisis - - - - -	-	0.87	-
Do. —All Tuberculosis - - - - -	-	1.16	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.29	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—107.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	2	-	-	1	-	1	-	-	-	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	7	-	-	-	-	-	-	-	3	2	3	1	
Rheumatic Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	1	-	-	-	-	-	-	1	-	1	1	1	
Bronchitis - - - - -	3	1	-	-	-	-	-	-	-	-	-	3	1	
Pneumonia (all forms) - - - - -	2	3	-	-	-	-	-	1	-	1	1	2	-	
Other Diseases of Respiratory Organs -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	1	3	-	-	1	-	-	-	-	-	-	1	2	
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	2	3	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	10	-	-	-	-	-	-	-	7	2	4	5	
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	24	33	6	-	2	1	2	1	1	12	7	15	10	

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	65	-	3	68	36	32
Illegitimate Births -	1	-	1	2	-	2
Marriages - - -	25	-	-	-	-	-
Deaths - - -	43	2	1	42	28	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20·3	21·2	-
Marriage-rate - - - - -	7·8	-	-
Death-rate—All Causes - - - - -	13·4	13·1	12·3
Do. —Phthisis - - - - -	-	0·31	-
Do. —All Tuberculosis - - - - -	-	0·31	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—44.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	1	-	-	-	-	-	-	-	1	1	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	1	-	-	-	1	-	1	1	1	2	1	-	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	4	-	-	-	-	1	-	-	-	-	2	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	
Other Diseases of Digestive System - - - - -	2	-	-	-	-	-	-	-	-	-	2	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	11	5	1	-	-	-	-	-	-	-	1	5	9	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Total - - - - -	28	14	3	-	-	1	1	-	2	3	11	7	14	

YEAR 1920.

Population—Census 1921, - - - 10,979.

Do. Do. 1911, - - - 10,974.

Do. estimated to middle of 1920, 10,966.

COUNTY—**Forfar.**PUBLIC HEALTH DISTRICT—**Montrose** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	261	14	9	256	127	129
Illegitimate Births -	23	4	4	23	11	12
Marriages - - -	76	-	-	-	-	-
Deaths - - -	174	14	11	171	79	92

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	23·8	23·3	-
Marriage-rate - - -	6·9	-	-
Death-rate—All Causes - - -	15·9	15·6	13·1
Do. —Phthisis - - -	-	1·19	-
Do. —All Tuberculosis - - -	-	1·55	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·09	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—70.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE.											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	-	-	-	1	-	-	-	-	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	9	-	-	-	-	5	3	-	3	1	-	1	
Tuberculous Meningitis - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	1	-	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	10	12	-	-	-	-	-	1	3	5	4	9	9	
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	8	18	-	-	-	-	-	-	2	9	6	9	9	
Bronchitis - - - - -	2	4	1	-	-	-	-	-	-	-	2	3	3	
Pneumonia (all forms) - - - - -	4	1	1	1	2	-	-	1	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	2	2	-	-	-	-	-	1	1	-	1	1	1	
Other Diseases of Digestive System - - - - -	2	2	-	1	-	-	-	1	1	-	1	-	-	
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	-	1	1	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	1	2	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	6	5	11	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	-	-	-	-	-	-	1	-	1	2	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	26	29	3	-	-	-	-	1	2	6	9	18	16	
Diseases Ill-defined or Unknown - - - - -	2	3	1	-	-	-	-	-	-	-	2	1	1	
Total - - - - -	79	92	18	5	3	1	7	9	7	17	30	33	41	

YEAR 1920.

Population—Census 1921, - - - 8,649.
Do. Do. 1911, - - - 8,434.
Do. estimated to middle of 1920, 8,617.

COUNTY—**Forfar.**

PUBLIC HEALTH DISTRICT—**Arbroath** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	196	7	4	193	90	103
Illegitimate Births -	29	4	1	26	14	12
Marriages - - -	45	-	-	-	-	-
Deaths - - -	84	1	15	98	45	53

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22·7	22·4	-
Marriage-rate - - - - -	5·2	-	-
Death-rate—All Causes - - - - -	9·7	11·4	10·1
Do. —Phthisis - - - - -	-	0·12	-
Do. —All Tuberculosis - - - - -	-	0·12	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·70	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—98.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	8	-	-	-	1	-	-	-	1	2	6	2	
Rheumatic Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	1	-	-	-	-	-	-	-	-	1	2	4	
Bronchitis - - - - -	3	1	1	-	-	-	-	-	-	-	-	-	3	
Pneumonia (all forms) - - - - -	3	5	1	1	2	-	-	2	-	1	1	-	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	1	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	3	2	-	-	-	1	-	-	-	-	-	1	3	
Nephritis and Bright's Disease - - - - -	4	2	-	-	-	-	1	-	-	1	2	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	5	5	10	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	-	1	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	12	18	2	-	-	-	1	1	1	1	1	10	13	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	45	53	19	3	3	3	4	5	1	4	9	21	26	

YEAR 1920.

Population—Census 1921, - - - 12,665.

COUNTY—**Forfar.**

Do. Do. 1911, - - - 12,821.

Do. estimated to middle of 1920, 12,664.

PUBLIC HEALTH DISTRICT—**Brechin** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	281	11	16	286	145	141
Illegitimate Births -	25	2	5	28	15	13
Marriages - - -	70	-	-	-	-	-
Deaths - - -	209	88	13	134	71	63

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22·2	22·6	-
Marriage-rate - - - - -	5·5	-	-
Death-rate—All Causes - - - - -	16·5	10·6	9·3
Do. —Phthisis - - - - -	-	0·71	-
Do. —All Tuberculosis - - - - -	-	0·95	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·47	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—77.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	4	5	-	-	-	-	4	3	1	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - -	2	-	-	1	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - -	8	5	-	1	-	-	-	-	2	3	3	2	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	1	1	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	7	-	-	-	-	-	-	-	1	2	3	7	
Bronchitis - - - - -	4	-	1	-	-	-	-	-	-	-	1	1	1	
Pneumonia (all forms) - - - - -	5	7	4	2	-	-	-	-	2	-	1	-	3	
Other Diseases of Respiratory Organs	1	2	-	-	-	1	-	-	-	-	-	1	1	
Diarrhoea and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	3	2	-	-	-	1	1	3	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System	1	4	1	-	-	-	-	-	-	-	-	2	2	
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	3	3	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	4	1	-	2	-	-	-	-	2	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	22	19	3	-	-	-	2	-	1	2	3	6	24	
Diseases Ill-defined or Unknown - -	1	2	-	-	-	-	-	-	-	-	-	1	2	
Total - - - - -	71	63	22	7	1	2	7	8	8	8	12	17	42	

YEAR 1920.

Population—Census 1921, . . . 9,944.
Do. Do. 1911, . . . 9,518.
Do. estimated to middle of 1920, 9,890.

COUNTY—**Forfar.**

PUBLIC HEALTH DISTRICT—**Dundee** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	215	4	20	231	114	117
Illegitimate Births -	16	2	5	19	8	11
Marriages - - -	30	-	-	-	-	-
Deaths - - -	153	77	17	93	44	49

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21·7	23·4	-
Marriage-rate - - - - -	3·0	-	-
Death-rate—All Causes - - - - -	15·5	9·4	8·7
Do. —Phthisis - - - - -	-	0·20	-
Do. —All Tuberculosis - - - - -	-	0·30	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·71	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—65.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	-	1	-	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	8	-	-	-	-	-	-	-	3	4	3	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	5	3	-	-	-	1	-	-	-	1	-	6	-	
Bronchitis - - - - -	1	1	-	1	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	4	6	2	2	2	-	-	1	1	1	-	1	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	-	-	-	-	-	1	-	-	1	-	-	-	
Nephritis and Bright's Disease - - - - -	3	3	-	-	-	-	-	-	-	1	1	2	2	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	5	6	10	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	1	-	-	-	-	1	-	1	1	-	-	-	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	10	16	-	-	-	-	-	1	1	2	3	5	14	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	44	49	15	6	4	1	3	3	4	11	9	18	19	

YEAR 1920.

Population—Census 1921, - - - 11,376.

COUNTY—**Forfar**.

Do. Do. 1911, - - - 11,152.

Do. estimated to middle of 1920, 11,340.

PUBLIC HEALTH DISTRICT—**Forfar** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	243	6	16	253	123	130
Illegitimate Births -	26	-	4	30	22	8
Marriages - - -	56	-	-	-	-	-
Deaths - - -	113	4	28	137	58	79

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	21.4	22.3	-
Marriage-rate - - -	4.9	-	-
Death-rate—All Causes - - -	10.0	12.1	9.9
Do. —Phthisis - - -	-	0.62	-
Do. —All Tuberculosis - - -	-	0.79	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.62	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—5.9.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	3	1	3	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	2	-	1	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	4	3	-	-	-	-	4	-	2	1	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	5	-	-	-	-	-	-	-	1	4	3	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	14	-	-	-	-	-	-	1	1	4	8	7	
Bronchitis - - - - -	2	1	-	-	-	-	-	-	-	-	-	1	2	
Pneumonia (all forms) - - - - -	1	7	2	1	-	-	-	1	-	-	1	-	3	
Other Diseases of Respiratory Organs	1	1	-	-	1	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases of Digestive System	2	3	-	-	-	-	-	-	2	-	1	1	1	
Nephritis and Bright's Disease - - - - -	1	2	-	-	-	-	-	-	-	1	1	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	1	2	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	4	4	8	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	-	-	1	-	-	-	-	-	1	2	-	-	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Defined Diseases - - - - -	22	27	1	-	-	-	2	2	3	3	3	7	28	
Diseases Ill-defined or Unknown - - - - -	-	3	1	-	-	-	-	-	-	1	-	-	1	
Total - - - - -	58	79	15	4	3	1	8	6	9	9	16	21	45	

YEAR 1920.
COUNTY—**Haddington.**
PUBLIC HEALTH DISTRICT—**Cockenzie and Port Seton** (Burgh).

Population—Census 1921, - - - 2,838.
Do. Do. 1911, - - - 2,400.
Do. estimated to middle of 1920, 2,792.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	72	5	2	69	35	34
Illegitimate Births -	1	1	1	1	-	1
Marriages - - -	14	-	-	-	-	-
Deaths - - -	23	2	3	24	8	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25·8	24·7	-
Marriage-rate - - - - -	5·0	-	-
Death-rate—All Causes - - - - -	8·2	8·6	8·4
Do. —Phthisis - - - - -	-	1·07	-
Do. —All Tuberculosis - - - - -	-	1·07	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·36	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—101.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—1·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	2	-	-	-	2	-	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Bronchitis - - - - -	-	2	1	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	-	5	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	4	-	-	-	-	-	-	3	-	1	-	4	
Diseases Ill-defined or Unknown -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	8	16	7	2	-	-	2	-	4	-	1	1	7	

YEAR 1920.

Population—Census 1921, - - - 3,839.

Do. Do. 1911, - - - 3,346.

Do. estimated to middle of 1920, 3,785.

COUNTY—**Haddington.**PUBLIC HEALTH DISTRICT—**Dunbar** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	84	-	4	88	40	48
Illegitimate Births -	6	-	1	7	3	4
Marriages - - -	22	-	-	-	-	-
Deaths - - -	43	6	4	41	17	24

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22·2	23·2	-
Marriage-rate - - - - -	5·8	-	-
Death-rate—All Causes - - - - -	11·4	10·8	10·2
Do. —Phthisis - - - - -	-	1·06	-
Do. —All Tuberculosis - - - - -	-	1·32	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·26	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—2·3.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5	10-	15	25	35	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles, - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	4	-	-	-	-	2	2	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	3	-	-	-	-	-	-	1	1	3	-	-	
Rheumatic Fever - - - - -	2	-	-	-	1	-	1	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	3	-	-	-	-	-	-	-	-	-	2	2	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	7	10	-	1	-	-	-	-	1	2	3	9	1	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	17	24	2	2	1	-	4	4	2	4	6	13	3	

YEAR 1920.

COUNTY—**Haddington.**

PUBLIC HEALTH DISTRICT—**East Linton** (Burgh).

Population—Census 1921, - - - 761.
Do. Do. 1911, - - - 877.
Do. estimated to middle of 1920, 771.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	11	-	-	11	4	7
Illegitimate Births -	-	-	-	-	-	-
Marriages - - -	1	-	-	-	-	-
Deaths - - -	15	2	1	14	7	7

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14.3	14.3	-
Marriage-rate - - - - -	1.3	-	-
Death-rate—All Causes - - - - -	19.5	18.2	13.7
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - - -	-	1.30	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—91.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - - - -	1	2	1	-	-	-	-	-	-	1	1	-	-
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	-	-	1	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	2	2	-	-	-	-	-	-	-	-	-	-	4
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	7	7	1	-	-	-	-	-	-	2	1	3	7

YEAR 1920.

Population—Census 1921, - - - 4,053.

COUNTY—**Haddington.**

Do. Do. 1911, - - - 4,140.

Do. estimated to middle of 1920, 4,057.

PUBLIC HEALTH DISTRICT—**Haddington** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	77	4	3	76	41	35
Illegitimate Births -	2	-	-	2	2	-
Marriages - - -	26	-	-	-	-	-
Deaths - - -	80	27	4	57	22	35

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19·0	18·7	-
Marriage-rate - - - - -	6·4	-	-
Death-rate—All Causes - - - - -	19·7	14·0	13·0
Do. —Phthisis - - - - -	-	0·25	-
Do. —All Tuberculosis - - - - -	-	0·25	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·25	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—53.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	6	-	-	-	-	-	-	-	3	1	3	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	3	-	-	-	-	-	1	-	-	-	3	3	
Bronchitis - - - - -	2	5	1	-	-	-	-	-	-	-	-	3	3	
Pneumonia (all forms) - - - - -	3	2	1	-	-	-	-	-	1	-	-	1	2	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	2	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	9	11	-	-	-	-	1	2	-	2	1	6	8	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	1	-	-	1	
Total - - - - -	22	35	4	1	-	-	5	5	1	6	2	16	17	

YEAR 1920.

COUNTY—**Haddington.**

PUBLIC HEALTH DISTRICT—**North Berwick** (Burgh).

Population—Census 1921, - - - 4,524.
Do. Do. 1911, - - - 3,246.
Do. estimated to middle of 1920, 4,394.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	49	6	4	47	25	22
Illegitimate Births -	6	-	-	6	3	3
Marriages - - -	21	-	-	-	-	-
Deaths - - -	36	9	7	34	15	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	11·2	10·7	-
Marriage-rate - - - - -	4·8	-	-
Death-rate—All Causes - - - - -	8·2	7·7	8·0
Do. —Phthisis - - - - -	-	0·23	-
Do. —All Tuberculosis - - - - -	-	0·46	-
Do. —Principal Epidemic Diseases (those asterisked below).	-	0·46	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—43.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	1	-	-	-	-	1	-	1	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	-	2	-	-	-	-	-	-	-	-	2	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	3	-	-	-	-	-	-	1	1	2	2	3	
Bronchitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	2	1	1	-	-	-	-	-	-	-	-	1	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	8	-	-	-	-	-	-	1	2	-	4	5	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	15	19	2	1	-	-	2	-	4	4	6	6	9	

YEAR 1920.

COUNTY—Haddington.

PUBLIC HEALTH DISTRICT—Prestonpans (Burgh).

Population—Census 1921, - - - 2,001.
Do. Do. 1911, - - - 1,923.
Do. estimated to middle of 1920, 1,991.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	61	1	7	67	37	30
Illegitimate Births -	6	-	4	10	6	4
Marriages - - -	5	-	-	-	-	-
Deaths - - -	22	0	4	26	18	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	30.6	33.7	-
Marriage-rate - - - - -	2.5	-	-
Death-rate—All Causes - - - - -	11.0	13.1	12.7
Do. —Phthisis - - - - -	-	0.50	-
Do. —All Tuberculosis - - - - -	-	1.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected -119.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	1	1	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	1	-	1	-	-	-	-	-	-	-	2	-	
Bronchitis - - - - -	2	1	2	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	1	2	-	1	-	-	-	-	-	1	-	-	1	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	3	1	-	1	-	-	-	1	-	1	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	-	2	-	-	-	-	-	-	-	-	2	-	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	18	8	8	2	1	-	1	2	1	4	1	5	1	

YEAR 1920.

COUNTY—**Haddington.**

PUBLIC HEALTH DISTRICT—**Tranent** (Burgh).

Population—Census 1921, - - - 4,763.
Do. Do. 1911, - - - 4,369.
Do. estimated to middle of 1920, 4,718.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	168	2	5	171	92	79
Illegitimate Births -	3	-	3	6	4	2
Marriages - - -	47	-	-	-	-	-
Deaths - - -	51	0	8	59	30	29

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	35·6	36·2	-
Marriage-rate - - - - -	10·0	-	-
Death-rate—All Causes - - - - -	10·8	12·5	13·1
Do. —Phthisis - - - - -	-	0·85	-
Do. —All Tuberculosis - - - - -	-	1·27	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·27	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —99.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	1	-	-	3	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	2	-	-	-	-	1	1	1	-	1	-	-	
Tuberculous Meningitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	1	1	-	-	-	-	-	-	1	-	-	-	
Organic Heart Disease - - - - -	4	6	-	-	-	-	-	1	-	2	2	4	1	
Bronchitis - - - - -	2	-	1	-	-	-	-	-	1	-	-	-	-	
Pneumonia (all forms) - - - - -	3	3	2	2	-	-	-	-	1	1	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	2	2	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System - - - - -	-	2	-	1	-	-	-	-	-	-	-	1	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	7	3	10	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	5	1	-	-	1	-	-	-	-	3	3	3	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	30	29	17	4	4	1	2	2	3	4	9	9	4	

YEAR 1920.

Population—Census 1921, - - - 5,862.

Do. Do. 1911, - - - 6,189.

Do. estimated to middle of 1920, 5,887.

COUNTY—**Haddington.**PUBLIC HEALTH DISTRICT—**Eastern Haddington** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	161	4	7	164	86	78
Illegitimate Births -	12	1	-	11	4	7
Marriages - - -	33	-	-	-	-	-
Deaths - - -	41	1	10	50	24	26

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	27·3	27·9	-
Marriage-rate - - - - -	5·6	-	-
Death-rate—All Causes - - - - -	7·0	8·5	8·3
Do. —Phthisis - - - - -	-	0·34	-
Do. —All Tuberculosis - - - - -	-	0·51	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·34	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—37.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	2	-	-	-	-	1	-	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - -	2	5	-	-	-	-	-	-	-	2	2	2	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	1	1	1	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	6	-	-	-	-	1	-	-	-	4	1	4	
Bronchitis - - - - -	2	3	1	-	-	-	-	-	-	-	1	1	2	
Pneumonia (all forms) - - - - -	3	1	1	-	-	1	-	-	-	-	1	1	-	
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	
Diarrhœa and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	2	-	-	-	-	-	-	1	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	4	1	-	-	1	-	-	1	1	2	3	1	
Diseases Ill-defined or Unknown - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	24	26	6	1	-	3	4	1	2	3	11	8	11	

YEAR 1920.

Population—Census 1921, - - - 18,846.
Do. Do. 1911, - - - 16,764.
Do. estimated to middle of 1920, 18,620.

COUNTY—**Haddington.**

PUBLIC HEALTH DISTRICT—**Western Haddington** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	492	14	21	499	268	231
Illegitimate Births -	35	1	4	38	20	18
Marriages - - -	105	-	-	-	-	-
Deaths - - -	162	3	38	197	101	96

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26.4	26.8	-
Marriage-rate - - - - -	5.6	-	-
Death-rate—All Causes - - - - -	8.7	10.6	10.9
Do. —Phthisis - - - - -	-	0.54	-
Do. —All Tuberculosis - - - - -	-	0.54	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.54	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —68.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	4	-	1	1	-	2	-	-	-	-	1	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	7	-	-	-	1	5	2	2	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	8	13	-	-	-	-	1	-	5	2	5	4	4	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	2	-	1	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	15	15	-	-	-	1	1	1	2	2	7	8	8	
Bronchitis - - - - -	6	4	1	2	-	-	-	-	-	-	-	4	3	
Pneumonia (all forms) - - - - -	14	11	5	6	1	-	1	3	1	-	4	1	3	
Other Diseases of Respiratory Organs - - - - -	2	-	-	1	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	3	3	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System - - - - -	2	2	1	-	-	-	-	-	-	-	1	2	-	
Nephritis and Bright's Disease - - - - -	4	-	-	-	-	-	2	-	-	1	-	-	1	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	10	8	17	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	6	3	-	1	-	-	-	3	1	-	3	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	27	19	6	-	2	-	1	4	5	3	4	7	14	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	101	96	34	15	4	3	14	14	16	10	24	27	36	

YEAR—1920.

Population—Census 1921, - - - 1,913.
Do. Do. 1911, - - - 2,002.
Do. estimated to middle of 1920, 1,920.

COUNTY—Inverness.

PUBLIC HEALTH DISTRICT—Fort-William (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	41	9	3	35	17	18
Illegitimate Births -	4	1	1	4	2	2
Marriages - - -	9	-	-	-	-	-
Deaths - - -	22	2	2	22	9	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	21·4	18·2	-
Marriage-rate - - -	4·7	-	-
Death-rate—All Causes - - -	11·5	11·5	10·5
Do. —Phthisis - - -	-	0·52	-
Do. —All Tuberculosis - - -	-	1·04	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·52	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—29.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1	5	10	15	25	35	45	55	65	75 and over
Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	1	-	-	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	1	2	-	-	-	-	-	-	-	1	2	-	-
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - -	-	5	-	-	-	-	-	-	-	-	-	1	4
Pneumonia (all forms) - - -	3	2	-	-	-	-	-	-	-	1	-	2	2
Other Diseases of Respiratory Organs - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	1	1	-	-	-	-	-	-	-	-	-	-	2
Diseases Ill-defined or Unknown - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Total - - -	9	13	1	-	-	-	1	-	-	3	2	5	10

YEAR—1920.

Population—Census 1921, - - - 20,937.

COUNTY—**Inverness.**

Do. Do. 1911, - - - 22,216.

Do. estimated to middle of 1920, 21,036.

PUBLIC HEALTH DISTRICT—**Inverness** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	556	21	7	542	286	256
Illegitimate Births -	52	12	3	43	22	21
Marriages - - -	346	-	-	-	-	-
Deaths - - -	372	29	14	357	190	167

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	26.4	25.8	-
Marriage-rate - - -	16.4	-	-
Death-rate—All Causes - - -	17.7	17.0	15.7
Do. —Phthisis - - -	-	1.24	-
Do. —All Tuberculosis - - -	-	1.38	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.76	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—103.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	and over
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - -	1	5	1	5	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	7	-	3	4	-	-	-	-	-	1	-	-	-
Influenza - - -	-	2	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	14	12	-	1	1	-	4	10	4	3	3	-	-	-
Tuberculous Meningitis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	18	16	-	-	-	-	-	1	2	5	11	9	6	-
Rheumatic Fever - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - -	2	2	-	1	2	-	-	-	-	1	-	-	-	-
Organic Heart Disease - - -	21	16	-	-	-	-	1	-	1	3	7	13	12	-
Bronchitis - - -	7	13	7	1	-	-	-	-	1	2	-	1	8	-
Pneumonia (all forms) - - -	19	11	10	4	2	-	-	1	1	2	3	2	5	-
Other Diseases of Respiratory Organs -	4	1	1	1	-	-	-	-	1	-	1	1	-	-
*Diarrhoea and Enteritis (under 2 years)	1	1	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System -	8	6	1	-	1	-	-	1	1	1	2	4	3	-
Nephritis and Bright's Disease - - -	7	3	-	1	-	-	1	-	-	-	5	2	1	-
Puerperal Sepsis - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth -	17	9	25	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	10	6	-	-	1	1	3	-	1	2	3	4	1	-
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	49	46	8	-	-	-	3	2	4	9	22	20	27	-
Diseases Ill-defined or Unknown - -	8	7	1	-	1	1	-	-	1	3	1	5	2	-
Total - - -	190	167	56	20	14	2	13	15	19	31	59	61	67	-

YEAR 1920.

COUNTY—**Inverness.**

PUBLIC HEALTH DISTRICT—**Kingussie** (Burgh).

Population—Census 1921, - - - 1,202.
Do. Do. 1911, - - - 1,171.
Do. estimated to middle of 1920, 1,198.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	18	1	2	19	8	11
Illegitimate Births -	1	1	2	2	2	-
Marriages - - -	10	-	-	-	-	-
Deaths - - -	14	5	1	10	3	7

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15·0	15·9	-
Marriage-rate - - - - -	8·3	-	-
Death-rate—All Causes - - - - -	11·7	8·3	8·2
Do. —Phthisis - - - - -	-	0·83	-
Do. —All Tuberculosis - - - - -	-	0·83	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—53.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	2	-	-	-	-	-	-	1	-	3	1	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Ill Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Septic Perforal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Constitutional Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	3	7	1	-	-	-	-	1	-	1	-	4	3

YEAR 1920.

COUNTY—**Inverness.**

PUBLIC HEALTH DISTRICT—**Inverness** (County District).

Population—Census 1921, - - - 8,127.
Do. Do. 1911, - - - 9,142.
Do estimated to middle of 1920, 8,216.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	169	4	14	179	89	90
Illegitimate Births -	9	1	6	14	5	9
Marriages - - -	19	-	-	-	-	-
Deaths - - -	128	37	7	98	48	50

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20·6	21·8	-
Marriage-rate - - - - -	2·3	-	-
Death-rate—All Causes - - - - -	15·6	11·9	10·5
Do. —Phthisis - - - - -	-	1·10	-
Do. —All Tuberculosis - - - - -	-	1·34	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·61	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—67.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over		
*Enteric Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	2	1	2	1	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	-	3	-	-	-	-	-	-	-	-	1	1	1		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis -	3	6	-	-	1	-	2	2	2	1	1	-	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	7	2	-	-	-	-	-	1	-	1	2	3	2		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	2	-	1	-	1	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	6	5	-	-	-	-	-	-	1	1	4	-	5		
Bronchitis - - - - -	2	3	1	1	-	-	-	-	-	-	-	2	1		
Pneumonia (all forms) - - - - -	1	2	-	-	1	-	-	-	-	-	2	-	-		
Other Diseases of Respiratory Organs -	1	-	-	-	-	-	-	-	-	-	-	-	1		
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-		
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	1	-		
Other Diseases of Digestive System -	2	3	2	-	-	-	-	-	-	2	-	-	1		
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	1	-	-	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-		
Congenital Debility and Malforma- tion, including Premature Birth	1	3	4	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide -	3	-	-	-	-	-	1	-	1	-	1	-	-		
Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-		
Other Defined Diseases - - - - -	10	17	1	-	-	-	-	-	-	-	2	5	19		
Diseases Ill-defined or Unknown -	4	-	-	-	-	-	-	-	-	1	-	2	1		
Total - - - - -	48	50	12	3	4	-	5	5	5	6	13	14	31		

YEAR 1920.

Population—Census 1921, - - - 8,400.

Do. Do. 1911, - - - 8,758.

Do. estimated to middle of 1920, 8,425.

COUNTY—**Inverness.**PUBLIC HEALTH DISTRICT—**Aird** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	142	6	5	141	83	58
Illegitimate Births -	4	-	1	5	4	1
Marriages - - -	28	-	-	-	-	-
Deaths - - -	107	4	16	119	52	67

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16·9	16·7	-
Marriage-rate - - - - -	3·3	-	-
Death-rate—All Causes - - - - -	12·7	14·1	11·0
Do. —Phthisis - - - - -	-	0·83	-
Do. —All Tuberculosis - - - - -	-	1·19	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·59	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—57.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1	5	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	3	-	-	-	1	2	1	1	1	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	-	-	1	-	1	-	-	
Cancer, Malignant Disease - - - - -	3	8	-	-	-	-	-	-	1	1	1	6	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	5	-	-	-	-	-	1	-	2	-	4	4	
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - - - -	3	6	-	-	-	-	1	2	-	1	-	4	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	3	-	-	-	-	1	-	1	1	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	3	-	-	-	-	-	-	-	-	-	2	2	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	4	-	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	1	-	-	-	1	-	1	2	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	19	31	2	-	1	1	-	2	-	1	2	9	32	
Diseases Ill-defined or Unknown - - - - -	2	2	-	-	-	-	-	-	1	1	1	1	-	
Total - - - - -	52	67	8	2	2	5	3	7	5	8	7	28	44	

YEAR 1920.

Population—Census 1921, - - - 7,446.
Do. Do. 1911, - - - 6,496.
Do. estimated to middle of 1920, 7,344.

COUNTY—**Inverness.**

PUBLIC HEALTH DISTRICT—**Badenoch** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	103	2	6	107	52	55
Illegitimate Births -	8	-	1	9	3	6
Marriages - - -	35	-	-	-	-	-
Deaths - - -	73	4	9	78	39	39

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14.0	14.6	-
Marriage-rate - - - - -	4.8	-	-
Death-rate—All Causes - - - - -	9.9	10.6	8.5
Do. —Phthisis - - - - -	-	0.54	-
Do. —All Tuberculosis - - - - -	-	0.68	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—28.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	3	-	-	-	2	1	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	5	-	-	-	-	-	-	-	2	3	1	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	1	-	-	-	1	-	-	-	1	-	-	-	
Organic Heart Disease - - - - -	5	7	-	-	-	-	1	-	1	2	2	3	3	
Bronchitis - - - - -	3	1	-	-	-	1	-	-	-	-	-	1	2	
Pneumonia (all forms) - - - - -	2	1	-	-	-	-	1	-	-	-	-	2	-	
Other Diseases of Respiratory Organs* - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	2	-	-	-	-	-	-	-	-	2	2	-	
Nephritis and Bright's Disease - - - - -	3	2	-	1	-	1	-	-	-	1	-	-	2	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	1	-	1	-	-	1	-	-	2	1	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	11	13	1	-	-	-	1	-	1	1	-	2	18	
Diseases Ill-defined or Unknown - - - - -	3	-	1	-	-	-	-	-	-	-	-	2	-	
Total - - - - -	39	39	3	2	-	5	6	2	2	10	8	13	27	

YEAR 1920.

Population—Census 1921, - - - 7,015.

COUNTY—**Inverness.**

Do. Do. 1911, - - - 7,039.

Do. estimated to middle of 1920, 7,008.

PUBLIC HEALTH DISTRICT—**Lochaber** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	95	7	12	100	48	52
Illegitimate Births -	10	4	4	10	5	5
Marriages - - -	17	-	-	-	-	-
Deaths - - -	81	2	8	87	37	50

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13·6	14·3	-
Marriage-rate - - - - -	2·4	-	-
Death-rate—All Causes - - - - -	11·6	12·4	10·0
Do. —Phthisis - - - - -	-	1·00	-
Do. —All Tuberculosis - - - - -	-	1·00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·14	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—40.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	2	-	-	-	-	-	-	-	-	1	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	4	-	-	-	3	2	2	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	8	-	-	-	-	-	1	3	3	2	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	3	-	-	-	-	-	-	1	3	-	5	-	
Bronchitis - - - - -	1	1	1	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	5	1	-	-	1	-	-	-	1	2	1	1	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	1	-	-	-	-	-	-	-	-	2	-	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	1	-	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	13	25	1	-	-	-	1	-	-	1	10	25	-	
Diseases Ill-defined or Unknown - - - - -	1	2	1	1	-	-	-	1	-	-	-	-	-	
Total - - - - -	37	50	4	2	1	-	4	4	5	5	12	17	33	

YEAR 1920.

COUNTY—**Inverness.**

PUBLIC HEALTH DISTRICT—**Skye** (County District).

Population—Census 1921, - - - 11,608
Do. Do. 1911, - - - 13,319.
Do. estimated to middle of 1920, 11,761.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	222	4	10	228	127	101
Illegitimate Births -	11	-	1	12	8	4
Marriages - - -	27	-	-	-	-	-
Deaths - - -	197	1	11	207	95	112

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfer and for Age and Sex Distribution.
Birth-rate - - - - -	18.9	19.4	-
Marriage-rate - - - - -	2.3	-	-
Death-rate—All Causes - - - - -	16.8	17.6	12.4
Do. —Phthisis - - - - -	-	1.28	-
Do. —All Tuberculosis - - - - -	-	1.79	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.17	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—57.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	5	10	-	-	-	-	4	6	2	1	2	-	-	
Tuberculous Meningitis - - - - -	-	3	1	-	-	1	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	2	-	-	-	-	2	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	8	8	-	-	-	-	-	1	1	1	2	6	5	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Meningitis - - - - -	2	1	-	2	-	-	-	-	-	1	-	-	-	
Organic Heart Disease - - - - -	11	11	-	-	-	-	2	-	-	1	5	6	8	
Bronchitis - - - - -	3	5	1	-	-	-	-	-	-	-	1	1	5	
Pneumonia (all forms) - - - - -	4	4	-	-	-	-	-	-	1	-	1	5	1	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	6	-	-	1	-	-	-	1	-	1	1	3	
Nephritis and Bright's Disease - - - - -	4	1	-	-	-	-	-	1	-	-	2	2	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	3	1	3	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	3	-	-	-	-	1	-	-	-	-	1	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	31	36	2	2	-	1	-	1	-	-	3	15	43	
Diseases Ill-defined or Unknown - - - - -	19	17	5	2	-	-	1	1	-	1	2	4	20	
Total - - - - -	95	112	13	8	1	2	12	10	6	5	20	43	87	

YEAR 1920.

COUNTY—**Inverness.**

PUBLIC HEALTH DISTRICT—**Harris** (County District).

Population—Census 1921, - - - 5,275.

Do. Do. 1911, - - - 5,449.

Do. estimated to middle of 1920, 5,285.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	103	-	1	104	60	44
Illegitimate Births -	7	-	1	8	6	2
Marriages - - -	29	-	-	-	-	-
Deaths - - -	53	0	3	56	29	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19·5	19·7	-
Marriage-rate - - - - -	5·5	-	-
Death-rate—All Causes - - - - -	10·0	10·6	8·3
Do. —Phthisis - - - - -	-	0·76	-
Do. —All Tuberculosis - - - - -	-	0·95	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0·57	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—77.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	2	-	-	1	-	-	-	-	1	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	3	-	-	-	-	1	1	1	-	-	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	4	-	-	-	-	-	-	1	1	-	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	-	1	-	1	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	2	-	-	-	1	-	-	1	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	3	1	-	-	-	-	1	-	-	-	1	1	1	
Nephritis and Bright's Disease - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	10	9	-	-	-	-	-	-	-	1	-	3	15	
Diseases Ill-defined or Unknown - - - - -	7	6	7	-	-	1	-	1	-	2	1	-	1	
Total - - - - -	29	27	8	-	4	2	2	3	2	5	4	6	20	

YEAR 1920.

Population—Census 1921, - - - 3,223.
Do. Do. 1911, - - - 3,677.
Do. estimated to middle of 1920, 3,263.

COUNTY—**Inverness.**

PUBLIC HEALTH DISTRICT—**North Uist** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	57	1	-	56	28	28
Illegitimate Births -	7	-	-	7	5	2
Marriages - - -	13	-	-	-	-	-
Deaths - - -	52	1	2	53	31	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.5	17.2	-
Marriage-rate - - - - -	4.0	-	-
Death-rate—All Causes - - - - -	15.9	16.2	11.8
Do. —Phthisis - - - - -	-	0.92	-
Do. —All Tuberculosis - - - - -	-	1.23	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.23	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—36.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.5.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	3	1	-	1	1	2	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	-	-	2	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	6	-	-	-	-	-	-	1	-	1	2	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	2	-	-	-	-	-	-	-	-	1	1	7	
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	-	-	-	-	-	1	-	-	-	-	-	1	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	13	9	1	-	-	-	-	-	-	2	-	4	15	
Diseases Ill-defined or Unknown - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	31	22	2	1	2	2	1	2	4	2	2	8	27	

YEAR 1920.

Population—Census 1921, - - - 7,300.

COUNTY—**Inverness.**

Do. Do. 1911, - - - 8,003.

Do. estimated to middle of 1920, 7,360.

PUBLIC HEALTH DISTRICT—**South Uist** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	150	3	4	151	82	69
Illegitimate Births -	16	-	-	16	6	10
Marriages - - -	17	-	-	-	-	-
Deaths - - -	121	0	5	126	66	60

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.4	20.5	-
Marriage-rate - - - - -	2.3	-	-
Death-rate—All Causes - - - - -	16.4	17.1	13.6
Do. —Phthisis - - - - -	-	2.85	-
Do. —All Tuberculosis - - - - -	-	2.99	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.82	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—73.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	2	-	1	-	1	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	2	2	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	-	1	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	9	12	-	1	-	2	7	4	3	4	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	1	-	-	-	-	-	-	-	-	2	3	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	3	-	-	-	-	-	-	-	1	5	3	1	
Bronchitis - - - - -	1	3	-	-	-	-	-	-	-	-	-	3	1	
Pneumonia (all forms) - - - - -	3	1	2	-	-	-	-	-	-	-	-	1	1	
Other Diseases of Respiratory Organs	3	1	1	-	-	-	-	-	-	-	-	1	2	
Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	-	2	-	-	1	1	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	-	2	-	1	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	4	-	3	-	1	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	6	-	-	-	-	-	3	-	1	1	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	18	20	1	-	-	1	2	3	-	1	5	8	17	
Diseases Ill-defined or Unknown -	6	7	1	-	-	-	-	1	1	2	2	3	3	
Total - - - - -	66	60	11	4	2	5	13	10	6	10	14	25	26	

YEAR 1920.

Population—Census 1921, - - - 1,776.
Do. Do. 1911, - - - 1,633.
Do. estimated to middle of 1920, 1,760.

COUNTY—**Kincardine.**

PUBLIC HEALTH DISTRICT—**Banchory** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	30	-	1	31	17	14
Illegitimate Births -	3	-	1	4	2	2
Marriages - - -	8	-	-	-	-	-
Deaths - - -	18	1	4	21	13	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17·0	17·6	-
Marriage-rate - - - - -	4·5	-	-
Death-rate—All Causes - - - - -	10·2	11·9	10·7
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - - - -	-	0·00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—65.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·9.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	1	-	-	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	-	1	-	1	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Pneumonia (all forms) - - - - -	2	3	-	1	-	-	-	-	-	1	1	1	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	4	-	1	-	-	-	-	-	-	-	-	4	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	13	8	2	2	-	-	-	1	1	2	4	3	6	

YEAR 1920.

COUNTY—**Kincardine.**

PUBLIC HEALTH DISTRICT—**Inverbervie** (Burgh).

Population—Census 1921, - - - 1,041.
Do. Do. 1911, - - - 1,173.
Do. estimated to middle of 1920, 1,053.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	30	-	1	31	17	14
Illegitimate Births - -	3	-	-	3	-	3
Marriages - - -	12	-	-	-	-	-
Deaths - - -	18	0	3	21	9	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28·5	29·4	-
Marriage-rate - - - - -	11·4	-	-
Death-rate—All Causes - - - - -	17·1	19·9	17·5
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - - - -	-	0·95	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—194.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	3	-	-	-	-	-	-	-	-	3	1	1	
Bronchitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	6	2	-	-	-	-	-	1	-	-	2	5	
Diseases Ill-defined or Unknown - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	9	12	6	-	-	-	-	1	1	-	4	3	6	

YEAR 1920.

COUNTY—**Kincardine.**

PUBLIC HEALTH DISTRICT—**Laurencekirk** (Burgh).

Population—Census 1921, - - - 1,461.
Do. Do. 1911, - - - 1,438.
Do. estimated to middle of 1920, 1,457.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	28	-	5	33	17	16
Illegitimate Births -	1	-	4	5	3	2
Marriages - - -	10	-	-	-	-	-
Deaths - - -	21	1	5	25	12	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19·2	22·6	-
Marriage-rate - - - - -	6·9	-	-
Death-rate—All Causes - - - - -	14·4	17·2	11·4
Do. —Phthisis - - - - -	-	0·69	-
Do. —All Tuberculosis - - - - -	-	0·69	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—30.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	2	-	-	-	-	-	-	-	-	1	3	-	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	1	2	1	-	-	-	-	-	1	-	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	7	5	-	-	-	-	-	-	1	-	-	4	7	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	12	13	1	-	-	-	1	1	2	1	1	8	10	

YEAR 1920.

Population—Census 1921, - - - 4,856.

Do. Do. 1911, . - - 4,266.

Do. estimated to middle of 1920, 4,792.

COUNTY—**Kincardine.**PUBLIC HEALTH DISTRICT—**Stonehaven** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	89	-	3	92	37	55
Illegitimate Births -	12	-	-	12	4	8
Marriages - - -	44	-	-	-	-	-
Deaths - - -	73	7	9	75	32	43

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18·6	19·2	-
Marriage-rate - - - - -	9·2	-	-
Death-rate—All Causes - - - - -	15·2	15·7	11·7
Do. —Phthisis - - - - -	-	0·42	-
Do. —All Tuberculosis - - - - -	-	0·42	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·67	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—120.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	3	4	6	-	1	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	-	1	-	-	-	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	6	-	-	-	-	-	-	-	1	3	5	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	3	-	-	-	-	-	-	1	-	1	2	1	
Bronchitis - - - - -	1	3	1	-	-	-	-	-	-	-	-	1	2	
Pneumonia (all forms) - - - - -	3	2	-	3	-	-	-	-	-	-	-	1	1	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	15	19	2	-	1	1	-	1	1	1	4	5	18	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	1	
Total - - - - -	32	43	10	3	3	1	-	3	3	3	10	15	24	

YEAR 1920.

COUNTY—**Kincardine.**

PUBLIC HEALTH DISTRICT—**Laurencekirk** (County District).

Population—Census 1921, - - - 4,918.
Do. Do. 1911, - - - 4,668.
Do. estimated to middle of 1920, 4,888.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number. .		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	144	4	6	146	74	72
Illegitimate Births -	11	2	3	12	4	8
Marriages - - -	16	-	-	-	-	-
Deaths - - -	50	0	10	60	29	31

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29.5	29.9	-
Marriage-rate - - - - -	3.3	-	-
Death-rate—All Causes - - - - -	10.2	12.3	10.5
Do. —Phthisis - - - - -	-	0.61	-
Do. —All Tuberculosis - - - - -	-	1.02	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.20	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —7.5.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	1	-	-	2	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	2	1	-	-	-	-	-	-	-	1	-	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	6	-	-	-	-	-	1	-	-	2	3	2	
Bronchitis - - - - -	3	2	1	-	-	-	-	-	-	-	-	2	2	
Pneumonia (all forms) - - - - -	1	4	-	2	1	-	-	-	1	-	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	1	-	-	-	-	-	-	1	-	1	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	5	8	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	1	-	-	-	-	1	-	-	1	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	10	8	1	-	-	-	1	-	1	2	2	2	9	
Diseases Ill-defined or Unknown - - - - -	3	-	-	1	-	-	-	-	-	-	1	1	-	
Total - - - - -	29	31	11	4	1	1	2	1	5	3	8	9	15	

YEAR 1920.

Population—Census 1921, - - - 3,838.
Do. Do. 1911, - - - 3,934.
Do. estimated to middle of 1920, 3,842.

COUNTY—Kincardine.

PUBLIC HEALTH DISTRICT—Lower Deeside (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	82	5	9	86	51	35
Illegitimate Births -	13	2	7	18	12	6
Marriages - - -	38	-	-	-	-	-
Deaths - - -	33	3	11	41	29	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21·3	22·4	-
Marriage-rate - - - - -	9·9	-	-
Death-rate—All Causes - - - - -	8·6	10·7	10·1
Do. —Phthisis - - - - -	-	0·52	-
Do. —All Tuberculosis - - - - -	-	0·78	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·04	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—47.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—20·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	2	2	-	1	3	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	-	1	-	-	-	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	-	-	2	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	-	-	-	-	-	-	-	-	1	-	1	1	
Bronchitis - - - - -	1	1	1	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	3	1	3	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	4	-	-	-	-	1	1	-	1	1	-	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Defined Diseases - - - - -	6	5	-	-	-	-	-	-	1	1	2	3	4	
Diseases Ill-defined or Unknown -	-	2	-	-	-	-	-	-	-	-	-	-	2	
Total - - - - -	29	12	4	4	3	1	2	1	3	4	5	7	7	

YEAR 1920.

COUNTY—**Kincardine.**

PUBLIC HEALTH DISTRICT—**St. Cyrus** (County District).

Population—Census 1921, - - - 4,647.
Do. Do. 1911, - - - 4,761.
Do. estimated to middle of 1920, - 4,652.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	146	6	7	147	65	82
Illegitimate Births -	19	1	3	21	9	12
Marriages - - -	25	-	-	-	-	-
Deaths - - -	50	1	10	59	34	25

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	31·4	31·6	-
Marriage-rate - - - - -	5·4	-	-
Death-rate—All Causes - - - - -	10·7	12·7	11·0
Do. —Phthisis - - - - -	-	0·43	-
Do. —All Tuberculosis - - - - -	-	0·64	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·43	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—82.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	1	-	-	-	-	-	1
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - - - -	5	1	-	1	-	-	-	-	-	1	3	1	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	1	-	-	-	-	-	-	-	2	1	1	1
Bronchitis - - - - -	3	3	3	-	-	-	-	-	-	1	1	1	1
Pneumonia (all forms) - - - - -	2	1	1	1	-	1	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs -	-	1	-	-	-	-	-	-	-	-	-	1	-
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System -	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	4	3	1	-	-	-	1	1	1	1	-	2	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	9	8	-	-	-	-	1	-	4	-	7	5	-
Diseases Ill-defined or Unknown - -	1	1	2	-	-	-	-	-	-	-	-	-	-
Total - - - - -	34	25	12	3	-	-	2	3	1	6	5	16	11

YEAR 1920.

Population—Census 1921, - - - 4,614.

Do. Do. 1911, - - - 4,564.

Do. estimated to middle of 1920, - 4,603.

COUNTY—**Kincardine.**PUBLIC HEALTH DISTRICT—**Stonehaven** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	103	-	7	110	65	45
Illegitimate Births -	15	-	2	17	8	9
Marriages - - -	19	-	-	-	-	-
Deaths	42	2	6	46	28	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Trans- fers and for Age and Sex Distribution.
Birth-rate - - - - -	22.4	23.9	-
Marriage-rate - - - - -	4.1	-	-
Death-rate—All Causes - - - - -	9.1	10.0	8.7
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.87	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—91.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	1	-	-	-	-	-	-	1	-	2	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Bronchitis - - - - -	2	-	1	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	2	1	-	-	-	-	-	-	-	-	2	1	-	
Other Diseases of Respiratory Organs - - - - -	2	1	1	-	-	1	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	1	-	-	-	-	1	1	-	2	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	10	4	-	-	-	-	-	-	1	2	3	8	
Diseases Ill-defined or Unknown - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	28	18	10	2	1	1	3	1	2	3	7	6	10	

YEAR 1920.

COUNTY—**Kincardine.**

PUBLIC HEALTH DISTRICT—**Upper Deeside** (County District).

Population—Census 1921, - - - 3,289.
Do. Do. 1911, - - - 3,143.
Do. estimated to middle of 1920, 3,271.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	63	2	8	69	24	45
Illegitimate Births -	13	1	6	18	8	10
Marriages - - -	14	-	-	-	-	-
Deaths - - -	51	4	7	54	29	25

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19·3	21·1	-
Marriage-rate - - - - -	4·3	-	-
Death-rate—All Causes - - - - -	15·6	16·5	14·3
Do. —Phthisis - - - - -	-	3·67	-
Do. —All Tuberculosis - - - - -	-	3·67	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—87.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—26·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever -- -- --	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever -- -- --	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox -- -- --	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles -- -- --	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever -- -- --	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough -- -- --	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup -- -- --	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza -- -- --	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas -- -- --	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -- -- --	8	4	-	-	-	4	5	2	1	-	-	-	-	
Tuberculous Meningitis -- -- --	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis -- -- --	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases -- -- --	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease -- -- --	5	3	-	-	-	-	-	-	1	5	1	1	1	
Rheumatic Fever -- -- --	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis -- -- --	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease -- -- --	1	4	-	-	-	-	-	-	-	1	3	1	1	
Bronchitis -- -- --	2	-	1	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) -- -- --	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -- -- --	-	4	-	-	-	-	-	-	-	-	1	3	3	
*Diarrhoea and Enteritis (under 2 years) -- -- --	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis -- -- --	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -- -- --	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -- -- --	-	2	1	-	-	-	-	-	1	-	-	-	-	
Nephritis and Bright's Disease -- -- --	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis -- -- --	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -- -- --	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -- -- --	2	2	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -- -- --	3	-	-	-	-	-	1	-	1	-	-	1	1	
Suicide -- -- --	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases -- -- --	8	6	-	1	-	1	-	-	-	3	1	8	8	
Diseases Ill-defined or Unknown -- -- --	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total -- -- --	29	25	6	1	-	-	5	6	2	4	9	6	15	

YEAR 1920.

Population—Census 1921. — — — 2,631.

COUNTY—**Kinross.**

Do. Do. 1911, — — — 2,618.

Do. estimated to middle of 1920, 2,627.

PUBLIC HEALTH DISTRICT—**Kinross (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	73	2	8	79	43	36
Illegitimate Births -	6	1	3	8	4	4
Marriages - - -	16	-	-	-	-	-
Deaths - - -	26	1	11	36	15	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	27·8	30·1	-
Marriage-rate - - - - -	6·1	-	-
Death-rate—All Causes - - - - -	9·9	13·7	12·1
Do. —Phthisis - - - - -	-	0·76	-
Do. —All Tuberculosis - - - - -	-	1·14	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—25.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	1	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	1	-	-	-	-	-	-	-	1	-	-	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	3	-	-	-	-	-	-	1	-	1	1	3	
Bronchitis - - - - -	1	2	1	-	-	-	-	-	-	-	1	-	1	
Pneumonia (all forms) - - - - -	1	1	-	1	-	-	-	-	-	1	-	-	-	
Other Diseases of Respiratory Organs -	1	-	-	-	-	-	-	-	-	-	1	-	-	
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	1	1	-	-	-	-	-	-	-	-	1	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	9	-	-	-	-	-	-	-	-	2	2	7	
Diseases Ill-defined or Unknown - - -	1	1	-	-	-	-	-	-	-	-	-	-	2	
Total - - - - -	15	21	2	2	-	-	2	1	1	2	7	3	16	

YEAR 1920.
COUNTY—**Kinross**.
PUBLIC HEALTH DISTRICT—**Kinross** (County District).

Population—Census 1921, - - - 5,332.
Do. Do. 1911, - - - 4,909.
Do. estimated to middle of 1920, 5,233.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	107	5	5	107	58	49
Illegitimate Births -	15	3	-	12	6	6
Marriages - - -	33	-	-	-	-	-
Deaths - - -	94	32	14	76	36	40

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20·3	20·3	-
Marriage-rate - - - - -	6·2	-	-
Death-rate—All Causes - - - - -	17·8	14·4	12·4
Do. —Phthisis - - - - -	-	1·33	-
Do. —All Tuberculosis - - - - -	-	1·89	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—56.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	6	-	-	-	2	2	2	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	6	5	-	-	-	-	1	-	2	-	3	5	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	1	-	-	-	-	-	1	-	-	1	-	-	
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	2	
Pneumonia (all forms) - - - - -	4	4	1	-	-	-	1	-	1	-	1	4	-	
Other Diseases of Respiratory Organs -	2	-	1	-	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	2	-	1	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	2	1	-	-	-	-	-	-	1	1	-	1	-	
Nephritis and Bright's Disease - - -	1	3	-	-	-	-	-	-	1	-	1	2	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	2	2	-	1	1	-	-	-	-	-	-	-	2	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	12	11	1	-	-	-	2	1	1	4	4	10	-	
Diseases Ill-defined or Unknown - -	1	1	-	-	-	1	-	-	-	-	-	1	-	
Total - - - - -	36	40	6	1	2	1	3	7	5	8	5	10	28	

YEAR 1920.

Population—Census 1921, - - - 2,801.
Do. Do. 1911, - - - 3,016.
Do. estimated to middle of 1920, 2,819.

COUNTY—Kirkcudbright.

PUBLIC HEALTH DISTRICT—Castle-Douglas (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	58	1	-	57	32	25
Illegitimate Births -	4	-	-	4	2	2
Marriages - - -	24	-	-	-	-	-
Deaths - - -	53	8	5	50	28	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20·6	20·2	-
Marriage-rate - - - - -	8·5	-	-
Death-rate—All Causes - - - - -	18·8	17·7	16·2
Do. —Phthisis - - - - -	-	0·35	-
Do. —All Tuberculosis - - - - -	-	0·35	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—140.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			-1	1	5-	10-	15-	25	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	6	2	-	-	-	-	-	-	-	2	2	1	3	
Rheumatic Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	8	7	-	-	-	-	1	-	-	-	1	8	5	
Bronchitis - - - - -	2	2	-	-	-	-	-	-	-	-	-	3	1	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System -	1	1	1	-	-	-	-	-	-	-	-	1	-	
Nephritis and Bright's Disease - - -	2	-	-	-	-	-	1	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	2	2	-	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	6	2	-	-	-	-	-	-	1	3	-	3	
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	28	22	8	-	-	1	1	2	-	4	8	11	12	

YEAR 1920.

COUNTY—**Kirkcudbright.**

PUBLIC HEALTH DISTRICT—**Dalbeattie** (Burgh).

Population—Census 1921, - - - 2,998.
Do. Do. 1911, - - - 3,357.
Do. estimated to middle of 1920, 3,029.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	85	-	1	86	43	43
Illegitimate Births -	9	-	-	9	4	5
Marriages - - -	24	-	-	-	-	-
Deaths - - -	52	0	8	60	24	36

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28.1	28.4	-
Marriage-rate - - - - -	7.9	-	-
Death-rate—All Causes - - - - -	17.2	19.8	18.0
Do. —Phthisis - - - - -	-	0.99	-
Do. —All Tuberculosis - - - - -	-	1.32	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.32	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—128.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	2	-	1	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	-	-	-	-	2	-	1	-	
Tuberculous Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	6	-	-	-	-	-	-	-	3	2	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	3	-	-	-	-	-	-	-	-	1	1	2	
Bronchitis - - - - -	1	1	1	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	4	-	1	-	-	-	-	-	1	1	-	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	1	-	-	-	-	-	-	-	2	1	-	-	
Nephritis and Bright's Disease - - - - -	1	2	-	-	-	-	-	1	-	-	1	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	3	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	14	4	1	-	-	-	1	-	2	-	5	9	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	24	36	11	4	1	-	-	3	1	10	5	12	13	

YEAR 1920.

Population—Census 1921, - - - 893.

COUNTY—**Kirkcudbright.**

Do. Do. 1911, - - - 1,032.

Do. estimated to middle of 1920, 906.

PUBLIC HEALTH DISTRICT—**Gatehouse (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	21	-	3	24	13	11
Illegitimate Births -	4	-	2	6	2	4
Marriages - - -	5	-	-	-	-	-
Deaths - - -	13	0	2	15	10	5

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23·2	26·5	-
Marriage-rate - - - - -	5·5	-	-
Death-rate—All Causes - - - - -	14·3	16·6	11·7
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - - - -	-	0·00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·10	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts 25·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	1	-	-	-	-	-	-	-	1	1	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	1	-	-	1	-	
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	2	
Pneumonia (all forms) - - - - -	1	1	-	-	-	-	1	-	-	-	-	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	1	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Total - - - - -	10	5	2	-	-	-	1	-	2	2	2	3	3	

YEAR 1920.

Population—Census 1921, - - - 2,101.
Do. Do. 1911, - - - 2,205.
Do. estimated to middle of 1920, 2,108.

COUNTY—**Kirkcudbright.**

PUBLIC HEALTH DISTRICT—**Kirkcudbright** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	69	1	-	68	36	32
Illegitimate Births -	8	-	-	8	5	3
Marriages - -	22	-	-	-	-	-
Deaths - - -	31	3	3	31	12	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	32·7	32·3	-
Marriage-rate - - - - -	10·4	-	-
Death-rate—All Causes - - - - -	14·7	14·7	12·3
Do. —Phthisis - - - - -	-	1·42	-
Do. —All Tuberculosis - - - - -	-	2·85	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·95	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—44.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	2	-	2	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	2	-	-	-	-	1	1	-	-	-	1	-	
Tuberculous Meningitis - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	2	-	-	-	-	-	-	-	1	1	1	2	
Bronchitis - - - - -	2	1	-	-	-	-	-	-	-	-	-	-	3	
Pneumonia (all forms) - - - - -	-	3	-	-	-	-	-	-	-	-	1	2	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	1	-	1	-	1	1	1	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	4	1	-	-	-	-	-	-	1	1	-	3	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	12	19	3	3	-	2	2	2	-	2	4	5	8	

YEAR 1920.

Population—Census 1921, - - - 6,094.
Do. Do. 1911, - - - 6,200.
Do. estimated to middle of 1920, 6,097.

COUNTY—Kirkcudbright.

PUBLIC HEALTH DISTRICT—Maxwelltown (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	156	4	7	159	73	86
Illegitimate Births -	12	2	1	11	8	3
Marriages - - -	41	-	-	-	-	-
Deaths - - -	81	2	24	103	43	60

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25·6	26·1	-
Marriage-rate - - - - -	6·7	-	-
Death-rate—All Causes - - - - -	13·3	16·9	17·2
Do. —Phthisis - - - - -	-	1·48	-
Do. —All Tuberculosis - - - - -	-	1·97	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·82	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—126.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	3	6	-	-	-	2	2	1	3	1	-	-	-	
Tuberculous Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	5	-	-	-	-	-	1	-	3	4	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Organic Heart Disease - - - - -	2	3	-	-	-	-	-	-	1	1	1	2	-	
Bronchitis - - - - -	5	7	-	2	-	-	-	2	-	3	2	3	-	
Pneumonia (all forms) - - - - -	2	7	3	2	-	1	-	2	1	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years)	2	2	4	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	2	-	-	1	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	7	3	10	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	4	-	-	1	-	-	-	-	-	1	1	1	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - - - -	7	22	3	-	-	-	2	1	-	8	9	6	-	
Diseases Ill-defined or Unknown - - -	1	1	-	-	-	-	-	-	2	-	-	-	-	
Total - - - - -	43	60	20	6	1	1	4	5	9	9	18	17	13	

YEAR 1920.

Population—Census 1921, - - - - 348.
Do. Do. 1911, - - - - 352.
Do. estimated to middle of 1920, 348.

COUNTY—**Kirkcudbright.**

PUBLIC HEALTH DISTRICT—**New Galloway (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	4	1	-	3	1	2
Illegitimate Births -	-	-	-	-	-	-
Marriages - - -	3	-	-	-	-	-
Deaths - - -	8	0	1	9	2	7

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	11.5	8.6	-
Marriage-rate - - - - -	8.6	-	-
Death-rate—All Causes - - - - -	23.0	25.9	21.5
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	2	-	-	-	-	-	-	-	-	1	-	1	
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - - - -	1	1	-	-	-	-	-	-	1	-	-	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	2	7	-	-	-	-	-	1	1	-	1	3	3	

YEAR 1920.

Population—Census 1921, - - - 7,772.

COUNTY - **Kirkcudbright.**

Do. Do. 1911, - - - 7,553.

Do. estimated to middle of 1920, 7,741.

PUBLIC HEALTH DISTRICT—**Eastern Kirkcudbright** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	161	4	7	164	81	83
Illegitimate Births -	26	1	3	28	16	12
Marriages - - -	50	-	-	-	-	-
Deaths - - -	102	2	13	113	53	60

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20·8	21·2	-
Marriage-rate - - - - -	6·5	-	-
Death-rate—All Causes - - - - -	13·2	14·6	12·7
Do. —Phthisis - - - - -	-	1·03	-
Do. —All Tuberculosis - - - - -	-	1·55	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·13	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births) corrected—85.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	1	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	4	-	-	-	2	2	3	1	-	-	-	-	
Tuberculous Meningitis - - - - -	1	1	-	1	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	-	1	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	10	-	-	-	-	-	-	4	4	2	3	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	11	7	-	-	1	-	-	-	1	4	6	6	-	
Bronchitis - - - - -	2	9	1	-	-	-	1	-	-	1	5	3	-	
Pneumonia (all forms) - - - - -	2	1	1	-	-	-	-	-	-	1	1	-	-	
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	1	-	-	-	1	1	-	-	-	1	-	-	
All Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	-	1	1	-	-	-	
Other Diseases of Digestive System - - - - -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	1	1	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	6	2	8	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	12	13	-	1	-	-	1	1	-	1	8	13	-	
Diseases Ill-defined or Unknown - - - - -	2	4	2	-	-	-	-	-	-	-	4	-	-	
Total - - - - -	53	60	14	2	2	1	5	6	5	7	14	30	27	

YEAR 1920.

Population—Census 1921, - - - 2,834.
Do. Do. 1911, - - - 2,814.
Do. estimated to middle of 1920, 2,829.

COUNTY—Kirkcudbright.

PUBLIC HEALTH DISTRICT—Northern Kirkcudbright (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	43	-	7	50	25	25
Illegitimate Births -	2	-	-	2	1	1
Marriages - -	18	-	-	-	-	-
Deaths - - -	39	0	0	39	20	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected or Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.2	17.7	-
Marriage-rate - - - - -	6.4	-	-
Death-rate—All Causes - - - - -	13.8	13.8	11.7
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - - -	-	0.35	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—100.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	1	-	-	-	-	-	-	-	-	2	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	4	-	-	-	-	-	-	-	-	-	3	2	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	2	2	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	3	-	-	1	-	1	-	-	-	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	11	9	1	-	-	-	1	-	-	1	5	3	9	
Diseases Ill-defined or Unknown - -	-	2	-	-	-	-	-	1	-	1	-	-	-	
Total - - - - -	20	19	5	2	-	1	1	1	-	2	7	8	12	

YEAR 1920.

Population—Census 1921, - - - 8,161.

COUNTY—**Kirkcudbright.**

Do. Do. 1911, - - - 8,257.

Do. estimated to middle of 1920, 8,160.

PUBLIC HEALTH DISTRICT—**Southern Kirkcudbright** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	199	14	9	194	100	94
Illegitimate Births -	35	3	5	37	17	20
Marriages - - -	54	-	-	-	-	-
Deaths - - -	102	9	13	106	42	64

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24·4	23·8	-
Marriage-rate - - - - -	6·6	-	-
Death-rate—All Causes - - - - -	12·5	13·0	12·0
Do. —Phthisis - - - - -	-	0·74	-
Do. —All Tuberculosis - - - - -	-	0·86	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·61	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—67.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—19·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15	25-	35	45	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	3	-	-	-	-	1	-	2	1	-	1	1	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	12	-	-	-	-	-	2	-	4	5	2	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	1	-	1	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	9	-	-	-	-	-	1	-	-	5	5	5	
Bronchitis - - - - -	1	6	-	-	-	-	-	-	-	-	2	2	3	
Pneumonia (all forms) - - - - -	3	7	2	1	-	-	-	-	-	2	3	-	2	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	2	1	-	-	-	1	-	1	-	-	1	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	5	1	5	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	13	17	3	-	-	2	2	3	-	-	3	8	9	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	42	64	13	5	-	4	4	7	4	9	18	20	22	

YEAR 1920.

Population—Census 1921, - - - 3,154.

COUNTY—**Kirkcudbright.**

Do. Do. 1911, - - - 3,581.

Do. estimated to middle of 1920, 3,192.

PUBLIC HEALTH DISTRICT—**Western Kirkcudbright** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	80	5	4	79	47	32
Illegitimate Births -	10	-	1	11	10	1
Marriages - - -	33	-	-	-	-	-
Deaths - - -	43	1	8	50	26	24

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25·1	24·7	-
Marriage-rate - - - - -	10·3	-	-
Death-rate—All Causes - - - - -	13·5	15·7	14·9
Do. —Phthisis - - - - -	-	0·94	-
Do. —All Tuberculosis - - - - -	-	0·94	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —76.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	1	-	-	-	-	1	-	2	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	4	-	-	-	-	-	-	1	3	2	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	4	-	-	-	-	-	-	-	2	3	1	-	
Bronchitis - - - - -	3	2	1	-	-	-	-	-	-	-	1	3	-	
Pneumonia (all forms) - - - - -	2	1	-	-	-	2	-	1	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Nephritis and Bright's Disease - - -	2	-	-	-	-	-	-	-	1	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	2	2	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	-	1	-	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	10	1	-	-	-	-	-	-	3	3	9	-	
Diseases ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	26	24	6	-	-	-	2	1	2	4	10	9	16	

YEAR 1920.

Population—Census 1921, - - - 25,092.

Do. Do. 1911, - - - 24,388.

Do. estimated to middle of 1920, 24,992.

COUNTY—**Lanark.**PUBLIC HEALTH DISTRICT—**Airdrie** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	785	6	23	802	418	384
Illegitimate Births -	21	-	7	28	15	13
Marriages - - -	249	-	-	-	-	-
Deaths - - -	311	4	40	347	173	174

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	31.4	32.1	-
Marriage-rate - - - - -	10.0	-	-
Death-rate—All Causes - - - - -	12.4	13.9	15.3
Do. —Phthisis - - - - -	-	0.56	-
Do. —All Tuberculosis - - - - -	-	0.96	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.96	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—99.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	2	-	-	-	-	-	-	-	1	-	-	1	-	
Measles - - - - -	4	2	1	4	1	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	5	2	4	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	2	-	1	2	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	6	8	-	-	-	1	2	5	4	1	1	-	-	
Tuberculous Meningitis - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	3	-	1	-	1	3	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	2	-	-	1	-	2	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	10	18	-	-	-	-	-	-	1	6	14	3	4	
Rheumatic Fever - - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	
Meningitis - - - - -	1	2	2	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	15	13	-	-	-	2	-	1	3	4	3	11	4	
Bronchitis - - - - -	13	11	6	1	-	-	-	-	1	1	4	6	5	
Pneumonia (all forms) - - - - -	28	18	12	12	3	-	3	1	2	5	3	4	1	
Other Diseases of Respiratory Organs - - - - -	2	1	-	1	-	1	-	1	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	3	4	6	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	2	-	-	1	-	2	-	1	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	3	4	2	1	1	-	1	-	-	-	1	-	1	
Nephritis and Bright's Disease - - - - -	2	3	-	-	-	-	-	-	2	3	-	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	-	2	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	18	20	38	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	9	3	-	1	-	1	1	1	3	2	1	1	1	
Suicide - - - - -	2	1	-	-	-	-	-	1	-	1	1	-	-	
Other Defined Diseases - - - - -	43	42	9	4	2	1	3	2	2	9	11	13	29	
Diseases Ill-defined or Unknown - - - - -	2	2	-	2	-	-	-	-	-	-	-	2	-	
Total - - - - -	173	174	79	37	12	7	18	16	21	32	39	41	45	

YEAR 1920.

Population—Census 1921, - - - 1,489.

COUNTY—**Lanark.**

Do. Do. 1911, - - - 1,326.

Do. estimated to middle of 1920, 1,471.

PUBLIC HEALTH DISTRICT—**Biggar** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	21	3	1	19	7	12
Illegitimate Births -	5	2	1	4	3	1
Marriages - - -	3	-	-	-	-	-
Deaths - - -	17	1	3	19	7	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14·3	12·9	-
Marriage-rate - - - - -	2·0	-	-
Death-rate—All Causes - - - - -	11·6	12·9	10·4
Do. —Phthisis - - - - -	-	0·68	-
Do. —All Tuberculosis - - - - -	-	1·36	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—21·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	3	-	-	-	-	-	1	-	-	2	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	1	-	-	-	-	-	-	-	1	2	1	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	7	-	-	-	-	-	-	-	1	-	4	4	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	7	12	-	-	-	-	1	1	1	3	4	5	4	

YEAR 1920.

Population—Census 1921, - - - 43,909.

COUNTY—**Lanark.**

Do. Do. 1911, - - - 43,290.

Do. estimated to middle of 1920, 43,794.

PUBLIC HEALTH DISTRICT—**Coatbridge** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1444	12	41	1473	768	705
Illegitimate Births - -	73	4	14	83	44	39
Marriages - - -	351	-	-	-	-	-
Deaths - - -	626	23	49	652	362	290

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	33.0	33.6	-
Marriage-rate - - - - -	8.0	-	-
Death-rate—All Causes - - -	14.3	14.9	16.2
Do. —Phthisis - - - - -	-	0.75	-
Do. —All Tuberculosis - - -	-	1.37	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.19	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected — 96.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	3	-	-	-	-	-	-	-	1	1	-	1	-	
*Measles - - - - -	13	6	4	14	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	2	4	-	2	2	1	1	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	6	-	-	4	2	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	2	-	-	-	-	1	1	-	1	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	18	15	-	-	-	-	6	8	11	7	1	-	-	
Tuberculous Meningitis - - -	3	4	2	1	2	1	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	8	6	5	5	1	1	2	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	3	3	-	1	-	-	1	1	1	1	1	-	-	
Cancer, Malignant Disease - - -	13	26	-	-	-	-	-	3	4	6	9	9	8	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Meningitis - - - - -	5	7	3	4	2	-	1	1	1	-	-	-	-	
Organic Heart Disease - - -	40	24	1	-	-	1	2	3	4	6	20	20	7	
Bronchitis - - - - -	34	24	18	4	-	-	-	-	-	5	10	11	10	
Pneumonia (all forms) - - -	48	32	22	25	3	-	7	7	2	5	3	5	1	
Other Diseases of Respiratory Organs	4	3	1	3	-	-	-	-	-	-	1	-	2	
*Diarrhœa and Enteritis (under 2 years)	8	11	15	4	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	2	-	-	-	2	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	3	3	-	-	-	-	-	1	1	1	2	-	1	
Other Diseases of Digestive System	15	8	2	2	1	1	4	-	2	4	3	2	2	
Nephritis and Bright's Disease - -	2	4	-	-	-	-	2	-	1	1	-	2	-	
Puerperal Sepsis - - - - -	-	3	-	-	-	-	-	3	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	5	-	-	-	-	2	1	2	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	27	23	50	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	20	5	1	1	1	-	1	3	3	6	5	2	2	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	73	57	12	2	2	1	3	5	8	17	25	30	25	
Diseases Ill-defined or Unknown - -	9	12	6	3	-	-	-	-	-	1	7	3	1	
Total - - - - -	362	290	142	76	19	6	34	38	42	62	89	85	59	

YEAR 1920.
COUNTY—**Lanark.**
PUBLIC HEALTH DISTRICT—**Glasgow** (Burgh).

Population—Census 1921, - - - 1,034,069.
Do. Do. 1911, - - - 1,008,487.
Do. estimated to middle of 1920, 1,030,293.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males	Females
Births - - -	32,984	2616	2258	32,626	16,651	15,975
Illegitimate Births -	2,490	357	77	2,210	1,138	1,072
Marriages - - -	13,576	-	-	-	-	-
Deaths - - -	17,086	1214	893	16,765	8,931	7,834

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	32·0	31·7	-
Marriage-rate - - - - -	13·2	-	-
Death-rate—All Causes - - - - -	16·6	16·3	17·9
Do. —Phthisis - - - - -	-	1·13	-
Do. —All Tuberculosis - - - - -	-	1·59	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·04	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—107.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGES											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	14	16	-	1	3	-	8	5	8	4	1	-	-	
Typhus Fever - - - - -	2	-	-	-	-	-	-	1	1	-	-	-	-	
Small-pox - - - - -	57	55	11	12	9	5	10	5	18	28	10	4	-	
*Measles - - - - -	156	154	112	190	8	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	32	26	1	31	16	3	4	1	-	1	1	-	-	
*Whooping-cough - - - - -	66	79	69	68	8	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	86	78	22	86	43	4	4	4	-	-	1	-	-	
Influenza - - - - -	18	29	5	4	-	-	5	6	5	7	3	6	6	
Erysipelas - - - - -	40	24	17	2	-	-	1	3	9	9	12	6	5	
Phthisis, Pulmonary Tuberculosis - - - - -	645	521	9	25	31	41	224	259	249	207	92	25	4	
Tuberculous Meningitis - - - - -	86	81	40	60	29	18	17	2	1	-	-	-	-	
Abdominal Tuberculosis - - - - -	65	60	17	24	27	13	23	11	5	2	3	-	-	
Other Tuberculous Diseases - - - - -	110	66	12	31	21	17	35	14	13	19	8	5	1	
Cancer, Malignant Disease - - - - -	569	669	3	3	2	3	6	27	130	266	381	301	116	
Rheumatic Fever - - - - -	24	21	-	-	7	11	6	8	5	4	2	1	1	
Meningitis - - - - -	106	85	82	55	18	10	7	7	4	4	3	1	-	
Organic Heart Disease - - - - -	596	660	6	6	13	19	48	77	94	193	316	303	176	
Bronchitis - - - - -	704	614	249	55	9	-	15	20	68	123	249	296	234	
Pneumonia (all forms) - - - - -	1322	995	632	402	49	18	136	167	184	219	242	180	88	
Other Diseases of Respiratory Organs - - - - -	147	112	53	21	6	2	4	7	17	31	48	45	25	
*Diarrhœa and Enteritis (under 2 years) - - - - -	196	164	332	28	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	63	46	1	3	16	17	28	7	6	14	7	8	2	
All Liver Diseases (not Malignant) - - - - -	46	63	2	-	1	-	5	4	12	23	26	26	10	
Other Diseases of Digestive System - - - - -	269	243	87	46	10	7	23	35	53	61	75	71	39	
Nephritis and Bright's Disease - - - - -	325	216	1	7	2	1	13	31	47	110	151	117	61	
Puerperal Sepsis - - - - -	-	82	-	-	-	-	19	42	21	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	149	-	-	-	-	17	79	51	2	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	728	549	1269	5	-	1	1	1	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	495	194	29	79	46	19	81	59	80	114	93	55	34	
Suicide - - - - -	48	13	-	-	-	-	4	9	16	15	13	2	2	
Other Defined Diseases - - - - -	1717	1643	368	79	35	31	88	107	235	347	558	747	765	
Diseases Ill-defined or Unknown - - - - -	199	127	48	9	2	1	5	9	29	47	70	70	36	
Total - - - - -	8931	7834	3477	1332	411	241	837	1007	1366	1850	2365	2274	1605	

YEAR 1920.

Population—Census 1921, - - - 39,420.
Do. Do. 1911, - - - 38,644.
Do. estimated to middle of 1920, 39,295.

COUNTY—**Lanark.**

PUBLIC HEALTH DISTRICT—**Hamilton** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,320	18	37	1,339	707	632
Illegitimate Births -	66	2	14	78	34	44
Marriages - - -	380	-	-	-	-	-
Deaths - - -	515	28	76	563	310	253

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	33·6	34·1	-
Marriage-rate - - - - -	9·7	-	-
Death-rate—All Causes - - - - -	13·1	14·3	15·5
Do. —Phthisis - - - - -	-	0·92	-
Do. —All Tuberculosis - - - - -	-	1·40	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·35	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—99.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	7	3	2	8	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	3	-	1	1	2	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	5	11	9	7	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	4	3	-	6	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	4	2	-	-	1	-	-	1	1	-	-	2	1	
Erysipelas - - - - -	2	-	-	-	-	-	-	-	-	1	-	1	-	
Phthisis, Pulmonary Tuberculosis -	15	21	-	4	-	2	11	9	5	3	2	-	-	
Tuberculous Meningitis - - - - -	4	4	2	3	2	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	2	1	1	1	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	4	3	-	1	1	-	-	2	2	-	1	-	-	
Cancer, Malignant Disease - - - - -	24	15	-	-	-	-	-	2	3	8	10	11	5	
Rheumatic Fever - - - - -	1	2	-	-	-	-	1	-	-	1	1	-	-	
Meningitis - - - - -	3	-	2	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	23	29	-	-	1	1	-	2	3	9	13	13	10	
Bronchitis - - - - -	34	23	22	5	-	-	-	-	-	3	9	12	6	
Pneumonia (all forms) - - - - -	44	29	17	23	-	-	3	8	6	7	5	3	1	
Other Diseases of Respiratory Organs	4	4	3	3	-	-	-	-	-	-	1	-	1	
*Diarrhoea and Enteritis (under 2 years)	9	7	10	6	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	4	1	-	-	-	-	1	2	2	-	-	-	-	
All Liver Diseases (not Malignant) -	3	1	-	-	-	-	-	-	-	-	1	1	2	
Other Diseases of Digestive System	4	2	-	1	-	-	-	-	2	-	1	2	-	
Nephritis and Bright's Disease - - -	5	4	-	-	-	-	2	2	1	-	3	-	1	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	5	-	-	-	-	1	2	2	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	31	22	53	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	14	7	3	2	2	2	3	-	2	2	1	3	1	
Suicide - - - - -	3	1	-	-	-	-	-	1	1	1	-	-	1	
Other Defined Diseases - - - - -	49	45	7	1	1	2	7	2	5	10	19	18	22	
Diseases Ill-defined or Unknown -	6	2	1	-	-	-	-	-	1	2	3	-	1	
Total - - - - -	310	253	133	72	12	10	30	35	36	47	70	66	52	

YEAR 1920.

COUNTY—**Lanark.**

PUBLIC HEALTH DISTRICT—**Lanark** (Burgh).

Population—Census 1921, - - - 6,268.
Do. Do. 1911, - - - 5,900.
Do. estimated to middle of 1920, 6,224.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	159	18	4	145	89	56
Illegitimate Births -	8	2	1	7	2	5
Marriages - - -	78	-	-	-	-	-
Deaths - - -	84	7	14	91	45	46

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25·5	23·3	-
Marriage-rate - - - - -	12·5	-	-
Death-rate—All Causes - - - - -	13·5	14·6	14·3
Do. —Phthisis - - - - -	-	1·29	-
Do. —All Tuberculosis - - - - -	-	1·93	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·16	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—48.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
* Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
* Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
* Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
* Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
* Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Phthisis, Pulmonary Tuberculosis - - - - -	3	5	-	-	-	-	2	1	1	2	1	-	1	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	2	-	1	-	-	-	-	-	1	-	-	-	
Other Tuberculous Diseases - - - - -	2	-	-	-	1	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	4	-	-	-	-	-	-	-	1	3	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	8	4	-	-	-	-	-	1	-	2	2	3	4	
Bronchitis - - - - -	2	2	1	-	-	-	-	1	-	-	1	-	1	
Pneumonia (all forms) - - - - -	5	3	3	1	-	-	-	-	-	2	-	1	1	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
* Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases of Digestive System - - - - -	3	1	-	1	1	-	2	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	1	-	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	2	-	-	-	-	1	1	1	1	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	12	17	-	-	1	-	-	1	1	1	4	8	13	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Total - - - - -	45	46	7	3	4	-	7	5	5	11	14	13	22	

YEAR 1920.

Population—Census 1921, - - - 40,983.

COUNTY—**Lanark.**

Do. Do. 1911, - - - 40,380.

Do. estimated to middle of 1920, 40,873.

PUBLIC HEALTH DISTRICT—**Motherwell** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1261	5	46	1302	674	628
Illegitimate Births -	49	1	15	63	28	35
Marriages - -	342	-	-	-	-	-
Deaths - - -	514	10	59	563	317	246

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	30.9	31.9	-
Marriage-rate - - - - -	8.4	-	-
Death-rate—All Causes - - - - -	12.6	13.8	15.6
Do. —Phthisis - - - - -	-	0.69	-
Do. —All Tuberculosis - - - - -	-	1.25	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.10	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—113.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	2	-	3	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	4	6	6	4	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	4	5	3	4	1	1	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Phthisis, Pulmonary Tuberculosis -	15	13	-	1	-	2	6	8	4	6	1	-	-	
Tuberculous Meningitis - - -	2	2	-	3	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	3	5	-	5	1	2	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	9	2	1	1	-	4	2	-	2	-	1	-	-	
Cancer, Malignant Disease - - -	16	27	-	-	-	1	1	2	3	9	11	12	4	
Rheumatic Fever - - - - -	1	1	-	-	-	-	1	-	-	1	-	-	-	
Meningitis - - - - -	1	1	-	1	-	-	-	-	-	1	-	-	-	
Organic Heart Disease - - - -	25	18	-	-	-	-	2	3	2	8	13	11	4	
Bronchitis - - - - -	48	17	20	4	-	-	-	-	2	9	14	11	5	
Pneumonia (all forms) - - - -	56	28	25	20	-	1	3	11	4	8	9	3	-	
Other Diseases of Respiratory Organs	5	2	1	-	-	-	-	-	-	3	2	-	1	
*Diarrhoea and Enteritis (under 2 years)	10	11	19	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	3	-	-	-	1	1	-	-	1	-	-	-	-	
All Liver Diseases (not Malignant) -	-	3	-	-	-	-	-	-	2	-	-	1	-	
Other Diseases of Digestive System	7	17	7	1	3	-	1	-	2	-	4	2	1	
Nephritis and Bright's Disease - -	7	1	-	-	1	2	-	-	-	1	1	3	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	8	-	-	-	-	-	3	4	1	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	25	19	44	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	17	1	1	2	1	-	4	2	1	4	3	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	48	48	19	1	2	1	2	5	3	13	9	13	28	
Diseases Ill-defined or Unknown - -	6	9	1	-	-	-	-	-	1	-	4	7	2	
Total - - - - -	317	246	117	57	11	15	22	31	32	64	73	63	45	

YEAR 1920.

COUNTY—**Lanark.**

PUBLIC HEALTH DISTRICT—**Rutherglen (Burgh).**

Population—Census 1921, - - - 24,744.

Do. Do. 1911, - - - 24,319.

Do. estimated to middle of 1920, 24,672.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	604	5	40	639	328	311
Illegitimate Births -	13	-	7	20	7	13
Marriages - - -	257	-	-	-	-	-
Deaths - - -	244	7	82	319	178	141

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.5	25.9	-
Marriage-rate - - - - -	10.4	-	-
Death-rate—All Causes - - - - -	9.9	12.9	14.2
Do. —Phthisis - - - - -	-	0.89	-
Do. —All Tuberculosis - - - - -	-	1.38	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.77	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—95.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	1	1	-	-	-	-	-	-	-	2	-	-	-	
*Measles - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	3	5	3	3	2	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	3	-	1	-	-	2	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	13	9	-	-	-	-	6	7	4	5	-	-	-	
Tuberculous Meningitis - - - - -	4	1	1	1	1	1	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	2	-	1	2	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	4	-	1	1	1	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	17	19	-	-	-	-	-	1	1	7	11	10	6	
Rheumatic Fever - - - - -	2	-	-	-	-	-	-	-	1	1	-	-	-	
Meningitis - - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	16	15	1	-	1	-	2	1	3	6	6	6	5	
Bronchitis - - - - -	15	7	7	1	-	-	-	-	-	2	3	6	3	
Pneumonia (all forms) - - - - -	18	6	5	5	-	-	1	4	1	3	1	2	2	
Other Diseases of Respiratory Organs	2	1	2	-	-	-	-	-	1	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	3	-	3	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	2	-	-	-	-	1	-	1	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	6	4	1	-	-	-	1	3	-	3	1	1	-	
Nephritis and Bright's Disease - -	9	5	-	1	-	-	-	-	3	4	3	2	1	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	-	1	1	1	-	-	-	
Congenital Debility and Malformation, including Premature Birth	15	11	26	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	7	4	2	1	2	1	-	-	1	2	1	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	30	38	4	2	-	-	1	2	5	6	15	13	20	
Diseases Ill-defined or Unknown - -	6	2	1	-	-	-	-	1	-	1	2	3	-	
Total - - - - -	178	141	61	20	10	2	16	21	22	43	43	44	37	

YEAR 1920.

Population—Census 1921, - - - 27,349.

COUNTY—**Lanark.**

Do. Do. 1911, - - - 25,263.

Do. estimated to middle of 1920, 27,111.

PUBLIC HEALTH DISTRICT—**Wishaw** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	936	8	25	953	491	462
Illegitimate Births -	49	-	16	65	27	38
Marriages - - -	234	-	-	-	-	-
Deaths - - -	295	4	47	338	178	160

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	34.5	35.2	-
Marriage-rate - - - - -	8.6	-	-
Death-rate—All Causes - - - - -	10.9	12.5	13.6
Do. —Phthisis - - - - -	-	0.70	-
Do. —All Tuberculosis - - - - -	-	0.96	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.81	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5	10-	15	25-	35-	45-	55	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	2	1	2	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	4	5	8	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	3	3	2	-	-	-	-	-	-	-	1	1	2	
Erysipelas - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	13	6	-	-	-	-	7	2	3	6	1	-	-	
Tuberculous Meningitis - - - - -	1	3	1	1	1	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	10	14	-	-	-	-	-	1	1	9	5	6	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	3	3	3	2	-	-	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	12	16	-	-	-	1	1	-	5	4	4	9	4	
Bronchitis - - - - -	32	11	8	3	-	-	-	-	2	9	8	11	2	
Pneumonia (all forms) - - - - -	21	24	10	15	2	1	1	3	1	2	7	1	2	
Other Diseases of Respiratory Organs	3	1	-	1	-	-	-	-	-	2	1	-	-	
*Diarrhoea and Enteritis (under 2 years)	3	4	6	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	2	-	-	1	1	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System	6	4	3	-	1	-	1	-	1	1	-	2	1	
Nephritis and Bright's Disease - - -	3	4	1	1	-	-	-	2	-	1	1	1	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	8	-	-	-	-	2	5	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	17	11	28	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	17	2	-	3	1	-	2	1	5	5	1	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	23	29	5	2	2	2	1	1	7	8	11	5	8	
Diseases Ill-defined or Unknown -	2	2	1	-	-	-	-	-	1	-	1	1	-	
Total - - - - -	178	160	79	33	11	6	16	17	28	47	41	38	22	

YEAR 1920.

COUNTY—**Lanark.**

PUBLIC HEALTH DISTRICT—**Lower Lanark** (County District).

Population—Census 1921, - - - 29,932.
Do. Do. 1911, - - - 28,466.
Do. estimated to middle of 1920, 29,752.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	695	8	44	731	370	361
Illegitimate Births -	32	5	10	37	14	23
Marriages - - -	193	-	-	-	-	-
Deaths - - -	481	217	69	333	174	159

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23.4	24.6	-
Marriage-rate - - - - -	6.5	-	-
Death-rate—All Causes - - - - -	16.2	11.2	11.9
Do. —Phthisis - - - - -	-	0.67	-
Do. —All Tuberculosis - - - - -	-	0.94	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.84	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—89.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	2	2	-	1	1	2	-	-	-	-	-	-	-	
*Measles - - - - -	3	4	3	3	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
*Whooping-cough - - - - -	2	2	1	3	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	3	3	1	2	3	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	11	9	-	-	-	1	4	6	4	4	-	1	-	
Tuberculous Meningitis - - - - -	-	2	-	1	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	2	2	-	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	2	-	1	1	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	17	18	-	-	-	-	-	-	5	5	7	15	3	
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	6	5	3	6	1	-	-	-	1	-	-	-	-	
Organic Heart Disease - - - - -	16	13	-	-	1	1	-	2	-	5	8	7	5	
Bronchitis - - - - -	14	11	9	-	-	-	-	-	1	3	5	4	3	
Pneumonia (all forms) - - - - -	19	18	8	2	3	-	1	3	-	5	8	5	2	
Other Diseases of Respiratory Organs - - - - -	3	3	2	-	-	-	-	1	1	1	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	4	6	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	1	-	-	-	3	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	7	-	1	1	-	-	1	2	-	3	-	1	
Nephritis and Bright's Disease - - - - -	5	1	-	1	-	2	-	-	2	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	-	3	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	12	7	19	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	10	5	-	1	-	1	5	-	2	1	1	3	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	37	33	9	-	-	-	3	4	3	2	9	15	25	
Diseases Ill-defined or Unknown - - - - -	5	2	2	1	-	-	-	-	-	1	1	2	-	
Total - - - - -	174	159	65	23	13	12	15	20	22	27	43	53	40	

YEAR 1920.

Population—Census 1921, - - - 219,326.

COUNTY—**Lanark.**

Do. Do. 1911, - - - 202,659.

Do. estimated to middle of 1920, 217,426.

PUBLIC HEALTH DISTRICT **Middle Lanark** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	7,427	244	293	7,476	3,758	3,718
Illegitimate Births -	402	58	99	443	213	230
Marriages - - -	1,713	-	-	-	-	-
Deaths - - -	2,699	151	334	2,882	1,527	1,355

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	34·2	34·4	-
Marriage-rate - - - - -	7·9	-	-
Death-rate—All Causes - - - - -	12·4	13·3	14·2
Do. —Phthisis - - - - -	-	0·69	-
Do. —All Tuberculosis - - - - -	-	1·17	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·33	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—102.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55	65-	75 and over	
Enteric Fever - - - - -	3	3	-	-	1	1	3	-	1	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	4	1	-	-	-	-	-	-	3	1	1	-	-	
Measles - - - - -	40	36	25	47	4	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	9	6	1	10	1	2	-	1	-	-	-	-	-	
Whooping-cough - - - - -	26	25	26	22	3	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	13	14	2	20	5	-	-	-	-	-	-	-	-	
Influenza - - - - -	10	3	2	1	-	-	-	1	2	2	1	1	3	
Erysipelas - - - - -	3	4	3	-	-	-	-	1	1	2	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	70	80	1	9	2	6	34	36	34	11	12	5	-	
Tuberculous Meningitis - - - - -	23	19	18	19	2	2	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	14	19	5	12	4	5	3	2	1	1	-	-	-	
Other Tuberculous Diseases - - - - -	19	10	5	5	3	3	6	3	2	2	-	-	-	
Cancer, Malignant Disease - - - - -	84	87	-	1	-	2	2	4	13	36	47	47	19	
Rheumatic Fever - - - - -	5	5	-	-	-	2	3	2	1	1	1	-	-	
Meningitis - - - - -	24	22	20	16	3	4	-	1	-	-	2	-	-	
Organic Heart Disease - - - - -	123	122	5	1	7	4	11	16	12	33	56	50	50	
Bronchitis - - - - -	127	94	67	14	2	1	1	4	4	13	42	38	35	
Pneumonia (all forms) - - - - -	173	133	95	69	6	4	18	25	21	12	26	20	10	
Other Diseases of Respiratory Organs - - - - -	31	17	6	6	6	1	-	-	1	4	8	7	9	
Diarrhoea and Enteritis (under 2 years) - - - - -	71	44	98	17	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	14	9	-	-	3	4	7	2	4	2	1	-	-	
All Liver Diseases (not Malignant) - - - - -	6	9	1	-	-	-	1	-	2	8	2	1	-	
Other Diseases of Digestive System - - - - -	44	35	14	7	7	1	2	4	11	9	7	6	11	
Nephritis and Bright's Disease - - - - -	32	25	1	2	1	2	3	6	5	11	13	8	5	
Puerperal Sepsis - - - - -	-	23	-	-	-	-	9	6	8	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	26	-	-	-	-	1	9	16	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	153	136	287	-	2	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	118	25	3	19	10	5	22	18	25	13	15	9	4	
Suicide - - - - -	3	1	-	-	-	-	-	-	1	2	1	-	-	
Other Defined Diseases - - - - -	262	301	73	18	10	10	13	16	33	49	81	119	141	
Diseases Ill-defined or Unknown - - - - -	23	21	8	3	-	-	1	2	1	4	5	11	9	
Total - - - - -	1527	1355	766	318	82	59	141	159	202	216	321	322	296	

YEAR 1920.

Population—Census 1921, - - - 46,701.

COUNTY—**Lanark.**

Do. Do. 1911, - - - 42,978.

Do. estimated to middle of 1920, 46,280.

PUBLIC HEALTH DISTRICT—**Upper Lanark** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,278	25	57	1,310	672	638
Illegitimate Births -	85	3	17	99	44	55
Marriages - - -	329	-	-	-	-	-
Deaths - - -	533	20	51	564	292	272

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	27·6	28·3	-
Marriage-rate - - - - -	7·1	-	-
Death-rate—All Causes - - - - -	11·5	12·2	12·3
Do. —Phthisis - - - - -	-	0·65	-
Do. —All Tuberculosis - - - - -	-	0·99	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·48	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—66.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	2	-	1	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	3	7	1	3	6	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	1	1	1	1	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	15	15	-	-	-	1	9	7	3	8	1	1	-	
Tuberculous Meningitis - - - - -	3	1	1	1	1	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	3	-	1	1	-	1	2	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	5	2	-	-	-	2	-	3	-	-	1	1	-	
Cancer, Malignant Disease - - - - -	21	20	-	-	-	-	1	1	3	8	12	10	6	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	3	3	1	1	-	1	1	1	-	1	-	-	-	
Organic Heart Disease - - - - -	28	33	-	1	-	2	2	-	2	6	10	17	21	
Bronchitis - - - - -	13	12	4	-	-	-	-	-	1	1	5	5	9	
Pneumonia (all forms) - - - - -	25	18	6	6	3	-	-	2	5	4	5	8	4	
Other Diseases of Respiratory Organs - - - - -	9	4	-	-	-	-	1	1	-	2	1	6	2	
*Diarrhoea and Enteritis (under 2 years) - - - - -	4	4	8	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	-	-	-	-	-	2	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	2	-	1	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System - - - - -	12	11	2	5	1	2	1	3	3	2	2	-	2	
Nephritis and Bright's Disease - - - - -	5	10	-	-	2	1	-	1	2	2	3	2	2	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	6	-	-	-	-	1	3	2	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	26	23	49	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	26	7	3	3	1	1	11	3	3	2	2	3	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	78	84	7	3	2	2	6	5	8	16	14	34	65	
Diseases Ill-defined or Unknown - - - - -	6	5	1	-	1	-	-	-	1	1	3	1	3	
Total - - - - -	292	272	86	26	20	13	36	32	34	54	60	88	115	

YEAR 1920.

Population—Census 1921, - - - 4,927.

COUNTY—**Linlithgow.**

Do. Do. 1911, - - - 4,739.

Do. estimated to middle of 1920, 4,903.

PUBLIC HEALTH DISTRICT—**Armadale (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	158	4	6	160	85	75
Illegitimate Births -	9	-	1	10	6	4
Marriages - - -	27	-	-	-	-	-
Deaths - - -	45	0	12	57	29	28

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	32.2	32.6	-
Marriage-rate - - - - -	5.5	-	-
Death-rate—All Causes - - - - -	9.2	11.6	12.6
Do. —Phthisis - - - - -	-	0.61	-
Do. —All Tuberculosis - - - - -	-	1.02	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.61	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—113.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	1	-	1	-	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	-	3	-	-	-	-	-	-	3	-	-	-	-	
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	1	-	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	2	-	-	-	-	-	-	1	1	-	3	-	
Bronchitis - - - - -	6	5	1	1	-	-	-	-	-	3	2	2	2	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases of Respiratory Organs -	2	1	1	1	-	-	-	-	-	1	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - -	-	2	-	-	-	-	-	-	-	1	-	-	1	
Nephritis and Bright's Disease - - -	2	-	1	-	-	-	-	-	-	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	-	2	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	4	7	11	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	2	4	-	-	-	-	-	-	-	1	-	2	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	29	28	18	5	1	2	-	3	7	7	4	5	5	

YEAR 1920.

COUNTY—**Linlithgow.**

PUBLIC HEALTH DISTRICT—**Bathgate** (Burgh).

Population—Census 1921, - - - 8,504.
Do. Do. 1911, - - - 8,226.
Do. estimated to middle of 1920, 8,467.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	222	3	13	232	126	106
Illegitimate Births -	9	-	4	13	6	7
Marriages - - -	62	-	-	-	-	-
Deaths - - -	84	1	20	103	55	48

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26·2	27·4	-
Marriage-rate - - - - -	7·3	-	-
Death-rate—All Causes - - - - -	9·9	12·2	13·2
Do. —Phthisis - - - - -	-	0·35	-
Do. —All Tuberculosis - - - - -	-	0·71	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·71	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—95.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	2	-	1	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	3	1	-	-	-	-	-	-	2	1	-	1	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	-	1	-	-	-	2	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	-	-	-	1	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	7	-	-	-	-	-	1	1	-	3	4	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	4	-	-	-	-	1	-	-	1	2	3	1	
Bronchitis - - - - -	6	5	4	1	-	-	-	-	-	1	2	1	2	
Pneumonia (all forms) - - - - -	3	3	-	1	-	-	-	-	2	-	-	1	2	
Other Diseases of Respiratory Organs - - - - -	3	-	1	-	-	-	-	-	-	-	-	2	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	3	-	3	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	3	-	3	-	-	-	-	1	1	-	-	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	1	-	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	6	3	9	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	1	-	-	-	-	1	-	1	-	1	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	11	15	5	-	-	-	-	-	1	1	3	6	10	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	55	48	22	8	2	1	4	3	9	6	13	18	17	

YEAR 1920.

Population—Census 1921, - - - 10,162.

Do. Do. 1911, - - - 10,862.

Do. estimated to middle of 1920, - 10,218.

COUNTY—**Linlithgow.**PUBLIC HEALTH DISTRICT—**Borrowstounness (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers.		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	330	1	10	339	161	178
Illegitimate Births -	17	-	3	20	7	13
Marriages - - -	107	-	-	-	-	-
Deaths - - -	103	0	25	128	72	56

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	32.3	33.2	-
Marriage-rate - - - - -	10.5	-	-
Death-rate—All Causes - - - - -	10.1	12.5	13.8
Do. —Phthisis - - - - -	-	0.39	-
Do. —All Tuberculosis - - - - -	-	1.37	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.98	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—77.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			1	1-	5-	10-	15	25	35-	45	55-	65-	75 and over	
Enteric Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	4	1	-	3	2	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	2	-	-	-	-	-	1	-	2	-	1	-	
Tuberculous Meningitis - - - - -	1	2	-	3	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	2	-	2	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	3	1	-	-	1	1	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	1	4	-	-	-	-	-	-	1	-	-	3	1	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	4	-	-	-	-	1	-	-	1	2	4	2	
Bronchitis - - - - -	6	1	5	1	1	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	10	6	2	3	-	1	1	2	1	1	2	3	-	
Other Diseases of Respiratory Organs - - - - -	1	1	-	1	-	-	-	-	-	-	-	1	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	3	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	-	-	1	1	-	
Other Diseases of Digestive System - - - - -	2	2	1	-	-	-	-	1	1	-	-	1	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	-	1	2	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	6	4	10	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	9	2	1	-	1	-	3	2	1	-	2	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	14	13	2	-	-	-	1	1	-	2	5	7	9	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	1	
Total - - - - -	72	56	26	14	4	4	7	10	7	7	13	23	13	

YEAR 1920.

Population—Census 1921, - - - 3,880.

COUNTY—**Linlithgow.**

Do. Do. 1911, - - - 4,002.

Do. estimated to middle of 1920, - 3,887.

PUBLIC HEALTH DISTRICT—**Linlithgow (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	114	4	3	113	57	56
Illegitimate Births -	3	-	1	4	3	1
Marriages - - -	34	-	-	-	-	-
Deaths - - -	39	1	10	48	27	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29·3	29·1	-
Marriage-rate - - - - -	8·7	-	-
Death-rate—All Causes - - -	10·0	12·3	12·1
Do. —Phthisis - - - - -	-	1·03	-
Do. —All Tuberculosis - - -	-	1·29	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·77	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—71.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	1	1	-	-	2	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	3	-	-	-	1	1	-	2	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Cancer, Malignant Disease - - -	1	2	-	-	-	-	-	-	-	3	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	3	-	-	-	-	-	1	-	-	-	1	1	-	
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	1	-	-	1	
Pneumonia (all forms) - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	1	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth -	5	2	7	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - -	9	9	-	1	1	-	1	1	-	1	1	7	5	
Diseases Ill-defined or Unknown - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	27	21	8	1	3	1	5	2	2	5	4	11	6	

YEAR 1920.

COUNTY—**Linlithgow.**

PUBLIC HEALTH DISTRICT—**Queensferry (Burgh).**

Population—Census 1921, - - - 2,193.
Do. Do. 1911, - - - 3,510.
Do. estimated to middle of 1920, 2,319.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	75	-	3	78	41	37
Illegitimate Births -	3	-	-	3	2	1
Marriages - - -	19	-	-	-	-	-
Deaths - - -	17	0	8	25	9	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	32·3	33·6	-
Marriage-rate - - - - -	8·2	-	-
Death-rate—All Causes - - - - -	7·3	10·8	15·9
Do. —Phthisis - - - - -	-	0·43	-
Do. —All Tuberculosis - - - - -	-	0·86	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—77.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10	15-	25	35-	45-	55	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	-	1	1	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	3	-	-	-	-	-	-	-	-	-	3	1	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	3	1	1	-	-	-	1	-	-	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	3	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	2	1	-	1	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	-	3	-	-	-	1	-	-	-	-	1	-	1	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	9	16	6	3	2	1	1	2	-	1	2	4	3	

YEAR 1920.

COUNTY—**Linlithgow.**

PUBLIC HEALTH DISTRICT—**Whitburn** (Burgh).

Population—Census 1921, - - - 1,971.
Do. Do. 1911, - - - 1,876.
Do. estimated to middle of 1920, 1,960.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	63	1	2	64	35	29
Illegitimate Births -	6	-	-	6	2	4
Marriages - - -	28	-	-	-	-	-
Deaths - - -	17	0	5	22	10	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	32.1	32.7	-
Marriage-rate - - - - -	14.3	-	-
Death-rate—All Causes	8.7	11.2	12.0
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - -	-	1.02	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.02	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—109.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	2	-	-	1	-	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - -	2	-	-	-	-	-	-	-	1	-	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Bronchitis - - - - -	1	2	-	-	-	-	-	-	1	-	1	1	-	
Pneumonia (all forms) - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	1	1	-	-	-	1	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	2	4	3	-	-	-	-	-	-	-	1	1	1	
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	10	12	7	3	-	1	-	2	2	-	3	2	2	

YEAR 1920.

COUNTY—**Linlithgow.**

PUBLIC HEALTH DISTRICT—**Bathgate** (County District).

Population—Census 1921, - - - 36,697.
Do. Do. 1911, - - - 31,725
Do. estimated to middle of 1920, 36,164.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,233	28	35	1,240	631	609
Illegitimate Births -	64	3	10	71	31	40
Marriages - - -	226	-	-	-	-	-
Deaths - - -	345	7	70	408	206	202

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	34.1	34.3	-
Marriage-rate - - - - -	6.2	-	-
Death-rate—All Causes - - - - -	9.5	11.3	12.0
Do. —Phthisis - - - - -	-	0.30	-
Do. —All Tuberculosis - - - - -	-	0.83	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.66	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—85.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	5	1	-	6	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	2	-	1	-	1	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	-	-	1	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	6	5	-	1	1	1	4	2	1	1	-	-	-	
Tuberculous Meningitis - - - - -	5	2	2	2	2	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	3	-	2	1	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	3	5	1	-	1	1	3	-	1	1	-	-	-	
Cancer, Malignant Disease - - - - -	9	15	-	-	-	-	-	1	1	5	14	3	-	
Rheumatic Fever - - - - -	2	1	-	-	3	-	-	-	-	-	-	-	-	
Meningitis - - - - -	3	5	5	1	-	-	-	2	-	-	-	-	-	
Organic Heart Disease - - - - -	13	27	-	-	-	1	1	3	8	5	8	6	8	
Bronchitis - - - - -	19	13	9	3	-	-	-	-	-	1	7	6	6	
Pneumonia (all forms) - - - - -	22	16	12	8	1	1	3	2	3	2	3	2	1	
Other Diseases of Respiratory Organs - - - - -	4	2	3	1	-	-	-	-	1	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	9	11	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	3	-	-	3	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	11	14	10	-	1	1	2	2	4	1	2	2	-	
Nephritis and Bright's Disease - - - - -	3	4	-	1	-	-	2	1	1	1	-	1	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	-	2	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	26	17	43	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	25	5	-	-	1	1	9	3	5	7	2	2	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	38	46	8	5	-	-	-	1	4	8	19	17	22	
Diseases Ill-defined or Unknown - - - - -	4	-	-	2	-	-	-	-	1	-	-	1	-	
Total - - - - -	206	202	106	37	15	8	27	19	31	32	55	40	38	

YEAR 1920.

Population—Census 1921, - - - 15,632.
Do. Do. 1911, - - - 15,215.
Do. estimated to middle of 1920, 15,573.

COUNTY—**Linlithgow**.

PUBLIC HEALTH DISTRICT—**Linlithgow** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	451	9	28	470	222	248
Illegitimate Births -	27	-	12	39	15	24
Marriages - - -	99	-	-	-	-	-
Deaths - - -	204	59	20	165	93	72

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29·0	30·2	-
Marriage-rate - - - - -	6·4	-	-
Death-rate—All Causes - - - - -	13·1	10·6	10·9
Do. —Phthisis - - - - -	-	0·45	-
Do. —All Tuberculosis - - - - -	-	0·58	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·58	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—72.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	2	2	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	3	4	-	-	-	-	2	2	1	1	-	-	1	
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	9	-	-	-	-	-	1	-	1	5	3	4	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	8	9	-	-	-	-	-	3	-	5	2	5	2	
Bronchitis - - - - -	6	6	3	1	-	-	-	1	-	1	3	2	1	
Pneumonia (all forms) - - - - -	13	7	8	3	1	-	1	-	2	2	1	-	2	
Other Diseases of Respiratory Organs	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System	4	2	-	-	1	1	1	-	1	-	2	-	-	
Nephritis and Bright's Disease - -	5	2	-	-	-	-	1	-	1	1	-	3	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	6	6	12	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	7	2	-	1	-	1	-	1	4	1	1	-	-	
Suicide - - - - -	2	-	-	-	-	-	1	-	-	1	-	-	-	
Other Defined Diseases - - - - -	22	15	3	2	2	1	2	2	4	3	4	10	4	
Diseases Ill-defined or Unknown	2	3	2	-	-	-	-	-	-	2	-	1	-	
Total - - - - -	93	72	34	12	5	5	8	11	13	19	19	24	15	

YEAR 1920.

Population—Census 1921, - - - 4,474.

Do. Do. 1911, - - - 4,661.

Do. estimated to middle of 1920, 4,487.

COUNTY—**Nairn**.PUBLIC HEALTH DISTRICT—**Nairn** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	108	3	3	108	56	52
Illegitimate Births - -	9	2	2	9	5	4
Marriages - - -	60	-	-	-	-	-
Deaths - - -	54	2	4	56	22	34

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.1	24.1	-
Marriage-rate - - - - -	13.4	-	-
Death-rate—All Causes - - - - -	12.0	12.5	11.3
Do. —Phthisis - - - - -	-	0.67	-
Do. —All Tuberculosis - - - - -	-	0.67	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—65.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			1	1-	5-	10-	15-	25	35-	45	55-	65	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	1	2	-	-	-	1	-	1	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	3	-	-	-	-	1	1	2	-	1	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	3	-	-	-	-	-	-	1	1	2	1	-	
Bronchitis - - - - -	2	4	1	-	-	-	-	-	-	-	1	4	-	
Pneumonia (all forms) - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	2	2	-	-	-	1	1	-	1	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	18	2	-	-	-	1	1	4	4	2	12	-	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	22	34	7	1	-	-	2	3	3	9	5	7	19	

YEAR 1920.

Population—Census 1921, - - - 4,316.
Do. Do. 1911, - - - 4,658.
Do. estimated to middle of 1920, 4,344.

COUNTY—**Nairn.**

PUBLIC HEALTH DISTRICT—**Nairn** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	114	7	5	112	47	65
Illegitimate Births -	13	5	4	12	3	9
Marriages - - -	24	-	-	-	-	-
Deaths - - -	53	3	0	50	23	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26·2	25·8	-
Marriage-rate - - - - -	5·5	-	-
Death-rate—All Causes - - - - -	12·2	11·5	10·0
Do. —Phthisis - - - - -	-	0·69	-
Do. —All Tuberculosis - - - - -	-	0·69	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·46	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—89.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	2	1	-	-	-	-	1	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	3	-	-	-	-	-	-	-	-	-	1	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	1	2	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	5	-	-	-	-	-	-	-	-	2	2	2	
Bronchitis - - - - -	-	3	-	1	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - - - -	3	1	1	-	1	-	-	-	1	1	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	2	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Nephritis and Bright's Disease - - -	2	-	-	-	-	-	-	-	-	-	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	9	9	1	-	-	-	-	-	-	1	1	3	12	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	23	27	10	1	2	-	-	1	2	2	5	8	19	

YEAR 1920.

Population—Census 1921, - - - 3,697.

COUNTY—Orkney.

Do. Do. 1911, - - - 3,810.

Do. estimated to middle of 1920, 3,703.

PUBLIC HEALTH DISTRICT—Kirkwall (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	98	10	-	88	48	40
Illegitimate Births -	6	1	-	5	2	3
Marriages - - -	43	-	-	-	-	-
Deaths - - -	59	3	1	57	24	33

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26.5	23.8	-
Marriage-rate - - - - -	11.6	-	-
Death-rate—All Causes - - - - -	15.9	15.4	12.4
Do. —Phthisis - - - - -	-	1.08	-
Do. —All Tuberculosis - - - - -	-	1.62	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.27	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—68.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	3	-	-	-	2	-	-	1	-	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	1	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	5	-	-	-	-	-	1	1	2	3	1	-	
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	6	-	-	-	-	-	1	1	2	2	5	-	
Bronchitis - - - - -	2	5	2	-	-	-	-	-	-	-	-	-	5	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	3	1	-	3	-	-	-	-	1	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	1	1	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	1	-	-	-	-	-	-	-	1	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other Defined Diseases - - - - -	5	7	2	-	-	-	1	-	1	-	4	4	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	24	33	6	4	1	-	2	3	3	6	4	11	17	

YEAR 1920.

COUNTY—Orkney.

PUBLIC HEALTH DISTRICT—Stromness (Burgh).

Population—Census 1921, - - - 1,665.
Do. Do. 1911, - - - 1,770.
Do. estimated to middle of 1920, 1,673.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	37	1	4	40	17	23
Illegitimate Births -	2	-	-	2	-	2
Marriages - - -	10	-	-	-	-	-
Deaths - - -	26	1	2	27	9	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.1	23.9	-
Death-rate—All Causes - - -	6.0	-	-
Do. —Phthisis - - - - -	15.5	16.1	13.0
Do. —All Tuberculosis - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.60	-
	-	0.60	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—50.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	4	-	-	-	-	-	-	-	-	1	3	2	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	8	-	-	-	-	1	-	2	-	-	3	7	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	9	18	2	1	-	-	1	1	3	-	2	7	10	

YEAR 1920.

Population—Census 1921, - - - 8,775.

Do. Do. 1911, - - - 9,187.

Do. estimated to middle of 1920, 8,805.

COUNTY—Orkney.

PUBLIC HEALTH DISTRICT—Mainland (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	182	10	11	183	90	93
Illegitimate Births -	10	-	-	10	5	5
Marriages - - -	41	-	-	-	-	-
Deaths - - -	115	0	8	123	57	66

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20·7	20·8	-
Marriage-rate - - - - -	4·7	-	-
Death-rate—All Causes - - - - -	13·1	14·0	10·3
Do. —Phthisis - - - - -	-	0·45	-
Do. —All Tuberculosis - - - - -	-	1·02	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·11	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—38.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5	10-	15	25-	35-	45-	55	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	2	-	-	-	-	-	1	1	1	-	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	-	-	-	-	-	1	1	-	-	-	
Other Tuberculous Diseases - - - - -	1	2	-	-	-	-	-	-	2	-	1	-	-	
Cancer, Malignant Disease - - - - -	4	5	-	-	-	-	-	-	-	1	2	3	3	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	9	-	-	-	-	-	-	-	-	5	2	9	
Bronchitis - - - - -	5	4	2	-	-	-	-	-	-	-	-	2	5	
Pneumonia (all forms) - - - - -	3	5	-	2	-	1	-	-	1	-	1	1	2	
Other Diseases of Respiratory Organs - - - - -	4	-	-	-	-	-	-	-	-	-	1	2	1	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	4	4	-	-	-	1	-	-	-	2	-	-	5	
Nephritis and Bright's Disease - - - - -	3	-	1	-	-	-	-	-	1	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	4	-	-	-	-	2	-	-	1	-	-	2	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	16	24	3	1	-	-	-	1	-	1	3	1	30	
Diseases Ill-defined or Unknown - - - - -	3	3	-	-	-	-	-	-	-	-	-	-	6	
Total - - - - -	57	66	7	4	-	2	2	3	6	7	16	13	63	

YEAR 1920.

Population—Census 1921, - - - 6,375.
Do. Do. 1911, - - - 7,095.
Do. estimated to middle of 1920, 6,438.

COUNTY—Orkney.

PUBLIC HEALTH DISTRICT—North Isles (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	111	-	5	116	58	58
Illegitimate Births -	9	-	-	9	4	5
Marriages - - -	42	-	-	-	-	-
Deaths - - -	85	1	1	85	43	42

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.2	18.0	-
Marriage-rate - - - - -	6.5	-	-
Death-rate—All Causes - - - - -	13.2	13.2	9.3
Do. —Phthisis - - - - -	-	0.78	-
Do. —All Tuberculosis - - - - -	-	1.40	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.47	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —52.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	2	-	-	-	1	1	2	-	1	-	-	-	
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	2	-	-	-	-	-	-	1	-	-	-	1	
Cancer, Malignant Disease - - - - -	1	2	-	-	-	-	-	-	-	-	1	-	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	7	-	-	-	-	-	1	1	-	1	5	6	
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2	
Pneumonia (all forms) - - - - -	3	-	1	-	-	-	-	-	-	-	1	1	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	2	-	-	-	-	-	-	-	-	2	-	-	
Nephritis and Bright's Disease - - - - -	1	2	-	-	-	-	-	-	-	-	1	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	-	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	21	18	-	-	-	-	-	1	2	-	2	8	26	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	2	
Total - - - - -	43	42	6	-	-	2	3	4	4	1	8	16	41	

YEAR 1920.

Population—Census 1921, - - - 2,101

COUNTY—Orkney.

Do. Do. 1911, - - - 2,395

Do. estimated to middle of 1920, 2,127.

PUBLIC HEALTH DISTRICT—South Ronaldsay (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	45	-	-	45	22	23
Illegitimate Births -	2	-	-	2	2	-
Marriages - - -	10	-	-	-	-	-
Deaths - - -	46	1	1	46	20	26

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21·2	21·2	-
Marriage-rate - - - - -	4·7	-	-
Death-rate—All Causes - - - - -	21·6	21·6	14·4
Do. —Phthisis - - - - -	-	0·94	-
Do. —All Tuberculosis - - - - -	-	1·88	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—67.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5	10	15	25	35	45	55	65	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	2	-	-	-	-	-	-	-	-	2	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	1	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - -	1	1	-	-	-	-	-	1	1	-	-	-	-
Cancer, Malignant Disease - - - -	1	2	-	-	-	-	-	-	-	-	2	-	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	2	-	-	-	-	-	-	-	-	1	2	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	1	-	-	-	-	-	1	-	2	-	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	9	13	1	-	-	-	-	1	-	2	1	3	14
Diseases Ill-defined or Unknown -	2	2	-	1	-	-	-	-	-	1	-	1	1
Total - - - - -	20	26	3	2	-	-	1	4	1	5	6	7	17

YEAR 1920.

Population—Census 1921, - - - 1,496.
Do. Do. 1911, - - - 1,640.
Do. estimated to middle of 1920, 1,508.

COUNTY—Orkney.

PUBLIC HEALTH DISTRICT—Walls (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	25	-	1	26	12	14
Illegitimate Births -	1	-	1	2	1	1
Marriages - -	5	-	-	-	-	-
Deaths - - -	23	0	0	23	11	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16·6	17·2	-
Marriage-rate - - - - -	3·3	-	-
Death-rate—All Causes - - - - -	15·3	15·3	10·4
Do. —Phthisis - - - - -	-	0·66	-
Do. —All Tuberculosis - - - - -	-	0·66	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—38.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	3	-	-	-	-	-	-	-	-	1	-	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	1	-	-	-	-	-	-	-	-	-	1	2	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	-	1	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	5	-	1	-	-	1	-	-	-	-	1	6	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	11	12	1	1	-	-	1	1	1	-	3	3	12	

YEAR 1920.

COUNTY—**Peebles.**

PUBLIC HEALTH DISTRICT—**Innerleithen** (Burgh).

Population—Census 1921, - - - 2,403.
Do. Do. 1911, - - - 2,547.
Do. estimated to middle of 1920, 2,414.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	55	5	1	51	23	28
Illegitimate Births -	4	-	-	4	2	2
Marriages - - -	25	-	-	-	-	-
Deaths - - -	33	1	3	35	19	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22·8	21·1	-
Marriage-rate - - - - -	10·4	-	-
Death-rate—All Causes - - - - -	13·7	14·5	14·0
Do. —Phthisis - - - - -	-	0·83	-
Do. —All Tuberculosis - - - - -	-	1·24	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —78.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Cancer, Malignant Disease - - - - -	-	2	-	-	-	-	-	-	-	-	2	-	2	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	1	-	-	-	-	-	-	1	-	1	-	2	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Pneumonia (all forms) - - - - -	2	-	-	-	-	-	-	-	-	1	-	1	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Nephritis and Bright's Disease - - - - -	2	1	-	-	-	-	-	-	-	3	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	6	1	-	-	-	-	-	-	1	1	3	5	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Total - - - - -	19	16	4	-	-	-	1	2	2	6	6	4	10	

YEAR 1920.

COUNTY—**Peebles.**

PUBLIC HEALTH DISTRICT—**Peebles (Burgh).**

Population—Census 1921, - - - 5,537.
Do. Do. 1911, - - - 5,579.
Do. estimated to middle of 1920, 5,534.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	107	11	7	103	52	51
Illegitimate Births -	8	3	4	9	5	4
Marriages - - -	40	-	-	-	-	-
Deaths - - -	61	4	14	71	34	37

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	19.3	18.6	-
Marriage-rate - - -	7.2	-	-
Death-rate—All Causes - - -	11.0	12.8	12.5
Do. —Phthisis - - -	-	0.54	-
Do. —All Tuberculosis - - -	-	1.08	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.72	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—19.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	2	1	-	2	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	2	-	-	-	-	1	-	-	-	1	-	1	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	2	-	-	-	-	1	1	-	-	-	1	-	
Cancer, Malignant Disease - - - - -	3	6	-	-	-	-	1	-	2	1	-	1	4	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	5	-	-	-	-	-	-	-	-	4	3	4	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Pneumonia (all forms) - - - - -	2	1	-	-	-	-	1	-	1	-	1	-	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	2	-	-	-	-	-	-	-	1	1	-	1	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	-	-	-	1	-	1	-	
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Defined Diseases - - - - -	11	13	-	-	-	-	-	-	1	1	5	6	11	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	34	37	2	3	1	-	4	2	4	5	13	15	22	

YEAR 1920.

Population—Census 1921, 7,390.

Do. Do. 1911, 7,132.

Do. estimated to middle of 1920, 7,356.

COUNTY—**Peebles.**PUBLIC HEALTH DISTRICT—**Peebles** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	120	7	17	130	67	63
Illegitimate Births -	6	-	6	12	5	7
Marriages - - -	39	-	-	-	-	-
Deaths - - -	87	16	14	85	38	47

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.3	17.7	-
Marriage-rate - - - - -	5.3	-	-
Death-rate—All Causes - - - -	11.8	11.6	11.1
Do. —Phthisis - - - - -	-	0.68	-
Do. —All Tuberculosis - - - -	-	1.09	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.27	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—62.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5	10-	15	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - -	2	-	-	-	1	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	3	2	-	-	-	-	1	1	1	2	-	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	7	6	-	-	-	-	-	-	-	1	4	5	3	
Rheumatic Fever - - - - -	-	2	-	-	1	-	1	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	6	-	-	-	-	-	-	1	2	4	1	2	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	-	3	-	-	-	-	-	-	-	-	-	3	-	
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	-	-	1	
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	2	-	-	1	-	-	-	1	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	2	1	-	-	-	-	-	-	-	-	2	1	-	
Nephritis and Bright's Disease - -	3	3	-	-	-	-	-	-	1	1	2	1	1	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	2	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	3	1	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	2	3	-	-	1	-	1	-	-	1	1	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	9	8	1	-	-	1	-	1	-	-	3	3	8	
Diseases Ill-defined or Unknown -	-	3	1	1	-	-	-	-	-	-	1	-	-	
Total - - - - -	38	47	8	3	4	2	3	4	5	8	17	14	17	

YEAR 1920.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Aberfeldy (Burgh).

Population—Census 1921, - - - 1,560.
Do. Do. 1911, - - - 1,592.
Do. estimated to middle of 1920, 1,561.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	24	-	1	25	9	16
Illegitimate Births -	3	-	-	3	2	1
Marriages - - -	16	-	-	-	-	-
Deaths - - -	22	1	3	24	15	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.4	16.0	-
Marriage-rate - - - - -	10.2	-	-
Death-rate—All Causes - - - - -	14.1	15.4	13.3
Do. —Phthisis - - - - -	-	0.64	-
Do. —All Tuberculosis - - - - -	-	0.64	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—160.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	-	-	1	1	
Bronchitis - - - - -	1	1	1	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	2	-	1	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	1	1	-	-	-	-	-	-	-	1	-	1	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	6	-	-	-	-	-	-	-	-	1	5	3	
Diseases Ill-defined or Unknown - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Total - - - - -	15	9	4	-	-	-	1	-	1	2	1	9	6	

Population—Census 1921, - - - 622.

Do.	Do.	1911,	-	-	-	593.
-----	-----	-------	---	---	---	------

Do.	estimated to middle of 1920,	618.
-----	------------------------------	------

Do.	estimated to middle of 1920,	618.
-----	------------------------------	------

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	7	-	-	7	3	4
Illegitimate Births -	1	-	-	1	-	1
Marriages - - -	3	-	-	-	-	-
Deaths - - -	6	0	1	7	3	4

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	11.3	11.3	-
Marriage-rate - - - - -	4.9	-	-
Death-rate—All Causes - - - - -	9.7	11.3	8.6
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14.2.

CAUSES OF DEATH (corrected for Transfers).

[illegible]

YEAR 1920.

Population—Census 1921, - - - 1,710.

Do. Do. 1911, - - - 1,860.

COUNTY—Perth.

Do. estimated to middle of 1920, 1,723.

PUBLIC HEALTH DISTRICT—Alyth (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	43	3	1	41	22	19
Illegitimate Births -	2	1	-	1	1	-
Marriages - - -	30	-	-	-	-	-
Deaths - - -	36	3	4	37	18	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	25.0	23.8	-
Marriage-rate - - -	17.4	-	-
Death-rate—All Causes - - -	20.9	21.5	17.7
Do. —Phthisis - - -	-	0.58	-
Do. —All Tuberculosis - - -	-	1.16	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—73.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Tuberculous Meningitis - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	4	3	-	-	-	-	-	-	-	-	3	2	2	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	2	6	-	-	-	-	-	-	-	-	-	5	3	
Bronchitis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	1	-	-	-	1	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	4	6	-	-	-	-	-	-	-	1	3	1	5	
Diseases Ill-defined or Unknown -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Total - - -	18	19	3	-	2	-	1	-	-	4	8	8	11	

YEAR 1920.

Population—Census 1921, - - - 2,263.
Do. Do. 1911, - - - 2,294.
Do. estimated to middle of 1920, 2,263.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Auchterarder (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	51	1	4	54	24	30
Illegitimate Births -	-	-	2	2	1	1
Marriages - - -	20	-	-	-	-	-
Deaths - - -	25	0	7	42	18	24

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	22.5	23.9	-
Marriage-rate - - -	8.8	-	-
Death-rate—All Causes - - -	15.5	18.6	15.5
Do. —Phthisis - - -	-	0.44	-
Do. —All Tuberculosis - - -	-	1.33	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.88	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—130.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	-	-	-	-	-	-	-	-	1	1	-	-	
Cancer, Malignant Disease - - - - -	1	3	-	-	-	-	-	-	1	-	2	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2	3	-	-	-	-	1	-	2	2	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	4	3	7	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - - - -	7	10	-	-	-	-	-	-	1	1	3	12	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	18	24	7	-	-	1	1	1	1	5	5	8	13	

YEAR 1920.

Population—Census 1921, - - - 3,072.
Do. Do. 1911, - - - 3,249.
Do. estimated to middle of 1920, 3,085.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Blairgowrie (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	64	7	2	59	35	24
Illegitimate Births -	6	2	-	4	3	1
Marriages - - -	27	-	-	-	-	-
Deaths - - -	58	5	6	59	19	40

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.7	19.1	-
Marriage-rate - - - - -	8.8	-	-
Death-rate—All Causes - - - - -	18.8	19.1	15.5
Do. —Phthisis - - - - -	-	0.32	-
Do. —All Tuberculosis - - - - -	-	0.65	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—102.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	2	6	-	-	-	-	-	-	-	1	1	3	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	6	-	-	-	-	-	-	-	1	2	2	2	
Bronchitis - - - - -	4	3	-	1	-	-	-	-	-	1	1	1	3	
Pneumonia (all forms) - - - - -	2	1	-	-	-	-	1	-	-	-	-	-	2	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Nephritis and Bright's Disease - - - - -	-	2	-	-	-	-	1	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	2	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	4	16	1	-	-	-	-	2	-	2	2	3	10	
Diseases Ill-defined or Unknown - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	
Total - - - - -	19	40	6	1	-	-	3	2	-	7	8	10	22	

YEAR 1920.

Population—Census 1921, - - - 1,874.

Do. Do. 1911, - - - 1,504.

Do. estimated to middle of 1920, 1,836.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Callander (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	31	-	7	38	20	18
Illegitimate Births -	1	-	4	5	3	2
Marriages - - -	1	-	-	-	-	-
Deaths - - -	13	3	6	16	8	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16·9	20·7	-
Marriage-rate - - - - -	0·5	-	-
Death-rate—All Causes - - - - -	7·1	8·7	7·7
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - - - -	-	0·00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—26.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·2

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Respiratory Organs	-	2	-	1	-	1	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System	1	1	-	1	-	-	1	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	2	-	-	-	-	-	-	-	1	1	-	3	
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	8	8	1	2	-	1	1	-	-	2	3	2	4	

YEAR 1920.

Population—Census 1921, - - - 1,976.

Do. Do. 1911, - - - 2,095.

Do. estimated to middle of 1920, 1,985.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Coupar-Angus (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	48	1	-	47	29	18
Illegitimate Births -	4	-	-	4	4	-
Marriages - - -	16	-	-	-	-	-
Deaths - - -	27	0	7	34	15	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	24.2	23.7	-
Marriage-rate - - -	8.1	-	-
Death-rate—All Causes - - -	13.6	17.1	13.7
Do. —Phthisis - - -	-	0.50	-
Do. —All Tuberculosis - - -	-	1.01	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—106.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	1	6	-	-	-	-	-	-	-	-	3	4	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Respiratory Organs -	1	2	-	-	-	-	-	1	-	-	1	1	-	
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth -	4	-	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	6	5	-	-	-	-	-	2	-	1	1	-	7	
Diseases Ill-defined or Unknown -	-	2	1	-	-	-	-	-	-	-	-	-	1	
Total - - -	15	19	5	1	-	1	-	3	1	2	5	7	9	

YEAR 1920.

Population—Census 1921, - - - 5,865.

COUNTY—Perth.

Do. Do. 1911, - - - 5,571.

Do. estimated to middle of 1920, 5,829.

PUBLIC HEALTH DISTRICT—Crieff (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	92	2	7	97	49	48
Illegitimate Births -	4	1	5	8	3	5
Marriages - - -	32	-	-	-	-	-
Deaths - - -	85	17	16	84	33	51

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15·8	16·6	-
Marriage-rate - - - - -	5·5	-	-
Death-rate—All Causes - - - - -	14·6	14·4	12·7
Do. —Phthisis - - - - -	-	0·51	-
Do. —All Tuberculosis - - - - -	-	0·86	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·17	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—82.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·2.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	-	-	1	2	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	9	-	-	-	-	-	-	2	-	5	2	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	8	-	-	-	-	-	-	-	2	3	2	4	
Bronchitis - - - - -	1	3	1	1	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - - - -	5	1	-	-	-	-	-	-	1	1	2	1	1	
Other Diseases of Respiratory Organs - - - - -	-	4	1	-	-	-	-	-	-	-	-	3	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	2	-	-	-	-	1	-	1	-	-	1	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	-	-	1	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	9	17	1	2	-	-	-	1	2	2	2	4	12	
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	-	1	1	-	-	
Total - - - - -	33	51	8	5	-	1	1	3	9	8	13	15	21	

YEAR 1920.

Population—Census 1921, - - - 865.
Do. Do. 1911, - - - 893.
Do. estimated to middle of 1920, 867.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Doune (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	22	1	-	21	16	5
Illegitimate Births -	2	-	-	2	2	-
Marriages - - -	15	-	-	-	-	-
Deaths - - -	9	0	1	10	6	4

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25.4	24.2	-
Marriage-rate - - - - -	17.3	-	-
Death-rate—All Causes - - -	10.4	11.5	10.6
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	1	1	-	-	-	-	-	-	-	2	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	2	-	-	-	-	-	-	-	-	-	2	-	-	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents, of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	1	2	-	-	-	-	-	-	-	-	-	-	3	
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	6	4	-	1	-	-	-	-	-	3	2	-	4	

YEAR 1920.

Population—Census 1921, - - - 2,931.

Do. Do. 1911, - - - 2,978.

Do. estimated to middle of 1920, 2,932.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Dunblane (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	54	5	8	57	31	26
Illegitimate Births -	6	1	7	12	8	4
Marriages - - -	16	-	-	-	-	-
Deaths - - -	29	3	11	37	15	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18.4	19.4	-
Marriage-rate - - - - -	5.5	-	1
Death-rate—All Causes - - - - -	9.9	12.6	11.7
Do. —Phthisis - - - - -	-	0.68	-
Do. —All Tuberculosis - - - - -	-	0.68	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—53.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—21.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	1	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	3	-	-	-	-	-	-	-	-	-	2	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	5	-	-	-	-	-	-	1	3	-	1	3	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	-	4	-	-	-	-	-	-	-	3	-	-	1	
Other Diseases of Respiratory Organs -	1	-	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	3	-	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	7	-	-	-	-	-	-	-	2	1	1	6	
Diseases Ill-defined or Unknown - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	15	22	3	-	-	-	1	-	3	9	1	7	13	

YEAR 1920.

Population—Census 1921, - - - 33,208.
Do. Do. 1911, - - - 35,854.
Do. estimated to middle of 1920, 33,425.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Perth (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	818	31	19	806	408	398
Illegitimate Births -	71	7	10	74	37	37
Marriages - -	413	-	-	-	-	-
Deaths - - -	555	98	23	480	241	239

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.5	24.1	-
Marriage-rate - - - - -	12.4	-	-
Death-rate—All Causes - - - - -	16.6	14.4	14.1
Do. —Phthisis - - - - -	-	0.93	-
Do. —All Tuberculosis - - - - -	-	1.32	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.63	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—97.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	2	-	-	-	1	1	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	6	2	5	3	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	3	-	2	2	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	17	14	-	3	-	2	5	6	7	8	-	-	-	
Tuberculous Meningitis - - - - -	4	2	4	-	2	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	2	1	1	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	2	-	-	-	1	1	1	-	-	1	-	-	
Cancer, Malignant Disease - - - - -	19	34	-	-	-	-	-	2	1	9	14	20	7	
Rheumatic Fever - - - - -	-	2	-	-	1	1	-	-	-	-	-	-	-	
Meningitis - - - - -	7	3	7	1	-	2	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	38	27	-	-	-	1	-	3	4	6	13	18	20	
Bronchitis - - - - -	14	16	6	-	-	-	-	-	-	1	7	7	9	
Pneumonia (all forms) - - - - -	14	11	6	5	-	-	1	3	1	7	-	2	-	
Other Diseases of Respiratory Organs - - - - -	5	2	1	-	-	-	-	1	1	-	-	3	1	
*Diarrhœa and Enteritis (under 2 years) - - - - -	4	1	4	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	2	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System - - - - -	15	11	5	1	-	1	1	2	6	-	3	3	4	
Nephritis and Bright's Disease - - - - -	3	2	-	-	-	-	-	-	1	-	2	2	-	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	-	2	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	14	12	26	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	11	4	-	1	1	1	1	2	1	1	3	4	-	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	58	72	11	1	1	-	6	2	5	11	22	30	41	
Diseases Ill-defined or Unknown - - - - -	6	3	1	1	-	-	-	-	1	1	1	3	1	
Total - - - - -	241	239	78	20	7	11	18	25	29	46	67	96	83	

YEAR 1920.

Population—Census 1921, - - - 1,740.

COUNTY—Perth.

Do. Do. 1911, - - - 1,730.

Do. estimated to middle of 1920, 1,737.

PUBLIC HEALTH DISTRICT—Rattray (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	54	2	3	55	35	20
Illegitimate Births -	9	-	1	10	5	5
Marriages - - -	3	-	-	-	-	-
Deaths - - -	26	1	3	28	13	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	31.1	31.7	-
Marriage-rate - - - - -	1.7	-	-
Death-rate—All Causes - - - - -	15.0	16.1	13.3
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.58	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—18.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—18.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	1	-	-	-	-	-	-	-	2	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	4	-	-	-	-	-	-	-	-	3	1	2	
Bronchitis - - - - -	2	1	-	-	-	-	-	-	-	-	1	-	2	
Pneumonia (all forms) - - - - -	1	1	-	1	-	-	-	-	-	-	-	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	2	-	-	-	-	-	-	-	1	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	6	-	-	-	-	-	-	-	-	-	4	5	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	13	15	1	1	2	-	-	-	-	3	4	8	9	

YEAR 1920.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Blairgowrie (County District).

Population—Census 1921, - - - 9,975.
Do. Do. 1911, - - - 9,830.
Do. estimated to middle of 1920, 9,949.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	168	7	9	170	94	76
Illegitimate Births -	11	1	4	14	9	5
Marriages - - -	44	-	-	-	-	-
Deaths - - -	95	4	17	108	56	52

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.9	17.1	-
Marriage-rate - - - - -	4.4	-	-
Death-rate—All Causes - - - - -	9.5	10.9	9.6
Do. —Phthisis - - - - -	-	0.40	-
Do. —All Tuberculosis - - - - -	-	0.50	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.60	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—65.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	2	1	-	1	1	1	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	1	3	-	-	-	-	-	3	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	6	-	-	-	-	-	-	-	1	3	4	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	4	-	-	-	-	-	-	2	-	3	5	1	
Bronchitis - - - - -	3	3	-	1	-	-	-	1	-	-	1	3	-	
Pneumonia (all forms) - - - - -	1	1	-	-	-	-	-	-	1	-	-	1	-	
Other Diseases of Respiratory Organs -	1	3	-	-	-	-	-	-	-	-	-	1	3	
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	2	-	-	-	1	-	-	-	-	2	-	-	
All Liver Diseases (not Malignant) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	1	2	-	-	-	-	-	-	1	-	-	2	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	5	2	7	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	1	1	1	-	-	-	1	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	22	22	2	-	-	-	1	-	2	4	3	6	26	
Diseases Ill-defined or Unknown - - -	4	1	-	-	-	-	-	-	-	-	-	5	-	
Total - - - - -	56	52	11	4	1	2	2	4	7	6	12	27	32	

YEAR 1920.

Population—Census 1921, - - - 11,142.
Do. Do. 1911, - - - 10,417.
Do. estimated to middle of 1920, 11,057.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Central Perth (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	195	6	12	201	107	94
Illegitimate Births -	22	4	4	22	13	9
Marriages - - -	45	-	-	-	-	-
Deaths - - -	147	9	19	157	69	88

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.6	18.2	-
Marriage-rate - - - - -	4.1	-	-
Death-rate—All Causes - - -	13.3	14.2	12.2
Do. —Phthisis - - - - -	-	0.45	-
Do. —All Tuberculosis - - -	-	0.54	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.18	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —85.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Influenza - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	2	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	4	1	-	-	-	-	2	1	1	1	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Cancer, Malignant Disease - - -	8	15	-	-	-	-	-	-	2	2	8	6	5	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	1	-	-	-	-	1	1	-	-	-	-	-	
Organic Heart Disease - - - -	12	10	-	-	-	-	-	1	-	2	3	9	7	
Bronchitis - - - - -	7	7	2	-	-	-	-	1	-	1	1	4	5	
Pneumonia (all forms) - - - -	4	5	-	1	1	-	-	-	1	2	1	1	2	
Other Diseases of Respiratory Organs	2	2	-	-	-	-	-	-	-	-	-	2	2	
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Other Diseases of Digestive System -	2	3	-	-	-	-	-	-	1	1	1	1	1	
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	5	5	9	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	4	1	-	-	-	-	-	-	-	1	2	1	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	15	28	5	-	-	-	1	-	2	3	4	13	15	
Diseases Ill-defined or Unknown -	3	3	1	-	-	-	1	-	-	-	2	2	-	
Total - - - - -	69	88	17	3	1	-	5	5	8	14	23	40	41	

YEAR 1920.

Population--Census 1921, - - - 14,005.
Do. Do. 1911, - - - 12,900.
Do. estimated to middle of 1920, 13,880.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Highland Perth (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	222	7	25	240	117	123
Illegitimate Births -	30	6	12	36	15	21
Marriages - - -	59	-	-	-	-	-
Deaths - - -	188	34	25	179	83	96

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.0	17.3	-
Marriage-rate - - - - -	4.3	-	-
Death-rate--All Causes - - - - -	13.5	12.9	10.7
Do. —Phthisis - - - - -	-	0.65	-
Do. —All Tuberculosis - - - - -	-	0.79	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.14	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—50.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	-	1	-	-	-	-	-	-	1	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	6	3	-	-	-	3	3	2	-	1	-	-	-	
Tuberculous Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	15	-	-	-	-	-	1	3	5	5	6	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	16	18	-	-	-	-	-	1	2	8	14	9	-	
Bronchitis - - - - -	7	2	1	-	-	-	-	-	-	-	4	4	-	
Pneumonia (all forms) - - - - -	7	7	1	-	-	-	2	3	-	2	3	3	-	
Other Diseases of Respiratory Organs - - - - -	3	3	1	-	-	-	-	2	-	1	1	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System - - - - -	5	5	-	-	1	1	1	-	1	-	3	3	-	
Nephritis and Bright's Disease - - - - -	-	2	-	-	-	-	1	-	1	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	1	1	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	3	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	7	1	-	1	-	1	-	1	1	-	2	2	-	
Suicide - - - - -	2	1	-	-	-	-	-	2	1	-	-	-	-	
Other Defined Diseases - - - - -	18	27	4	-	1	1	1	3	3	9	9	14	-	
Diseases Ill-defined or Unknown - - - - -	2	3	-	-	-	-	1	-	-	2	1	1	-	
Total - - - - -	83	96	12	1	2	3	8	10	16	12	29	43	43	

YEAR 1920.

Population—Census 1921, - - - 21,910.
Do. Do. 1911, - - - 20,852.
Do. estimated to middle of 1920, 21,779.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Perth (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	463	19	31	475	242	233
Illegitimate Births -	24	2	6	28	14	14
Marriages - - -	124	-	-	-	-	-
Deaths - - -	225	15	65	275	138	137

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21·3	21·8	-
Marriage-rate - - - - -	5·7	-	-
Death-rate—All Causes - - - - -	10·3	12·6	11·0
Do. —Phthisis - - - - -	-	0·55	-
Do. —All Tuberculosis - - - - -	-	0·87	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·18	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—57.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	1	-	-	1	-	-	1	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	5	7	-	-	1	-	3	4	3	1	-	-	-	
Tuberculous Meningitis - - - - -	1	2	1	-	2	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	3	-	-	-	-	-	2	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	17	22	-	-	-	-	-	-	4	4	9	11	11	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	21	12	-	-	-	-	1	1	-	1	4	11	15	
Bronchitis - - - - -	5	8	2	-	-	-	-	-	-	-	2	2	7	
Pneumonia (all forms) - - - - -	8	8	1	2	2	-	3	-	2	1	-	2	3	
Other Diseases of Respiratory Organs - - - - -	1	2	-	-	1	-	-	-	-	-	-	1	1	
Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	2	-	-	-	-	1	-	1	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System - - - - -	2	6	1	1	-	-	1	1	-	-	1	2	1	
Nephritis and Bright's Disease - - - - -	7	6	-	1	-	1	1	-	-	2	5	2	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	8	9	17	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	12	2	-	-	1	-	2	-	1	3	-	4	3	
Suicide - - - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	
Other Defined Diseases - - - - -	39	43	3	-	1	-	-	2	3	4	15	19	35	
Diseases Ill-defined or Unknown - - - - -	5	1	-	-	-	1	-	1	1	1	1	-	1	
Total - - - - -	138	137	27	6	9	2	15	10	17	18	38	55	78	

YEAR 1920.

Population—Census 1921, - - - 10,797.
Do. Do. 1911, - - - 10,130.
Do. estimated to middle of 1920, 10,719.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Western Perth (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	184	7	13	190	99	91
Illegitimate Births -	10	1	4	13	8	5
Marriages - -	45	-	-	-	-	-
Deaths - - -	103	3	21	121	61	60

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17·2	17·7	-
Marriage-rate - - - - -	4·2	-	-
Death-rate—All Causes - - - - -	9·6	11·3	10·8
Do. —Phthisis - - - - -	-	0·28	-
Do. —All Tuberculosis - - - - -	-	0·28	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·19	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—42.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	2	-	1	-	-	1	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	3	-	-	-	-	1	-	1	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	7	-	-	-	-	-	-	2	2	2	3	3	
Rheumatic Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Organic Heart Disease - - - - -	12	7	-	-	-	1	-	-	1	1	6	3	7	
Bronchitis - - - - -	1	4	-	-	1	-	-	-	-	1	1	2	-	
Pneumonia (all forms) - - - - -	4	3	1	-	-	-	2	-	3	1	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	-	-	-	-	1	-	-	-	-	1	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	4	2	-	-	-	-	-	-	3	2	-	1	-	
Nephritis and Bright's Disease - - - - -	2	1	-	-	-	-	1	-	-	2	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	3	3	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	6	2	-	1	-	1	1	1	2	1	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	18	22	1	-	-	-	1	-	2	2	7	10	17	
Diseases Ill-defined or Unknown - - - - -	3	2	-	-	-	-	-	-	-	1	-	2	2	
Total - - - - -	61	60	8	2	1	4	7	2	15	14	18	21	29	

YEAR 1920.

Population—Census 1921, - - - 11,466.

COUNTY—Renfrew.

Do. Do. 1911, - - - 11,387.

Do. estimated to middle of 1920, - 11,444.

PUBLIC HEALTH DISTRICT—Barrhead (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	358	2	9	365	188	177
Illegitimate Births -	27	-	2	29	12	17
Marriages - - -	99	-	-	-	-	-
Deaths - - -	113	1	18	130	69	61

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	31.3	31.9	-
Marriage-rate - - - - -	3.7	-	-
Death-rate—All Causes - - - - -	9.9	11.4	12.8
Do. —Phthisis - - - - -	-	0.44	-
Do. —All Tuberculosis - - - - -	-	0.52	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.52	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected -58.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	2	2	-	2	2	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	3	-	-	-	-	3	1	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	6	-	-	-	-	-	-	1	5	1	3	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	8	-	-	-	-	2	1	1	4	4	2	1	
Bronchitis - - - - -	4	3	2	-	-	-	-	-	-	-	3	2	-	
Pneumonia (all forms) - - - - -	11	5	5	4	-	-	-	-	1	1	1	4	-	
Other Diseases of Respiratory Organs - - - - -	1	1	-	1	-	-	-	1	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	3	2	-	-	-	1	-	-	-	1	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	4	-	-	-	-	-	2	2	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	6	2	8	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	10	-	1	1	-	-	2	-	-	3	2	-	1	
Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Defined Diseases - - - - -	16	19	-	1	1	-	-	3	1	2	8	11	8	
Diseases Ill-defined or Unknown - - - - -	3	1	-	-	-	-	-	-	-	-	2	2	-	
Total - - - - -	69	61	21	9	3	-	9	8	7	16	22	24	11	

YEAR 1920.
COUNTY—**Renfrew.**
PUBLIC HEALTH DISTRICT—**Gourock** (Burgh).

Population—Census 1921, - - - 10,128.
Do. Do. 1911, - - - 7,442.
Do. estimated to middle of 1920, 9,853.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	222	5	10	227	105	122
Illegitimate Births -	9	1	2	10	6	4
Marriages - - -	60	-	-	-	-	-
Deaths - - -	113	7	17	123	56	67

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	22·5	23·0	-
Marriage-rate - - -	6·1	-	-
Death-rate—All Causes - - -	11·5	12·5	12·7
Do. —Phthisis - - -	-	0·30	-
Do. —All Tuberculosis - - -	-	0·61	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·51	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—88.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	-	2	-	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	1	-	1	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	10	-	1	-	-	-	-	2	4	2	2	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	6	-	-	-	-	-	-	-	1	2	5	3	
Bronchitis - - - - -	4	7	2	1	-	-	-	-	1	-	1	1	5	
Pneumonia (all forms) - - - - -	9	2	1	1	-	1	1	1	1	-	2	1	2	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	3	-	3	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Nephritis and Bright's Disease - - - - -	4	1	1	1	-	-	-	1	1	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	6	4	9	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	5	2	1	-	1	-	-	1	-	-	2	-	2	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	11	27	1	-	1	-	1	1	1	4	6	9	14	
Diseases Ill-defined or Unknown - - - - -	1	2	-	-	-	-	-	-	-	1	1	1	-	
Total - - - - -	56	67	20	7	3	1	4	5	6	12	17	20	28	

YEAR 1920.
COUNTY—**Renfrew.**
PUBLIC HEALTH DISTRICT—**Greenock** (Burgh).

Population—Census 1921, - - - 81,120.
Do. Do. 1911, - - - 75,140.
Do. estimated to middle of 1920, 80,436.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	2,669	30	43	2,682	1,367	1,315
Illegitimate Births -	130	12	13	131	65	66
Marriages - - -	782	-	-	-	-	-
Deaths - - -	1,361	71	38	1,328	702	626

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	33·2	33·3	-
Marriage-rate - - - - -	9·7	-	-
Death-rate—All Causes - - - - -	16·9	16·5	16·7
Do. —Phthisis - - - - -	-	1·06	-
Do. —All Tuberculosis - - - - -	-	1·75	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·08	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—104.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			-1	1-	5-	10-	15-	25	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	2	-	-	-	-	-	-	-	1	1	-	-	-	
Typhus Fever - - - - -	4	2	-	-	-	-	2	1	2	1	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	11	11	5	15	1	-	-	-	-	1	-	-	-	
Scarlet Fever - - - - -	-	4	-	2	-	-	1	1	-	-	-	-	-	
Whooping-cough - - - - -	5	17	10	10	2	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	4	2	-	6	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	5	7	4	1	-	-	2	-	-	1	1	1	2	
Erysipelas - - - - -	1	2	-	-	-	-	-	-	-	1	1	1	-	
Phthisis, Pulmonary Tuberculosis - -	39	46	-	4	1	4	19	24	16	12	1	4	-	
Tuberculous Meningitis - - - - -	12	7	4	8	5	1	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	9	13	3	8	2	2	3	1	1	2	-	-	-	
Other Tuberculous Diseases - - - - -	6	9	1	1	1	2	5	3	1	1	-	-	-	
Cancer, Malignant Disease - - - - -	37	53	-	-	-	-	-	3	7	22	26	24	8	
Rheumatic Fever - - - - -	4	2	-	-	-	1	1	1	2	1	-	-	-	
Meningitis - - - - -	13	21	12	18	-	-	1	-	1	2	-	-	-	
Organic Heart Disease - - - - -	74	59	1	-	1	1	7	2	10	6	32	50	23	
Bronchitis - - - - -	49	40	21	3	1	-	2	3	4	7	16	19	13	
Pneumonia (all forms) - - - - -	73	53	36	34	2	-	4	9	14	6	10	8	3	
Other Diseases of Respiratory Organs	14	9	4	5	2	-	-	1	3	2	2	3	1	
Diarrhoea and Enteritis (under 2 years)	19	12	19	12	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	4	3	-	1	1	1	-	3	-	-	1	-	-	
All Liver Diseases (not Malignant) -	3	4	-	1	-	-	-	-	-	1	3	-	2	
Other Diseases of Digestive System	24	23	6	8	2	2	2	6	2	7	4	4	4	
Nephritis and Bright's Disease - -	14	12	1	1	1	1	3	3	5	6	5	-	-	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	16	-	-	-	-	2	10	4	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	76	47	123	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	45	12	3	9	2	1	7	6	4	5	13	4	3	
Suicide - - - - -	4	1	-	-	-	-	-	1	-	2	1	-	1	
Other Defined Diseases - - - - -	131	125	26	5	-	3	7	8	21	21	41	61	63	
Diseases Ill-defined or Unknown -	20	12	1	1	-	1	-	1	1	4	12	7	4	
Total - - - - -	702	626	280	153	24	20	69	89	99	112	169	186	127	

YEAR 1920.

Population—Census 1921, - - 12,473.
Do. Do. 1911, - - 12,045.
Do. estimated to middle of 1920. 12,416.

COUNTY—**Renfrew.**

PUBLIC HEALTH DISTRICT—**Johnstone** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	371	4	14	381	198	183
Illegitimate Births -	22	-	4	26	10	16
Marriages - - -	133	-	-	-	-	-
Deaths - - -	140	4	46	182	86	96

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29·9	30·7	-
Marriage-rate - - - - -	10·7	-	-
Death-rate—All Causes - - - - -	11·3	14·7	16·2
Do. —Phthisis - - - - -	-	0·64	-
Do. —All Tuberculosis - - - - -	-	1·05	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·77	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—76.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	5	-	6	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	2	1	3	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	5	-	5	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	4	4	-	1	-	-	2	2	1	1	1	-	-	
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	2	-	-	1	-	1	1	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	8	8	-	-	-	-	-	-	-	3	4	5	4	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	3	4	-	5	1	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	11	9	-	-	1	-	1	1	-	4	6	1	6	
Bronchitis - - - - -	9	7	3	1	-	-	-	2	1	-	3	3	3	
Pneumonia (all forms) - - - - -	7	8	6	2	-	-	2	1	-	1	1	2	-	
Other Diseases of Respiratory Organs -	1	1	-	-	-	-	-	-	1	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years)	2	2	4	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	1	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	4	1	1	1	-	-	-	1	1	-	-	1	-	
Other Diseases of Digestive System -	3	2	1	-	2	-	-	1	1	-	-	-	-	
Nephritis and Bright's Disease - - -	5	4	-	1	-	1	-	-	1	-	-	5	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	1	1	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	2	5	7	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - - - -	14	20	5	1	-	-	-	2	3	2	13	4	4	
Diseases Ill-defined or Unknown -	2	2	-	-	-	-	-	1	1	1	1	-	-	
Total - - - - -	86	96	29	28	6	3	8	13	13	12	29	23	18	

YEAR 1920.

Population—Census 1921, - - - 84,837.

Do. Do. 1911, - - - 84,455.

Do. estimated to middle of 1920, 84,695.

COUNTY—**Renfrew.**PUBLIC HEALTH DISTRICT—**Paisley (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	2,486	31	50	2,505	1,291	1,214
Illegitimate Births -	147	10	13	150	77	73
Marriages - - -	874	-	-	-	-	-
Deaths - - -	1,168	90	46	1,124	588	536

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29.4	29.6	-
Marriage-rate - - - - -	10.3	-	-
Death-rate—All Causes - - - - -	13.8	13.3	14.7
Do. —Phthisis - - - - -	-	1.00	-
Do. —All Tuberculosis - - - - -	-	1.43	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.93	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—86.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	3	2	-	-	-	-	-	1	1	3	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	10	11	5	15	1	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	2	6	-	4	3	-	1	-	-	-	-	-	-	
Whooping-cough - - - - -	5	13	9	6	3	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	3	6	3	5	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	5	2	-	-	-	-	1	1	-	1	2	2	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	44	41	-	3	1	6	28	21	8	12	5	1	-	
Tuberculous Meningitis - - - - -	5	8	1	4	4	1	2	1	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	4	4	-	5	-	2	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	9	6	1	4	2	2	1	5	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	50	50	-	-	-	-	2	5	8	19	27	27	12	
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	7	4	7	2	1	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	68	59	1	-	-	-	5	7	11	12	38	41	12	
Bronchitis - - - - -	49	42	26	4	1	-	-	2	1	3	15	24	15	
Pneumonia (all forms) - - - - -	69	43	32	17	2	2	7	8	11	4	8	13	8	
Other Diseases of Respiratory Organs	2	2	1	-	-	-	-	-	-	1	-	2	-	
Diarrhoea and Enteritis (under 2 years)	12	11	21	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	2	-	-	1	-	1	-	-	1	-	-	-	
All Liver Diseases (not Malignant) -	3	4	-	-	-	-	-	-	1	1	2	2	1	
Other Diseases of Digestive System	24	21	-	6	1	1	4	4	4	6	6	8	5	
Nephritis and Bright's Disease - -	12	12	-	2	-	-	-	2	4	3	4	9	-	
Puerperal Sepsis - - - - -	-	3	-	-	-	-	1	1	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	10	-	-	-	-	2	3	5	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	44	38	82	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	28	18	-	11	4	2	1	4	4	6	12	1	1	
Suicide - - - - -	2	2	-	-	-	-	1	1	-	2	-	-	-	
Other Defined Diseases - - - - -	118	110	26	2	1	-	5	9	11	20	45	44	65	
Diseases Ill-defined or Unknown -	8	6	-	-	-	-	-	-	2	1	4	3	4	
Total - - - - -	588	536	215	92	26	16	64	75	72	96	168	177	123	

REGISTRATION RETURNS.						
	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	766	4	16	778	389	389
Illegitimate Births -	24	1	3	26	13	13
Marriages - - -	224	-	-	-	-	-
Deaths - - -	271	8	40	303	147	156

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.						
				Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	-	-	-	36.9	37.5	-
Marriage-rate - - - - -	-	-	-	10.8	-	-
Death-rate—All Causes - - - - -	-	-	-	13.1	14.6	15.9
Do. —Phthisis - - - - -	-	-	-	-	0.92	-
Do. —All Tuberculosis - - - - -	-	-	-	-	1.73	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	-	-	-	1.59	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—103.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	9	2	8	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	7	12	-	-	1	1	8	4	4	1	-	-	-	
Tuberculous Meningitis - - - - -	3	-	1	1	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	4	9	-	2	1	3	2	2	1	-	1	1	-	
Cancer, Malignant Disease - - - - -	7	9	-	-	-	-	-	-	1	2	7	6	-	
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	1	2	1	1	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	12	-	-	-	-	1	2	6	1	5	3	1	
Bronchitis - - - - -	14	14	6	4	1	-	-	-	1	1	5	5	5	
Pneumonia (all forms) - - - - -	19	23	20	9	2	-	1	1	-	2	6	-	1	
Other Diseases of Respiratory Organs - - - - -	2	4	3	1	-	-	-	-	-	1	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	12	7	18	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	2	-	1	-	1	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	2	1	-	-	-	-	-	-	-	-	3	-	-	
Other Diseases of Digestive System - - - - -	4	6	2	-	-	-	1	-	3	-	1	2	1	
Nephritis and Bright's Disease - - - - -	3	1	-	-	1	-	-	1	-	-	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	12	8	20	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	9	1	-	1	1	-	1	2	2	-	2	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	32	27	4	1	2	1	1	2	2	5	13	15	13	
Diseases Ill-defined or Unknown - - - - -	2	6	2	2	-	-	-	-	-	-	2	2	-	
Total - - - - -	147	156	80	34	12	7	17	16	20	13	46	36	22	

YEAR 1920.

Population—Census 1921, - - - 14,161.
Do. Do. 1911, - - - 12,583.
Do. estimated to middle of 1920, 13,990.

COUNTY—**Renfrew**.

PUBLIC HEALTH DISTRICT—**Renfrew** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	366	2	18	382	190	192
Illegitimate Births -	12	2	6	16	9	7
Marriages - - -	111	-	-	-	-	-
Deaths - - -	125	3	41	163	94	69

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26·2	27·3	-
Marriage-rate - - - - -	7·9	-	-
Death-rate—All Causes - - - - -	8·9	11·7	13·2
Do. —Phthisis - - - - -	-	1·00	-
Do. —All Tuberculosis - - - - -	-	1·36	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·64	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—94.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	5	9	-	-	-	2	5	7	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	1	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	7	10	-	-	-	-	-	1	1	4	7	2	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	2	-	-	-	2	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	1	-	-	-	-	-	-	-	2	-	1	1	
Bronchitis - - - - -	7	5	5	-	-	-	-	-	-	1	1	3	2	
Pneumonia (all forms) - - - - -	10	8	7	3	1	-	-	-	2	2	-	-	3	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	5	2	6	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	2	-	-	-	-	-	-	-	-	2	1	-	
Other Diseases of Digestive System - - - - -	7	2	-	1	1	-	-	1	-	2	4	-	-	
Nephritis and Bright's Disease - - - - -	3	1	-	-	-	-	-	-	-	2	2	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	7	3	10	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	5	2	-	1	-	-	1	-	-	2	2	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	27	14	6	-	-	-	-	-	3	3	5	11	13	
Diseases Ill-defined or Unknown - - - - -	4	1	-	-	-	-	-	1	2	-	-	1	1	
Total - - - - -	94	69	36	9	3	6	6	10	9	19	23	20	22	

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	806	32	50	824	416	408
Illegitimate Births -	50	20	17	47	30	17
Marriages - - -	311	-	-	-	-	-
Deaths - - -	560	241	83	402	209	193

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21·6	22·1	-
Marriage-rate - - - - -	8·3	-	-
Death-rate—All Causes - - - - -	15·0	10·8	11·6
Do. —Phthisis - - - - -	-	0·78	-
Do. —All Tuberculosis - - - - -	-	1·02	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·40	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—53.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	4	-	-	3	1	1	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	1	-	2	-	-	1	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Erysipelas - - - - -	1	2	-	-	-	-	1	-	-	-	1	1	-	
Phthisis, Pulmonary Tuberculosis - -	12	17	-	1	-	1	9	9	3	2	2	1	1	
Tuberculous Meningitis - - - - -	2	2	-	1	2	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	4	-	1	1	1	-	-	-	-	1	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	19	22	-	-	-	-	-	3	4	5	9	13	7	
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	3	2	1	2	-	-	-	-	-	2	-	-	-	
Organic Heart Disease - - - - -	24	22	-	-	-	-	1	1	4	6	10	13	11	
Bronchitis - - - - -	14	8	4	-	-	-	-	-	-	1	5	7	5	
Pneumonia (all forms) - - - - -	10	13	6	3	-	-	-	1	2	4	2	3	2	
Other Diseases of Respiratory Organs	5	2	-	-	1	-	-	1	-	1	2	1	1	
*Diarrhoea and Enteritis (under 2 years)	2	1	3	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	3	1	-	1	2	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	3	6	-	-	-	-	-	-	1	3	2	2	1	
Other Diseases of Digestive System	12	10	1	2	1	1	-	2	5	2	2	4	2	
Nephritis and Bright's Disease - -	4	4	-	1	-	-	1	1	-	3	1	1	-	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	5	-	-	-	-	2	2	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	14	6	19	-	-	-	1	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	11	4	1	3	2	1	-	-	1	2	4	-	1	
Suicide - - - - -	2	-	-	-	-	-	-	1	1	-	-	-	-	
Other Defined Diseases - - - - -	51	50	5	-	1	-	3	2	3	10	14	21	42	
Diseases Ill-defined or Unknown - -	6	6	2	1	-	-	-	1	1	3	1	1	2	
Total - - - - -	209	193	44	20	14	5	22	26	27	45	56	68	75	

YEAR 1920.

Population—Census 1921, - - - 26,050.

Do. Do. 1911, - - - 22,962.

Do. estimated to middle of 1920, 25,716.

COUNTY—**Renfrew.**PUBLIC HEALTH DISTRICT—**Lower Renfrew** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	515	22	37	530	266	264
Illegitimate Births -	19	4	13	28	13	15
Marriages - - -	122	-	-	-	-	-
Deaths - - -	300	61	58	297	142	155

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.0	20.6	-
Marriage-rate - - - - -	4.7	-	-
Death-rate—All Causes - - - - -	11.7	11.5	12.1
Do. —Phthisis - - - - -	-	0.47	-
Do. —All Tuberculosis - - - - -	-	0.93	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.66	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—72.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
*Measles - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	5	-	-	3	1	-	-	-	-	1	-	-	-	
*Whooping-cough - - - - -	1	4	2	2	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	5	7	-	-	1	1	2	2	3	2	1	-	-	
Tuberculous Meningitis - - - - -	2	2	3	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	3	2	1	1	1	-	-	-	1	-	1	-	-	
Other Tuberculous Diseases - - - - -	1	2	-	-	-	-	1	2	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	10	12	-	-	-	-	1	2	1	5	5	6	2	
Rheumatic Fever - - - - -	1	1	-	-	-	-	1	-	-	1	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	20	12	1	-	-	2	-	2	1	6	5	10	5	
Bronchitis - - - - -	4	13	-	1	-	-	1	-	-	-	1	5	9	
Pneumonia (all forms) - - - - -	13	15	2	3	1	-	2	2	1	3	5	4	5	
Other Diseases of Respiratory Organs -	5	3	3	1	-	-	-	-	1	-	1	2	-	
*Diarrhœa and Enteritis (under 2 years)	1	2	3	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases of Digestive System -	5	6	-	1	-	1	-	-	-	2	2	3	2	
Nephritis and Bright's Disease - - -	7	6	-	-	-	-	1	-	1	3	-	4	4	
Puerperal Sepsis - - - - -	-	4	-	-	-	-	-	3	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	10	9	19	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	5	3	-	1	-	1	-	-	-	2	2	-	1	
Suicide - - - - -	2	-	-	-	-	-	-	1	-	1	-	-	-	
Other Defined Diseases - - - - -	37	47	2	-	-	4	1	3	4	5	14	14	37	
Diseases Ill-defined or Unknown -	1	3	-	-	-	-	-	-	-	-	2	2	-	
Total - - - - -	142	155	38	17	5	9	10	18	14	31	39	51	65	

YEAR 1920.

Population—Census 1921, - - - 1,126.

Do. Do. 1911, - - - 1,928.

COUNTY—**Ross and Cromarty.**

Do. estimated to middle of 1920, 1,204.

PUBLIC HEALTH DISTRICT—**Cromarty (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	40	-	1	41	23	18
Illegitimate Births -	1	-	-	1	1	-
Marriages - - -	16	-	-	-	-	-
Deaths - - -	14	0	4	18	7	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	33.2	34.1	-
Marriage-rate - - - - -	13.3	-	-
Death-rate—All Causes - - - - -	11.6	15.0	17.5
Do. —Phthisis - - - - -	-	4.15	-
Do. —All Tuberculosis - - - - -	-	4.98	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—24.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	4	-	-	-	1	2	1	1	-	-	-	-	
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	1	-	-	-	-	-	-	-	-	3	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	2	-	-	-	-	-	-	-	1	1	2	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	7	11	1	1	-	1	2	3	1	1	4	3	1	

YEAR 1920.

Population—Census 1921, - - - 2,323.
Do. Do. 1911, - - - 2,639.
Do. estimated to middle of 1920, 2,351.

COUNTY **Ross and Cromarty.**

PUBLIC HEALTH DISTRICT—**Dingwall** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	59	3	-	56	30	26
Illegitimate Births -	4	1	-	3	-	3
Marriages - - -	53	-	-	-	-	-
Deaths - - -	49	15	9	43	22	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25.1	23.8	-
Marriage-rate - - - - -	22.5	-	-
Death-rate—All Causes - - - - -	20.8	18.3	16.4
Do. —Phthisis - - - - -	-	1.70	-
Do. —All Tuberculosis - - - - -	-	1.70	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.43	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—107.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	3	-	-	-	-	2	1	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	2	-	-	-	-	-	-	-	-	1	1	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	5	-	-	-	-	-	-	-	1	1	2	2	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	3	1	-	-	-	-	-	-	1	1	1	-	1	
Other Diseases of Respiratory Organs -	1	-	-	-	-	-	1	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	2	1	-	-	-	-	-	-	-	-	3	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	2	2	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	9	6	1	-	-	-	-	-	-	-	2	2	10	
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	22	21	6	-	-	-	3	1	2	2	8	5	16	

YEAR 1920.

COUNTY—**Ross and Cromarty.**

PUBLIC HEALTH DISTRICT—**Fortrose** (Burgh).

Population—Census 1921, - - - 963.
Do. Do. 1911, - - - 970.
Do. estimated to middle of 1920, 963.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	15	1	1	15	7	8
Illegitimate Births -	3	1	-	2	2	-
Marriages - - -	-	-	-	-	-	-
Deaths - - -	32	14	5	23	13	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.6	15.6	-
Marriage-rate - - - - -	0.0	-	-
Death-rate—All Causes - - -	33.2	23.9	17.1
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - -	-	1.04	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—67.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	2	1	-	-	-	-	-	-	-	1	1	1	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	2	-	-	-	-	-	-	1	-	1	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	1	-	-	-	-	-	-	-	1	-	1	-	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	1	-	1	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	5	-	-	-	1	-	-	-	1	3	2	3	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	13	10	1	1	-	1	1	-	1	3	5	6	4	

YEAR 1920.

Population—Census 1921, - - - 1,384.
Do. Do. 1911, - - - 1,051.
Do. estimated to middle of 1920, 1,349.

COUNTY—**Ross and Cromarty.**

PUBLIC HEALTH DISTRICT—**Invergordon** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	35	-	2	37	19	18
Illegitimate Births -	2	-	1	3	-	3
Marriages - - -	3	-	-	-	-	-
Deaths - - -	13	0	3	16	9	7

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25·9	27·4	-
Marriage-rate - - - - -	2·2	-	-
Death-rate—All Causes - - - - -	9·6	11·9	9·8
Do. —Phthisis - - - - -	-	1·48	-
Do. —All Tuberculosis - - - - -	-	1·48	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—27.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	-	-	1	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	2	-	-	-	-	1	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	-	-	-	1	-	1	-	1	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	2	2	-	-	-	-	-	-	-	1	-	1	2	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	9	7	1	-	-	-	1	2	1	4	-	5	2	

YEAR 1920.

Population—Census 1921, - - - 4,079.
Do. Do. 1911, - - - 3,806.
Do. estimated to middle of 1920, 4,047.

COUNTY—Ross and Cromarty.

PUBLIC HEALTH DISTRICT—Stornoway (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	92	1	1	92	49	43
Illegitimate Births -	4	-	-	4	3	1
Marriages - - -	39	-	-	-	-	-
Deaths - - -	64	0	2	66	33	33

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	22·7	22·7	-
Marriage-rate - - -	9·6	-	-
Death-rate—All Causes - - -	15·8	16·3	15·3
Do. —Phthisis - - -	-	0·74	-
Do. —All Tuberculosis - - -	-	1·24	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·24	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—98.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	2	3	-	-	-	-	1	1	-	-	2	1	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	-	1	-	2	-	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	1	-	-	-	-	-	-	-	1	-	2	1	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	5	-	-	-	-	-	1	-	1	1	1	3	
Bronchitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	5	2	4	-	1	-	1	-	-	1	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Nephritis and Bright's Disease - - - - -	3	1	-	-	-	-	-	-	-	2	1	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	-	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	-	-	1	-	2	-	-	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	6	10	-	-	-	-	1	-	2	2	-	5	6	
Diseases Ill-defined or Unknown - - - - -	1	2	1	-	-	-	1	-	-	-	-	1	-	
Total - - - - -	33	33	9	-	2	-	8	2	8	7	7	11	12	

YEAR 1920.

COUNTY—**Ross and Cromarty.**PUBLIC HEALTH DISTRICT—**Tain** (Burgh).

Population—Census 1921, - - - 1,551.
 Do. Do. 1911, - - - 1,599.
 Do. estimated to middle of 1920, 1,554.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	37	-	2	39	18	21
Illegitimate Births -	2	-	1	3	1	2
Marriages - - -	32	-	-	-	-	-
Deaths - - -	20	1	1	20	11	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23·8	25·1	-
Marriage-rate - - - - -	20·6	-	-
Death-rate—All Causes - - - - -	12·9	12·9	10·3
Do. —Phthisis - - - - -	-	1·93	-
Do. —All Tuberculosis - - - - -	-	1·93	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·93	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	1	-	-	1	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	-	-	-	3	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	-	1	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	5	-	-	-	-	-	-	-	-	1	-	5	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	11	9	-	1	1	1	-	-	3	2	1	2	9	

YEAR 1920.

Population—Census 1921, - - - 5,403.
Do. Do. 1911, - - - 8,922.
Do. estimated to middle of 1920, 5,739.

COUNTY—Ross and Cromarty.

PUBLIC HEALTH DISTRICT—Black Isle (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	134	4	8	138	85	53
Illegitimate Births -	11	-	6	17	13	4
Marriages - - -	22	-	-	-	-	-
Deaths - - -	70	2	8	76	36	40

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23·3	24·0	-
Marriage-rate - - - - -	3·8	-	-
Death-rate—All Causes - - - - -	12·2	13·2	14·7
Do. —Phthisis - - - - -	-	1·57	-
Do. —All Tuberculosis - - - - -	-	1·74	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·17	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—65.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	3	6	-	-	-	4	1	3	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	2	-	-	-	-	-	-	-	-	-	1	4	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	1	-	-	1	-	1	1	-	-	-	-	-	
Organic Heart Disease - - - - -	1	4	-	-	-	-	-	-	-	-	-	3	2	
Bronchitis - - - - -	4	3	-	-	-	-	-	-	-	-	-	4	3	
Pneumonia (all forms) - - - - -	2	2	-	-	-	1	-	-	-	1	-	1	1	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Nephritis and Bright's Disease - -	2	1	-	-	-	1	-	-	2	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	4	2	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	2	1	1	-	1	-	-	-	-	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	10	15	1	1	-	-	1	1	1	1	2	3	14	
Diseases Ill-defined or Unknown - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Total - - - - -	36	40	9	1	2	2	7	3	4	7	2	14	25	

YEAR 1920.

Population—Census 1921, - - - 10,652.

COUNTY—**Ross and Cromarty.**

Do. Do. 1911, - - - 10,385.

Do. estimated to middle of 1920, 10,613.

PUBLIC HEALTH DISTRICT—**Easter Ross** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	290	5	14	299	155	144
Illegitimate Births -	24	-	3	27	12	15
Marriages - - -	36	-	-	-	-	-
Deaths - - -	159	11	12	160	81	79

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	27·3	28·2	-
Marriage-rate - - - - -	3·4	-	-
Death-rate—All Causes - - - - -	15·0	15·1	11·5
Do. —Phthisis - - - - -	-	0·94	-
Do. —All Tuberculosis - - - - -	-	1·04	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·09	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—64.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	7	3	-	-	-	-	4	1	3	1	-	1	-	
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - -	11	5	-	-	-	-	-	1	1	5	2	2	5	
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	6	-	-	-	-	-	-	1	1	1	2	8	
Bronchitis - - - - -	1	3	1	-	-	-	-	-	-	-	-	2	1	
Pneumonia (all forms) - - - - -	3	5	3	1	1	-	-	-	1	1	-	-	1	
Other Diseases of Respiratory Organs	1	1	-	-	-	-	1	-	-	-	-	-	1	
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	2	2	-	-	-	-	-	-	-	-	1	2	1	
Nephritis and Bright's Disease - -	4	2	-	-	-	-	1	1	-	1	2	-	1	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	1	2	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	4	6	10	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	8†	-	-	-	-	-	-	3	1	-	2	-	-	
Suicide - - - - -	1	3	-	-	-	-	-	-	-	1	1	2	-	
Other Defined Diseases - - - - -	26	35	3	2	-	-	1	1	3	4	1	11	35	
Diseases Ill-defined or Unknown -	1	3	-	-	-	-	-	-	-	-	2	-	2	
Total - - - - -	81†	79	19	4	1	1	8	11	11	14	12	22	55	

† Including 2 of unstated age.

YEAR 1920.

COUNTY—**Ross and Cromarty.**

PUBLIC HEALTH DISTRICT—**Lews** (County District).

Population—Census 1921 - - - 24,282.
Do. Do. 1911, - - - 25,797.
Do. estimated to middle of 1920, 24,400.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	674	4	6	676	352	324
Illegitimate Births -	18	-	3	21	8	13
Marriages - - -	141	-	-	-	-	-
Deaths - - -	372	2	4	374	181	193

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	27·6	27·7	-
Marriage-rate - - - - -	5·8	-	-
Death-rate—All Causes - - -	15·2	15·3	12·9
Do. —Phthisis - - - - -	-	1·68	-
Do. —All Tuberculosis - - -	-	1·97	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·66	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—58.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	2	-	-	-	-	1	1	-	-	-	-	-	-	
Typhus Fever - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	4	3	3	4	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	5	-	1	5	-	-	-	-	-	-	-	-	
Influenza - - - - -	3	2	-	-	-	-	1	1	1	-	-	2	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Phthisis, Pulmonary Tuberculosis - -	24	17	-	-	-	2	13	10	7	3	4	-	2	
Tuberculous Meningitis - - - - -	1	1	1	-	-	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	3	-	-	-	1	1	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	10	13	-	-	-	1	1	-	-	3	7	5	6	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	16	-	-	-	1	-	-	1	4	2	8	7	
Bronchitis - - - - -	14	11	1	-	1	-	1	-	-	1	2	3	16	
Pneumonia (all forms) - - - - -	14	19	4	6	2	-	1	4	1	2	3	7	3	
Other Diseases of Respiratory Organs	4	5	3	-	-	-	-	1	-	1	1	1	2	
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System	10	7	1	-	2	-	-	1	2	4	2	3	2	
Nephritis and Bright's Disease - -	8	4	-	-	-	-	-	2	-	-	2	5	3	
Puerperal Sepsis - - - - -	-	4	-	-	-	-	-	1	3	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	1	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	4	6	10	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	6	2	-	1	-	1	-	1	2	2	-	-	1	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	54	57	10	-	1	3	2	3	3	3	6	13	67	
Diseases Ill-defined or Unknown -	12	10	3	-	-	-	-	1	-	1	1	4	12	
Total - - - - -	181	193	39	13	12	10	22	26	22	24	33	52	121	

YEAR 1920.

Population—Census 1921, - - - 11,723.

COUNTY—**Ross and Cromarty.**

Do. Do. 1911, - - - 11,887.

Do. estimated to middle of 1920, 11,725.

PUBLIC HEALTH DISTRICT—**Mid-Ross** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	213	-	9	222	101	121
Illegitimate Births -	15	-	5	20	7	13
Marriages - - -	57	-	-	-	-	-
Deaths - - -	167	10	14	171	84	87

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18.2	18.9	-
Marriage-rate - - - - -	4.9	-	-
Death-rate—All Causes - - - - -	14.2	14.6	10.6
Do. —Phthisis - - - - -	-	1.36	-
Do. —All Tuberculosis - - - - -	-	1.36	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.34	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—45.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE.											
	Males.	Females	-1	1	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	2	1	-	3	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	3	1	1	-	-	-	-	-	-	-	-	-	3	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	9	7	-	-	-	-	7	5	3	-	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	6	11	-	-	-	-	-	1	2	3	2	7	2	
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	12	6	-	-	-	1	-	-	-	2	4	6	5	
Bronchitis - - - - -	-	5	-	-	-	-	-	-	-	1	-	1	3	
Pneumonia (all forms) - - - - -	5	7	-	-	1	-	-	-	2	1	2	3	3	
Other Diseases of Respiratory Organs - - - - -	1	2	1	-	1	-	-	-	-	-	-	1	-	
Diarrhœa and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	1	-	-	-	-	-	1	
Other Diseases of Digestive System - - - - -	4	3	2	-	-	-	-	-	-	-	1	2	2	
Nephritis and Bright's Disease - - - - -	2	5	-	-	-	-	-	-	1	1	2	1	2	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	5	-	-	-	-	-	-	1	2	1	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	26	32	1	-	-	-	1	-	4	1	6	7	38	
Diseases Ill-defined or Unknown - - - - -	3	3	-	-	-	-	1	-	-	-	-	1	4	
Total - - - - -	84	87	10	3	2	2	9	8	15	11	18	30	63	

YEAR 1920.

Population—Census 1921, - - - 3,409.
Do. Do. 1911, - - - 3,622.
Do. estimated to middle of 1920, 3,426.

COUNTY—**Ross and Cromarty.**

PUBLIC HEALTH DISTRICT—**South-Western** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	46	1	-	45	26	19
Illegitimate Births -	6	1	-	5	3	2
Marriages - - -	20	-	-	-	-	-
Deaths - - -	57	1	3	59	24	35

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	13.4	13.1	-
Marriage-rate - - -	5.8	-	-
Death-rate—All Causes - - -	16.6	17.2	11.3
Do. —Phthisis - - -	-	0.88	-
Do. —All Tuberculosis - - -	-	0.88	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—111.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	1	-	-	-	-	1	1	-	1	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	1	3	-	-	-	-	-	-	-	1	1	2	-	
Bronchitis - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Pneumonia (all forms) - - -	2	3	1	-	1	-	-	-	1	-	2	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	3	-	-	1	-	-	1	-	-	-	-	1	
Nephritis and Bright's Disease - -	3	-	-	-	-	-	-	1	-	1	-	-	1	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	2	2	-	-	-	-	-	-	1	-	2	1	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	9	20	2	-	-	-	-	-	2	1	4	20	-	
Diseases Ill-defined or Unknown -	1	2	-	-	-	-	-	-	1	-	-	2	-	
Total - - -	24	35	5	-	2	-	-	1	3	5	5	11	27	

YEAR 1920.

COUNTY—**Ross and Cromarty.**PUBLIC HEALTH DISTRICT—**Western** (County District).

Population—Census 1921, - - - 3,895.

Do. Do. 1911, - - - 4,758.

Do. estimated to middle of 1920, 3,974.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	55	-	2	57	30	27
Illegitimate Births -	-	-	2	2	-	2
Marriages - - -	5	-	-	-	-	-
Deaths - - -	76	0	4	80	31	49

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13·8	14·3	-
Marriage-rate - - - - -	1·3	-	-
Death-rate—All Causes - - - - -	19·1	20·1	12·7
Do. —Phthisis - - - - -	-	2·26	-
Do. —All Tuberculosis - - - - -	-	2·77	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—53.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	5	-	-	-	-	3	2	3	-	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	4	-	-	-	-	-	-	1	-	-	2	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	4	-	-	-	-	-	-	-	-	1	1	3	
Bronchitis - - - - -	2	5	1	-	-	-	-	1	-	-	1	1	3	
Pneumonia (all forms) - - - - -	2	2	1	-	-	-	-	-	-	-	1	1	1	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	4	-	-	-	-	-	-	-	-	-	2	2	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	9	21	-	-	-	-	-	1	-	-	-	2	27	
Diseases Ill-defined or Unknown - - - - -	5	2	1	1	1	-	-	-	-	-	-	1	3	
. Total - - - - -	31	49	3	1	1	-	4	6	6	-	7	11	41	

YEAR 1920.

COUNTY—**Roxburgh.**

PUBLIC HEALTH DISTRICT—**Hawick** (Burgh).

Population—Census 1921, - - - 16,353.
Do. Do. 1911, - - - 16,877.
Do. estimated to middle of 1920, 16,383.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	394	15	13	392	204	188
Illegitimate Births -	23	2	5	26	11	15
Marriages - -	156	-	-	-	-	-
Deaths - - -	201	4	19	216	96	120

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24·0	23·9	-
Marriage-rate - - - - -	9·5	-	-
Death-rate—All Causes - - - - -	12·3	13·2	13·3
Do. —Phthisis - - - - -	-	0·73	-
Do. —All Tuberculosis - - - - -	-	1·34	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·24	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—56.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	1	-	1	-	-	-	1	-	-	1	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	8	-	-	-	-	3	4	2	1	1	1	-	
Tuberculous Meningitis - - - - -	1	1	-	-	-	1	-	-	1	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	4	-	2	-	-	1	-	1	1	-	-	-	
Other Tuberculous Diseases - - - - -	1	2	-	-	1	-	-	-	-	1	-	1	-	
Cancer, Malignant Disease - - - - -	13	16	-	-	-	-	-	-	1	2	9	10	7	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	14	18	-	-	-	-	-	1	-	3	3	12	13	
Bronchitis - - - - -	5	6	1	-	-	-	-	-	-	1	3	2	4	
Pneumonia (all forms) - - - - -	4	4	1	-	-	-	-	1	-	-	2	3	1	
Other Diseases of Respiratory Organs - - - - -	2	1	-	1	-	-	1	-	1	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	2	-	-	1	1	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	1	
Other Diseases of Digestive System - - - - -	4	1	1	-	-	1	-	-	-	-	-	1	2	
Nephritis and Bright's Disease - - - - -	1	4	-	-	-	-	-	-	-	1	1	2	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	-	1	2	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	9	6	14	-	-	-	1	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	5	-	-	1	-	-	1	-	2	-	-	1	-	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Defined Diseases - - - - -	27	39	4	2	-	2	-	4	4	4	9	12	25	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	1	-	1	-	-	
Total - - - - -	96	120	22	7	2	5	7	13	15	14	31	46	54	

YEAR 1920.

Population—Census 1921, - - - 2,426.

COUNTY—**Roxburgh.**

Do. Do. 1911, - - - 2,752.

Do. estimated to middle of 1920, 2,455.

PUBLIC HEALTH DISTRICT—**Jedburgh** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	52	2	4	54	28	26
Illegitimate Births -	1	-	3	4	3	1
Marriages - - -	25	-	-	-	-	-
Deaths - - -	36	0	3	39	18	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth rate - - - - -	21·2	22·0	-
Marriage-rate - - - - -	10·2	-	-
Death-rate—All Causes - - - - -	14·7	15·9	15·1
Do. —Phthisis - - - - -	-	0·81	-
Do. —All Tuberculosis - - - - -	-	1·63	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—37.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	2	-	-	-	-	-	-	-	-	1	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Cancer, Malignant Disease - - - - -	2	4	-	-	-	-	-	-	-	-	2	2	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Organic Heart Disease - - - - -	3	5	-	-	-	-	-	-	-	3	1	4	-	
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
All Liver Diseases (not Malignant) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	6	-	-	-	-	-	-	-	2	3	3	3	
Diseases Ill-defined or Unknown - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Total - - - - -	18	21	2	-	-	-	-	-	1	7	10	11	8	

YEAR 1920.

COUNTY—**Roxburgh.**

PUBLIC HEALTH DISTRICT—**Kelso (Burgh).**

Population—Census 1921, - - - 3,527.
Do. Do. 1911, - - - 3,982.
Do. estimated to middle of 1920, 3,568.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	86	10	7	83	41	42
Illegitimate Births -	11	4	-	7	3	4
Marriages - - -	21	-	-	-	-	-
Deaths - - -	44	7	6	43	24	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.1	23.3	-
Marriage-rate - - - - -	5.9	-	-
Death-rate—All Causes - - - - -	12.3	12.1	10.5
Do. —Phthisis - - - - -	-	0.56	-
Do. —All Tuberculosis - - - - -	-	1.40	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—96.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	1	-	1	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - - - - -	-	2	-	-	-	-	-	-	-	-	-	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	2	-	-	-	-	-	-	-	-	-	2	1
Bronchitis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	2	2	-	-	-	-	-	-	-	-	1	1	2
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - -	1	1	-	-	-	-	-	-	-	1	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - -	4	2	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - -	1	1	-	-	1	-	-	-	-	-	-	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	9	6	-	-	-	-	-	1	-	1	-	5	8
Diseases Ill-defined or Unknown - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Total - - - - -	24	19	8	2	1	-	1	1	2	2	1	13	12

YEAR 1920.

Population—Census 1921, - - - 2,155.
Do. Do. 1911, - - - 2,166.
Do. estimated to middle of 1920, 2,153.

COUNTY—Roxburgh.

PUBLIC HEALTH DISTRICT—Melrose (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	22	2	1	21	12	9
Illegitimate Births -	3	2	-	1	1	-
Marriages - - -	12	-	-	-	-	-
Deaths - - -	61	41	2	22	8	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	10·2	9·8	-
Marriage-rate - - - - -	5·6	-	-
Death-rate—All Causes - - - -	28·3	10·2	8·6
Do. —Phthisis - - - - -	-	0·46	-
Do. —All Tuberculosis - - - -	-	0·46	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—95.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	1	1	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	2	-	-	-	-	-	-	-	1	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	5	-	-	-	-	-	-	1	-	1	5	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	1	1	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	1	-	-	-	-	-	-	1	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	5	-	-	-	-	-	-	-	3	2	2	-	
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	8	14	2	-	-	-	-	-	1	2	4	6	7	

YEAR 1920.

COUNTY—**Roxburgh.**

PUBLIC HEALTH DISTRICT—**Hawick** (County District).

Population—Census 1921, - - - - 3,056.
Do. Do. 1911, - - - - 3,258.
Do. estimated to middle of 1920, 3,072.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	63	2	8	69	34	35
Illegitimate Births -	7	1	3	9	4	5
Marriages - - -	32	-	-	-	-	-
Deaths - - -	45	4	4	45	23	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20·5	22·5	-
Marriage-rate - - - - -	10·4	-	-
Death-rate—All Causes - - - - -	14·6	14·6	14·2
Do. —Phthisis - - - - -	-	0·98	-
Do. —All Tuberculosis - - - - -	-	0·98	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·65	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—72.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	1	-	-	-	-	1	-	-	1	-	-	1	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	4	-	-	-	-	-	-	-	-	2	2	2	
Bronchitis - - - - -	1	2	-	-	-	-	-	-	-	-	-	-	3	
Pneumonia (all forms) - - - - -	-	3	1	-	-	-	-	-	-	-	2	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years)	1	1	1	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Nephritis and Bright's Disease - -	3	-	-	-	-	-	-	-	1	-	-	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	2	1	-	-	-	1	1	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	7	6	-	-	-	-	-	1	1	1	3	2	5	
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	23	22	5	1	-	1	2	3	2	2	8	7	14	

YEAR 1920.

Population—Census 1921, - - - 4,707.
Do. Do. 1911, - - - 4,855.
Do. estimated to middle of 1920, 4,715.

COUNTY—**Roxburgh.**

PUBLIC HEALTH DISTRICT—**Jedburgh** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	99	3	7	103	52	51
Illegitimate Births -	12	-	2	14	9	5
Marriages - - -	42	-	-	-	-	-
Deaths - - -	44	0	8	52	20	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.0	21.8	-
Marriage-rate - - - - -	8.9	-	-
Death-rate—All Causes - - - - -	9.3	11.0	10.7
Do. —Phthisis - - - - -	-	0.42	-
Do. —All Tuberculosis - - - - -	-	0.64	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.21	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—19.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	1	-	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	-	4	-	-	-	-	-	1	2	-	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	5	-	-	-	-	-	1	1	2	4	4	-	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Pneumonia (all forms) - - - - -	-	2	-	-	-	-	-	1	-	-	1	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years)	-	1	-	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System -	1	2	-	-	1	-	-	-	1	-	-	1	-	
Nephritis and Bright's Disease - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	2	-	-	-	-	2	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	14	-	1	-	-	-	2	2	4	4	7	-	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	20	32	2	2	-	1	3	1	5	6	8	12	12	

YEAR 1920.

Population—Census 1921, - - - 6,037.
Do. Do. 1911, - - - 6,321.
Do. estimated to middle of 1920, 6,058.

COUNTY—**Roxburgh.**

PUBLIC HEALTH DISTRICT—**Kelso** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	143	11	13	145	78	67
Illegitimate Births -	18	3	3	18	12	6
Marriages - - -	41	-	-	-	-	-
Deaths - - -	73	1	17	89	42	47

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	23·6	23·9	-
Marriage-rate - - -	6·8	-	-
Death-rate—All Causes - - -	12·1	14·7	14·4
Do. —Phthisis - - -	-	0·66	-
Do. —All Tuberculosis - - -	-	0·66	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·50	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—69.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	3	-	-	-	-	1	-	-	2	-	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	7	5	-	-	-	-	-	-	1	4	1	4	2	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	12	-	-	-	-	-	-	1	1	5	7	4	
Bronchitis - - - - -	3	-	2	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	3	3	1	1	-	-	-	-	-	-	2	1	1	
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	-	-	-	-	1	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	-	-	-	-	1	-	-	1	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	1	-	-	-	-	-	-	1	1	-	-	-	
Nephritis and Bright's Disease - - - - -	2	2	-	-	-	-	-	-	1	-	2	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	3	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	13	11	-	-	-	-	-	-	2	3	4	7	8	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	42	47	10	1	-	1	1	-	7	13	15	23	18	

YEAR 1920.

Population—Census 1921, - - - 1,853.

Do. Do. 1911, - - - 1,931.

Do. estimated to middle of 1920, 1,859.

COUNTY—**Roxburgh.**PUBLIC HEALTH DISTRICT—**Liddesdale** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	41	3	3	41	22	19
Illegitimate Births -	-	-	1	1	-	1
Marriages - - -	9	-	-	-	-	-
Deaths - - -	22	0	3	25	11	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.1	22.1	-
Marriage-rate - - - - -	4.8	-	-
Death-rate—All Causes - - - - -	11.8	13.4	10.8
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - - -	-	0.54	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—171.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	3	-	-	-	-	-	-	-	-	1	3	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	4	-	-	-	-	-	-	-	1	1	-	3	
Proneitis - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System - - - - -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	3	2	-	-	-	-	-	-	1	-	-	2	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	11	14	7	-	-	-	-	-	-	3	4	5	6	

YEAR 1920.

POPULATION—Census 1921, - - - 4,875.
Do. Do. 1911, - - - 5,047.
Do. estimated to middle of 1920, 4,886.

COUNTY—Roxburgh.

PUBLIC HEALTH DISTRICT—Melrose (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	108	5	12	115	60	55
Illegitimate Births -	2	-	4	6	4	2
Marriages - - -	23	-	-	-	-	-
Deaths - - -	40	0	5	45	18	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.1	23.5	-
Marriage-rate - - - - -	4.7	-	-
Death-rate—All Causes - - - - -	8.2	9.2	8.0
Do. —Phthisis - - - - -	-	0.41	-
Do. —All Tuberculosis - - - - -	-	0.41	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.20	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—35.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	-	-	1	-	-	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	6	-	-	-	-	-	-	-	1	1	4	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	5	-	-	-	-	-	-	-	-	2	1	3	
Bronchitis - - - - -	3	2	1	-	-	-	-	-	1	-	-	2	1	
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	2	
Nephritis and Bright's Disease - - - - -	1	3	-	-	-	-	-	-	-	1	-	2	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	2	-	-	-	-	-	-	1	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	5	1	-	-	-	1	-	-	-	2	2	3	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Total - - - - -	18	27	4	-	-	-	1	1	2	2	10	13	12	

YEAR 1920.

Population—Census 1921, - - - 12,946.

Do. Do. 1911, - - - 14,531.

Do. estimated to middle of 1920, 13,085.

COUNTY—**Selkirk.**PUBLIC HEALTH DISTRICT—**Galashiels** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	281	11	13	283	139	144
Illegitimate Births -	24	1	3	26	10	16
Marriages - - -	125	-	-	-	-	-
Deaths - - -	207	9	24	222	96	126

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	21.5	21.6	-
Marriage-rate - - -	9.6	-	-
Death-rate—All Causes - - -	15.8	17.0	17.4
Do. —Phthisis - - -	-	1.22	-
Do. —All Tuberculosis - - -	-	1.45	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.61	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—99.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - -	2	1	2	-	1	-	-	-	-	-	-	-	-
Diphtheria and Croup - - -	1	4	-	4	1	-	-	-	-	-	-	-	-
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	11	-	-	-	1	5	3	4	3	-	-	-
Tuberculous Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - - -	8	13	-	-	-	-	-	2	7	4	6	2	-
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - -	2	1	1	1	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	9	22	-	-	-	-	-	4	-	11	10	6	-
Bronchitis - - -	9	12	7	-	-	-	-	-	2	-	6	6	-
Pneumonia (all forms) - - -	7	11	3	1	-	1	2	4	3	-	2	2	-
Other Diseases of Respiratory Organs -	2	1	-	-	-	1	-	-	-	2	-	-	-
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System -	6	3	2	-	-	-	-	-	1	3	1	2	-
Nephritis and Bright's Disease - -	5	2	-	-	-	1	2	-	1	1	2	-	-
Puerperal Sepsis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	5	-	-	-	1	1	3	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth	2	6	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	2	-	-	-	-	1	-	1	-	3	-	-
Suicide - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - -	31	28	3	1	-	1	2	2	6	12	19	13	-
Diseases Ill-defined or Unknown -	1	1	1	-	-	-	-	-	-	-	1	-	-
Total - - -	96	126	28	8	4	1	5	14	20	25	36	50	31

YEAR 1920.
COUNTY—**Selkirk**.
PUBLIC HEALTH DISTRICT—**Selkirk** (Burgh).

Population—Census 1921, - - - 5,775.
Do. Do. 1911, - - - 5,886.
Do. estimated to middle of 1920, 5,779.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	101	8	5	98	54	44
Illegitimate Births -	10	3	1	8	4	4
Marriages - - -	57	-	-	-	-	-
Deaths - - -	59	2	8	65	28	37

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17·5	17·0	-
Marriage-rate - - - - -	9·9	-	-
Death-rate—All Causes - - - - -	10·2	11·2	10·9
Do. —Phthisis - - - - -	-	0·69	-
Do. —All Tuberculosis - - - - -	-	1·21	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·17	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—31.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	2	-	-	-	-	1	1	-	-	2	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	6	-	-	-	-	-	1	-	-	4	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	5	-	-	-	-	-	-	1	1	3	1	3	
Bronchitis - - - - -	1	2	-	-	-	-	-	-	-	-	1	1	1	
Pneumonia (all forms) - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases of Digestive System - - - - -	3	2	-	-	-	-	-	-	2	1	-	1	1	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	11	12	-	-	-	-	2	-	1	-	-	9	11	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	28	37	3	3	-	-	5	2	6	2	11	13	20	

YEAR 1920

Population—Census 1921, - - - 3,885.
Do. Do. 1911, - - - 4,184.
Do. estimated to middle of 1920, 3,909.

COUNTY—Selkirk.

PUBLIC HEALTH DISTRICT—Selkirk (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	67	1	6	72	42	30
Illegitimate Births -	3	-	2	5	3	2
Marriages - - -	12	-	-	-	-	-
Deaths - - -	35	0	2	37	17	20

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.1	18.4	-
Death-rate—All Causes - - -	3.1	-	-
Do. —Phthisis - - - - -	9.0	9.5	9.5
Do. —All Tuberculosis - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.26	-
	-	0.26	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—56.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	2	-	-	-	-	-	-	1	-	-	3	-	
Bronchitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - - - -	1	3	-	-	-	-	-	1	-	1	-	1	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	3	-	-	1	-	1	-	1	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	3	-	-	-	-	-	-	-	1	4	1	3	
Diseases Ill-defined or Unknown - - - - -	3	-	1	-	-	-	-	-	-	-	1	1	-	
Total - - - - -	17	20	4	-	1	-	2	3	3	2	7	8	7	

YEAR 1920.
COUNTY—**Shetland**.
PUBLIC HEALTH DISTRICT—**Lerwick** (Burgh).

Population—Census 1921, - - - 4,792.
Do. Do. 1911, - - - 4,664.
Do. estimated to middle of 1920, 4,773.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	97	7	1	91	45	46
Illegitimate Births -	10	-	-	10	4	6
Marriages - - -	102	-	-	-	-	-
Deaths - - -	83	18	5	70	32	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20·3	19·1	-
Marriage-rate - - - - -	21·4	-	-
Death-rate—All Causes - - - - -	17·4	14·7	12·1
Do. —Phthisis - - - - -	-	0·42	-
Do. —All Tuberculosis - - - - -	-	0·84	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·26	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—154.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	3	3	3	3	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - -	7	1	-	-	-	-	-	-	2	-	4	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	9	-	-	-	-	-	-	-	-	-	5	5	
Bronchitis - - - - -	1	2	-	-	-	-	-	-	-	-	-	1	2	
Pneumonia (all forms) - - - - -	3	-	2	-	-	-	-	-	1	-	-	-	-	
Other Diseases of Respiratory Organs	2	1	1	2	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	2	-	-	-	-	1	-	-	-	1	-	-	
Other Diseases of Digestive System -	2	1	-	-	-	-	-	-	-	-	-	2	1	
Nephritis and Bright's Disease - -	-	2	-	-	-	-	-	1	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	3	3	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	2	1	-	-	-	-	-	-	1	-	1	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	10	2	-	-	-	-	1	-	-	1	2	10	
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	32	38	14	6	-	-	2	3	4	1	9	12	19	

YEAR 1920.

Population—Census 1921, - - - 16,554.

COUNTY—**Shetland.**

Do. Do. 1911, - - - 18,543.

Do. estimated to middle of 1920, 16,728.

PUBLIC HEALTH DISTRICT—**Mainland** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	297	1	11	307	148	159
Illegitimate Births -	17	-	3	20	10	10
Marriages - - -	50	-	-	-	-	-
Deaths - - -	234	2	29	261	113	148

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17·8	18·4	-
Marriage-rate - - - - -	3·0	-	-
Death-rate—All Causes - - - - -	14·0	15·6	10·7
Do. —Phthisis - - - - -	-	1·79	-
Do. —All Tuberculosis - - - - -	-	2·57	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·12	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—23.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	14	16	-	-	-	1	8	8	5	4	2	2	-	
Tuberculous Meningitis - - - - -	2	5	1	1	1	3	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	2	-	-	-	-	2	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	2	-	-	-	-	1	1	-	-	-	-	1	
Cancer, Malignant Disease - - - - -	6	8	-	-	-	-	-	-	2	-	2	5	5	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	3	-	-	-	1	-	1	1	-	-	-	-	-	
Organic Heart Disease - - - - -	13	17	-	-	-	1	-	-	3	2	5	5	14	
Bronchitis - - - - -	2	11	-	-	-	-	-	1	-	1	1	1	9	
Pneumonia (all forms) - - - - -	3	2	2	-	-	-	-	-	-	-	1	-	2	
Other Diseases of Respiratory Organs	1	1	-	-	1	-	-	-	-	-	-	-	1	
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	-	-	1	-	-	1	-	-	
All Liver Diseases (not Malignant) -	-	3	-	-	-	-	-	-	-	1	-	1	1	
Other Diseases of Digestive System	3	10	-	-	-	-	-	1	-	4	3	-	5	
Nephritis and Bright's Disease - -	5	7	-	-	-	-	-	-	-	2	1	4	5	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	1	2	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	7	3	-	-	-	-	1	2	1	1	1	2	2	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	45	50	1	1	1	1	-	4	1	5	3	5	73	
Diseases Ill-defined or Unknown -	4	6	-	-	-	-	-	-	1	2	2	5	-	
Total - - - - -	113	148	7	2	4	6	15	20	14	22	22	31	118	

YEAR 1920.

COUNTY—**Shetland.**

PUBLIC HEALTH DISTRICT—**North Isles** (County District).

Population—Census 1921, - - - 4,174.
Do. Do. 1911, - - - 4,704.
Do. estimated to middle of 1920, 4,221.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	78	2	2	78	35	43
Illegitimate Births -	5	-	1	6	4	2
Marriages - - -	9	-	-	-	-	-
Deaths - - -	63	2	3	64	38	26

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18.5	18.5	-
Marriage-rate - - - - -	2.1	-	-
Death-rate—All Causes - - -	14.9	15.2	11.2
Do. —Phthisis - - - - -	-	1.66	-
Do. —All Tuberculosis - - -	-	1.90	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.47	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—38.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	4	3	-	-	-	-	3	1	2	-	-	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	1	-	-	-	-	-	-	1	1	2	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	6	-	1	-	-	1	-	-	2	3	2	3	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	3	-	-	-	-	-	-	2	1	-	-	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	13	9	-	-	-	-	1	-	1	1	1	1	17	
Diseases Ill-defined or Unknown -	2	2	-	-	-	-	1	-	-	-	-	-	3	
Total - - - - -	38	26	3	1	-	1	7	3	5	6	7	7	24	

YEAR 1920.

Population—Census 1921, - - - 3,579.
Do. Do. 1911, - - - 3,121.
Do. estimated to middle of 1920, 3,530.

COUNTY—**Stirling.**

PUBLIC HEALTH DISTRICT—**Bridge of Allan (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	54	11	4	47	24	23
Illegitimate Births -	6	4	-	2	1	1
Marriages - - -	23	-	-	-	-	-
Deaths - - -	32	1	9	40	19	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.3	13.3	-
Marriage-rate - - - - -	6.5	-	-
Death-rate—All Causes - - - - -	9.1	11.3	10.1
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - - -	-	0.85	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—64.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	1	-	-	-	-	-	1	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	5	-	-	-	-	-	-	-	2	1	2	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	5	-	-	-	-	-	-	-	-	3	1	2	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	2	-	-	-	-	-	-	-	-	1	1	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	5	-	-	-	-	-	-	1	2	-	-	-	2	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	6	-	-	-	-	-	-	-	-	1	6	5	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	19	21	3	1	-	-	-	1	2	3	7	10	13	

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	158	3	2	157	80	77
Illegitimate Births -	7	-	-	7	6	1
Marriages - - -	42	-	-	-	-	-
Deaths - - -	52	3	7	56	25	31

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	30·8	30·6	-
Marriage-rate - - - - -	8·2	-	-
Death-rate—All Causes - - - - -	10·1	10·9	11·8
Do. —Phthisis - - - - -	-	0·39	-
Do. —All Tuberculosis - - - - -	-	0·98	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·59	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—64.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	2	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	1	1	-	1	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	-	2	-	-	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	3	-	-	1	-	1	-	-	-	4	-	-	
Bronchitis - - - - -	2	4	2	-	-	-	-	1	-	-	-	-	3	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	-	1	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - - - -	-	2	-	-	-	-	1	-	1	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	2	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	7	11	-	-	1	-	-	-	1	2	1	6	6	
Diseases Ill-defined or Unknown - - - - -	1	1	1	-	-	-	-	-	-	-	-	1	1	
Total - - - - -	25	31	10	2	3	1	4	4	2	3	9	7	11	

YEAR 1920.

Population—Census 1921, - - - 33,312.

COUNTY—**Stirling**.

Do. Do. 1911, - - - 33,574.

PUBLIC HEALTH DISTRICT—**Falkirk** (Burgh).

Do. estimated to middle of 1920, 33,297.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	952	11	31	972	507	465
Illegitimate Births -	67	1	13	79	41	38
Marriages - - -	296	-	-	-	-	-
Deaths - - -	481	68	36	449	249	200

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution
Birth-rate - - - - -	28·6	29·2	-
Marriage-rate - - - - -	11·9	-	-
Death-rate—All Causes - - - - -	14·4	13·5	14·8
Do. —Phthisis - - - - -	-	1·02	-
Do. —All Tuberculosis - - - - -	-	1·32	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·17	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—68.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	4	4	4	3	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	4	5	-	5	4	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	11	6	1	10	6	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	26	8	-	1	2	2	4	5	6	5	6	3	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	4	-	3	-	1	1	-	-	-	-	1	-	
Other Tuberculous Diseases - - - - -	2	2	-	1	1	-	-	2	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	11	32	-	-	-	-	1	1	2	12	13	9	5	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	3	3	2	2	2	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	29	20	-	-	1	-	2	7	2	7	10	14	6	
Bronchitis - - - - -	6	12	1	-	-	-	-	-	-	4	4	4	5	
Pneumonia (all forms) - - - - -	27	12	5	3	4	-	6	6	8	7	5	4	1	
Other Diseases of Respiratory Organs - - - - -	3	4	2	-	-	-	1	-	-	1	1	-	2	
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	3	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	2	3	1	-	1	-	-	-	-	-	1	2	-	
Other Diseases of Digestive System - - - - -	12	4	2	-	-	-	4	1	3	1	1	4	-	
Nephritis and Bright's Disease - - - - -	4	5	-	-	1	-	-	-	-	2	2	2	2	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	2	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	4	-	-	-	-	-	3	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	21	16	37	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	12	2	-	2	-	1	-	2	1	3	2	3	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	55	46	8	1	-	-	3	4	8	8	11	28	30	
Diseases Ill-defined or Unknown - - - - -	3	1	-	-	-	-	-	-	-	1	3	-	-	
Total - - - - -	249	200	66	32	23	4	25	32	31	51	60	74	51	

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	263	7	8	264	131	133
Illegitimate Births -	9	-	3	12	8	4
Marriages - - -	65	-	-	-	-	-
Deaths - - -	110	6	17	121	63	58

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	27·0	27·1	-
Marriage-rate - - -	6·7	-	-
Death-rate—All Causes - - -	11·3	12·4	13·9
Do. —Phthisis - - -	-	0·31	-
Do. —All Tuberculosis - - -	-	0·82	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·41	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—45.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	-	1	1	-	1	-	-	-	
Tuberculous Meningitis - - - - -	2	-	-	-	2	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	8	-	-	-	-	-	-	1	2	2	5	-	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	11	-	-	-	-	1	2	1	2	4	5	3	
Bronchitis - - - - -	2	3	-	1	-	-	-	-	-	-	-	4	-	
Pneumonia (all forms) - - - - -	7	3	-	3	-	-	1	1	3	-	1	1	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	1	2	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	5	-	-	1	-	1	-	-	1	1	2	-	
Nephritis and Bright's Disease - - - - -	2	-	-	-	1	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	4	5	9	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	12	3	1	1	1	-	5	4	2	-	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	15	10	-	1	-	-	2	-	1	1	7	5	8	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	63	58	12	9	8	-	14	11	9	7	15	25	11	

YEAR 1920.

Population—Census 1921, - - - 7,600.

COUNTY—**Stirling.**

Do. Do. 1911, - - - 8,106.

Do. estimated to middle of 1920, 7,641.

PUBLIC HEALTH DISTRICT—**Kilsyth** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	237	10	12	239	127	112
Illegitimate Births -	13	-	5	18	10	8
Marriages - - -	69	-	-	-	-	-
Deaths - - -	96	2	21	115	57	58

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	31·0	31·3	-
Marriage-rate - - -	9·0	-	-
Death-rate—All Causes - - -	12·6	15·1	15·9
Do. —Phthisis - - -	-	0·26	-
Do. —All Tuberculosis - - -	-	0·65	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·75	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—130.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - -	7	2	1	8	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - -	-	3	-	2	-	-	1	-	-	-	-	-	-	
Influenza - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	1	1	-	-	-	-	1	-	-	1	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	1	2	1	1	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	2	5	-	-	-	-	-	-	1	-	3	1	2	
Rheumatic Fever - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Meningitis - - -	1	2	1	-	1	-	1	-	-	-	-	-	-	
Organic Heart Disease - - -	-	2	-	-	-	-	-	-	-	-	-	2	-	
Bronchitis - - -	5	4	4	-	1	-	-	-	-	-	-	2	2	
Pneumonia (all forms) - - -	9	6	2	3	2	-	-	-	1	2	1	4	-	
Other Diseases of Respiratory Organs - - -	2	1	1	1	-	-	-	-	-	-	1	-	-	
Diarrhoea and Enteritis (under 2 years) - - -	4	5	8	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Ill Liver Diseases (not Malignant) - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases of Digestive System - - -	3	1	1	-	-	-	-	-	2	-	-	-	1	
Nephritis and Bright's Disease - - -	1	1	-	-	1	-	-	-	-	-	-	1	-	
Septic Perforal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Constitutional Debility and Malformation, including Premature Birth - - -	8	3	11	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	3	3	-	-	1	-	1	-	1	-	1	1	1	
Accidental Deaths - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	8	12	-	2	-	1	-	-	2	-	3	5	7	
Diseases Ill-defined or Unknown - - -	1	1	1	-	-	-	-	-	-	-	-	-	1	
Total - - -	57	58	31	18	7	3	5	1	8	3	9	16	14	

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	663	28	13	648	323	325
Illegitimate Births -	44	7	3	40	21	19
Marriages - - -	255	-	-	-	-	-
Deaths - - -	383	84	16	315	174	141

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	31.1	30.4	-
Marriage-rate - - - - -	12.0	-	-
Death-rate—All Causes - - -	18.0	14.8	15.0
Do. —Phthisis - - - - -	-	0.70	-
Do. —All Tuberculosis - - -	-	1.50	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.70	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—97.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	2	3	-	-	5	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	3	3	-	1	-	-	-	-	-	3	1	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	4	11	-	1	-	1	3	2	3	3	1	1	-	
Tuberculous Meningitis - - -	4	4	3	4	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	2	1	1	2	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	4	2	-	2	-	-	2	-	-	1	1	-	-	
Cancer, Malignant Disease - - -	20	12	-	-	-	1	-	-	2	3	7	13	6	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	2	-	1	-	1	-	-	-	-	1	-	-	
Organic Heart Disease - - -	12	14	-	-	-	-	-	3	3	3	5	8	4	
Bronchitis - - - - -	14	18	5	1	-	1	-	-	1	4	4	5	11	
Pneumonia (all forms) - - -	14	7	7	2	-	-	1	1	2	2	3	3	-	
Other Diseases of Respiratory Organs	2	2	-	-	-	-	-	-	2	-	-	1	1	
*Diarrhoea and Enteritis (under 2 years)	4	3	7	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	1	1	-	-	-	1	-	-	1	-	-	-	-	
All Liver Diseases (not Malignant) -	4	1	-	-	-	-	-	-	1	1	2	-	1	
Other Diseases of Digestive System	5	2	-	-	1	-	-	1	-	1	3	1	-	
Nephritis and Bright's Disease - -	3	1	-	-	-	-	-	-	1	-	1	1	1	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	1	-	2	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	19	11	29	-	-	-	1	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	7	2	-	1	-	-	1	3	-	2	-	1	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	43	36	11	1	2	1	-	1	2	6	8	23	24	
Diseases Ill-defined or Unknown -	3	1	-	-	-	-	-	-	-	1	-	3	-	
Total - - - - -	174	141	63	17	10	7	9	12	20	30	37	60	50	

YEAR 1920.

Population—Census 1921, - - - 27,475.
Do. Do. 1911, - - - 26,203.
Do. estimated to middle of 1920, 27,316.

COUNTY—**Stirling.**

PUBLIC HEALTH DISTRICT—**Central Stirling** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	832	17	23	838	410	428
Illegitimate Births -	37	2	8	43	23	20
Marriages - - -	178	-	-	-	-	-
Deaths - - -	275	18	63	320	166	154

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	30·5	30·7	-
Marriage-rate - - - - -	6·5	-	-
Death-rate—All Causes - - - - -	10·1	11·7	11·9
Do. —Phthisis - - - - -	-	0·55	-
Do. —All Tuberculosis - - - - -	-	0·88	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·88	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—69.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	3	-	3	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	2	2	-	2	1	1	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	4	1	3	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	2	2	-	1	3	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	7	8	-	1	1	2	3	3	1	3	-	1	-	
Tuberculous Meningitis - - - - -	2	2	1	-	1	1	-	-	-	1	-	-	-	
Abdominal Tuberculosis - - - - -	1	2	-	1	-	-	1	-	-	-	1	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	1	-	-	-	1	-	-	
Cancer, Malignant Disease - - - - -	11	21	-	-	-	-	-	-	-	12	5	8	7	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Encephalitis - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	24	15	-	-	-	1	2	3	4	5	9	3	7	
Chronic Bronchitis - - - - -	8	12	3	1	-	-	-	-	-	-	2	8	6	
Pneumonia (all forms) - - - - -	16	9	5	3	2	-	3	4	3	1	1	1	2	
Other Diseases of Respiratory Organs - - - - -	1	1	1	-	-	-	-	-	-	-	1	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	1	7	8	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	1	-	-	2	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	3	1	-	-	-	-	-	-	-	2	2	-	-	
Other Diseases of Digestive System - - - - -	7	6	1	-	-	1	-	1	4	-	2	4	-	
Nephritis and Bright's Disease - - - - -	2	3	-	1	-	-	-	-	-	2	-	-	2	
Septicæmia and Periperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	6	-	-	-	2	-	-	4	-	-	-	-	
Constitutional Debility and Malformation, including Premature Birth - - - - -	19	10	29	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	16	1	-	3	-	-	1	2	4	5	2	-	-	
Homicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	34	36	5	1	-	-	3	3	2	4	11	13	28	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Total - - - - -	166	154	58	20	10	7	16	16	24	36	38	43	52	

YEAR 1920.

COUNTY—**Stirling.**

PUBLIC HEALTH DISTRICT—**Eastern Stirling** (County District).

Population—Census 1921, - - - 41,792.
Do. Do. 1911, - - - 41,745.
Do. estimated to middle of 1920, 41,734.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,178	32	53	1,199	614	585
Illegitimate Births -	61	4	19	76	41	35
Marriages - - -	310	-	-	-	-	-
Deaths - - -	514	111	82	486	255	231

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28·2	28·7	-
Marriage-rate - - - - -	7·4	-	-
Death-rate—All Causes - - -	12·3	11·6	12·4
Do. —Phthisis - - - - -	-	0·53	-
Do. —All Tuberculosis - - -	-	0·91	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·74	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—78.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	6	1	2	5	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	3	1	2	2	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	8	3	-	4	7	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	-	-	-	-	-	-	-	2	-	-	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Phthisis, Pulmonary Tuberculosis - -	12	10	-	1	1	2	8	7	2	-	1	-	-	
Tuberculous Meningitis - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	6	2	-	1	1	2	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	5	2	2	1	-	-	1	1	2	-	-	-	-	
Cancer, Malignant Disease - - - - -	11	22	-	-	-	-	-	2	-	5	12	11	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	4	2	2	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	26	29	-	-	-	1	4	3	3	3	17	10	14	
Bronchitis - - - - -	17	8	8	-	-	-	-	-	-	1	6	2	8	
Pneumonia (all forms) - - - - -	23	14	6	7	-	1	-	2	4	2	8	5	2	
Other Diseases of Respiratory Organs -	2	2	-	1	-	-	-	-	-	1	1	1	-	
*Diarrhoea and Enteritis (under 2 years)	5	2	5	2	-	-	-	-	-	1	1	1	-	
Appendicitis and Typhlitis - - - - -	3	6	-	-	4	2	2	-	-	1	-	-	-	
All Liver Diseases (not Malignant) - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System - -	15	9	8	2	2	1	2	1	2	2	3	1	-	
Nephritis and Bright's Disease - - -	7	7	1	1	-	-	-	1	3	1	1	2	4	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	6	-	-	-	-	2	1	3	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	31	17	47	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	17	9	1	5	-	1	3	3	4	1	2	4	2	
Suicide - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - - - -	56	65	8	5	2	-	5	3	8	6	16	26	42	
Diseases Ill-defined or Unknown - -	3	2	-	1	-	-	1	-	-	1	-	1	1	
Total - - - - -	255	231	94	43	18	10	30	25	32	26	68	63	77	

YEAR 1920.

Population—Census 1921, - - - 11,794.

Do. Do. 1911, - - - 11,659.

Do. estimated to middle of 1920, 11,766.

COUNTY—**Stirling.**PUBLIC HEALTH DISTRICT—**Western Stirling** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	232	13	12	231	123	108
Illegitimate Births -	16	6	5	15	8	7
Marriages - - -	41	-	-	-	-	-
Deaths - - -	141	21	29	139	77	62

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.7	19.6	-
Marriage-rate - - - - -	3.5	-	-
Death-rate—All Causes - - - - -	12.0	11.8	10.8
Do. —Phthisis - - - - -	-	0.68	-
Do. —All Tuberculosis - - - - -	-	0.85	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.17	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—61.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	5	3	-	-	-	1	1	1	2	1	2	-	-	
Tuberculous Meningitis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Cancer, Malignant Disease - - - - -	3	15	-	-	-	-	-	-	1	2	5	6	4	
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	13	6	-	-	-	-	-	1	1	1	3	10	3	
Bronchitis - - - - -	4	2	1	-	-	-	-	-	-	-	1	1	3	
Pneumonia (all forms) - - - - -	5	7	-	-	-	-	1	1	2	1	1	3	3	
Other Diseases of Respiratory Organs - - - - -	2	-	1	-	-	-	-	-	-	-	-	1	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	-	1	-	-	1	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Digestive System - - - - -	3	1	-	-	1	-	-	1	-	-	1	1	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	1	-	1	-	-	-	-	
Constitutional Debility and Malforma- tion, including Premature Birth - - - - -	7	-	7	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	6	-	-	-	-	-	-	1	2	2	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	23	19	4	-	-	1	1	-	1	5	6	9	15	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	1	1	-	-	-	
Total - - - - -	77	62	14	-	1	3	6	5	12	14	21	33	30	

YEAR 1920.

COUNTY—**Sutherland.**PUBLIC HEALTH DISTRICT—**Dornoch** (Burgh).

Population—Census 1921, - - - 763.

Do. Do. 1911, - - - 741.

Do. estimated to middle of 1920, 764.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	8	-	-	8	5	3
Illegitimate Births -	1	-	-	1	1	-
Marriages - - -	9	-	-	-	-	-
Deaths - - -	10	0	1	11	1	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	10·5	10·5	-
Marriage-rate - - - - -	11·8	-	-
Death-rate—All Causes - - - - -	13·1	14·4	13·1
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - - - -	-	0·00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	4	-	-	-	-	-	-	-	-	1	2	1	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	-	4	-	-	-	-	-	-	1	1	-	-	2	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	1	10	-	-	-	-	-	-	2	1	2	3	3	

YEAR 1920.

Population—Census 1921, - - - 17,032.

COUNTY—**Sutherland.**

Do. Do. 1911, - - - 19,438

Do. estimated to middle of 1920, 17,247.

PUBLIC HEALTH DISTRICT—**Sutherland** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	316	9	17	324	166	158
Illegitimate Births -	24	1	10	33	20	13
Marriages - - -	65	-	-	-	-	-
Deaths - - -	256	1	13	268	124	144

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18·3	18·8	-
Marriage-rate - - - - -	3·8	-	-
Death-rate—All Causes - - - - -	14·8	15·5	11·0
Do. —Phthisis - - - - -	-	1·10	-
Do. —All Tuberculosis - - - - -	-	1·45	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—59.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	13	6	-	-	-	-	6	6	5	1	1	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	2	-	-	-	-	2	1	-	-	-	-	-
Other Tuberculous Diseases - - - -	2	1	-	-	-	-	1	1	-	-	-	-	1
Cancer, Malignant Disease - - - -	7	11	-	-	-	-	-	-	1	2	6	6	3
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Meningitis - - - - -	2	1	2	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	19	15	-	-	-	-	1	-	1	2	6	9	15
Bronchitis - - - - -	8	9	2	-	-	-	-	-	1	1	2	2	9
Pneumonia (all forms) - - - - -	7	2	1	1	-	-	-	1	-	-	1	4	1
Other Diseases of Respiratory Organs	-	2	-	-	-	-	-	-	1	-	1	-	-
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	3	-	-	-	-	-	2	-	-	1	1	-
Other Diseases of Digestive System	4	6	1	1	-	-	-	1	-	-	2	2	3
Nephritis and Bright's Disease - -	1	4	-	-	-	-	-	-	-	1	2	1	1
Septicæmic Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of	-	1	-	-	-	-	-	-	1	-	-	-	-
Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Constitutional Debility and Malforma-	5	4	7	1	-	1	-	-	-	-	-	-	-
tion, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	3	-	-	-	-	1	1	-	1	2	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	47	63	3	-	-	-	1	3	-	3	8	16	76
Diseases Ill-defined or Unknown -	4	8	3	-	-	-	-	-	-	3	2	1	3
Total - - - - -	124	144	19	3	1	1	12	18	11	14	34	43	112

YEAR 1920.

Population—Census 1921, - - - 1,831.
Do. Do. 1911, - - - 2,063.
Do. estimated to middle of 1920, 1,852.

COUNTY—Wigtown.

PUBLIC HEALTH DISTRICT—Newton-Stewart (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	44	1	-	43	21	22
Illegitimate Births -	5	-	-	5	3	2
Marriages - - -	13	-	-	-	-	-
Deaths - - -	38	0	3	41	17	24

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23·8	23·2	-
Marriage-rate - - - - -	7·0	-	-
Death-rate—All Causes - - - - -	20·5	22·1	19·5
Do. —Phthisis - - - - -	-	1·08	-
Do. —All Tuberculosis - - - - -	-	2·16	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—140.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	2	-	-	-	1	-	-	-	1	-	-	-	
Tuberculous Meningitis - - - - -	2	-	-	1	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	4	-	-	-	-	-	-	-	2	2	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	3	-	-	-	1	-	-	-	1	1	1	1	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	2	-	-	-	-	-	-	-	-	1	2	1	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	3	1	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	1	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	8	2	-	-	-	1	-	-	3	2	2	4	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	17	24	6	1	1	-	2	2	-	7	7	8	7	

YEAR 1920.

Population.—Census 1921, - - - 6,138.
Do. Do. 1911, - - - 6,444.
Do. estimated to middle of 1920, 6,160.

COUNTY—Wigtown.

PUBLIC HEALTH DISTRICT—Stranraer (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	166	7	4	163	86	77
Illegitimate Births -	13	2	1	12	4	8
Marriages - - -	53	-	-	-	-	-
Deaths - - -	121	18	7	110	54	56

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	26.9	26.5	-
Marriage-rate - - -	8.6	-	-
Death-rate—All Causes - - -	19.6	17.9	16.0
Do. —Phthisis - - -	-	0.81	-
Do. —All Tuberculosis - - -	-	1.30	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.95	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—147.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - -	1	2	1	2	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - -	3	3	3	3	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	1	4	-	-	-	-	1	-	2	-	1	1	-	
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	2	4	-	-	-	-	-	1	1	-	1	2	1	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	2	-	-	1	-	-	-	-	-	-	-	1	-	
Organic Heart Disease - - -	5	7	-	-	-	-	-	-	1	4	2	2	3	
Bronchitis - - -	4	3	3	-	-	-	-	-	-	-	3	-	1	
Pneumonia (all forms) - - -	5	-	3	1	-	-	1	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Diarrhoea and Enteritis (under 2 years) - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	3	-	-	-	-	-	-	-	-	-	1	2	-	
Other Diseases of Digestive System - - -	3	2	-	-	-	-	-	1	-	2	2	-	-	
Nephritis and Bright's Disease - - -	2	1	-	-	-	-	-	1	1	1	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	2	-	-	-	-	-	-	2	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	7	2	9	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	2	1	-	-	1	-	1	-	-	-	1	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	11	20	2	-	-	1	-	1	1	2	1	7	16	
Diseases Ill-defined or Unknown - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Total - - -	54	56	24	8	2	2	4	4	8	9	13	15	21	

YEAR 1920.

COUNTY—Wigtown.

PUBLIC HEALTH DISTRICT—Whithorn (Burgh).

Population—Census 1921, - - - 1,033.
Do. Do. 1911, - - - 1,170.
Do. estimated to middle of 1920, 1,045.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	30	-	1	31	15	16
Illegitimate Births -	7	-	-	7	4	3
Marriages - - -	2	-	-	-	-	-
Deaths - - -	19	1	4	22	13	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28·7	29·7	-
Marriage-rate - - - - -	1·9	-	-
Death-rate—All Causes - - - - -	18·2	21·1	15·7
Do. —Phthisis - - - - -	-	2·87	-
Do. —All Tuberculosis - - - - -	-	3·83	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—65.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—22·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	2	1	-	-	-	-	-	1	1	-	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Cancer, Malignant Disease - - - - -	1	3	-	-	-	-	-	-	-	2	1	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	3	1	-	-	-	-	-	-	-	-	2	6	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	13	9	2	-	-	-	-	2	2	2	3	4	7	

YEAR 1920.

Population—Census 1921, - - - 1299.

COUNTY—Wigtown.

Do. Do. 1911, - - - 1369.

Do. estimated to middle of 1920, 1304.

PUBLIC HEALTH DISTRICT—Wigtown (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	38	-	4	42	22	20
Illegitimate Births -	3	-	1	4	3	1
Marriages - - -	7	-	-	-	-	-
Deaths - - -	26	1	4	29	16	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29·1	32·2	-
Marriage-rate - - - - -	5·4	-	-
Death-rate—All Causes - - - - -	19·9	22·2	18·6
Do. —Phthisis - - - - -	-	1·53	-
Do. —All Tuberculosis - - - - -	-	2·30	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—95.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	-	2	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	3	-	-	-	-	-	-	1	-	1	-	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Bronchitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	2	-	1	-	1	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	3	-	-	-	-	1	-	-	-	-	-	-	2	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	7	-	-	-	-	-	-	-	-	3	4	4	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	16	13	4	-	3	1	3	-	1	1	4	4	8	

YEAR 1920.

Population—Census 1921, - - - 8,245.
Do. Do. 1911, - - - 8,853.
Do. estimated to middle of 1920, 8,295.

COUNTY—Wigtown.

PUBLIC HEALTH DISTRICT—Machars (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	229	8	6	227	112	115
Illegitimate Births -	27	1	2	28	13	15
Marriages - - -	47	-	-	-	-	-
Deaths - - -	108	4	10	114	67	47

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	27.6	27.4	-
Marriage-rate - - - - -	5.7	-	-
Death-rate—All Causes - - - - -	13.0	13.7	12.0
Do. —Phthisis - - - - -	-	0.48	-
Do. —All Tuberculosis - - - - -	-	0.84	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.84	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—75.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	2	2	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	-	-	-	2	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	3	-	-	-	-	2	1	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - -	2	1	-	-	-	-	-	1	-	-	1	-	1	
Cancer, Malignant Disease - - - -	8	7	-	-	-	-	-	-	-	1	3	7	4	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	10	4	-	-	1	-	-	-	-	1	2	3	7	
Bronchitis - - - - -	1	2	-	-	-	-	-	-	-	-	1	2	-	
Pneumonia (all forms) - - - - -	7	1	-	1	-	-	-	1	-	-	2	2	2	
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	1	1	-	-	-	1	-	-	-	-	-	-	1	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System -	2	1	1	-	-	-	-	-	1	-	-	1	-	
Nephritis and Bright's Disease - -	3	1	-	-	-	1	-	1	1	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	6	2	8	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Defined Diseases - - - - -	21	20	5	1	1	-	-	1	1	1	6	7	18	
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	67	47	17	3	5	2	2	6	4	3	16	23	33	

YEAR 1920.

COUNTY—Wigtown.

PUBLIC HEALTH DISTRICT—Rhins (County District).

Population—Census 1921, - - - 12,236.
Do. Do. 1911, - - - 12,099.
Do. estimated to middle of 1920, 12,207.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	313	16	16	313	156	157
Illegitimate Births -	49	3	8	54	25	29
Marriages - - -	93	-	-	-	-	-
Deaths - - -	173	2	16	187	73	114


PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25·6	25·6	-
Marriage-rate - - - - -	7·6	-	-
Death-rate—All Causes - - - - -	14·2	15·3	14·0
Do. —Phthisis - - - - -	-	0·41	-
Do. —All Tuberculosis - - - - -	-	0·74	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·88	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	4	1	-	3	1	1	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	5	7	6	6	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	2	1	-	1	2	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	3	-	-	-	-	1	-	2	1	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	2	-	1	-	-	-	-	-	-	-	1	-	
Cancer, Malignant Disease - - - - -	4	10	-	-	-	-	-	2	1	4	4	4	3	
Rheumatic Fever - - - - -	1	1	-	-	-	-	-	1	-	1	-	-	-	
Meningitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	13	-	-	1	-	1	-	-	4	2	5	5	
Bronchitis - - - - -	-	6	-	-	-	-	-	-	-	1	1	-	4	
Pneumonia (all forms) - - - - -	3	3	3	-	-	-	1	1	-	-	1	-	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Diarrhœa and Enteritis (under 2 years) - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	2	-	-	-	-	1	-	1	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System - - - - -	3	4	-	2	-	-	-	-	1	-	1	2	1	
Nephritis and Bright's Disease - - - - -	2	3	-	-	1	-	-	1	1	-	-	1	1	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	2	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	6	7	13	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	8	1	-	-	-	-	-	1	3	2	1	-	2	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	22	41	1	2	-	2	2	1	5	3	4	12	31	
Diseases Ill-defined or Unknown - - - - -	3	1	-	-	-	-	-	-	1	-	2	-	1	
Total - - - - -	73	114	26	16	6	3	6	8	17	13	18	26	48	



NOTES ON STATISTICAL TABLES, 1920.

The “ Height of Station ” is that of the cistern of the Barometer above Mean Sea-Level, or, where no barometer is in use, the height of the rain-gauge above Mean Sea-Level.

It is to be noted that the observations of pressure have not been adjusted to mean sea-level or Lat. 45° , but are at the heights and latitudes of the various stations.

The Air Temperatures are from standard thermometers exposed in the regulation “ Stevenson Screen,” or in a screen closely approaching the regulation pattern.

The averages for Temperature and Rainfall referred to in the statistics for individual stations are in general for the 35-year period 1881-1915. For stations at which the available observations do not cover the entire 35-year period, averages have been adjusted by comparison with neighbouring stations. The Sunshine averages are also for the 35-year period 1881-1915, or have been adjusted to that period.

The amount of cloud is estimated on a scale of 0-10, and a day is reckoned as a day of “ clear sky ” if the average of the estimates at the hours of observation is less than 2, and as an “ overcast ” day if the average is greater than 8.

The hours of observation refer to Greenwich Mean Time (G.M.T.). Thus 7h. or 7 = 7 a.m., 9 = 9 a.m., 13 = 1 p.m., 15 = 3 p.m., 18 = 6 p.m., 21 = 9 p.m., all G.M.T. During the operation of the Summer Time Act (from March 28th to October 25th) observations at a few stations were made at times which differed slightly from the times at which they were made during the rest of the year.

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A	B			Maximum.	Day of Month.	Minimum.	Day of Month.
			Mean at Station at 32° Fahr. †	Maximum.	Minimum.						
Shetland.											
BALTASOUND— T. Edmonston Saxby, F.R.F.P.S. (Glas.), J.P. (9, —, —.)	31	Jan.	29·368	41·6	32·6	37·1	...	50	15th	15	11th
		Feb.	29·634	44·4	36·0	40·2	...	50	28th	23	15th
		Mch.	29·494	46·0	37·5	41·8	...	50	2nd, 21st 22nd	25	8th
		Apl.	29·563	46·6	38·5	42·6	...	52	2nd, 24th	31	9th, 10th
		May	29·749	51·6	42·4	47·0	...	61	24th	31	2nd, 5th
		June	29·925	56·2	45·4	50·8	...	66	14th	37	8th
		July	29·656	58·4	49·0	53·7	...	62	9th, 17th	41	5th, 28th
		Aug.	29·887	56·7	48·1	52·4	...	63	10th	43	15th, 28th
		Sept.	29·796	55·3	46·8	51·1	...	59	9th, 24th, 26th	34	18th
		Oct.	29·979	53·4	47·0	50·2	...	57	8th	30	18th
		Nov.	29·726	49·4	41·7	45·6	...	54	8th	30	24th
		Dec.	29·836	45·3	38·6	42·0	...	50	25th, 26th	27	24th
		Year	29·718	50·4	42·0	46·2	...	66		15	
LERWICK— The Meteorologi- cal Office. (7, 13, 21.)	59	Jan.	29·384	42·0	33·7	37·9	−1·2	49	15th	22	10th
		Feb.	29·659	44·3	36·3	40·3	+2·0	49	1st, 28th, 29th	30	12th, 15th 27th
		Mch.	29·517	45·4	38·2	41·8	+3·1	49	3rd, 21st, 22nd	28	8th
		Apl.	29·559	46·0	37·2	41·6	+0·1	51	24th	31	8th, 11th
		May	29·751	51·4	41·4	46·4	+1·2	61	27th	36	1st, 5th, 15th
		June	29·919	55·4	45·2	50·3	+0·8	63	15th	37	11th
		July	29·663	58·2	48·4	53·3	+0·7	63	12th	43	4th
		Aug.	29·896	56·1	47·0	51·6	−1·2	61	3rd	41	18th
		Sept.	29·796	55·2	43·8	49·5	−1·1	58	2nd, 9th, 10th	35	21st
		Oct.	29·949	52·0	47·6	49·8	+3·6	56	1st, 8th	41	18th
		Nov.	29·736	49·6	43·3	46·5	+3·9	56	20th	38	14th
		Dec.	29·827	46·1	40·4	43·3	+3·2	51	25th	31	23rd
		Year	29·721	50·1	41·9	46·0	+1·3	63		22	
Orkney. DEERNES— W. Delday. (9, —, 21.)	165	Jan.	29·277	42·3	34·5	38·4	−0·6	50	17th	25	10th
		Feb.	29·605	44·9	36·6	40·8	+2·3	51	28th, 29th	28	14th
		Mch.	29·413	45·5	37·5	41·5	+2·3	53	3rd	29	7th, 8th
		Apl.	29·434	46·2	38·7	42·5	+0·2	52	24th	32	10th
		May	29·634	51·1	42·4	46·8	+0·5	62	23rd	36	1st, 4th
		June	29·803	55·7	46·5	51·1	+0·4	62	18th 21st 22nd	39	7th
		July	29·547	57·5	49·1	53·3	−0·2	63	14th	45	4th, 7th, 26th
		Aug.	29·810	56·7	48·1	52·4	−1·0	62	9th, 13th	44	18th, 23rd
		Sept.	29·688	55·5	47·5	51·5	+0·1	61	9th	40	20th, 21st
		Oct.	29·783	53·4	48·2	50·8	+3·9	58	13th	42	16th
		Nov.	29·620	50·0	43·4	46·7	+3·9	56	9th	37	14th
		Dec.	29·685	45·2	39·4	42·3	+2·3	48	2nd, 25th, 28th	31	22nd
		Year	29·608	50·3	42·7	46·5	+1·2	63		25	
KIRKWALL— Rev. J. S. Begg, M.A. (9, —, 21.)	100	Jan.	29·348	41·6	34·0	37·8	−1·7	52	16th, 17th	23	10th
		Feb.	29·666	44·9	36·7	40·8	+1·7	51	28th, 29th	27	15th
		Mch.	29·477	45·9	37·7	41·8	+2·1	53	23rd	27	7th
		Apl.	29·503	46·6	39·0	42·8	−0·7	55	24th	31	10th
		May	29·700	52·9	42·7	47·8	−0·2	67	24th	36	1st, 5th
		June	29·874	57·5	47·1	52·3	−0·6	68	17th	39	7th
		July	29·618	59·6	49·4	54·5	−0·5	66	11th, 13th	44	5th
		Aug.	29·882	56·9	48·5	52·7	−2·1	63	9th	43	29th
		Sept.	29·748	56·7	47·7	52·2	−0·2	63	25th	37	21st
		Oct.	29·839	53·8	47·4	50·6	+3·5	61	9th	42	15th, 29th
		Nov.	29·671	49·3	42·5	45·9	+2·9	55	8th, 9th	36	15th, 23rd
		Dec.	29·743	45·0	39·0	42·0	+1·8	48	2nd, 25th	31	22nd
		Year	29·672	50·9	42·6	46·8	+0·5	68		23	

* See Note, p. 417.

HYGROMETER.				CLOUD. Mean (0-10.) †	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.							WIND DIRECTIONS. †												
Mean. †					Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—							Number of Observations.											
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure	Humidity.					Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm			
°	°	Inch.	%			Inch.	Inch.	Inch.																				
38.3	1.4	.203	88	8.5	29	6.57	...	0.65	7th	9	9	0	1	20	2	10	4	0	0	6	10	20	8	14	0			
40.8	1.4	.225	89	7.9	27	6.10	...	0.66	17th	7	11	0	0	16	6	9	12	2	4	0	8	16	12	4	0			
42.9	1.5	.244	88	7.6	29	6.51	...	0.59	14th	3	11	0	0	15	2	13	4	4	0	6	16	20	10	2	0			
43.0	2.0	.234	84	7.5	23	3.72	...	0.68	8th	5	11	1	2	15	5	0	10	8	10	6	10	6	6	4	0			
48.4	2.3	.283	84	7.5	24	3.86	..	0.52	2nd	0	2	0	2	15	9	2	4	0	10	14	10	10	12	2	0			
53.0	3.5	.311	77	6.3	9	0.81	...	0.25	23rd	0	0	1	7	14	3	3	6	8	12	12	6	6	6	4	0			
54.9	2.2	.370	86	7.5	24	3.04	...	0.45	23rd	0	0	0	0	16	11	0	4	8	4	8	14	10	12	2	0			
53.6	3.1	.328	79	7.9	14	0.98	...	0.28	15th	0	0	2	0	17	5	0	6	8	10	6	4	10	14	4	0			
52.2	2.2	.332	85	7.7	21	3.22	...	0.72	9th	0	0	0	1	18	6	1	4	2	2	10	8	14	10	10	0			
50.4	1.8	.320	88	8.3	12	0.73	...	0.28	2nd	0	1	0	0	19	7	7	2	4	6	14	18	16	2	0	0			
46.7	1.7	.279	88	8.1	23	6.44	...	0.71	15th	0	3	2	1	17	5	12	2	0	0	6	14	24	10	4	0			
43.2	1.5	.247	89	8.5	26	4.04	...	0.49	17th	2	5	0	0	17	1	2	2	2	4	6	20	24	2	2	0			
					261	46.02		0.72																				
38.4	1.3	.206	89	7.5	27	5.42	+1.16	0.67	7th	7	3	0	0	11	1	8	4	1	2	4	15	19	5	7	5			
40.8	1.0	.234	92	8.6	26	5.82	+2.66	0.51	12th, 17th, 21st	5	5	0	0	12	0	9	5	4	0	1	15	17	9	4	3			
41.6	1.3	.236	90	8.1	27	6.01	+2.87	0.63	17th	3	3	0	0	9	1	5	2	0	2	6	16	15	11	7	3			
41.8	0.8	.247	94	6.3	19	1.98	-0.30	0.39	6th	5	2	0	1	5	2	2	8	5	6	9	5	7	9	7	4			
46.4	1.2	.287	91	6.7	22	2.96	+0.87	0.55	30th	0	0	0	1	7	3	3	1	3	6	10	15	11	7	5	4			
50.5	2.2	.312	85	5.4	9	0.75	-1.03	0.20	23rd	0	0	0	5	3	3	2	11	3	7	4	12	3	9	4	7			
53.2	1.6	.360	89	7.3	23	3.45	+1.16	0.55	9th	0	0	0	1	7	10	0	6	5	3	7	18	7	11	3	2			
51.6	2.0	.330	86	7.0	15	1.26	-1.75	0.28	15th	0	0	0	0	5	1	0	9	9	0	5	9	7	11	7	5			
50.5	1.6	.327	89	7.5	19	2.33	-0.68	0.55	9th	0	0	0	0	9	4	0	2	4	3	9	18	3	7	6	8			
50.4	1.3	.333	91	7.8	11	0.42	-3.53	0.12	5th	0	0	0	0	12	6	6	1	3	5	13	34	2	1	0	3			
46.9	1.3	.290	91	7.5	21	5.64	+1.39	0.83	15th	0	3	2	1	14	0	6	0	0	1	18	12	12	9	1	7			
43.4	0.6	.269	95	7.3	24	3.81	-0.98	0.51	3rd	3	0	0	1	10	0	2	3	0	5	10	26	9	3	1	5			
					243	39.85	+1.84	0.83																				
38.2	1.6	.199	87	6.7	24	4.72	+1.27	0.98	7th	5	0	0	3	11	0	6	0	3	2	4	18	13	14	6	2			
40.3	1.4	.221	89	6.9	22	4.38	+1.37	0.83	1st	7	0	5	2	13	2	7	4	3	1	2	14	11	19	4	0			
41.1	1.6	.224	87	7.5	25	4.16	+1.35	0.65	17th	2	1	0	2	18	3	7	2	1	3	7	15	13	16	5	0			
42.0	1.9	.227	86	8.0	24	1.72	-0.35	0.21	24th	3	0	0	0	16	4	0	8	4	11	7	5	3	9	10	3			
46.8	1.9	.275	86	7.5	21	3.40	+1.41	0.48	5th	0	1	1	1	15	4	1	1	11	11	15	5	10	5	3				
50.9	2.5	.310	84	6.1	11	0.52	-1.32	0.12	2nd	0	0	0	6	11	2	0	7	1	16	12	9	1	9	4	1			
52.8	1.9	.348	87	7.5	23	2.15	-0.42	0.30	6th, 14th	0	0	1	2	15	5	0	8	2	3	7	14	6	11	8	3			
51.8	2.0	.333	87	8.2	19	1.77	-1.10	0.51	12th	1	1	0	0	21	3	0	11	2	6	3	7	5	13	11	4			
51.2	1.5	.338	90	7.3	20	3.41	+0.51	1.20	9th	0	0	0	0	14	2	1	2	2	1	9	19	3	9	8	7			
50.4	1.3	.333	91	6.5	10	0.73	-3.06	0.20	2nd	0	0	0	6	13	7	4	1	1	7	18	29	0	2	0	4			
46.3	1.4	.281	90	8.0	23	5.74	+1.31	0.79	27th	0	0	1	1	21	0	6	1	1	1	15	21	11	8	1	1			
42.3	1.4	.240	89	7.3	20	3.29	-0.90	0.95	3rd	3	0	0	0	14	1	1	4	1	5	11	25	9	3	1	3			
					242	35.99	+0.57	1.20																				
38.1	1.8	.194	84	6.7	26	5.07	+1.12	0.96	7th	8	3	0	2	11	0	8	2	6	2	8	10	18	10	6	0			
40.8	1.8	.217	86	7.0	25	4.67	+1.26	0.62	1st	6	9	0	0	12	2	4	3	6	0	2	11	18	13	5	0			
41.4	1.8	.224	87	7.0	23	4.00	+0.67	0.58	17th	3	5	0	1	12	1	3	6	2	0	5	13	16	9	9	2			
41.9	1.9	.226	86	7.6	21	1.84	-0.30	0.25	27th	2	8	0	1	14	1	0	11	6	5	9	4	6	5	8	6			
47.1	1.6	.286	89	6.6	22	3.59	+1.80	0.57	5th	0	3	0	3	13	2	1	1	2	6	17	13	3	9	8	3			
51.4	2.0	.328	87	5.6	12	0.51	-1.15	0.16	27th	0	0	0	8	12	1	1	6	3	10	15	10	4	6	5	1			
53.8	1.9	.361	87	7.6	26	2.66	+0.05	0.41	22nd	0	0	0	1	15	2	0	7	5	1	9	8	9	11	7	5			
51.8	1.6	.343	88	8.0	16	1.23	-1.79	0.33	12th	0	0	0	1	19	2	0	12	5	2	7	6	9	7	10	4			
51.6	1.3	.348	91	7.4	21	3.15	-0.17	1.23	9th	0	0	0	2	14	2	1	5	3	3	13	13	6	4	7	6			
49.8	0.7	.339	95	5.5	12	1.11	-3.11	0.42	2nd	0	0	0	6	9	6	3	0	3	6	22	16	8	0	1	6			
45.8	0.7	.291	95	7.9	24	5.86	+1.55	0.82	15th	0	4	1	3	22	0	2	3	0	1	18	11	15	4	5	3			
41.5	0.8	.245	94	6.7	21	4.00	-0.64	0.96	31st	1	2	0	1	11	0	0	5	1	2	13	16	16	2	1	6			
					249	37.69	-0.71	1.23																				

† For Stations observing only once a day the means in these columns are the means of the observations at 9h.; for other Stations they are the means of the morning and evening observations.

‡ Adjusted to 62 or 60 observations for the various months; to 58 for February.

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
			Mean at Station at 32° Fahr. †	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Caithness. WICK— The Meteorologi- cal Office. (7, 13, 21.)	94	Jan.	29·365	42·4	32·3	37·4	- 0·5	54	17th	21	10th
		Feb.	29·685	45·3	35·0	40·2	+ 2·4	54	28th	28	21st
		Mar.	29·501	45·9	35·5	40·7	+ 1·3	56	3rd	25	8th
		Apl.	29·501	46·1	37·3	41·7	- 1·3	59	24th	26	10th
		May	29·699	51·7	41·2	46·5	- 0·6	64	23rd	31	1st
		June	29·867	54·7	46·3	50·5	- 1·3	62	21st 22nd 30th	41	27th
		July	29·615	58·6	47·5	53·1	- 1·4	65	20th, 21st	38	5th, 25th
		Aug.	29·871	57·2	47·2	52·2	- 2·2	67	16th	40	20th, 23rd 31st
		Sept.	29·753	56·0	44·7	50·4	- 1·5	63	25th	35	17th 18th 21st 22nd
		Oct.	29·835	53·2	47·5	50·4	+ 3·8	57	7th, 9th	39	14th
		Nov.	29·687	49·8	41·0	45·4	+ 3·4	57	8th	27	24th
		Dec.	29·751	44·6	36·2	40·4	+ 1·4	50	25th	25	23rd
		Year	29·678	50·5	41·0	45·8	+ 0·3	67		21	
Sutherland. DUNROBIN— W. F. Game, for the Duke of Sutherland. (9, —, —.)	12	Jan.	...	43·6	33·6	38·6	+ 0·4	55	17th	25	2nd
		Feb.	...	47·0	35·5	41·3	+ 2·8	55	9th
		Mar.	...	47·6	36·5	42·1	+ 2·0	56	21st	28	7th
		Apl.	...	48·4	37·2	42·8	- 0·9	61	24th	30	8th, 9th
		May	...	55·5	42·0	48·8	- 0·7
		June	...	59·7	46·5	53·1	- 0·0	72	18th
		July	...	60·5	47·9	54·2	- 1·4	66	19th	40	5th
		Aug.	...	59·6	47·6	53·6	+ 1·9	68	13th	42	18th
		Sept.	...	58·9	46·0	52·5	0·0	65	25th, 29th	37	21st, 22nd
		Oct.	...	54·8	44·0	49·4	1·0	63	9th	33	28th
		Nov.	...	50·3	40·0	45·2	+ 3·0	59	9th	27	23rd
		Dec.	...	44·2	33·0	38·6	+ 0·1	51	26th	25	19th, 23rd
		Year	...	52·5	40·8	46·7	+ 0·5	72		25	
Ross & Cromarty. FORTROSE— Archd. Thom, M.A. (9, —, —.)	69	Jan.	...	43·2	34·7	39·0	...	52	17th	30	9th, 11th, 29th
		Feb.	...	48·1	35·8	42·0	...	55	28th	29	19th
		Mar.	...	48·0	37·2	42·6	...	57	17th	30	15th
		Apl.	...	49·9	38·8	44·4	...	62	24th	32	8th, 9th
		May	...	56·3	43·3	49·8	...	68	24th	34	1st
		June	...	61·0	47·9	54·5	...	75	20th	40	8th
		July	...	62·9	48·8	55·9	...	71	23rd	36	4th
		Aug.	...	61·5	48·5	55·0	...	68	13th	43	5th, 7th
		Sept.	...	58·7	46·5	52·6	...	66	13th, 29th	36	21st
		Oct.	...	55·0	43·4	49·2	...	65	6th	30	26th
		Nov.	...	50·1	39·8	45·0	...	57	8th, 9th	29	24th
		Dec.	...	43·0	33·5	38·3	...	51	25th	25	16th
		Year	...	53·1	41·5	47·3	...	75		25	
STRATHPEFFER— W. Macrae. (9, —, —.)	125	Jan.	...	42·1	30·5	36·3	- 1·0	55	16th	19	11th
		Feb.	...	46·8	35·3	41·1	+ 3·5	59	28th	28	21st
		Mar.	...	48·7	35·5	42·1	+ 2·7	57	22nd	26	8th
		Apl.	...	50·3	37·2	43·8	- 0·2	58	20th	27	9th
		May	...	57·4	41·3	49·4	- 0·3	70	24th	30	1st
		June	...	63·9	45·2	54·6	- 0·2	77	17th	36	8th
		July	...	62·4	47·0	54·7	- 2·2	68	5th	35	4th
		Aug.	...	61·6	48·1	54·9	- 1·3	68	27th	41	23rd
		Sept.	...	59·5	44·5	52·0	- 0·8	67	8th	33	21st, 22nd
		Oct.	...	53·9	39·0	46·5	+ 0·3	65	6th	26	26th
		Nov.	...	48·2	37·0	42·6	+ 1·1	59	9th	23	23rd, 24th
		Dec.	...	39·7	28·4	34·1	+ 3·5	54	26th	20	16th, 24th
		Year	...	52·9	39·1	46·0	0·0	77		19	

HYGROMETER.				CLOUD. Mean (0-10.) †	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.							WIND DIRECTIONS. ‡										
Mean. †					Number of Days.	Total Fall. Inch.	Difference from Average. Inch.	Most in a Day.		Number of Days with—							Number of Observations.									
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure	Humidity.	Amount.				Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm		
°	°	Inch.	%			Inch.	Inch.	Inch.																		
37.9	0.7	.213	94	6.2	23	3.34	+0.88	0.71	7th	6	4	0	0	4	0	2	1	2	1	3	12	23	11	9	0	
40.0	0.9	.228	93	6.6	19	2.37	+0.10	0.28	2nd	5	5	0	0	5	0	0	5	3	0	1	9	22	11	7	0	
40.2	1.1	.226	91	7.1	22	3.17	+0.90	0.63	30th	3	2	0	0	9	1	3	5	1	1	7	13	18	10	7	0	
41.3	0.9	.241	93	7.6	22	2.00	+0.01	0.32	27th	2	2	0	0	11	7	1	10	5	7	7	5	8	7	11	0	
46.3	1.1	.288	92	7.3	22	2.86	+0.79	0.35	2nd	0	2	0	0	13	4	1	1	1	5	12	17	7	9	10	0	
50.6	1.6	.327	89	6.5	8	0.78	-1.02	0.35	2nd	0	0	0	2	9	3	0	7	4	8	13	9	7	4	7	1	
52.7	1.8	.349	88	7.1	18	1.89	-0.74	0.59	6th	0	0	0	0	4	4	0	5	3	4	5	9	15	7	12	2	
51.5	1.6	.339	89	7.2	16	0.95	-1.80	0.24	2nd	0	0	0	0	8	1	0	9	1	5	4	7	11	5	17	3	
50.2	1.4	.327	91	6.6	13	2.44	-0.06	0.75	9th	0	0	0	1	8	3	0	1	1	1	10	14	10	11	11	1	
50.1	0.7	.344	95	5.6	9	0.62	-2.34	0.20	4th	0	0	0	4	8	7	4	0	2	4	13	30	8	1	2	2	
46.0	0.3	.304	98	7.3	19	3.33	+0.19	0.79	15th	0	1	0	2	13	0	5	1	0	0	8	22	21	6	2	0	
40.6	0.5	.242	96	6.1	20	2.39	-0.69	0.71	3rd	3	0	0	2	6	0	8	2	0	1	8	23	15	9	3	1	
					211	26.14	-3.78	0.79																		
...	16	2.81	+0.06	0.54	7th	5	0	0	0	4	0	0	0	0	0	8	14	40	0	0
...	11	2.25	-0.29	0.50	10th, 25th	6	0	0	0	1	2	2	0	2	0	36	0	16	0	0
...	13	3.21	+0.58	0.60	30th	2	0	0	0	4	4	0	0	20	0	10	0	28	0	
...	21	2.31	+0.18	0.35	26th	3	1	0	0	0	4	16	8	10	0	20	0	2	0	
...	20	2.97	+0.70	0.43	13th	0	0	0	0	1	0	8	0	10	0	18	0	24	2	
...	9	0.65	-1.27	0.16	3rd	0	0	0	0	0	6	4	6	20	2	18	2	2	0	
...	15	1.50	-1.36	0.41	5th	0	0	0	0	0	2	0	4	4	0	12	0	40	0	
...	10	0.82	-1.89	0.20	3rd	0	1	0	0	0	0	0	0	14	0	8	6	30	4	
...	18	3.01	+0.60	0.31	9th, 17th	0	0	0	0	0	0	0	4	6	6	8	10	0	26	
...	8	0.90	-1.99	0.48	5th	0	0	0	2	6	2	8	0	14	10	4	0	0	24	
...	13	2.34	-0.98	0.53	15th	0	0	0	0	3	4	0	2	16	0	12	2	16	8	
...	11	2.42	-0.80	0.37	2nd	0	0	0	0	0	16	8	0	18	0	0	0	12	8	
					165	25.19	-6.46	0.60																		
...	17	2.35	...	0.32	24th	7	0	0	0	2	0	0	0	0	0	0	52	10	0	0
...	17	3.11	...	0.45	10th	5	0	0	1	1	0	0	12	0	0	0	44	2	0	0
42.6	2.5	.221	82	...	14	2.17	...	0.40	27th	3	0	0	0	2	4	4	2	0	0	2	30	18	2	2
44.9	2.4	.245	83	...	20	1.78	...	0.30	2nd	1	3	0	1	0	10	2	20	0	2	0	16	6	4	
51.1	2.7	.308	81	...	16	1.48	...	0.29	1st	0	0	0	4	0	0	0	2	0	0	0	58	2	0	0
56.9	3.5	.362	78	...	8	0.36	...	0.15	27th	0	0	0	0	0	0	0	32	0	0	0	28	0	0	0
58.6	2.6	.413	84	...	20	2.89	...	0.77	18th	0	0	0	0	0	0	0	30	0	0	0	32	0	0	0
57.9	1.5	.434	91	...	13	2.08	...	0.45	5th, 31st	0	0	0	1	0	0	0	4	0	0	0	54	0	4	8
54.4	1.2	.389	92	...	16	2.03	...	1.10	18th	0	0	0	2	0	0	0	0	0	0	0	52	0	8	8
49.7	1.5	.318	89	...	7	0.72	...	0.19	4th	0	0	0	6	0	0	0	20	4	2	4	14	8	10	0
45.9	2.1	.263	86	...	13	0.83	...	0.24	13th	0	0	0	1	1	0	2	6	2	2	6	20	6	16	6
...	10	0.85	...	0.26	2nd	0	0	0	0	0	12	2	2	2	0	2	30	6	6	6
					171	20.65	...	1.10																		
...	17	5.62	+2.49	1.17	7th	4	0	0	0	2
...	18	4.37	+1.68	0.70	10th	4	0	0	0	1
...	16	3.40	+0.78	0.61	17th	4	0	0	0	0
...	13	1.85	-0.10	0.48	26th	0	0	0	0	0
...	15	2.18	+0.35	0.34	12th	0	0	0	0	0
...	5	0.77	-1.05	0.31	1st	0	0	0	0	0
...	17	3.13	+0.53	0.97	17th	0	0	1	0	0
...	9	1.41	-1.19	0.42	8th	0	0	0	0	0
...	15	2.91	+0.70	1.10	18th	0	0	0	0	0
...	8	1.21	-1.36	0.41	4th	0	0	0	3	0
...	14	3.82	+0.78	0.90	15th	0	0	0	0	1
...	10	2.98	-0.50	0.56	31st	1	0	0	2	0
					157	33.65	+3.11	1.17																		

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
			Mean at Station at 32° Fahr.†	A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Ross & Cromarty (<i>contd.</i>)											
GLENCARRON— D. D. Munro. (9, —, 21.)	504	Jan.	28·950	41·8	31·4	36·6	−0·5	50	17th	21	5th, 10th
		Feb.	29·290	45·6	34·9	40·3	+3·2	58	9th	25	21st
		Mar.	29·076	46·2	34·9	40·6	+2·2	54	30th	25	7th
		Apl.	29·058	47·3	36·4	41·9	−0·8	56	19th	29	8th, 17th
		May	29·277	53·9	41·9	47·9	−0·1	72	24th	29	1st
		June	29·391	63·1	45·8	54·5	+1·2	76	17th	38	6th
		July	29·193	58·5	46·6	52·6	−2·2	68	5th	36	4th
		Aug.	29·471	58·0	47·5	52·8	−1·7	67	31st	41	7th, 19th
		Sept.	29·319	57·5	45·8	51·7	0·0	67	28th	34	22nd
		Oct.	29·341	56·8	41·6	49·2	+3·5	67	10th	28	30th
		Nov.	29·233	50·0	38·7	44·4	+3·4	60	19th	27	23rd
		Dec.	29·302	42·1	31·5	36·8	−0·9	55	25th	17	23rd
		Year	29·242	51·7	39·8	45·8	+0·6	76		17	
STORNOWAY— The Meteorologi- cal Office. (7, 13, 21.)	52	Jan.	29·384	43·9	53	15th
		Feb.	29·736	46·7	53	28th, 29th
		Mar.	29·526	47·0	54	4th
		Apl.	29·549	48·4	39·3	43·9	+0·4	55	14th	33	8th
		May	29·724	53·5	43·9	48·7	+1·2	69	26th	35	1st
		June	29·879	60·6	48·4	54·5	+2·1	73	14th	39	7th
		July	29·662	59·7	49·1	54·4	−0·2	65	9th	41	4th
		Aug.	29·941	58·5	48·2	53·4	−1·1	64	28th 29th 31st	41	12th, 19th
		Sept.	29·789	57·4	46·8	52·1	+0·1	63	1st 29th 30th	40	16th
		Oct.	29·812	56·2	47·3	51·8	+5·1	62	9th	37	26th
		Nov.	29·682	50·5	42·5	46·5	+3·7	57	18th	36	14th
		Dec.	29·762	45·5	38·5	42·0	+2·1	52	25th	27	23rd
		Year	29·704	52·3	73		...	
Inverness. CASTLEBAY— The Meteorologi- cal Office. (7, 13, 21.)	48	Jan.	29·458	45·5	37·9	41·7	...	51	16th, 17th	31	2nd
		Feb.	29·808	47·1	40·4	43·8	...	52	29th	34	19th
		Mar.	29·578	46·3	39·1	42·7	...	51	29th	27	8th
		Apl.	29·565	47·4	40·9	44·2	...	53	13th	36	7th 10th 29th
		May	29·759	51·7	45·2	48·5	...	72	25th	37	1st
		June	29·887	58·6	51·3	55·0	...	70	14th	44	5th
		July	29·705	56·9	50·9	53·9	...	64	9th	46	25th
		Aug.	29·978	56·5	51·0	53·8	...	62	30th	46	18th, 19th
		Sept.	29·818	56·1	50·7	53·4	...	60	30th	45	20th, 21st
		Oct.	29·804	55·6	51·7	53·7	...	60	10th	45	17th
		Nov.	29·731	52·2	46·4	49·3	...	56	14th, 18th	41	14th, 16th
		Dec.	29·776	47·9	42·2	45·1	...	53	25th	37	23rd
		Year	29·739	51·8	45·6	48·7	...	72		27	
INVERNESS— Kenneth McLean (9, —, 21.)	114	Jan.	29·390	43·1	33·5	38·3	−0·2	51	17th	26	3rd
		Feb.	29·729	47·7	36·2	42·0	+3·0	56	28th	27	19th
		Mar.	29·519	49·9	36·8	43·4	+2·6	57	20th	27	8th
		Apl.	29·489	51·0	38·8	44·9	−0·4	58	24th	32	8th, 9th
		May	29·691	56·0	43·7	49·9	+0·7	68	23rd	34	1st, 5th
		June	29·826	62·4	47·7	55·1	+0·4	76	14th, 18th	39	8th
		July	29·883	62·1	49·5	55·8	−1·2	66	11th, 18th
		Aug.	29·874	61·9	48·5	55·2	−1·5	71	13th
		Sept.	29·743	61·2	47·5	54·4	+1·3	70	12th	38	21st, 22nd
		Oct.	29·776	57·7	43·5	50·6	+3·7	71	4th	33	26th, 28th
		Nov.	29·706	51·8	39·8	45·8	+4·1	59	8th	25	24th
		Dec.	29·747	44·0	32·5	38·3	−0·4	52	26th	24	16th, 23rd
		Year	29·698	54·1	41·5	47·8	+1·0	76		24	

HYGROMETER.				CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.						WIND DIRECTIONS. ‡										
Mean. †					Mean (0-10.) †	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—						Number of Observations.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Number of Days.					Total Fall.	Difference from Average.	Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.
°	°	Inch.	%			Inch.	Inch.	Inch.																	
37.5	2.1	.184	82	8.4	27	12.27	+2.20	2.51	7th	13	0	2	1	23	0	2	8	0	5	0	0	0	49	0	0
41.3	2.5	.209	81	8.2	25	15.00	+7.64	2.73	1st	4	0	0	0	19	0	2	3	0	11	0	0	0	44	0	0
40.9	2.7	.202	80	7.9	24	10.31	+2.74	1.88	2nd	4	0	0	0	20	0	1	5	0	8	0	0	0	48	0	1
41.9	3.1	.205	78	7.4	22	5.16	-0.83	0.65	24th	3	0	0	3	17	0	0	18	0	13	0	0	0	29	0	0
48.0	3.2	.259	78	7.7	22	5.72	+1.20	0.67	3rd	0	0	0	1	18	0	0	6	1	21	0	0	0	34	0	0
54.7	5.2	.293	69	5.9	13	2.34	-1.80	0.65	1st	0	0	2	7	14	0	0	8	0	24	0	0	0	28	0	0
52.7	3.5	.307	77	8.9	25	6.12	+0.77	0.84	14th	0	0	1	1	27	0	0	16	0	7	0	0	0	38	1	0
52.4	2.7	.324	82	8.1	16	3.77	-3.17	1.05	16th	0	0	0	0	19	0	0	13	3	13	0	0	0	33	0	0
51.5	2.6	.315	82	7.6	22	4.90	-2.65	1.09	9th	0	0	0	2	18	0	0	8	1	15	0	0	0	36	0	0
48.5	2.5	.280	82	5.7	7	1.32	-7.00	0.39	1st	0	0	0	7	11	2	1	11	0	37	0	0	0	12	0	2
44.4	2.5	.238	81	6.8	20	8.41	-1.07	1.38	12th	0	0	1	4	14	0	2	9	0	19	0	0	0	32	0	0
37.7	1.4	.199	88	5.8	19	7.01	-3.45	1.18	20th	2	0	0	7	11	0	0	12	0	23	1	1	0	25	0	0
					242	82.33	-5.42	2.73																	
39.3	1.6	.207	87	6.9	27	8.78	+3.61	1.22	25th	5	5	0	0	7	0	4	1	0	3	2	12	18	13	11	2
41.5	1.6	.229	88	8.4	24	7.44	+2.98	1.26	17th	1	6	0	0	17	0	2	3	3	3	1	7	21	17	3	0
41.0	2.2	.211	83	7.6	26	5.02	+0.92	0.71	2nd	3	4	1	0	11	0	5	3	0	1	5	12	21	11	5	4
42.7	2.6	.220	81	7.3	23	2.96	-0.07	0.71	27th	1	0	0	0	11	0	0	9	10	11	3	7	7	7	4	2
47.9	2.4	.276	84	7.6	25	5.21	+2.65	0.67	2nd	0	3	0	1	18	0	0	1	5	6	3	12	16	11	3	5
53.7	3.5	.319	77	6.1	15	1.52	-0.80	0.32	29th	0	0	0	7	11	0	0	1	12	14	2	10	7	10	1	3
53.3	2.4	.341	83	7.2	24	2.76	-0.27	0.39	29th	0	0	0	0	13	0	0	8	4	2	7	7	19	8	5	2
52.3	2.2	.334	85	7.4	17	2.24	-1.73	0.43	2nd	0	0	0	0	13	1	0	10	3	4	2	8	7	13	5	10
51.2	1.8	.330	88	6.9	24	4.26	+0.31	0.43	20th	0	0	0	2	12	0	1	3	4	4	8	16	8	13	2	2
50.4	2.0	.315	87	7.6	12	2.66	-2.52	1.06	6th	0	0	0	1	13	3	1	2	1	11	8	25	1	1	1	12
46.7	1.8	.277	87	7.8	22	8.54	+2.71	1.85	18th	0	2	3	2	15	0	5	1	2	2	4	20	12	14	2	3
42.3	2.0	.228	85	6.4	20	5.00	-1.25	0.71	21st	0	1	0	4	8	1	1	2	1	0	7	28	8	6	2	8
					259	56.39	+6.54	1.85																	
42.4	1.6	.237	88	8.1	30	4.13	...	0.47	13th	5	11	1	0	15	0	4	1	1	3	6	6	19	14	7	5
44.4	0.7	.276	95	7.8	22	3.19	...	0.67	17th	2	5	0	0	15	0	0	5	3	1	5	8	18	12	4	2
43.5	1.3	.253	90	7.5	25	3.09	...	0.39	5th, 12th	5	6	0	1	15	0	0	1	1	4	8	10	15	15	5	3
44.4	1.6	.257	88	7.4	25	0.97	...	0.16	14th	1	3	0	0	11	0	0	9	3	10	6	1	5	9	15	2
48.5	1.7	.299	88	7.8	24	3.76	...	0.63	27th	0	4	0	0	16	1	2	1	3	10	5	5	12	12	12	2
54.5	2.9	.345	81	6.1	13	1.33	...	0.43	17th	0	0	1	7	11	4	0	1	6	14	9	5	5	11	6	3
53.9	2.1	.357	87	7.6	23	2.44	...	0.55	8th	0	0	0	0	13	1	0	7	4	3	5	3	17	7	12	4
53.4	1.9	.356	88	8.6	16	1.97	...	0.67	16th	0	0	0	0	20	6	0	9	3	4	5	2	5	14	15	5
53.3	1.8	.357	88	7.5	28	3.00	...	0.35	24th	0	1	0	1	13	1	0	4	2	10	7	11	8	8	8	2
53.7	1.6	.367	89	7.9	13	3.79	...	1.10	30th	0	0	0	1	19	4	1	0	3	19	21	13	2	1	1	2
50.1	1.4	.326	90	8.5	22	3.53	...	0.98	18th	0	2	0	1	19	0	2	2	1	6	14	8	8	16	4	1
45.8	0.8	.289	94	7.4	21	3.73	...	0.39	20th	0	5	0	0	14	0	0	1	2	11	14	13	8	6	4	3
					262	34.93	...	1.10																	
38.9	2.1	.196	84	7.0	23	3.29	+0.81	0.73	7th	15	4	0	0	11	0	6	0	2	0	0	2	17	26	8	7
42.6	2.6	.219	81	7.0	19	3.41	+1.23	0.66	18th	10	4	0	0	7	0	4	1	2	0	3	1	26	18	1	6
42.8	2.7	.219	80	6.5	18	1.96	-0.17	0.36	27th	5	2	0	1	8	4	3	1	0	1	1	5	15	18	7	14
43.8	2.8	.226	78	6.4	23	1.47	-0.12	0.18	26th	1	6	0	0	8	7	0	1	10	13	6	3	13	8	6	0
50.0	3.8	.269	75	5.5	20	1.40	-0.41	0.32	1st	0	3	0	0	4	4	1	1	0	11	5	0	25	14	6	0
55.2	5.0	.306	70	4.2	8	0.55	-1.32	0.14	27th	0	0	0	5	0	1	1	0	11	13	5	3	14	10	4	0
56.6	4.3	.340	74	...	24	2.13	-0.42	0.33	18th	0	0	1	0	0	0	15	5	2	1	23	12	4	0
55.1	3.3	.343	79	...	18	3.93	+1.44	1.13	9th	0	0	0	3	0	6	12	15	0	0	16	9	4	0
51.7	2.6	.317	83	7.3	21	2.77	+0.48	1.28	18th	0	0	0	0	10	10	1	0	3	1	0	2	9	18	6	21
49.8	2.9	.287	81	5.7	12	0.56	-1.82	0.11	2nd, 14th	0	0	0	3	9	14	0	0	1	14	9	8	16	13	1	0
45.2	2.5	.245	82	6.5	15	2.28	-0.22	0.52	13th	3	1	1	3	9	6	3	0	3	1	5	11	15	25	0	0
38.8	1.7	.203	86	4.8	10	0.84	-1.76	0.27	2nd	1	2	0	7	4	2	2	2	12	4	1	1	32	6	4	0
					211	24.59	-2.28	1.28																	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.								
				Mean at Station at 32° Fahr. †	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
					A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°		
Inverness (contd.)												
FORT AUGUSTUS—	68	Jan.	
Rev. W. B. Griffin		Feb.	
and J. A.		Mar.	
Eckersley.		Apl.	
(9, —, —.)		May	...	55·1	42·5	48·8	+0·1	69	24th	32	1st	
		June	...	63·1	47·8	55·5	+1·2	79	15th	38	9th	
		July	...	59·8	48·0	53·9	—2·8	64	17th, 18th	37	4th	
		Aug.	...	60·0	48·5	54·3	—1·9	70	27th	38	7th	
		Sept.	...	58·8	46·5	52·7	0·0	69	29th	31	22nd	
		Oct.	...	56·6	41·8	49·2	+2·5	65	11th	26	27th	
		Nov.	...	50·0	37·9	44·0	+2·2	59	18th	23	23rd	
		Dec.	...	44·0	31·2	37·6	—0·6	55	25th	18	23rd, 24th	
		Year										
FORT WILLIAM—	38	Jan.	29·524	43·2	33·8	38·5	—0·4	52	17th	25	5th	
W. T. Kilgour.		Feb.	29·872	46·4	36·7	41·6	+2·8	52	29th	26	21st	
		Mar.	29·636	47·8	36·5	42·2	+1·6	54	30th	25	8th	
(9, —, 21.)		Apl.	29·579	51·1	38·0	44·6	—0·2	59	13th	27	9th	
		May	29·790	57·6	43·6	50·6	+0·5	78	25th	31	1st	
		June	29·913	65·5	48·3	56·9	+1·3	77	15th 16th 17th	38	5th	
		July	29·721	61·7	48·9	55·3	—1·9	71	4th	41	4th, 7th	
		Aug.	29·977	62·2	48·3	55·3	—1·3	72	28th	40	19th, 20th	
		Sept.	29·860	59·3	47·2	53·3	—0·2	67	13th	33	22nd	
		Oct.	29·870	56·9	43·4	50·2	+2·7	66	10th	32	28th, 29th	
		Nov.	29·803	50·8	40·0	45·4	+2·7	58	19th	25	23rd	
		Dec.	29·839	43·9	34·1	39·0	—0·7	56	25th	21	23rd	
		Year	29·782	53·9	41·6	47·7	+0·6	78		21		
Nairn.												
NAIRN—	82	Jan.	29·417	42·7	32·4	37·6	+0·4	53	16th	23	11th	
The Meteorologi- cal Office.		Feb.	29·749	47·0	35·1	41·1	+3·5	56	28th	28	15th 20th 28th	
		Mar.	29·545	48·8	35·1	42·0	+2·5	58	22nd	27	15th	
(7, 13, 18.)		Apl.	29·517	50·5	37·3	43·9	0·0	60	24th	28	9th	
		May	29·719	57·9	41·9	49·9	+1·1	71	23rd, 25th	33	5th	
		June	29·867	64·0	45·6	54·8	+0·6	81	18th	36	10th	
		July	29·647	62·5	47·0	54·8	—1·9	67	11th, 14th	37	4th	
		Aug.	29·902	61·3	47·3	54·3	—1·9	70	13th, 27th	40	7th	
		Sept.	29·780	59·3	44·2	51·8	—0·9	68	28th	33	17th, 22nd	
		Oct.	29·827	54·2	40·2	47·2	+1·1	62	8th, 23rd	31	26th 27th 28th	
		Nov.	29·722	49·1	37·8	43·5	+2·3	59	9th	24	24th, 25th	
		Dec.	29·766	40·9	30·6	35·8	—1·8	51	25th	21	24th	
		Year	29·705	53·2	39·5	46·4	+0·4	81		21		
Elgin or Moray.												
GORDON CASTLE—	107	Jan.	29·411	42·9	32·8	37·9	—0·2	56	17th	24	10th	
C. Webster, for the Duke of Richmond and Gordon, K.G.		Feb.	29·736	48·4	35·8	42·1	+3·5	58	28th	28	14th	
		Mar.	29·528	49·6	36·0	42·8	+2·7	59	4th 22nd 23rd	25	8th	
		Apl.	29·505	49·9	38·0	44·0	—0·2	60	24th	29	11th	
		May	29·705	58·8	42·8	50·8	+1·8	76	24th	31	1st	
		June	29·859	64·2	46·5	55·4	+0·9	78	18th	38	8th, 9th	
		July	29·632	62·7	48·5	55·6	—1·2	69	14th	41	5th	
		Aug.	29·877	61·3	48·0	54·7	—1·7	72	16th	38	23rd, 31st	
		Sept.	29·779	60·2	45·1	52·7	—0·5	68	25th, 28th	32	21st	
		Oct.	29·823	57·7	42·3	50·0	+2·9	70	9th	29	26th	
		Nov.	29·712	50·9	40·2	45·6	+3·4	59	7th, 9th	26	23rd	
		Dec.	29·757	43·3	32·9	38·1	—0·5	53	26th	24	16th	
		Year	29·694	54·2	40·7	47·5	+0·9	78		24		

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
			Mean at Station at 32° Fahr.†	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
Feet.											
Banff. BANFF— A. J. Leigh, B.Sc. (9, —, 18.)	64	Jan.	Inch.	o	.	o	o	o	o	o	o
		Feb.	29·451	43·3	33·0	38·2	...	57	17th	25	3rd
		Mar.	29·791	48·4	36·5	42·5	...	59	28th	27	15th
		Apl.	29·576	49·3	37·1	43·2	...	60	3rd	28	7th
		May	29·536	48·6	38·2	43·4	...	60	24th	29	10th, 11th
		June	29·752	57·6	43·2	50·4	...	72	23rd	32	1st 5th 10th
		July	29·903	60·9	46·7	53·8	...	73	18th	37	8th
		Aug.	29·658	61·8	49·5	55·7	...	69	14th	40	25th
		Sept.	29·917	59·4	47·6	53·5	...	71	16th	36	31st
		Oct.	29·807	59·6	46·1	52·9	...	71	25th	35	17th
		Nov.	29·890	55·4	45·1	50·3	...	65	9th	29	18th
		Dec.	29·779	50·5	40·7	45·6	...	61	9th	23	23rd
		Year	29·805	42·7	32·4	37·6	...	49	25th 26th 31st	21	18th
Aberdeen. BRAEMAR— A. M. Shirran. (9, —, 21.)	1114	Jan.	29·739	53·1	41·3	47·2	...	73		21	
		Feb.	28·408	39·8	27·5	33·7	−0·6	52	17th	14	3rd
		Mar.	28·696	44·0	32·1	38·1	+3·7	55	28th	22	21st, 25th
		Apl.	28·465	45·7	33·2	39·5	+3·5	61	22nd	24	8th
		May	28·483	46·1	34·0	40·1	−0·6	53	20th, 23rd	23	8th, 9th
		June	28·652	55·8	38·8	47·3	+1·1	71	26th	27	1st
		July	28·802	63·3	40·0	51·7	−0·9	74	17th, 18th	27	5th
		Aug.	28·573	59·1	42·0	50·6	−4·2	65	5th	30	7th
		Sept.	28·807	61·4	41·7	51·6	−2·0	72	14th	31	26th
		Oct.	28·732	56·6	39·9	48·3	−1·6	66	26th	27	22nd
		Nov.	28·786	55·1	35·4	45·3	+1·8	66	8th, 10th	19	26th
		Dec.	28·690	47·4	36·0	41·7	+3·3	58	9th	16	23rd, 24th
		Year	28·690	39·4	28·3	33·9	−0·9	48	26th, 27th	11	23rd
BALMORAL— R. F. Chalmers. (9, —, —.)	927	Jan.	28·649	51·2	35·7	43·5	+0·2	74		11	
		Feb.	...	39·2	29·2	34·2	−0·5	53	17th	16	3rd
		Mar.	...	44·0	33·4	38·7	+3·7	54	28th	22	21st
		Apl.	...	45·6	33·2	39·4	+2·6	60	22nd	22	8th
		May	...	46·1	33·6	39·9	−1·3	55	24th	23	8th
		June	...	56·4	38·6	47·5	+0·9	70	26th	26	8th
		July	...	62·9	41·0	52·0	−1·2	73	18th	30	7th, 8th
		Aug.	...	58·6	43·2	50·9	−4·7	64	4th, 20th	32	4th, 7th
		Sept.	...	59·9	44·4	52·2	−2·1	70	14th	35	7th
		Oct.	...	56·5	41·7	49·1	−1·2	68	9th	28	22nd
		Nov.	...	54·2	36·6	45·4	+1·8	66	9th	21	28th
		Dec.	...	46·5	36·2	41·4	+2·7	58	9th	15	24th
		Year	...	38·1	28·2	33·2	−1·8	48	26th	13	19th
LOGIE COLD- STONE (The Schoolhouse)— J. B. Anderson. (9, —, —.)	608	Jan.	...	50·7	36·6	43·7	−0·1	73		13	
		Feb.	...	41·8	29·9	35·9	+0·4	56	17th	19	3rd
		Mar.	...	46·8	32·9	39·9	+4·1	54	2nd, 3rd, 29th	21	15th, 21st
		Apl.	...	47·3	34·8	41·1	+3·7	62	21st, 22nd	24	8th
		May	...	48·8	35·8	42·3	0·0	61	24th	26	10th
		June	...	57·9	39·9	48·9	+1·4	72	25th	27	1st
		July	...	63·5	43·5	53·5	−0·5	75	18th	30	8th
		Aug.	...	60·7	45·9	53·3	−2·7	66	20th	37	7th
		Sept.	...	60·7	46·1	53·4	−2·1	71	16th	36	23rd
		Oct.	...	57·6	42·2	49·9	−1·8	70	26th	28	22nd
		Nov.	...	53·7	36·4	45·1	+0·9	65	9th	20	28th
		Dec.	...	48·8	36·7	42·8	+4·0	59	9th	18	24th
		Year	...	40·6	28·7	34·7	−1·1	50	25th	15	19th

HYGROMETER.				CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.							WIND DIRECTIONS.†										
Mean.†					Mean (0-10.) †	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—							Number of Observations.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Amount.					Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm	
°	°	Inch.	%		Inch.	Inch.	Inch.																			
38.1	2.1	.189	82	5.3	15	1.37	...	0.24	27th	5	1	0	3	5	0	1	1	0	5	10	19	13	8	5		
42.3	2.8	.213	80	6.3	15	1.35	...	0.36	18th	2	0	0	2	12	0	1	3	0	0	10	19	13	9	1		
44.0	2.6	.232	80	7.2	18	2.45	...	0.44	6th	3	2	0	0	14	0	2	1	3	0	11	16	17	5	9	0	
44.8	1.8	.253	86	7.5	19	1.99	...	0.34	25th	1	3	0	0	14	1	0	12	8	5	13	7	4	4	6	1	
52.4	3.9	.295	75	6.6	18	2.24	...	0.47	27th	0	0	0	1	12	1	1	6	3	5	4	15	11	12	5	1	
56.8	5.3	.319	69	5.5	7	1.15	...	0.53	2nd	0	0	0	7	9	0	0	8	9	2	10	16	2	7	5	1	
57.7	4.1	.361	76	7.2	24	1.98	...	0.49	5th	0	0	0	0	10	0	0	9	7	2	1	14	10	10	6	3	
55.7	2.8	.366	82	7.5	17	2.28	...	0.59	3rd	0	0	2	0	14	0	0	13	14	3	2	6	9	4	8	3	
54.6	2.2	.364	86	7.3	14	2.84	...	1.09	18th	0	1	0	0	12	0	1	6	2	2	5	17	10	3	11	4	
49.9	0.9	.335	94	5.2	8	1.69	...	0.58	2nd	0	0	0	6	8	0	1	1	3	2	9	31	10	1	1	4	
45.3	1.0	.279	92	6.6	15	1.51	...	0.30	14th	0	0	0	4	15	0	1	3	0	0	7	18	19	5	1	7	
37.5	0.5	.214	95	5.4	20	1.50	...	0.50	3rd	0	0	0	8	10	0	1	3	2	1	10	22	10	1	2	11	
					190	22.35	...	1.09																		
33.5	1.5	.161	84	6.4	20	4.38	+1.30	0.63	25th	11	0	0	0	10	0	0	6	0	6	0	6	26	12	6	0	
38.2	1.6	.199	87	5.8	15	3.14	+0.41	0.58	12th	6	0	0	3	7	0	0	2	2	2	0	0	32	18	2	0	
38.9	1.9	.200	85	5.9	16	4.43	+1.50	1.25	27th	6	0	0	2	9	0	0	4	10	0	2	2	20	20	4	0	
39.8	2.0	.206	84	7.2	17	2.80	+0.49	0.47	25th	6	1	0	1	12	0	0	2	8	14	0	10	4	12	10	0	
47.3	3.6	.244	75	7.1	13	2.81	+0.42	0.65	1st	0	1	1	2	13	3	1	2	0	8	2	12	20	10	8	0	
53.1	5.5	.268	66	4.9	6	0.64	-1.27	0.24	27th	0	0	0	7	7	0	0	2	4	12	12	4	18	8	0	0	
51.1	3.5	.289	77	7.7	24	2.65	+0.09	0.36	9th	0	0	0	0	12	0	0	2	4	6	4	2	24	14	6	0	
51.9	3.6	.296	77	5.6	13	3.05	-0.31	0.90	17th	0	0	0	5	7	0	0	0	6	2	0	0	16	28	10	0	
48.6	2.9	.273	80	7.7	16	1.45	-1.07	0.30	17th	0	0	0	0	12	0	0	2	6	2	2	6	22	12	8	0	
44.5	2.1	.246	84	5.5	10	5.03	+1.28	1.31	4th	0	0	0	8	10	0	0	2	4	16	8	26	6	0	0		
40.4	1.9	.213	85	6.6	15	4.09	+0.20	1.30	13th	1	1	0	3	11	0	1	0	0	6	8	10	28	8	0	0	
34.2	1.7	.164	82	5.8	17	4.96	+1.39	1.09	3rd	6	0	0	4	11	0	1	2	4	0	14	6	22	12	2	0	
					182	39.43	+4.43	1.31																		
34.7	2.0	.162	80	6.3	27	3.69	+1.00	0.80	7th	11	0	0	4	12	1	2	10	2	0	4	2	10	16	18	0	
38.9	2.3	.193	83	6.1	18	2.07	-0.59	0.52	18th	4	0	0	1	6	0	3	8	0	0	0	0	6	20	24	0	
39.3	2.2	.198	83	6.7	21	3.61	+0.66	0.91	27th	8	1	0	1	12	0	4	8	0	0	8	0	8	16	22	0	
40.7	2.5	.204	81	7.4	25	2.72	+0.47	0.72	1st	4	0	0	1	13	0	0	12	2	2	18	2	0	8	16	0	
49.0	3.7	.261	75	6.2	19	2.57	+0.5	0.45	1st	1	0	1	3	11	2	2	2	0	4	16	0	12	14	14	0	
55.9	3.8	.344	77	5.6	8	0.47	-1.48	0.22	27th	0	0	0	6	8	2	0	4	2	10	24	0	0	12	8	0	
53.3	4.0	.303	74	8.0	24	2.77	+0.12	0.36	18th	0	0	0	0	15	0	0	10	6	0	8	4	2	22	10	0	
52.3	3.1	.312	79	7.3	15	3.44	+0.30	1.10	17th	0	0	1	3	15	2	0	4	0	4	8	2	0	20	24	0	
49.4	2.8	.285	81	7.8	19	2.29	-0.08	0.57	18th	0	0	0	3	18	0	1	4	2	4	10	0	4	26	10	0	
43.5	1.0	.260	92	6.9	14	4.64	+1.04	1.63	4th	0	0	0	4	15	3	1	0	0	16	16	6	2	20	2	0	
41.2	2.0	.217	85	6.9	16	2.57	-1.11	0.78	13th	1	0	0	3	13	0	1	2	0	2	10	6	4	24	12	0	
32.7	1.1	.163	87	6.2	23	3.86	+0.57	1.07	3rd	6	0	0	6	12	1	1	2	0	2	16	0	8	22	12	0	
					229	34.70	+1.05	1.63																		
...	19	1.84	-0.37	0.38	29th	13	1	0	0	4	0	0	0	2	8	22	12	16	2	
...	13	0.85	-1.23	0.21	18th	6	0	0	0	2	2	0	0	0	0	4	4	8	0	
...	19	2.28	-0.32	0.61	30th	9	0	0	0	1	0	0	0	2	8	32	10	10	0	
...	22	2.48	+0.47	0.48	1st	3	0	0	1	0	4	0	4	10	10	8	8	16	0	
...	19	2.86	+0.37	0.71	1st	0	3	0	0	1	0	0	2	2	6	20	16	2	14	
...	9	0.85	-1.19	0.35	27th	0	0	0	0	0	0	0	0	2	10	8	2	14	24	
...	23	2.80	-0.16	0.72	18th	0	0	0	0	0	2	0	0	2	0	34	12	6	6	
...	19	3.69	+0.52	1.26	9th	0	0	1	0	0	0	0	4	2	12	10	16	18		
...	21	2.76	+0.43	0.74	18th	0	0	0	0	0	0	0	4	0	14	12	14	16		
...	16	5.12	+1.88	1.63	1st	0	0	0	0	0	0	0	0	12	26	2	0	0	22	
...	16	1.70	-1.37	0.57	13th	0	0	0	0	2	0	0	2	8	4	22	6	4	14	
...	25	2.84	+0.03	0.78	3rd	4	0	0	0	1	0	0	2	8	16	14	0	4	18	
					221	30.07	-0.85	1.63																		

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
			Mean at Station at 32° Fahr. †	Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Aberdeen (contd.)											
LOGIE COLDSTONE (Loanhead)— A. Farquharson.	747	Jan.	...	40·5	30·5	35·5	-0·4	54	17th	21	2nd, 3rd
		Feb.	...	45·4	33·4	39·4	+3·4	56	28th	26	14th 15th 21st
		Mar.	...	46·9	34·1	40·5	+3·0	61	22nd	23	8th
		Apl.	...	47·1	35·3	41·2	-1·3	58	24th	28	9th
(9, —, 21.)		May	...	56·8	40·0	48·4	+1·1	72	24th	28	1st
		June	...	62·2	44·3	53·3	-0·4	74	18th	34	8th
		July	...	60·0	46·5	53·3	-2·5	64	20th	39	7th
		Aug.	...	60·3	46·8	53·6	-1·5	69	16th	38	23rd
		Sept.	...	57·1	44·4	50·8	-0·6	68	26th	33	22nd
		Oct.	...	53·7	40·0	46·9	+2·3	64	9th	26	26th
		Nov.	...	48·7	38·3	43·5	+4·9	58	7th, 9th	26	24th, 25th
		Dec.	...	41·0	31·2	36·1	-0·2	48	26th	19	19th
		Year	...	51·6	38·7	45·2	+0·6	74		19	
ABERDEEN	88	Jan.	29·471	42·4	34·0	38·2	+0·3	55	17th	23	3rd
(King's Coll.)— The Meteorologi- cal Office.		Feb.	29·803	46·8	36·7	41·8	+3·5	57	29th	29	14th
		Mar.	29·583	47·5	37·2	42·4	+2·3	59	3rd	27	7th
		Apl.	29·536	46·6	39·0	42·8	-0·9	60	24th	33	8th
(9, 15, 21.)		May	29·763	55·2	43·7	49·5	+1·3	66	23rd	36	1st
		June	29·908	58·5	48·2	53·4	-0·1	68	21st	39	8th
		July	29·673	60·4	50·2	55·3	-1·4	68	19th	44	4th
		Aug.	29·911	59·4	48·9	54·2	-2·1	73	16th	43	29th
		Sept.	29·826	57·2	46·8	52·0	-1·1	63	26th	34	22nd
		Oct.	29·903	53·2	47·5	50·4	+3·1	61	7th	39	25th
		Nov.	29·800	50·0	42·8	46·4	+4·3	57	15th	29	23rd
		Dec.	29·811	42·8	35·4	39·1	+0·6	49	3rd, 26th	25	18th
		Year	29·749	51·7	42·5	47·1	+0·8	73		23	
Kincardine.											
CRATHES— J. Smith, J.P.	140	Jan.	...	42·5	30·4	36·5	+0·3	56	16th, 17th	19	3rd
		Feb.	...	48·5	34·3	41·4	+4·2	58	28th	25	5th
		Mar.	...	49·9	35·8	42·9	+3·6	63	22nd	25	8th
		Apl.	...	50·3	37·4	43·9	+0·4	63	24th	27	8th
(9, —, —.)		May	...	59·6	41·8	50·7	+1·8	70	23rd	30	1st, 10th
		June	...	64·2	45·1	54·7	0·0	74	15th	33	8th
		July	...	63·4	48·5	56·0	-1·4	69	20th	41	7th
		Aug.	...	62·9	48·1	55·5	-0·9	76	16th	38	23rd
		Sept.	...	59·9	45·3	52·6	-0·2	69	13th, 28th	34	16th
		Oct.	...	55·3	41·6	48·5	+2·4	64	9th	31	26th
		Nov.	...	50·3	38·5	44·4	+4·0	60	9th	22	23rd
		Dec.	...	41·8	32·0	36·9	+0·6	50	26th	22	20th
		Year	...	54·1	39·9	47·0	+1·2	76		19	
Forfar.											
MONTROSE	200	Jan.	...	42·3	32·9	37·6	+0·3	55	17th	25	3rd
(Royal Asylum)— J. Joss.		Feb.	...	47·5	35·2	41·4	+3·8	55	23rd, 29th	30	15th, 21st
		Mar.	...	49·0	35·8	42·4	+3·1	60	22nd	26	8th
		Apl.	...	50·6	38·1	44·4	+0·7	59	24th	28	8th
(9, —, —.)		May	...	58·1	42·2	50·2	+2·1	68	23rd 24th 26th	32	1st
		June	...	62·8	46·4	54·6	+0·2	69	15th, 16th	37	8th, 9th
		July	...	62·7	48·2	55·5	-2·0	66	14th, 19th	40	6th
		Aug.	...	62·2	49·2	55·7	-1·2	72	16th	44	18th, 20th
		Sept.	...	58·7	45·9	52·3	-0·5	68	13th	34	22nd
		Oct.	...	54·3	43·5	48·9	+2·1	63	7th	30	29th
		Nov.	...	49·6	40·2	44·9	+3·9	58	9th	25	23rd
		Dec.	...	43·0	33·4	38·2	+0·2	50	26th, 31st	22	18th, 19th
		Year	...	53·4	40·9	47·2	+1·1	72		22	

HYGROMETER.				CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.						WIND DIRECTIONS.†												
Mean.†					Mean (0-10.) †	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—						Number of Observations.										
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Amount.					Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm		
°.	°.	Inch.	%.			Inch.	Inch.	Inch.																			
...	18	1.30	-0.91	0.22	7th	11	1	0	...	0	4	0	1	2	5	0	10	17	14	13			
...	14	1.03	-1.05	0.48	18th	6	0	0	...	0	3	1	0	3	3	2	8	30	5	6			
...	20	2.15	-0.45	0.67	30th	8	0	0	...	0	2	0	2	1	10	1	5	20	11	12			
...	6.7	21	2.45	+0.44	0.53	1st	3	0	0	6	15	1	0	2	3	6	6	0	2	12	14	15		
...	6.3	21	2.23	-0.26	0.56	27th	0	3	0	6	13	0	1	0	0	10	9	2	5	16	4	16		
...	5.2	10	0.58	-1.37	0.31	27th	0	0	0	11	12	0	0	2	1	15	11	0	8	7	8	8		
...	8.2	23	2.70	-0.26	0.64	18th	0	0	0	1	22	0	0	1	0	5	9	0	14	10	7	16		
...	7.6	19	2.73	-0.44	0.76	17th	0	0	1	1	17	0	0	1	1	8	2	0	5	6	17	22		
...	7.1	19	2.75	+0.42	0.82	18th	0	0	0	4	17	0	0	1	1	9	11	0	5	3	9	21		
...	6.5	14	3.94	+0.70	1.12	4th	0	0	0	7	15	0	0	1	0	13	23	1	2	2	1	19		
...	6.1	14	2.25	-0.82	0.80	30th	0	0	0	5	10	0	2	0	1	5	13	4	5	13	5	14		
...	5.9	23	2.58	-0.23	0.88	3rd	4	0	0	7	12	0	1	0	5	4	12	1	1	5	10	24		
					216	26.69	-4.23	1.12																			
38.1	2.2	.187	81	5.6	15	1.32	-0.86	0.35	30th	7	0	0	5	7	1	0	1	0	1	4	17	18	11	5	5		
41.3	2.7	.206	79	5.5	10	1.02	-1.03	0.24	18th	5	3	0	2	6	1	0	1	1	1	1	16	18	9	6	5		
42.2	2.5	.218	82	6.4	19	2.73	+0.32	0.59	15th	4	2	0	1	10	11	0	1	1	1	9	17	13	8	9	3		
43.0	2.4	.226	82	7.2	22	2.12	+0.25	0.32	16th	1	5	0	0	16	5	0	2	5	7	10	9	5	5	13	4		
49.3	3.5	.269	76	5.7	18	4.10	+1.77	1.10	28th	0	0	2	4	7	3	0	1	4	4	9	17	8	12	3	4		
53.4	3.7	.311	76	5.6	8	0.79	-0.92	0.28	28th	0	0	0	7	11	2	0	5	3	11	11	10	5	2	5	8		
55.4	3.4	.345	79	7.3	19	3.51	+0.70	0.98	6th	0	1	0	0	9	1	0	5	3	4	5	12	12	7	7	7		
54.1	3.1	.333	79	7.4	13	1.98	-0.76	0.83	17th	0	0	2	0	11	1	0	5	2	4	3	11	9	1	14	13		
52.5	2.4	.331	84	6.9	12	1.72	-0.50	0.71	18th	0	1	0	1	13	2	0	1	0	2	6	21	6	6	10	8		
50.3	1.9	.316	87	7.3	14	2.85	-0.15	1.26	2nd	0	0	0	0	10	6	0	0	2	17	30	2	1	0	8			
45.6	2.6	.248	81	6.1	10	1.63	-1.32	0.59	27th	0	0	0	3	14	4	0	0	0	0	11	22	14	4	3	6		
39.3	1.7	.207	87	6.0	21	3.62	+0.40	1.46	3rd	3	5	0	6	13	2	1	1	0	3	11	11	10	6	7	13		
					181	27.39	-2.10	1.46																			
...	17	2.61	-0.33	0.84	7th	4	1	0	...	0	2		
...	5.8	14	1.18	-1.58	0.36	18th	6	0	0	5	10	2	1	0	2	0	0	12	20	16	6	2		
...	6.4	19	2.63	-0.27	0.63	27th	5	0	0	6	15	1	1	0	0	2	4	14	14	22	0	6		
...	7.3	21	2.05	+0.02	0.37	1st	1	1	0	5	17	3	0	8	6	6	4	6	4	12	12	2		
...	6.4	21	4.05	+1.41	1.10	1st	0	2	2	6	15	2	1	6	4	6	4	10	8	12	10	2		
...	6.2	7	0.32	-1.23	0.12	27th	0	0	0	8	14	0	0	2	2	10	16	2	4	8	16	0		
...	7.8	21	3.53	+0.70	0.78	5th	0	0	0	3	17	0	0	4	2	4	8	10	4	16	12	2		
...	7.7	16	2.74	-0.05	0.93	17th	0	1	2	4	20	2	0	10	6	0	6	6	4	14	14	2		
...	8.2	14	3.20	+0.96	1.03	17th	0	0	1	2	19	2	0	0	0	6	6	12	10	18	8	0		
...	7.4	14	4.64	+0.92	1.54	4th	0	0	0	2	16	10	1	0	2	6	10	8	4	28	2	2		
...	7.7	11	2.00	-1.43	0.59	27th	1	0	0	5	19	2	2	0	0	4	10	12	12	14	8	0		
...	6.2	22	4.36	+0.29	1.19	3rd	2	2	0	9	16	5	1	2	0	4	2	18	6	16	10	4		
					197	33.31	-0.59	1.54																			
...	16	1.79	-0.37	0.34	29th	1	0	0	1	2	14	0	2	0	24	14	4	4	0		
...	11	1.27	-0.79	0.34	14th	4	0	0	3	1	6	0	0	0	26	16	4	6	0		
...	15	1.76	-0.11	0.36	30th	3	0	0	3	1	6	2	2	4	22	12	8	6	0		
...	16	2.42	+0.35	0.41	19th	0	1	1	3	0	20	6	6	6	10	8	2	2	0		
...	16	2.86	+0.98	0.80	1st	0	1	3	6	1	2	0	6	0	24	6	18	2	4		
...	6	0.70	-1.25	0.28	27th	0	0	2	0	0	10	8	14	4	18	4	2	0	0		
...	18	2.86	-0.06	0.96	5th	0	1	0	0	0	12	2	6	4	26	4	6	2	0		
...	9	1.96	-1.18	0.56	4th	0	0	0	0	0	16	2	2	2	18	6	16	0	0		
...	11	1.25	-1.48	0.27	2nd, 18th	0	0	0	7	0	6	2	2	8	24	4	12	2	0		
...	13	2.47	-0.36	0.95	4th	0	0	0	16	1	16	2	16	6	16	2	2	2	0		
...	12	2.49	-0.28	0.62	26th	0	0	0	0	1	0	12	8	2	22	2	14	0	0		
...	16	3.25	+0.44	0.64	2nd	0	0	0	2	1	18	0	6	8	16	0	14	0	0		
					159	25.08	-4.11	0.96																			

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
			Mean at Station at 32° Fahr.†	Maximum. A	Minimum. B			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Forfar (contd.)											
MONTROSE—	16	Jan.	...	43·1	32·9	38·0	...	55	17th	27	1st, 2nd
S. L. Christie,		Feb.	...	47·8	34·2	41·0	...	56	28th	29	25th
C.E., Burgh		Mar.	...	48·7	36·7	42·7	...	59	20th	27	8th
Surveyor.		Apl.	...	48·8	38·7	43·8	...	60	24th	30	8th, 9th
(9, —, 18.)		May	...	55·7	43·0	49·4	...	67	23rd	33	1st, 5th
		June	...	59·8	45·5	52·7	...	67	23rd	35	8th, 10th
		July	...	61·5	48·9	55·2	...	68	20th	41	7th
		Aug.	...	60·1	48·8	54·5	...	71	16th	40	3rd, 7th
		Sept.	...	58·5	46·1	52·3	...	68	13th	36	22nd
		Oct.	...	53·5	44·5	49·0	...	65	7th	32	29th
		Nov.	...	49·8	40·6	45·2	...	59	9th	25	23rd
		Dec.	...	44·9	33·5	39·2	...	51	25th 26th 27th	23	19th
		Year		52·7	41·1	46·9		71		23	
ARBROATH—	70	Jan.	29·518	43·6	33·8	38·7	+0·8	55	17th	27	3rd
J. Campbell, for		Feb.	29·850	47·7	36·0	41·9	+3·4	56	23rd	30	21st
the Natural		Mar.	29·633	49·5	37·2	43·4	+2·9	60	20th	27	8th
History Asso-		Apl.	29·543	49·4	39·1	44·3	−0·1	60	24th	31	8th
ciation.		May	29·785	57·1	42·9	50·0	+1·3	67	28th	33	1st
(9, —, —.)		June	29·916	60·7	47·9	54·3	−0·2	69	2nd	39	7th, 9th
		July	29·693	63·5	49·2	56·4	−1·1	68	21st	40	7th
		Aug.	29·927	61·2	49·3	55·3	−1·8	71	13th, 16th	40	7th
		Sept.	29·853	59·9	46·3	53·1	−0·4	69	13th	36	22nd
		Oct.	29·921	53·8	44·9	49·4	+2·5	64	7th	31	29th
		Nov.	29·818	50·0	41·0	45·5	+4·2	57	8th, 9th	25	23rd
		Dec.	29·834	44·0	34·7	39·4	+0·5	50	25th, 26th	25	18th, 19th
		Year	29·774	53·4	41·9	47·6	+1·0	71		25	
LEDNATHIE—	720	Jan.	...	41·0	29·8	35·4	+0·5	54	16th, 17th	14	3rd
W. G. Lindsay,		Feb.	...	45·5	33·2	39·4	+4·2	54	23rd	21	5th
for J. Stor-		Mar.	...	47·3	33·4	40·4	+3·4	61	22nd	21	10th
month Darling.		Apl.
(9, —, —.)		May	...	57·5	40·3	48·9	+1·8	73	26th	24	1st
		June	...	62·7	72	18th
		July	...	61·6	46·2	53·9	−2·1	67	17th	32	7th
		Aug.	...	61·2	69	13th, 22nd
		Sept.
		Oct.	...	53·1	64	6th
		Nov.
		Dec.	...	39·8	30·1	35·0	−0·4	48	4th	15	23rd
		Year									
CARNOUSTIE—	39	Jan.	...	43·3	33·4	38·4	...	55	17th	26	3rd
The Burgh		Feb.	...	47·5	35·8	41·7	...	55	2nd	30	21st
Surveyor.		Mar.	...	48·9	37·1	43·0	...	58	17th, 20th	28	8th
(9, —, 18.)		Apl.	...	49·5	38·9	44·2	...	60	24th	30	8th
		May	...	57·2	42·7	50·0	...	69	23rd	33	1st
		June	...	61·3	46·7	54·0	...	69	2nd	35	7th
		July	...	63·2	48·8	56·0	...	69	21st	41	7th
		Aug.	...	61·1	48·9	55·0	..	71	16th	39	7th
		Sept.	...	59·2	46·3	52·8	...	68	13th	36	21st
		Oct.	...	53·9	44·4	49·2	...	65	7th	32	29th
		Nov.	...	49·7	41·2	45·5	...	58	9th	25	23rd
		Dec.	...	43·7	34·6	39·2	...	50	3rd 25th 26th	25	19th
		Year		53·2	41·6	47·4		71		25	

HYGROMETER.				CLOUD. Mean (0-10.) †	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.						WIND DIRECTIONS. †											
Mean. †					Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—						Number of Observations.										
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure	Humidity.	Amount.				Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm		
°	°	Inch.	%		Inch.	Inch.	Inch.																			
...	15	1.33	...	0.34	23rd	0	0	0	...	1	3	0	2	1	1	10	25	18	3	2		
...	11	1.00	...	0.31	14th	3	1	0	...	0	1	4	0	0	0	12	21	14	3	4		
...	15	1.53	...	0.31	30th	2	0	0	...	4	3	4	1	4	2	10	17	19	3	2		
...	19	2.35	...	0.48	16th	1	0	0	...	6	0	9	2	13	9	9	6	9	3	0		
...	15	3.00	...	0.78	1st	0	1	1	...	4	1	1	0	13	9	7	12	16	4	0		
...	8	0.54	...	0.22	27th	0	0	0	...	3	0	3	5	24	8	4	5	10	1	0		
...	22	3.29	...	0.66	5th	0	0	0	...	4	0	0	7	6	5	7	14	19	4	0		
...	10	2.88	...	1.25	17th	0	0	0	...	1	0	10	8	10	7	7	7	12	1	0		
...	17	1.77	...	0.48	16th	0	0	0	...	8	0	1	7	2	7	7	18	11	7	0		
...	14	2.18	...	0.84	4th	0	0	0	...	14	1	0	3	2	17	21	16	3	0	0		
...	13	2.02	...	0.54	27th	0	0	0	...	3	1	1	4	1	13	3	20	17	1	0		
...	23	3.31	...	0.47	2nd	0	0	0	...	5	1	0	0	2	9	5	27	6	13	0		
					182	25.20		1.25																		
38.7	1.8	.200	86	6.5	15	1.49	-0.67	0.25	24th	0	0	0	8	16	6	2	0	2	0	6	0	36	4	14	0	
40.9	2.1	.213	84	6.2	8	0.94	-0.87	0.47	18th	2	1	0	6	13	2	4	2	4	0	6	0	36	8	2	0	
42.6	2.3	.225	83	7.2	17	1.68	-0.06	0.58	30th	2	0	0	3	15	2	2	2	4	0	14	0	24	4	14	0	
44.0	2.6	.232	80	6.9	18	1.58	-0.18	0.25	16th	1	2	0	3	14	1	0	0	12	6	10	0	8	2	22	0	
49.7	3.1	.281	79	6.4	11	2.64	+0.79	0.68	1st	0	0	0	5	12	3	1	0	6	2	14	2	28	4	6	0	
55.1	3.6	.336	77	6.6	9	0.95	-0.90	0.39	27th	0	0	0	3	15	0	0	2	8	14	16	2	16	2	0	0	
57.1	4.2	.348	75	6.3	22	3.13	+0.44	0.71	2nd	0	0	1	1	11	0	0	0	12	2	6	6	18	14	4	0	
55.3	3.4	.345	78	6.8	12	2.92	+0.04	1.25	17th	0	0	0	1	14	0	0	4	4	12	8	2	14	4	14	0	
52.3	1.9	.341	87	8.1	17	1.31	-1.07	0.32	16th	0	0	0	2	21	0	0	4	4	2	12	4	18	6	10	0	
48.9	1.6	.307	89	8.3	12	1.85	-0.54	0.63	4th	0	0	0	2	23	10	3	4	6	4	24	0	2	0	22	0	
45.3	2.7	.243	80	7.4	11	1.95	-0.37	0.59	14th	0	0	0	4	16	1	3	4	6	2	16	0	22	6	4	0	
39.6	1.6	.211	87	6.8	21	2.34	-0.10	0.30	2nd	0	1	0	8	20	5	4	2	2	2	14	2	14	6	20	0	
					173	22.78	-3.49	1.25																		
...	18	5.79	+1.94	1.20	7th	11	1	1	...	4	2	4	2	0	4	6	16	6	24	0	0	
...	12	3.74	+0.54	1.01	15th	2	0	0	...	1	1	2	2	0	2	4	16	2	30	0	0	
...	18	4.58	+1.87	1.18	30th	5	0	0	...	2	1	0	0	0	2	4	24	10	22	0	0	
...	19	2.79	-0.29	0.63	20th	0	1	0	...	11	0	0	8	2	16	4	8	2	20	0	0	
...	17	5.37	+2.79	0.89	1st	0	1	0	...	9	1	2	2	4	12	0	20	0	22	0	0	
...	8	1.92	-0.83	0.85	19th	0	0	0	...	6	0	6	2	6	20	2	12	6	6	0	0	
...	20	2.81	-0.77	0.55	6th	0	0	0	...	4	0	4	2	0	4	2	30	14	6	0	0	
...	11	3.95	+0.08	1.34	17th	0	0	1	...	4	0	0	12	0	18	4	8	4	16	0	0	
...	12	2.44	-1.18	0.47	17th	0	0	0	...	7	0	2	4	2	12	0	22	10	8	0	0	
...	9	7.31	+2.85	2.39	4th	0	0	0	...	6	0	0	20	2	38	0	2	0	0	0	0	
...	11	4.68	-0.13	1.45	27th	0	0	0	...	0	1	0	0	8	20	0	18	6	8	0	0	
...	19	6.70	+2.33	1.12	3rd	4	0	0	...	1	1	0	8	2	16	0	14	4	18	0	0	
					174	52.08	+9.20	2.39																		
...	5.2	15	1.86	...	0.32	24th	2	0	1	8	10	0	2	4	2	1	1	3	21	16	14	0	0
...	5.9	12	1.49	...	0.49	18th	1	0	0	4	9	1	2	5	5	1	0	5	15	16	11	0	0
...	6.9	18	1.69	...	0.58	30th	2	0	1	4	13	0	1	3	3	3	8	4	16	17	8	0	0
...	7.4	17	1.63	...	0.27	1st	0	0	0	1	15	1	0	0	9	14	5	5	8	4	15	0	0
...	6.0	13	2.84	...	0.75	1st	0	0	0	4	10	1	3	0	0	16	8	3	11	9	15	0	0
...	5.5	8	0.92	...	0.39	27th	0	0	0	5	9	0	2	0	11	7	21	2	6	5	8	0	0
...	7.6	21	2.10	...	0.44	5th	0	0	1	0	16	1	0	1	9	3	11	2	12	9	15	0	0
...	6.6	11	2.98	...	1.36	17th	0	0	3	4	13	0	0	2	9	8	14	4	7	3	15	0	0
...	7.5	18	1.80	...	0.60	16th	0	0	0	2	16	0	0	0	5	4	12	4	17	5	13	0	0
...	7.7	9	2.15	...	0.84	4th	0	0	0	0	17	8	4	6	6	7	27	3	6	0	7	0	0
...	6.5	12	1.76	...	0.46	27th	0	0	0	5	13	1	3	4	3	7	3	8	13	16	6	0	0
...	6.7	22	3.12	...	0.44	29th	0	0	0	4	17	3	2	12	5	5	6	5	7	8	14	0	0
					176	24.34		1.36																		

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
			Mean at Station at 32° Fahr. †	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
Forfar (contd.)	Feet.		Inch.	°	°	°	°	°		°	
DUNDEE	164	Jan.	29.413	41.6	32.3	37.0	-0.1	54	16th, 17th	25	2nd ¹
(Eastern Necro- polis)—		Feb.	29.747	46.4	35.5	41.0	+3.5	54	29th	29	21st
W. Shepherd, for		Mar.	29.504	47.9	36.5	42.2	+2.4	58	22nd	27	8th
A. Macrae,		Apl.	29.443	50.0	37.8	43.9	-0.2	60	24th	29	8th
Curator of		May	29.680	58.3	42.9	50.6	+1.2	70	23rd	33	1st, 8th
Parks.		June	29.811	64.8	47.0	55.9	+0.5	72	15th, 17th	36	5th
(9, —, 21.)		July	29.588	63.8	49.4	56.6	-1.8	67	15th 20th 23rd	40	7th
		Aug.	29.837	63.1	48.8	56.0	-1.3	71	16th	40	7th, 19th
		Sept.	29.745	60.0	46.2	53.1	-0.4	66	13th 26th 28th	34	22nd
		Oct.	29.787	53.3	43.7	48.5	+1.8	61	8th	32	29th
		Nov.	29.708	48.8	40.3	44.6	+3.3	57	9th	23	23rd
		Dec.	29.722	41.2	33.0	37.1	-0.5	49	26th	23	19th, 23rd
		Year	29.665	53.3	41.1	47.2	+0.7	72		23	
DUNDEE HAR- BOUR—	20	Jan.	...	43.7	33.6	38.7	+0.9	54	16th, 17th	19	3rd
J. H. Thompson,		Feb.	...	48.3	36.1	42.2	+2.7	54	23rd, 29th	32	21st
F.R.S.E.		Mar.	...	50.0	38.8	44.4	+3.1	59	22nd	29	8th
(9, —, —.)		Apl.	...	51.1	39.3	45.2	-1.1	59	24th	34	8th, 9th
		May	...	58.0	45.0	51.5	+1.2	68	23rd	37	1st, 9th
		June	...	61.7	50.2	56.0	-0.7	68	2nd, 20th	42	5th
		July	...	62.6	51.9	57.3	-2.0	67	21st, 25th, 28th	47	4th, 5th, 7th
		Aug.	...	61.5	51.2	56.4	-2.6	69	15th, 16th	44	19th
		Sept.	...	59.8	49.1	54.5	-0.3	66	4th, 6th, 13th	41	19th 21st 22nd
		Oct.	...	53.6	45.7	49.7	+1.3	64	7th	34	29th
		Nov.	...	51.1	42.8	47.0	+4.9	59	14th	27	23rd
		Dec.	...	43.5	36.0	39.8	+0.8	52	25th, 26th	29	19th 23rd 24th
		Year	...	53.7	43.3	48.5	+0.7	69		19	
DUNDEE	244	Jan.	...	42.1	31.1	36.6	...	54	17th	24	3rd
(College Garden, Kirkton of Mains)—		Feb.	...	47.3	33.7	40.5	...	56	2nd	27	21st
A. Duncan, for		Mar.	...	48.6	35.4	42.0	...	60	22nd	25	8th
J. Malloch,		Apl.	...	50.7	36.6	43.7	...	60	24th	27	8th
Director of		May	...	58.3	40.9	49.6	...	70	26th	29	8th
Studies.		June	...	62.9	44.5	53.7	...	70	15th, 18th	32	5th
(9, —, —.)		July	...	62.7	47.2	55.0	...	67	20th	37	4th
		Aug.	...	62.8	45.7	54.3	...	69	10th 16th 27th	35	19th
		Sept.	...	60.4	44.0	52.2	...	68	6th, 13th	32	21st, 22nd
		Oct.	...	53.3	41.9	47.6	...	64	7th	28	29th, 30th
		Nov.	...	48.9	39.1	44.0	...	57	9th	22	23rd
		Dec.	...	42.2	31.6	36.9	...	50	25th, 26th	21	18th
		Year	...	53.4	39.3	46.3	...	70		21	
KETTINS	218	Jan.	...	42.1	31.2	36.7	...	54	17th	22	5th
(The School- house)—		Feb.	...	47.1	34.6	40.9	...	53	2nd, 28th	27	5th
W. Andrew.		Mar.	...	47.9	35.8	41.9	...	59	22nd	26	10th
(9, —, —.)		Apl.	...	50.4	36.8	43.6	...	59	24th	28	8th, 30th
		May	...	57.6	41.4	49.5	...	71	25th	30	1st
		June	...	63.3	45.1	54.2	...	73	18th	33	5th
		July	...	61.4	47.2	54.3	...	67	28th	36	4th
		Aug.	...	62.4	47.4	54.9	...	74	27th	37	7th, 19th
		Sept.	...	60.1	43.9	52.0	...	69	28th	30	22nd
		Oct.	...	54.0	41.5	47.8	...	64	7th	27	29th
		Nov.	...	49.4	38.9	44.2	...	59	14th	21	23rd
		Dec.	...	43.0	30.5	36.8	...	52	25th	20	19th 23rd 24th
		Year	...	53.2	39.5	46.4	...	74		20	

HYGROMETER.				CLOUD. Mean (0-10.) †	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER. Number of Days with—						WIND DIRECTIONS. ‡ Number of Observations.										
Mean. †					Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm	
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure	Humidity.					Amount.	Day of Month.																	
°	°	Inch.	%			Inch.	Inch.	Inch.																		
36.8	1.1	.197	91	8.6	19	2.64	+0.69	0.46	24th	4	0	1	1	24	0	3	0	5	0	6	1	35	0	15	0	
40.4	1.2	.226	91	7.3	14	1.81	-0.07	0.52	18th	2	0	0	1	13	0	2	0	8	0	7	0	34	0	9	0	
41.4	1.4	.231	89	8.2	18	2.11	+0.05	0.60	30th	2	0	1	1	17	0	2	0	7	0	6	0	34	0	15	0	
43.2	1.4	.249	89	8.2	19	1.76	+0.06	0.36	19th	0	0	0	0	15	2	0	0	3	0	26	0	15	0	16	0	
49.8	1.7	.315	88	6.9	16	3.17	+1.08	1.05	1st	0	0	0	0	10	0	1	0	1	0	24	0	29	0	8	0	
54.6	1.7	.378	89	7.5	10	1.09	-0.71	0.36	27th	0	0	0	0	14	0	0	0	6	0	31	0	16	0	7	0	
55.2	1.7	.385	88	8.1	22	2.11	-0.63	0.33	18th	0	0	1	0	15	0	0	0	8	0	12	0	29	2	11	0	
54.4	1.7	.376	89	7.8	13	4.22	+0.84	1.47	17th	0	0	0	0	16	0	0	1	5	6	13	0	19	6	12	0	
51.4	1.3	.346	91	8.1	19	2.79	+0.71	0.52	16th	0	0	1	0	17	0	1	0	4	0	18	0	25	0	13	0	
47.8	0.9	.311	93	9.4	16	2.26	-0.40	0.80	4th	0	0	0	0	26	5	3	0	5	0	40	0	9	0	8	0	
44.2	1.2	.263	91	9.4	15	2.40	-0.04	0.58	14th	0	0	0	0	25	1	2	1	5	0	18	0	27	0	9	0	
37.4	0.8	.208	93	9.3	21	3.31	+0.65	0.39	31st	0	0	0	0	27	0	1	0	8	0	19	0	17	0	18	0	
					202	29.67	+2.23	1.47																		
...	19	2.56	...	0.43	13th	3	0	0	0	1	2	4	0	4	4	28	8	10	2	
...	13	1.65	...	0.57	18th	0	0	0	0	0	4	2	0	4	2	28	10	6	2	
...	16	1.59	...	0.47	30th	2	0	1	0	1	0	2	2	8	0	26	12	12	0	
...	17	1.39	...	0.33	19th	0	0	0	2	0	2	8	8	6	6	10	10	10	0	
...	16	3.16	...	1.29	1st	0	0	0	1	1	0	4	10	4	0	28	12	4	0	
...	10	0.90	...	0.29	19th	0	0	0	0	0	0	6	20	8	2	14	10	0	0	
...	23	2.18	...	0.33	18th	0	0	4	0	0	0	8	4	6	4	24	8	8	0	
...	10	4.04	...	1.56	17th	0	0	0	0	0	6	12	6	6	0	14	16	2	0	
...	17	2.64	...	0.53	16th	0	0	1	1	0	0	4	8	4	0	16	16	12	0	
...	13	1.98	...	0.71	4th	0	0	0	4	0	0	14	14	16	6	6	2	4	0	
...	13	1.88	...	0.47	14th	0	0	0	1	1	0	4	6	12	0	22	16	0	0	
...	21	3.20	...	0.35	12th	0	0	0	1	0	6	2	4	10	4	14	10	12	0	
					188	27.17	...	1.56																		
36.2	1.4	.187	88	6.7	18	2.62	...	0.44	24th	5	0	1	6	15	0	3	0	2	6	6	2	18	18	10	0	
39.8	1.9	.208	85	5.2	15	1.92	...	0.59	18th	4	0	0	8	7	0	1	4	2	0	4	0	30	10	8	0	
42.2	2.0	.227	85	7.4	17	1.92	...	0.54	30th	3	0	2	1	16	0	0	0	2	4	6	2	28	12	8	0	
44.9	2.4	.245	83	7.6	18	1.72	...	0.35	19th	0	2	0	1	15	2	0	0	8	10	10	0	14	10	8	0	
51.9	3.6	.296	77	7.2	16	2.95	...	1.18	1st	0	2	0	0	14	1	1	0	4	8	8	0	30	10	2	0	
57.2	4.9	.332	71	6.2	9	1.11	...	0.36	19th	0	0	0	6	12	1	0	0	14	6	16	4	8	8	2	2	
56.4	3.9	.348	76	8.0	23	2.25	...	0.59	18th	0	2	2	0	17	0	0	2	6	4	6	4	26	6	6	2	
56.8	4.0	.350	76	7.4	12	3.78	...	1.45	17th	0	0	1	1	16	0	0	2	8	12	4	0	18	10	6	2	
53.7	2.4	.346	84	7.6	20	2.58	...	0.50	16th	0	1	1	2	18	1	0	2	4	2	12	2	28	10	0	0	
48.2	1.0	.312	93	8.2	14	2.55	...	0.90	4th	0	0	0	1	20	7	1	0	12	18	12	2	6	6	6	0	
43.5	2.0	.240	84	6.7	14	2.17	...	0.56	14th	0	0	0	5	14	1	2	2	4	4	12	0	16	12	8	2	
36.6	1.0	.197	91	7.3	21	3.37	...	0.46	31st	2	0	0	5	18	3	1	4	2	4	18	4	6	10	14	0	
					197	28.94	...	1.45																		
36.1	1.3	.188	88	5.8	19	2.82	...	0.40	24th	5	2	1	10	13	0	1	6	2	2	0	4	6	30	4	8	
40.5	2.1	.210	83	4.9	16	1.97	...	0.57	18th	2	0	0	10	7	0	0	6	0	4	0	0	6	34	0	8	
41.6	2.0	.222	85	6.5	17	2.71	...	0.77	30th	2	1	2	7	16	1	0	12	0	0	2	2	4	22	6	14	
44.1	2.7	.231	79	6.5	17	1.82	...	0.51	15th	0	2	0	7	16	1	0	6	6	2	4	0	6	10	12	14	
51.0	3.3	.292	78	5.8	16	3.36	...	1.04	1st	0	0	0	6	11	0	0	6	2	2	2	2	0	26	14	8	
56.5	4.2	.341	74	5.4	9	0.90	...	0.38	27th	0	0	0	11	12	0	0	4	2	10	4	0	6	14	8	12	
55.5	3.4	.347	79	7.1	20	2.00	...	0.30	2nd	0	0	2	3	17	0	0	0	0	2	4	0	12	24	2	18	
55.4	3.3	.348	80	6.0	14	3.52	...	1.44	17th	0	0	1	5	10	0	0	6	2	4	2	0	10	18	2	18	
51.9	2.0	.334	87	6.9	18	1.60	...	0.27	17th	0	0	0	4	15	0	0	2	2	0	0	2	8	18	4	24	
47.0	1.2	.293	92	7.5	14	3.29	...	1.34	4th	0	0	0	6	20	7	1	10	0	0	4	6	6	6	2	28	
43.2	1.9	.238	85	6.4	15	2.22	...	0.56	13th	0	0	0	6	12	1	1	6	0	4	0	2	10	26	0	12	
36.0	1.2	.189	89	6.3	22	4.33	...	0.72	30th	2	1	0	8	14	2	0	8	0	2	4	6	10	16	0	16	
					197	30.54	...	1.44																		

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER. Mean at Station at 32° Fahr. †	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
Perth. PERTH— J. Ritchie, Jr., The Museum. (9, 15, —.)	Feet. 22		Inch.	°	°	°	°	°		°	
		Jan.	29·584	42·9	32·8	37·9	+0·9	54	16th	22	5th, 6th
		Feb.	29·913	48·6	35·6	42·1	+4·5	55	2nd, 28th	28	21st 25th 28th
		Mar.	29·686	48·4	37·1	42·8	+2·7	59	22nd	26	10th
		Apl.	29·614	51·0	37·7	44·4	−0·1	59	24th	27	8th
		May	29·842	59·3	43·0	51·2	+1·4	71	24th	30	1st
		June	29·959	65·0	46·5	55·8	+0·1	75	18th, 19th	36	4th 5th 9th
		July	29·743	63·1	49·0	56·1	−2·3	67	17th, 21st, 28th	37	4th
		Aug.	29·983	63·3	48·8	56·1	−1·2	74	27th	38	7th
		Sept.	29·901	60·6	45·5	53·1	−0·2	67	13th, 28th	31	21st
		Oct.	29·947	54·4	42·3	48·4	+2·0	64	8th	30	19th, 29th
		Nov.	29·868	49·2	39·8	44·5	+3·4	59	9th, 14th	20	23rd
		Dec.	29·877	42·0	31·0	36·5	−1·0	52	25th	17	19th
		Year	29·826	54·0	40·8	47·4	+0·8	75		17	
CRIEFF— G. Reid, for Dr. G. Meikle. (9, —, 21.)	482	Jan.	29·084	42·3	31·7	37·0	+0·1	54	16th, 17th	25	1st
		Feb.	29·410	46·6	34·4	40·5	+2·6	53	10th, 29th	28	21st
		Mar.	29·176	47·4	35·9	41·7	+1·6	57	17th, 22nd	25	7th, 8th
		Apl.	29·103	49·0	36·2	42·6	−2·1	59	24th	29	8th, 9th, 30th
		May	29·339	56·5	41·1	48·8	−1·3	69	24th, 26th	31	1st
		June	29·463	63·0	45·3	54·2	−1·8	74	19th	37	4th, 5th
		July	29·258	61·0	46·9	54·0	−4·4	67	4th	40	6th, 25th, 27th
		Aug.	29·495	61·8	47·2	54·5	−2·8	72	27th	38	7th
		Sept.	29·408	58·9	45·4	52·2	−1·4	64	13th, 26th 28th	34	21st
		Oct.	29·450	52·6	42·3	47·5	+0·6	63	8th	25	29th
		Nov.	29·375	48·2	38·7	43·5	+2·1	59	9th	23	22nd, 23rd
		Dec.	29·377	41·5	32·8	37·2	−0·3	51	26th	21	23rd
		Year	29·328	52·4	39·8	46·1	−0·6	74		21	
Fife. ST. ANDREWS— The Burgh Sur- veyor. (9, —, 18.)	20	Jan.	...	44·0	33·6	38·8	...	57	17th	25	3rd
		Feb.	...	47·8	35·7	41·8	...	56	29th	29	28th
		Mar.	...	49·7	36·9	43·3	...	61	22nd	28	8th
		Apl.	...	50·2	38·3	44·3	...	60	24th	28	9th
		May	...	57·2	42·4	49·8	...	70	23rd	30	1st
		June	...	60·9	46·2	53·6	...	69	18th, 20th	34	9th
		July	...	62·5	48·4	55·5	...	67	13th, 21st, 28th	38	7th
		Aug.	...	61·5	47·9	54·7	...	69	14th, 16th	38	21st
		Sept.	...	60·2	44·4	52·3	...	67	28th	31	22nd
		Oct.	...	53·3	41·7	47·5	...	64	7th	30	30th
		Nov.	...	49·7	40·5	45·1	...	58	14th	22	23rd
		Dec.	...	43·5	32·5	38·0	...	52	25th, 31st	22	19th, 23rd
		Year	...	53·4	40·7	47·1	...	70		22	
CUPAR (Fife and Kinross Asylum)— The Medical Superintendent. (9, —, —.)	210	Jan.	...	43·7	32·5	38·1	+1·0	56	17th	27	1st, 3rd, 7th
		Feb.	...	47·8	35·1	41·5	+3·6	55	2nd, 29th	29	21st, 22nd
		Mar.	...	48·8	36·3	42·6	+2·7	57	20th, 22nd	27	8th
		Apl.	...	51·5	38·1	44·8	+0·7	59	24th	27	8th
		May	...	58·0	42·4	50·2	+1·1	69	23rd	30	1st
		June	...	62·6	46·5	54·6	−1·1	74	19th	35	5th
		July	...	62·8	48·5	55·7	−2·1	67	20th	39	4th, 7th
		Aug.	...	63·0	48·6	55·8	−1·0	71	27th	36	19th
		Sept.	...	60·3	45·8	53·1	+0·2	67	6th, 28th	33	22nd
		Oct.	...	53·6	42·1	47·9	+1·4	64	7th	28	30th
		Nov.	...	49·0	39·8	44·4	+3·6	57	8th, 9th	22	23rd
		Dec.	...	43·0	32·5	37·8	−0·4	52	25th, 26th	23	23rd, 24th
		Year	...	53·7	40·7	47·2	+0·8	74		22	

HYGROMETER.				CLOUD. Mean (0-10.) †	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER.							WIND DIRECTIONS. †										
Mean. †					Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—							Number of Observations.										
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure	Humidity.	Amount.				Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm			
°	Inch.	%			Inch.	Inch.	Inch.																				
37.0	9.2	17	3.45	+0.94	0.53	7th	2	1	1	0	23	7	2	5	0	0	7	22	20	6	0			
41.4	8.2	15	2.94	+0.67	0.78	18th	3	0	0	0	17	4	4	2	3	4	0	2	28	14	5	0		
42.4	8.8	15	2.14	-0.35	0.58	30th	1	1	2	0	21	0	0	1	2	6	2	3	28	10	10	0		
44.2	8.6	14	2.03	+0.25	0.48	15th	0	1	0	0	19	0	0	4	10	11	6	0	3	13	13	0		
50.7	2.8	.300	81	8.2	11	2.87	+0.65	1.01	1st	0	0	0	0	16	0	0	3	0	10	8	5	17	16	3	0		
56.3	3.0	.369	81	7.5	8	0.97	-1.00	0.40	27th	0	0	1	0	15	0	0	0	1	24	8	2	6	16	3	0		
55.5	2.4	.373	85	9.2	17	2.26	-0.63	0.33	2nd	0	0	2	0	25	0	0	2	4	7	6	7	16	13	7	0		
55.7	2.0	.388	87	8.1	14	3.41	+0.04	1.22	17th	0	0	0	0	20	0	0	4	0	4	16	4	16	7	11	0		
51.3	9.0	12	1.27	-0.96	0.22	17th	0	0	0	0	21	3	0	6	2	4	6	17	6	17	2	0		
46.2	9.2	9	1.95	-1.00	0.68	4th	0	0	0	0	24	11	0	4	1	31	14	8	0	4	0	0		
43.7	9.4	10	2.55	-0.33	0.58	14th	0	2	0	0	25	3	4	0	2	4	8	8	30	4	4	0		
35.6	9.3	18	3.36	+0.13	0.41	2nd	2	0	0	0	24	4	0	12	5	5	14	2	8	6	10	0		
					160	29.20	-1.59	1.22																			
37.1	1.7	.188	85	7.4	22	4.56	+0.53	0.69	24th	11	1	1	0	13	0	3	1	3	7	0	0	6	40	5	0		
40.9	2.3	.209	83	6.9	19	4.40	+0.88	0.68	29th	2	0	0	1	13	0	3	1	0	6	0	0	8	37	6	0		
41.0	2.1	.213	83	7.4	22	3.56	+0.36	0.85	27th	2	2	1	1	14	0	1	6	1	10	0	1	10	31	3	0		
42.7	2.9	.214	79	7.7	18	1.77	-0.42	0.24	13th	0	1	0	0	17	0	0	4	2	21	3	2	2	19	7	0		
49.0	3.1	.274	78	7.8	22	3.90	+1.41	0.84	1st	0	1	0	1	15	0	1	1	0	17	2	5	2	29	6	0		
53.8	4.1	.306	74	7.0	10	1.83	-0.81	0.61	19th	0	0	1	3	12	0	0	1	1	29	1	5	9	12	2	0		
53.7	3.3	.324	78	8.4	24	3.46	+0.49	0.44	8th	0	0	4	0	23	0	0	6	1	11	1	5	12	25	1	0		
54.0	3.0	.334	80	8.0	15	5.38	+1.17	1.92	17th	0	0	1	0	14	0	0	12	5	19	1	2	2	20	1	0		
51.6	2.3	.323	84	7.6	16	1.43	-1.43	0.23	9th	0	0	1	0	16	0	0	1	5	7	2	4	9	27	5	0		
46.9	1.3	.290	91	8.8	14	2.37	-1.56	0.71	5th	0	0	0	1	24	0	0	0	1	42	5	1	9	3	1	0		
43.8	1.7	.248	87	8.4	18	5.00	-0.66	1.08	14th	0	2	0	1	19	0	2	0	2	20	4	1	3	30	0	0		
37.2	1.2	.198	89	7.4	22	5.68	+1.20	0.76	3rd	4	0	0	3	14	0	1	6	3	13	3	5	2	22	8	0		
					222	43.34	+2.48	1.92																			
...	15	2.51	...	0.53	24th	0	1	1	1	2	0	0	4	6	4	24	18	6	0		
...	10	1.68	...	0.67	18th	1	0	0	0	2	0	6	0	0	0	28	16	8	0		
...	15	1.64	...	0.36	30th	3	0	1	2	0	0	2	2	10	0	28	10	10	0		
...	18	1.78	...	0.47	19th	0	0	0	2	0	0	6	12	6	0	16	4	16	0		
...	12	2.79	...	0.82	27th	0	0	0	2	0	0	12	8	4	2	14	16	6	0		
...	9	0.65	...	0.17	19th	0	0	0	0	0	0	24	10	6	0	8	12	0	0		
...	19	2.13	...	0.29	1st, 23rd	0	0	1	0	0	0	10	6	8	0	30	6	2	0		
...	9	3.41	...	1.69	17th	0	0	1	0	0	0	8	8	8	2	22	0	14	0		
...	13	1.77	...	0.45	18th	0	0	1	3	0	0	4	0	12	0	34	8	2	0		
...	12	2.28	...	0.81	4th	0	0	0	8	0	0	8	24	10	4	8	2	6	0		
...	12	2.43	...	0.50	14th	0	0	0	1	1	0	2	8	6	2	36	6	0	0		
...	20	3.90	...	0.60	30th	0	0	0	1	1	0	2	10	8	4	22	8	8	0		
					164	26.97	...	1.69																			
...	20	2.31	0.00	0.40	24th	4	1	1	2	1	4	0	6	0	14	18	18	2	0		
...	15	2.31	+0.33	0.76	18th	4	0	0	2	0	6	0	0	0	10	18	16	8	0		
...	17	1.72	-0.12	0.48	30th	2	4	1	3	0	10	4	0	4	6	12	20	6	0		
...	19	1.05	-0.83	0.31	1st	0	4	0	2	0	4	6	16	0	4	10	18	2	0		
...	17	1.97	+0.08	0.50	1st	0	0	0	4	1	0	8	6	2	6	16	20	2	2		
...	8	0.74	-1.16	0.36	27th	0	0	0	3	0	0	12	16	4	4	12	12	0	0		
...	20	2.27	-0.32	0.40	1st	0	0	3	1	0	8	8	4	0	6	20	12	4	0		
...	11	3.27	+0.06	1.80	17th	0	0	1	0	0	6	8	4	0	8	10	18	8	0		
...	16	1.68	-1.16	0.27	16th	0	0	0	3	0	2	4	4	0	14	12	22	2	0		
...	14	1.93	-0.69	0.87	4th	0	0	0	15	0	4	6	16	4	10	4	0	2	16		
...	14	2.42	-0.17	0.60	14th	0	0	0	5	1	0	4	6	0	12	18	8	4	8		
...	20	4.10	+1.32	0.68	30th	1	1	0	7	0	6	0	6	2	16	18	14	0	0		
					191	25.77	-2.66	1.80																			

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A	B			Maximum.	Day of Month.	Minimum.	Day of Month.
			Mean at Station at 32° Fahr.†	Maximum.	Minimum.						
	Feet.		Inch.	°	°	°	°	°		°	
Fife (contd.).											
KIRKCALDY	66	Jan.	...	44·0	34·2	39·1	...	56	17th¹	28	1st, 2nd
Francis Braid,		Feb.	...	47·8	35·3	41·6	...	58	29th¹	28	5th
Sanitary Inspec-		Mch.	...	48·7	37·5	43·1	...	56	22nd	28	8th¹
tor.		Apl.	...	50·6	38·8	44·7	...	60	24th	30	8th, 9th
(9, —, —.)		May	...	57·3	43·7	50·5	...	69	23rd	34	1st
		June	...	61·6	48·2	54·9	...	70	20th¹	38	5th
		July	...	62·5	49·7	56·1	...	67	18th	41	4th
		Aug.	...	62·7	50·0	56·4	...	72	27th	42	19th
		Sept.	...	61·2	47·1	54·2	...	68	26th	37	21st
		Oct.	...	54·6	43·6	49·1	...	63	7th	31	30th
		Nov.	...	49·7	41·5	45·6	...	58	9th	24	23rd
		Dec.	...	44·0	33·9	39·0	...	53	25th	23	17th, 18th
		Year		53·7	42·0	47·9		72		23	
Stirling.											
STIRLING—	74	Jan.	...	44·3	33·7	39·0	...	55	16th, 17th	27	1st, 3rd, 5th
John Fyfe, C.S.I.,		Feb.	...	48·1	37·2	42·7	...	55	29th	31	6th, 14th, 21st
Sanitary Inspec-	151	Mch.	...	48·3	38·1	43·2	...	55	4th, 17th	28	8th
tor.		Apl.	...	50·7	39·0	44·9	...	58	24th	31	8th, 9th
(9, —, —.)		May	..	58·9	44·1	51·5	...	78	24th	32	1st
		June	...	64·4	45·8	55·1	...	74	15th 17th 18th	37	10th
		July	...	62·5	48·4	55·5	...	69	10th	38	7th
		Aug.	...	63·4	49·4	56·4	...	74	27th	41	7th, 19th
		Sept.	...	60·6	47·5	54·1	...	67	26th, 28th	37	21st
		Oct.	...	54·5	43·6	49·1	...	65	3rd	30	27th, 29th
		Nov.	...	49·6	41·5	45·6	...	59	9th	22	23rd
		Dec.	...	43·2	34·7	39·0	...	53	25th	24	23rd
		Year		54·0	41·9	48·0		78		22	
Dumbarton.											
HELENSBURGH—	21	Jan.	...	44·0	33·9	39·0	+0·1	53	17th	24	1st
The Burgh		Feb.	...	47·0	36·7	41·9	+3·2	52	28th, 29th	27	21st
Surveyor.		Mch.	...	48·0	37·8	42·9	+2·4	52	17th, 27th	28	8th
(9, —, —.)		Apl.	...	50·5	37·7	44·1	−1·1	56	24th	27	8th
		May	...	57·6	43·7	50·7	+0·6	75	24th	32	1st
		June	...	64·3	48·5	56·4	+1·0	75	15th	39	5th
		July	...	61·8	49·6	55·7	−1·8	70	3rd, 4th, 22nd	39	4th
		Aug.	...	62·0	48·6	55·3	−1·8	70	10th	39	19th, 20th
		Sept.	...	60·1	47·2	53·7	+0·2	66	26th	33	21st
		Oct.	...	54·9	44·3	49·6	+3·0	61	7th	33	28th 29th 30th
		Nov.	...	50·1	42·0	46·1	+4·9	56	9th, 14th	28	23rd, 24th
		Dec.	...	43·4	34·8	39·1	+0·3	55	25th	24	23rd
		Year		53·6	42·1	47·9	+0·9	75		24	
Cardross—											
Claud A. Allan.	130	Jan.	...	42·5	33·8	38·2	...	53	17th	22	1st
(9, —, —.)		Feb.	...	47·1	36·3	41·7	...	52	2nd	24	20th, 21st
		Mch.	...	46·4	37·5	42·0	...	57	4th	23	8th
		Apl.
		May
		June	...	63·4	48·2	55·8	...	74	18th	42	9th, 10th
		July	...	61·5	49·2	55·4	...	70	5th	44	4th
		Aug.	...	62·2	49·0	55·6	...	68	9th	36	20th
		Sept.	...	58·7	47·3	53·0	...	64	2nd, 28th	30	21st
		Oct.
		Nov.
		Dec.
		Year	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.								
				Mean at Station at 32° Fahr. †	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
					Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
Feet.	Inch.	°	°	°	°	°	°	°	°	°	°	
Dumbarton.												
DUMBARTON—	10	Jan.	...	44·7	34·7	39·7	+0·5	55	16th, 17th	25	1st, 2nd	
William Denny		Feb.	...	47·8	37·3	42·6	+3·4	54	29th	27	21st	
and Brothers.		Mar.	...	48·4	38·2	43·3	+2·2	55	4th	29	8th	
(9, —, —.)		Apl.	...	51·4	39·0	45·2	-0·7	57	24th	29	8th	
		May	...	58·3	44·5	51·4	+1·1	75	24th, 25th	32	1st	
		June	...	64·9	49·6	57·3	+1·1	75	15th 17th 18th	39	10th	
		July	...	62·1	50·7	56·4	-1·9	70	4th, 5th	42	4th	
		Aug.	...	62·9	50·0	56·5	-1·3	70	10th	38	20th	
		Sept.	...	60·8	48·2	54·5	+0·2	67	26th, 28th	33	21st	
		Oct.	...	55·8	44·7	50·3	+2·8	63	5th	29	26th	
		Nov.	...	49·6	41·3	45·5	+3·8	57	14th	21	23rd	
		Dec.	...	43·3	32·0	37·7	-1·6	53	25th	20	23rd, 24th	
		Year		54·2	42·5	48·4	+0·8	75		20		
Argyll.												
ARDTORNISH—	40	Jan.	29·521	43·7	34·3	39·0	...	54	17th	26	5th	
W. D. Besant for		Feb.	29·873	47·7	37·0	42·4	...	56	28th, 29th	29	21st	
G. Craig Sellar.		Mar.	29·636	48·1	37·3	42·7	...	57	30th	26	15th	
(9, —, 21.)		Apl.	29·570	50·7	38·4	44·6	...	59	13th	27	8th	
		May	29·789	56·7	43·1	49·9	...	79	26th	30	1st	
		June	29·902	65·6	48·9	57·3	...	77	17th	36	5th	
		July	29·719	61·9	48·9	55·4	...	70	4th	38	26th	
		Aug.	29·975	61·9	48·1	55·0	...	73	28th	40	20th 22nd 26th	
		Sept.	29·859	59·7	46·3	53·0	...	66	25th	34	21st, 22nd	
		Oct.	29·844	57·8	44·2	51·0	...	68	10th	32	17th	
		Nov.	29·798	51·7	40·5	46·1	...	63	15th	30	23rd, 24th	
		Dec.	29·828	45·2	34·1	39·7	...	54	25th, 26th	22	23rd	
		Year	29·776	54·2	41·8	48·0		79		22		
Oban—	32	Jan.	...	44·0	34·9	39·5	-1·3	52	16th 17th 18th	27	6th	
The Burgh		Feb.	29·910	46·5	37·9	42·2	+1·9	53	28th	28	21st	
Surveyor.		Mar.	...	47·0	38·0	42·5	+1·2	54	28th	28	8th, 15th	
(9, —, 18.)		Apl.	29·593	49·9	39·1	44·5	-1·1	58	13th	30	8th, 9th	
		May	29·792	55·1	43·8	49·5	-0·5	75	24th 25th 26th	32	1st	
		June	29·924	63·2	48·6	55·9	+0·9	76	15th	38	5th	
		July	29·735	59·6	49·3	54·5	-2·4	65	3rd, 4th, 9th	41	4th	
		Aug.	29·985	59·7	49·3	54·5	-2·5	68	28th, 29th	39	20th	
		Sept.	...	59·1	48·6	53·9	+0·2	65	29th, 30th	35	21st	
		Oct.	...	58·0	47·0	52·5	+3·9	68	10th	37	25th	
		Nov.	...	51·9	41·4	46·7	+2·9	58	12th	30	23rd	
		Dec.	29·849	46·5	36·3	41·4	-0·2	53	25th, 27th	24	23rd	
		Year		53·4	42·8	48·1	+0·2	76		24		
Ford—	149	Jan.	...	44·1	33·1	38·6	...	54	16th	23	5th	
The Crown		Feb.	...	46·8	36·5	41·7	...	54	28th	24	21st	
Forester.		Mar.	...	47·4	36·5	42·0	...	54	30th	24	8th	
(9, —, —.)		Apl.	...	50·1	37·1	43·6	...	55	13th, 24th	25	9th	
		May	...	56·4	43·7	50·1	...	75	24th, 26th	31	1st	
		June	...	64·0	48·2	56·1	...	75	17th	36	5th	
		July	...	61·1	47·5	54·3	...	65	4th, 5th, 18th	37	26th	
		Aug.	...	60·9	47·3	54·1	...	69	28th	34	28th	
		Sept.	...	59·1	47·3	53·2	...	69	12th	32	21st	
		Oct.	...	57·1	45·2	51·2	...	64	10th	33	28th	
		Nov.	...	50·3	40·9	45·6	...	57	14th	30	22nd, 23rd	
		Dec.	...	44·3	34·3	39·3	...	52	25th	20	23rd	
		Year		53·5	41·5	47·5		75		20		

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A	B			Maximum.	Day of Month.	Minimum.	Day of Month.
			Mean at Station at 32° Fahr. †	Maximum.	Minimum.						
	Feet.		Inch.	°	°	°	°	°		°	
Argyll (contd.) ARDNADAM— Rev. J. Cairns Mitchell, B.D. (9, —, —.)	64	Jan.	...	42·5	35·2	38·9	...	55	16th, 17th	27	1st, 6th
		Feb.	...	45·7	38·2	42·0	...	55	29th	30	14th 21st 28th
		Mch.	...	46·7	38·1	42·4	...	54	4th	26	8th
		Apl.	...	49·4	39·2	44·3	...	56	24th	28	8th
		May	...	56·8	43·9	50·4	...	74	24th	31	1st
		June	...	62·0	48·0	55·0
		July	...	60·4	49·6	55·0	...	72	4th	41	4th
		Aug.	...	61·8	50·4	56·1	...	70	26th	40	19th, 20th
		Sept.	...	59·0	48·3	53·7	...	65	26th	34	22nd
		Oct.	...	54·5	46·0	50·3	...	61	7th 8th 10th	33	29th
		Nov.	...	48·1	42·7	45·4	...	57	9th	25	23rd
		Dec.	...	42·4	36·1	39·3	...	50	25th, 31st	23	23rd
		Year	...	52·4	43·0	47·7	...	74		23	
Bute. ROTHESAY— (Ardencraig)— J. Davidson, for Sir John Reid. (9, —, 21.)	187	Jan.	29·431	44·2	34·3	39·3	−0·2	55	17th	28	9th
		Feb.	29·759	46·7	37·7	42·2	+2·3	54	29th	33	14th 20th 21st
		Mch.	29·521	46·7	36·9	41·8	+0·5	53	1st, 4th	26	8th
		Apl.	29·426	48·3	37·9	43·1	−2·4	55	24th	31	8th
		May	29·666	55·8	43·1	49·5	−0·9	72	24th	34	1st
		June	29·783	61·8	47·5	54·7	−1·1	71	15th, 17th 18th	43	6th, 10th, 11th
		July	29·594	60·0	48·4	54·2	−3·5	67	5th	40	4th
		Aug.	29·825	60·0	48·2	54·1	−3·0	65	10th 16th 26th	43	19th, 20th
		Sept.	29·735	58·4	47·7	53·1	−1·0	63	15th	38	21st
		Oct.	29·730	54·2	46·1	50·2	+2·0	60	8th, 9th	36	28th
		Nov.	29·693	50·0	42·0	46·0	+2·4	59	15th	34	23rd
		Dec.	29·697	44·5	36·8	40·7	+0·3	52	26th	31	18th, 23rd
		Year	29·655	52·6	42·2	47·4	−0·4	72		26	
Renfrew. GREENOCK— J. MacAlister, A.M.Inst. C.E. (9, —, 18.)	233	Jan.	29·379	44·0	35·7	39·9	+1·5	56	16th	29	1st
		Feb.	29·715	46·4	38·1	42·3	+3·7	54	28th	32	15th, 21st
		Mch.	29·474	46·5	38·2	42·4	+2·3	51	4th, 17th	28	8th
		Apl.	29·372	48·6	39·0	43·8	−0·8	55	24th	31	8th
		May	29·621	56·2	44·9	50·6	+0·8	73	24th	35	1st
		June	29·737	62·9	49·0	56·0	+0·5	73	17th	42	5th, 6th
		July	29·537	60·4	50·2	55·3	−2·3	68	4th, 5th	45	4th
		Aug.	29·777	60·3	49·8	55·1	−2·1	67	10th	42	20th
		Sept.	29·691	58·8	48·9	53·9	+0·1	64	26th 28th 30th	39	21st, 22nd
		Oct.	29·702	54·2	45·1	49·7	+2·2	60	23rd	32	28th
		Nov.	29·650	48·8	42·6	45·7	+3·0	56	8th, 9th	30	23rd
		Dec.	29·642	43·1	36·4	39·8	+0·4	53	25th	28	24th
		Year	29·608	52·5	43·2	47·9	+0·8	73		28	
PAISLEY— The Coats Observatory. (9, —, 21.)	107	Jan.	29·522	43·8	34·5	39·2	+0·1	54	17th	26	1st
		Feb.	29·864	47·6	37·7	42·7	+3·1	53	29th	30	21st
		Mch.	29·609	48·0	37·5	42·8	+1·0	53	20th	27	8th
		Apl.	29·520	51·2	38·3	44·8	−1·4	57	24th	30	8th
		May	29·765	58·4	43·9	51·2	−0·4	77	24th	33	1st
		June	29·873	65·4	48·4	56·9	−0·4	76	17th, 18th	41	5th
		July	29·679	62·9	49·5	56·2	−3·1	72	4th, 5th	42	4th
		Aug.	29·918	63·9	47·9	55·9	−2·6	71	10th 14th 26th	36	20th
		Sept.	29·830	61·3	47·1	54·2	−0·7	67	13th, 28th	33	22nd
		Oct.	29·839	54·4	43·8	49·1	+0·7	61	7th, 22nd	31	30th
		Nov.	29·797	50·0	41·9	46·0	+3·0	57	20th	23	23rd
		Dec.	29·799	43·0	34·6	38·8	−1·1	53	25th, 26th	25	18th, 23rd
		Year	29·751	54·2	42·1	48·2	−0·1	77		23	

HYGROMETER.				CLOUD. Mean (0-10.) †	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER. Number of Days with—							WIND DIRECTIONS. ‡ Number of Observations.										
Mean. †					Number of Days.	Total Fall. Inch.	Difference from Average. Inch.	Most in a Day.		Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm		
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure	Humidity.	Amount.				Day of Month.																			
°.	°.	Inch.	%		Inch.	Inch.	Inch.																				
...	7·8	26 10·37	...	1·40	7th	4	0	0	1 15	0	4	2	2	8	2	6	14	14	14	0	0			
...	8·7	20 11·83	...	2·75	9th	3	0	0	0 22	1	1	3	3	2	3	8	15	15	6	3				
...	8·5	26 7·12	...	0·92	27th	0	1	1	2 23	2	3	0	6	0	4	14	14	8	14	2				
...	8·4	19 3·23	...	0·45	13th	0	0	0	0 20	2	0	10	6	16	0	6	0	6	16	0				
...	8·7	21 9·17	...	1·32	21st	0	1	0	1 22	0	1	0	2	6	4	8	14	18	8	2				
...	11 2·36	...	0·90	27th	0	0	1	...	0	0				
...	8·5	27 6·46	...	0·88	18th	0	2	3	2 22	0	0	4	6	6	6	8	10	12	8	2				
...	8·5	15 8·56	...	2·19	17th	0	0	0	1 23	2	0	10	14	4	2	2	6	12	8	4				
...	8·6	22 5·70	...	1·00	14th	0	0	1	0 20	5	0	2	2	8	4	12	18	10	0	0				
...	14 2·93	...	0·90	5th	0	0	0	...	4	0	0	4	8	28	10	2	0	2	8				
...	8·3	21 8·95	...	1·37	27th	0	0	1	1 21	1	3	0	4	10	10	10	6	16	4	0				
...	7·1	20 7·61	...	1·05	31st	0	0	0	5 17	2	1	6	0	14	10	12	6	14	0	0				
					242	84·29	...	2·75																			
39·7	1·5	·214	88	8·6	29 6·64	+2·14	0·52	7th, 12th	9	5	1	0 20	3	7	0	5	1	7	8	16	12	13	0	0			
42·2	1·7	·233	88	8·5	23 6·20	+2·20	1·32	9th	0	2	0	0 18	1	3	0	3	0	4	10	14	16	11	0				
42·1	1·4	·238	89	8·5	29 5·54	+1·95	0·74	27th	4	4	1	0 19	2	3	0	5	1	10	5	16	9	16	0				
43·3	2·0	·237	84	8·0	26 3·32	+0·34	0·69	20th	1	2	1	0 16	2	0	0	15	0	9	3	3	1	29	0				
48·9	1·9	·299	87	7·8	24 6·97	+3·94	1·04	5th	0	2	0	0 16	2	2	0	14	0	7	3	10	17	11	0				
54·3	3·2	·334	79	7·4	18 3·36	+0·29	1·39	27th	0	0	4	2 14	1	0	0	28	2	3	2	9	6	10	0				
53·9	2·2	·354	86	8·5	28 4·46	+0·50	0·48	12th	0	1	3	0 19	1	0	0	13	1	2	5	13	15	13	0				
53·6	1·8	·361	88	8·5	18 5·34	+0·47	1·59	17th	0	0	1	0 19	2	0	1	13	0	3	2	10	9	24	0				
52·9	1·8	·351	88	7·3	21 4·08	+0·03	1·10	9th	0	0	1	0 12	5	0	1	8	2	5	15	11	11	7	0				
49·8	1·4	·322	90	7·7	16 4·29	+0·12	1·08	5th	0	0	1	3 18	16	2	1	33	5	13	3	4	2	1	0				
46·2	1·4	·281	91	8·5	23 7·29	+2·22	1·32	27th	0	5	1	1 20	6	2	0	11	5	6	15	10	7	6	0				
41·0	1·7	·221	86	7·6	21 5·16	+0·29	0·78	1st	0	0	0	0 14	14	1	0	15	4	14	5	9	3	12	0				
					276	62·65	+13·67	1·59																			
39·5	1·9	·205	85	7·4	28 9·64	+2·80	1·48	7th	11	2	0	1 9	0	3	0	0	3	11	0	24	21	3	0				
42·0	2·1	·223	84	8·0	21 11·09	+5·47	2·95	9th	3	4	0	0 13	0	1	0	1	2	11	0	17	22	5	0				
42·1	2·1	·224	84	7·6	25 7·01	+2·08	1·14	27th	4	3	1	1 13	1	0	0	1	9	7	0	21	13	11	0				
44·0	2·9	·226	78	7·6	21 2·50	+1·14	0·38	20th	1	1	0	0 10	0	0	0	4	14	8	0	4	12	18	0				
49·6	2·9	·284	81	7·5	22 7·08	+3·63	1·15	21st	0	1	0	0 9	0	1	0	3	12	6	0	16	21	4	0				
55·4	4·4	·322	73	6·3	15 2·75	+0·55	0·79	27th	0	0	3	3 6	0	0	0	6	21	4	0	9	19	2	0				
54·8	3·2	·343	80	7·4	28 4·61	+0·69	0·52	29th	0	1	2	0 9	0	0	0	4	6	7	0	23	13	9	0				
54·5	2·8	·347	81	7·2	15 6·56	+1·12	2·52	17th	0	0	0	0 11	0	0	0	3	6	4	0	16	13	20	0				
53·3	2·5	·338	83	7·0	20 4·05	+0·70	1·03	9th	0	0	0	0 7	1	0	0	2	5	7	0	22	15	8	1				
48·4	1·7	·298	88	7·8	16 3·72	+1·66	1·23	5th	0	0	0	0 15	5	0	0	3	26	25	0	5	1	1	1				
45·4	1·8	·253	84	8·0	22 6·96	+0·54	1·47	12th	0	3	1	0 12	1	1	0	0	10	16	0	26	7	0	1				
39·4	1·2	·218	91	6·9	22 6·14	+1·75	0·92	30th	1	0	0	1 8	7	0	1	3	8	22	0	16	4	3	5				
					255	72·11	+10·53	2·95																			
39·5	1·6	·211	87	8·4	27 6·05	+2·06	0·66	7th	14	0	1	0 20	5	0	1	4	6	3	6	27	11	2	2				
43·2	2·2	·232	83	7·7	19 7·29	+3·78	2·05	9th	3	0	0	1 16	3	2	2	1	2	3	7	20	10	3	10				
43·2	2·1	·234	84	6·9	23 4·55	+1·37	0·85	27th	0	0	0	2 15	2	0	2	2	1	3	12	14	10	3	15				
44·9	2·8	·236	80	7·2	19 1·42	+0·90	0·17	15th	0	0	0	2 16	4	0	0	5	11	2	5	5	10	9	13				
50·9	2·9	·300	81	6·7	23 4·98	+2·49	0·78	1st	0	0	0	1 11	2	0	0	4	10	0	6	15	15	3	9				
56·4	4·1	·343	75	6·6	14 2·23	+0·25	1·34	27th	0	0	3	2 9	0	0	0	9	19	2	6	8	10	2	4				
55·9	3·6	·349	78	8·1	26 4·03	+1·17	0·64	26th	0	0	3	1 17	0	0	6	4	3	1	9	17	10	6	6				
55·5	2·7	·365	83	7·7	14 5·85	+1·94	3·20	17th	0	0	1	2 17	1	0	6	3	3	2	2	13	13	7	13				
53·3	2·2	·346	85	6·8	18 2·49	+0·52	0·70	9th	0	0	0	1 13	4	0	0	1	4	3	8	5	15	6	18				
48·5	1·5	·303	89	8·6	11 1·42	+2·32	0·61	5th	0	0	0	1 24	12	0	0	3	15	12	3	0	2	0	27				
46·0	1·8	·269	87	9·1	20 4·74	+0·56	0·91	14th	0	1	1	0 25	4	2	0	1	4	5	9	18	5	0	18				
39·4	1·6	·210	87	8·0	21 5·09	+0·04	0·73	30th	0	0	0	2 21	8	1	1	4	4	4	5	8	2	2	32				
					235	50·14	+9·42	3·20																			

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
			Mean at Station at 32° Fahr.†	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Renfrew (<i>contd.</i>) RENFREW— The Meteorolo- gical Office. (7, 13, 21.)	40	Jan.
		Feb.
		Mch.
		Apl.
		May
		June
		July	29·747	61·9	49·4	55·7	...	69	4th	40	4th
		Aug.	29·984	62·4	48·6	55·5	...	70	10th	37	20th
		Sept.	29·895	60·4	45·4	52·9	...	67	28th	30	22nd, 23rd
		Oct.	29·901	54·6	41·4	48·0	...	61	7th	29	18th 19th
		Nov.	29·867	49·6	41·7	45·7	...	58	14th	23	24th
		Dec.	29·867	43·2	33·1	38·2	...	54	25th	22	18th
		Year									
Ayr. KILMARNOCK (Holmes Farm)— B. P. Perry, for West of Scotland Coll. of Agriculture. (9, —, —.)	90	Jan.	...	44·5	34·4	39·5	+2·0	55	17th	23	1st, 2nd
		Feb.	...	47·9	37·9	42·9	+4·3	55	29th	25	21st
		Mch.	...	48·4	38·1	43·3	+3·1	54	30th	22	8th
		Apl.	...	52·1	38·9	45·5	+1·1	58	24th	28	8th
		May	...	59·0	44·5	51·8	+2·0	78	24th	32	1st
		June	...	66·3	48·9	57·6	+2·5	80	17th	39	5th
		July	...	63·0	49·7	56·4	-0·8	69	11th	38	4th
		Aug.	...	63·3	49·0	56·2	0·0	74	28th	37	20th
		Sept.	...	62·2	47·3	54·8	+1·8	68	26th	28	21st
		Oct.	...	59·2	43·0	51·1	+4·2	71	9th	27	28th
		Nov.	...	50·9	42·0	46·5	+4·9	58	14th	21	23rd
		Dec.	...	44·3	33·8	39·1	+0·2	53	2nd, 25th	21	23rd
		Year		55·1	42·3	48·7	+2·1	80		21	
TURNBERRY— J. Richards (9, —, —.)	96	Jan.	...	46·1	36·0	41·1	+1·0	54	17th	29	6th
		Feb.	...	47·7	38·3	43·0	+2·5	57	18th	32	20th
		Mch.	...	48·1	38·4	43·3	+2·1	56	5th	31	8th
		Apl.	...	50·9	39·9	45·4	+0·2	56	24th	31	8th
		May	...	58·0	44·5	51·3	+2·1	79	25th	33	1st
		June	...	63·6	49·7	56·7	+2·2	74	15th, 17th	43	6th
		July	...	61·1	50·4	55·8	-1·7	66	14th, 15th	43	4th
		Aug.	...	60·8	49·6	55·2	-2·1	64	29th, 31st	42	20th
		Sept.	...	60·3	49·1	54·7	+0·1	68	26th	33	21st
		Oct.	...	57·9	45·8	51·9	+2·7	65	5th, 10th, 14th	35	17th 18th 26th
		Nov.	...	51·6	43·2	47·4	+2·8	59	14th	32	23rd
		Dec.	...	45·4	36·4	40·9	-1·7	53	2nd	24	24th
		Year		54·3	43·4	48·9	+0·9	79		24	
COLMONELL (Knockdolian)— Andrew Ogg, for J.W. M'Connel. (9, —, —.)	150	Jan.	29·508	45·7	35·8	40·8	+2·0	55	17th	27	5th, 6th
		Feb.	29·851	47·9	38·4	43·2	+4·4	55	29th	29	20th
		Mch.	29·607	48·6	38·7	43·7	+2·8	55	22nd	30	8th
		Apl.	29·478	50·8	39·0	44·9	+0·2	58	24th	28	8th
		May	29·748	58·4	44·6	51·5	+1·6	79	25th	30	1st
		June	29·853	63·9	49·0	56·5	+2·0	76	17th	38	8th
		July	29·670	61·7	50·8	56·3	-0·3	66	17th, 21st	44	4th
		Aug.	29·903	62·0	49·6	55·8	-0·4	70	28th	39	26th
		Sept.	29·806	61·2	48·5	54·9	+1·2	66	9th, 26th	31	22nd
		Oct.	29·771	58·3	44·8	51·6	+3·4	69	10th	28	25th
		Nov.	29·790	51·9	41·8	46·9	+3·6	59	14th	28	23rd
		Dec.	29·751	45·1	35·2	40·2	+0·4	55	2nd	22	18th
		Year	29·728	54·6	43·0	48·8	+1·7	79		22	

HYGROMETER.				CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.							WIND DIRECTIONS.†										
Mean.†					Mean (0-10.)†	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—							Number of Observations.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure	Humidity.	Amount.					Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm	
°	°	Inch.	%		Inch.	Inch.	Inch.																			
...					
...					
...					
...					
53.7	2.2	.352	86	8.8	27	3.22	..	0.55	2nd	0	0	2	0	25	4	0	1	8	2	3	8	21	6	3	10	
53.0	1.8	.352	87	8.1	13	5.10	...	2.80	17th	0	0	1	0	19	9	0	4	6	1	1	3	19	15	5	8	
50.1	1.3	.328	91	7.5	18	2.31	...	0.59	9th	0	0	0	0	13	10	0	0	3	2	2	6	18	6	1	22	
46.7	1.1	.293	92	8.8	12	1.48	...	0.63	5th	0	0	0	0	19	10	0	0	15	18	9	1	1	1	0	17	
45.3	1.3	.272	90	9.1	20	4.35	...	0.87	14th	0	4	2	0	22	3	2	0	4	7	9	8	18	5	1	8	
37.9	1.0	.209	92	8.0	19	4.19	...	0.51	2nd	0	0	0	0	18	15	2	3	13	7	3	5	10	2	1	18	
...					
39.1	1.6	.208	87	7.7	27	5.33	+1.77	0.55	13th	6	6	1	2	18	1	5	0	2	6	8	20	18	8	0	0	
42.0	1.7	.231	87	7.4	19	4.54	+1.48	0.96	9th	0	2	0	2	16	0	1	2	2	0	10	18	16	6	0	4	
43.1	2.1	.233	83	8.0	23	3.97	+1.16	0.54	27th	1	0	0	3	21	1	1	0	4	2	6	18	22	2	6	2	
45.9	3.2	.241	79	7.8	17	1.59	-0.62	0.30	14th	0	2	0	3	19	0	0	2	12	2	6	6	16	0	10	6	
52.2	3.3	.306	78	7.7	23	4.89	+2.42	0.65	21st	0	0	0	1	18	0	2	0	6	4	2	10	34	6	0	0	
59.4	5.3	.353	70	...	15	3.48	+1.17	1.72	27th	0	0	3	0	0	0	8	14	4	8	8	10	8	0	
57.3	3.8	.361	77	8.4	22	3.13	-0.12	0.55	1st	0	0	2	1	21	0	0	0	6	8	2	8	30	0	6	0	
56.1	2.9	.369	81	8.5	13	5.89	+1.69	2.53	17th	0	0	0	3	24	0	0	0	4	2	6	24	6	12	8	0	
55.4	2.7	.363	83	6.6	17	2.64	-0.59	0.59	9th	0	0	1	4	14	0	0	2	0	4	8	4	16	18	8	0	
49.4	2.2	.298	85	6.3	10	1.49	-1.99	0.63	5th	0	0	1	8	16	0	0	2	6	32	14	0	0	0	6	2	
45.3	1.9	.259	86	7.8	16	3.49	-0.29	0.58	14th	0	0	0	2	19	0	1	10	6	20	0	0	6	18	0	0	
38.1	1.1	.207	90	5.9	17	3.46	-0.66	0.50	29th, 30th	0	1	0	8	14	1	1	0	10	20	6	4	6	8	6	2	
...	219	43.90	+5.42	2.53	
...	8.9	22	3.85	+0.36	0.55	18th	0	0	0	0	21	0	3	2	10	4	10	4	18	4	10	0	
...	8.6	13	3.05	+0.17	0.61	18th	0	0	0	0	17	0	1	0	16	0	14	4	20	4	0	0	
...	8.3	20	3.66	+0.84	0.63	27th	0	0	1	0	18	4	0	4	16	0	8	8	22	4	0	0	
...	8.0	12	1.56	-0.39	0.35	23rd	0	0	0	0	16	1	0	4	18	4	6	4	8	6	10	0	
...	8.1	20	3.27	+1.15	0.65	21st	0	0	0	1	19	1	2	4	4	2	4	18	14	12	4	0	
...	7.8	12	2.35	+0.05	1.41	27th	0	0	2	3	16	0	0	10	12	4	4	6	10	10	4	0	
...	9.2	20	3.54	+0.70	0.90	8th	0	0	0	0	22	0	0	2	8	6	4	12	14	8	8	0	
...	8.1	15	4.11	+0.24	1.08	4th	0	0	0	2	18	2	0	4	18	0	4	2	16	16	2	0	
...	8.1	17	2.37	-1.36	0.65	9th	0	0	0	0	16	0	0	6	6	12	4	6	8	18	0	0	
...	8.2	9	2.83	-1.03	1.00	6th	0	0	1	0	17	0	2	14	22	8	12	4	0	0	2	0	
...	8.7	16	1.94	-1.84	0.33	14th	0	2	0	0	20	0	3	2	12	8	8	6	8	14	2	0	
...	6.9	14	3.02	-0.68	1.00	29th	0	0	0	0	12	0	1	12	16	10	6	12	0	4	2	0	
...	190	35.55	-1.79	1.41	
40.3	1.5	.219	88	7.9	28	5.92	+1.59	0.79	18th	4	2	1	1	17	2	3	4	0	4	2	6	8	20	12	6	
42.7	2.3	.226	83	7.3	18	3.70	-0.16	0.65	10th	0	0	0	2	16	0	1	0	4	4	4	18	10	12	6	6	
43.4	1.4	.251	89	7.7	21	4.23	+0.85	1.00	27th	0	0	0	3	18	0	0	8	2	4	4	10	6	12	10	6	
45.6	1.9	.263	86	7.0	20	2.67	+0.14	0.46	20th	0	0	0	2	14	0	0	6	0	14	10	4	8	12	4	2	
51.6	2.1	.328	86	7.3	19	3.33	+0.77	0.58	1st	0	0	0	3	17	0	0	2	0	4	6	6	26	10	4	4	
57.9	3.0	.393	81	7.4	15	3.09	+0.56	1.18	27th	0	0	4	4	14	1	0	0	2	0	10	8	18	10	10	2	
56.1	2.0	.393	87	8.1	26	3.80	+0.65	0.61	8th	0	0	0	0	15	0	0	2	4	0	8	10	18	16	4	0	
55.7	2.8	.366	82	7.9	14	4.33	+0.33	0.78	17th	0	0	0	2	18	3	0	14	0	2	2	4	2	16	10	12	
54.0	2.4	.350	84	6.8	18	2.41	-1.06	0.54	9th	0	0	0	3	11	0	0	2	0	2	2	24	2	12	10	6	
50.4	2.0	.315	87	5.9	11	6.08	+1.63	1.24	30th	0	0	0	6	9	0	3	0	2	2	24	12	2	0	0	20	
45.8	1.3	.279	91	...	21	3.61	-1.38	0.49	27th	0	0	0	0	1	0	0	2	16	10	10	16	0	6	
39.2	0.9	.222	92	5.9	18	5.45	-0.13	1.32	1st	0	0	0	7	13	0	1	0	0	10	12	8	8	8	8	8	
...	229	48.62	+3.79	1.32	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
			Mean at Station at 32° Fahr. †	A	B			Maximum.	Day of Month.	Minimum.	Day of Month.
				Maximum.	Minimum.						
Lanark. GLASGOW (The Observatory)— James Connell. (9, —, 21.)	184	Jan.	Inch. 29·431	° 43·4	° 34·9	° 39·2	° +0·6	° 54	17th	° 28	1st
		Feb.	29·782	46·9	38·4	42·7	+3·6	54	29th	32	21st
		Mar.	29·520	47·2	38·7	43·0	+2·4	51	3rd 17th 20th	28	8th
		Apl.	29·428	49·3	39·5	44·4	-0·6	56	24th	31	8th
		May	29·679	56·5	45·0	50·8	+0·5	72	24th	35	1st
		June	29·783	63·7	49·9	56·8	+1·0	75	18th	43	5th
		July	29·593	60·8	50·6	55·7	-2·3	68	4th	45	4th
		Aug.	29·831	61·4	50·0	55·7	-1·4	69	10th	42	20th
		Sept.	29·739	58·9	48·4	53·7	+0·2	64	26th 28th 30th	36	22nd
		Oct.	29·749	54·0	45·2	49·6	+2·2	61	7th	32	29th, 30th
		Nov.	29·709	49·8	42·7	46·3	+3·7	56	15th, 19th	26	23rd
		Dec.	29·709	43·1	36·6	39·9	+0·4	53	26th	27	18th, 23rd
		Year	29·663	52·9	43·3	48·1	+0·9	75		26	
GLASGOW (Springburn Park)— The Meteo- logical Office. (7, 13, 21.)	355	Jan.	29·241	42·6	33·9	38·3	...	54	17th	25	2nd
		Feb.	29·581	46·1	36·1	41·1	...	54	29th	30	6th 21st 22nd
		Mar.	29·337	46·3	36·4	41·4	...	50	3rd 17th 24th	26	8th
		Apl.	29·241	48·8	36·7	42·8	...	55	24th	29	8th
		May	...	55·9	42·9	49·4	...	75	24th	32	1st
		June
		July
		Aug.
		Sept.
		Oct.
		Nov.
		Dec.
		Year
THORNTONHALL— J. Dowie, for A. Henderson Bishop. (9, —, —.)	440	Jan.	...	42·1	31·7	36·9	...	53	17th	17	1st, 2nd
		Feb.	...	45·6	35·2	40·4	...	54	29th	26	21st
		Mar.	...	46·1	35·8	41·0	...	51	22nd	25	8th
		Apl.	...	48·6	36·3	42·5	...	56	24th	27	9th
		May	...	56·5	41·9	49·2	...	76	24th	30	1st
		June	...	63·0	45·5	54·3	...	76	17th	35	5th
		July	...	60·5	47·3	53·9	...	67	5th	36	4th
		Aug.	...	61·1	46·6	53·9	...	68	27th	35	20th
		Sept.	...	59·6	45·5	52·6	...	69	8th	29	21st
		Oct.	...	54·8	39·8	47·3	...	64	8th	22	28th, 29th
		Nov.	...	47·7	39·1	43·4	...	56	14th	18	23rd
		Dec.	...	42·1	30·7	36·4	...	52	2nd	19	18th, 23rd
		Year	...	52·3	39·6	46·0	...	76		17	
DUNGAVEL— H. C. Webster, for the Duke of Hamilton and Brandon. (9, —, —.)	798	Jan.	...	41·4	30·6	36·0	...	57	16t	22	1st, 4th
		Feb.	...	44·2	34·4	39·3	...	54	29t	23	21st
		Mar.	...	44·9	34·2	39·6	...	55	21st	20	8th
		Apl.	...	46·9	35·3	41·1	...	55	25th	26	8th, 9th
		May	...	53·3	40·0	47·7	...	75	24th	30	1st
		June	...	61·9	44·0	53·0	...	77	17th	34	5th
		July	...	58·4	45·2	51·8	...	63	4th	35	4th
		Aug.	...	59·6	43·9	51·8	...	70	27th, 29th	34	28th
		Sept.	...	57·9	44·0	51·0	...	64	26th	31	21st
		Oct.	...	56·2	40·9	48·6	...	68	9th	27	26th
		Nov.	...	47·3	38·5	42·9	...	53	8th, 9th	25	23rd
		Dec.	...	41·5	31·8	36·7	...	53	— 3rd	23	23rd
		Year	...	51·8	38·6	45·0	...	77		20	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
			Mean at Station at 32° Fahr. †	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Lanark (contd.). LEADHILLS (The Schoolhouse)— J. M'Farlane, J.P. (9, —, —.)	1310	Jan.	...	40·0	29·6	34·8	+1·3	53	16th	20	4th
		Feb.	...	42·5	31·1	36·8	+2·9	52	28th	22	11th
		Mch.	...	43·8	32·1	38·0	+2·4	56	22nd	19	9th
		Apl.	...	45·2	32·3	38·8	−1·1	52	25th	23	8th
		May	...	54·4	39·9	47·2	+1·6	74	24th, 26th	31	1st, 2nd
		June	...	60·1	43·6	51·9	+0·2	75	15th	36	5th
		July	...	57·6	46·0	51·8	−2·1	61	21st, 25th	38	27th
		Aug.	...	58·0	44·1	51·1	−1·6	68	28th	38	19th, 23rd
		Sept.	...	56·2	43·1	49·7	+0·5	62	28th	32	22nd
		Oct.	...	54·6	40·3	47·5	+4·8	68	9th	29	18th
		Nov.	...	46·2	37·4	41·8	+4·9	57	14th	28	23rd
		Dec.	...	40·6	28·6	34·6	+0·7	50	2nd, 29th	18	18th, 19th
		Year		49·9	37·4	43·7	+1·2	75		18	
Linlithgow. BANGOUR (The Asylum)— D. Hendry, for John Keay, M.D. (9 —, 21.)	584	Jan.	28·976	41·6	31·8	36·7	...	54	17th	22	1st
		Feb.	29·319	45·6	34·7	40·2	...	55	29th	22	21st
		Mch.	29·084	46·0	35·6	40·8	...	53	1st, 22nd	25	8th
		Apl.	28·980	47·9	36·4	42·2	...	54	18th, 24th	25	9th
		May	29·243	55·3	41·2	48·3	...	69	24th	29	1st
		June	29·351	60·4	45·5	53·0	...	74	19th	35	5th
		July	29·157	59·9	46·7	53·3	...	63	12th, 18th, 21st	36	7th
		Aug.	29·384	60·2	46·2	53·2	...	68	27th	36	20th, 21st
		Sept.	29·297	58·7	44·5	51·6	...	69	12th	31	22nd
		Oct.	29·324	52·5	40·3	46·4	...	64	8th	25	29th
		Nov.	29·266	47·7	38·6	43·2	...	56	19th	21	23rd
		Dec.	29·267	41·7	32·3	37·0	...	52	3rd	19	23rd
		Year	29·221	51·5	39·5	45·5		74		19	
Midlothian. EDINBURGH (The Royal Obser- vatory)— Professor R. A. Sampson, F.R.S. (9, —, 21.)	441	Jan.	29·138	43·6	34·1	38·9	+0·9	56	17th	27	1st
		Feb.	29·477	46·8	36·9	41·9	+3·6	60	29th	30	21st
		Mch.	29·230	47·7	37·3	42·5	+2·6	59	20th	26	8th
		Apl.	29·150	46·7	38·4	42·6	−1·2	58	24th	31	8th
		May	29·395	56·0	43·5	49·8	+1·3	72	24th	34	1st
		June	29·514	61·5	47·3	54·4	+0·4	76	17th	39	10th
		July	29·311	60·5	49·9	55·2	−1·7	64	18th, 21st	45	4th, 25th
		Aug.	29·540	60·7	49·0	54·9	−1·8	69	27th, 28th	41	19th, 20th
		Sept.	29·450	59·6	48·3	54·0	+0·7	69	28th	39	21st
		Oct.	29·480	53·6	43·8	48·7	+1·3	61	7th	32	28th, 29th
		Nov.	29·425	49·7	41·2	45·5	+3·3	59	15th	29	23rd
		Dec.	29·427	43·6	35·5	39·6	+0·7	54	26th	25	18th
		Year	29·378	52·5	42·1	47·3	+0·8	76		25	
EDINBURGH (Liberton Mains)— J. M'Aulay, for the Edinburgh and East of Scotland College of Agriculture. (9, —, —.)	190	Jan.	...	44·7	34·3	39·5	...	56	17th	26	1st
		Feb.	...	48·6	36·5	42·6	...	60	29th	29	6th
		Mch.	...	49·0	38·8	43·9	...	58	22nd	26	8th
		Apl.	...	50·5	38·9	44·7	...	60	24th	27	9th
		May	...	58·0	43·1	50·6	...	74	24th	30	1st
		June	...	63·2	48·2	55·7	...	78	17th	34	10th
		July	...	61·9	49·2	55·6	...	65	12th, 21st	40	4th, 7th
		Aug.	...	62·5	50·5	56·5	...	70	27th	39	19th
		Sept.	...	60·9	48·4	54·7	...	70	26th, 28th	32	22nd
		Oct.	...	54·5	43·3	48·9	...	63	22nd	30	29th
		Nov.	...	49·7	40·5	45·1	...	59	9th	24	23rd
		Dec.	...	43·9	34·7	39·3	...	54	2nd, 24th, 31st	20	18th
		Year		54·0	42·2	48·1		78		20	

HYGROMETER.				CLOUD. Mean (0-10.) †	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER. Number of Days with—							WIND DIRECTIONS. † Number of Observations.									
Mean. †					Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure	Humidity.	Amount.				Day of Month.																	
°	°	Inch.	%		Inch.	Inch.	Inch.																		
...	31	13.90	...	1.03	23rd	23	2	0	...	0	3	4	4	2	4	34	2	8	0	4	
...	20	7.41	...	1.52	15th	6	4	0	...	0	2	6	0	4	0	24	12	4	0	8	
...	26	10.13	...	2.25	27th	7	5	0	...	0	2	4	0	4	2	22	10	6	2	12	
...	24	4.45	...	0.50	13th	3	0	0	...	0	0	8	2	12	4	12	2	14	2	4	
...	21	6.72	...	0.91	17th	0	0	0	...	4	0	8	0	2	4	34	0	4	0	10	
...	17	2.63	...	0.73	27th	0	2	3	...	0	0	6	0	10	2	28	0	10	0	4	
...	30	6.12	...	0.71	8th, 16th	0	0	2	...	0	0	10	0	8	0	38	0	4	2	0	
...	20	6.22	...	2.02	17th	0	0	0	...	0	0	14	0	8	2	20	2	10	4	2	
...	24	5.58	...	1.06	11th	0	0	0	...	8	0	4	0	8	2	28	2	8	2	6	
...	8	3.00	...	1.25	4th	0	0	0	...	2	0	0	0	20	16	0	0	0	0	26	
...	20	4.38	...	0.79	12th	0	1	0	...	9	0	2	0	6	10	28	0	2	0	12	
...	17	7.38	...	1.42	31st	7	1	0	...	9	1	4	0	6	6	24	2	8	2	10	
					258	77.92		2.25																	
36.2	1.2	.191	89	7.0	20	3.32	...	0.50	7th	8	1	1	0	14	1	2	1	4	3	4	0	29	16	5	0
39.6	1.1	.221	91	6.1	16	3.24	...	0.95	9th	5	0	0	0	10	0	2	1	3	0	2	1	22	23	6	0
40.0	1.1	.224	91	7.3	21	2.97	...	0.53	30th	1	2	0	0	13	3	2	1	2	4	3	3	17	17	15	0
42.0	1.4	.237	89	7.7	21	1.81	...	0.31	2nd	0	4	1	0	13	3	1	2	10	7	10	1	9	5	16	0
47.8	1.4	.298	90	7.7	21	3.25	...	0.45	21st	0	0	0	0	15	4	1	0	3	13	3	0	21	15	7	0
53.1	2.2	.344	84	6.4	8	1.25	..	0.51	27th	0	0	1	2	8	1	0	0	15	13	5	0	13	8	6	0
53.2	1.6	.360	89	7.7	23	3.96	...	0.70	8th	0	0	4	0	9	2	0	0	11	5	2	0	18	19	6	1
52.9	1.7	.353	88	7.9	12	5.91	...	3.22	17th	0	1	1	0	17	2	0	1	11	10	3	0	13	17	7	0
51.5	1.5	.341	89	7.1	15	1.63	...	0.32	10th, 18th	0	0	1	1	11	0	0	5	4	0	5	1	20	15	10	0
46.8	1.3	.289	91	8.2	10	0.85	...	0.29	4th	0	0	0	0	18	10	0	5	9	17	6	6	9	4	6	0
44.0	1.7	.250	86	8.5	14	2.33	...	0.38	12th	0	0	1	1	22	0	7	3	2	5	3	8	17	19	3	0
36.9	1.4	.193	89	7.0	21	2.35	...	0.54	29th	2	1	0	1	11	5	0	3	11	4	7	3	19	7	8	0
					202	32.87		3.22																	
38.7	2.1	.195	84	6.5	19	2.46	+0.70	0.38	31st	4	0	0	1	9	1	7	1	1	1	5	14	19	14	1	6
41.6	2.5	.212	81	5.0	15	2.40	+0.84	0.72	18th	2	0	0	4	5	0	4	2	3	1	1	11	23	10	1	6
41.9	2.2	.222	85	6.5	17	2.18	+0.41	0.44	1st	2	1	0	1	8	2	2	1	1	2	6	9	20	14	3	6
42.9	2.5	.224	82	6.9	19	1.59	+0.22	0.51	1st	0	1	1	1	12	3	0	3	6	9	4	7	5	14	5	7
48.9	2.8	.279	81	6.4	19	2.23	+0.48	0.46	29th	0	0	0	0	9	5	1	0	8	2	4	8	15	18	1	6
53.8	3.5	.320	77	5.4	9	1.04	-0.89	0.48	27th	0	0	1	3	5	0	0	1	16	7	7	2	11	9	2	5
53.9	3.0	.334	80	7.1	21	3.87	+1.26	1.37	2nd	0	0	2	0	10	4	0	0	13	0	2	5	17	18	3	4
53.7	2.4	.346	84	7.1	13	5.33	+2.41	3.00	17th	0	0	0	0	10	3	0	2	3	7	3	4	9	20	6	8
52.8	2.6	.330	82	6.1	14	1.47	-0.36	0.46	18th	0	0	0	2	9	2	0	1	2	1	4	14	8	20	2	8
47.7	1.6	.292	89	6.2	12	0.87	-1.71	0.24	4th	0	0	0	2	12	8	0	0	2	11	17	8	3	1	0	20
45.0	2.4	.245	82	6.8	14	1.90	-0.26	0.38	13th	0	0	1	1	10	2	3	1	1	2	9	10	23	2	0	12
39.1	1.9	.202	85	6.3	18	2.19	+0.03	0.54	29th	1	0	0	3	12	1	0	1	0	4	9	13	10	12	3	10
					190	27.53	+3.13	3.00																	
39.3	1.9	.204	85	5.9	17	2.58	...	0.39	23rd	5	0	0	0	5	0	5	0	0	10	4	0	2	44	2	0
41.8	1.9	.227	86	5.8	14	2.61	..	0.82	18th	2	1	0	0	6	1	4	0	2	4	2	6	6	38	0	0
43.0	2.1	.232	83	6.9	17	2.05	...	0.41	1st	2	0	0	0	9	2	2	2	0	10	4	0	4	38	4	0
...	7.1	17	1.46	...	0.52	1st	0	2	1	0	13	3	0	0	4	16	10	4	2	16	8	0
...	6.4	16	2.04	...	0.42	29th	0	0	0	0	9	2	1	2	0	16	4	2	6	32	0	0
...	6.4	6	0.96	...	0.60	27th	0	0	1	0	8	0	0	6	6	20	0	4	2	22	0	0
...	6.9	21	4.59	...	1.85	2nd	0	1	2	0	9	0	0	2	0	10	4	0	4	38	4	0
...	7.4	11	5.75	...	3.18	17th	0	0	0	0	15	1	0	4	4	10	2	2	36	0	0	
...	7.2	12	1.54	...	0.50	18th	0	0	0	0	12	1	0	2	0	0	6	16	4	32	0	0
...	6.7	9	0.88	...	0.25	4th	0	0	0	1	12	8	0	0	0	10	36	6	10	0	0	0
...	6.6	14	1.95	...	0.40	13th	0	1	1	1	10	2	3	0	2	4	20	0	2	32	0	0
...	6.7	14	2.32	...	0.56	29th	1	0	0	0	11	1	1	0	0	8	14	6	22	12	0	0
					168	28.73		3.18																	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Midlothian (<i>contd.</i>)											
EDINBURGH	227	Jan.	...	45·0	35·5	40·3	...	56	17th	29	1st, 2nd
(The Univer-		Feb.	...	48·4	37·9	43·2	...	60	29th	32	19th, 21st
sity)—		Mar.	...	49·0	39·0	44·0	...	57	4th	29	8th
Professor T.		Apl.	...	50·4	40·0	45·2	...	59	24th	34	8th
Hudson Beare,		May	...	57·9	44·9	51·4	...	73	24th	36	1st
F.R.S.E.		June	...	62·2	49·6	55·9	...	77	19th	42	5th, 10th
(9, —, —.)		July	...	62·4	51·4	56·9	...	66	14th, 21st	47	4th, 7th, 25th
		Aug.	...	62·2	51·0	56·6	...	69	14th, 27th	43	20th
		Sept.	...	61·4	48·1	54·8	...	69	26th, 28th	39	22nd
		Oct.	...	55·5	44·0	49·8	...	63	7th 8th, 9th	33	29th, 30th
		Nov.	...	50·2	41·5	45·9	...	61	14th	29	23rd
		Dec.	...	45·1	35·8	40·5	...	56	3rd, 4th	27	19th
		Year		54·1	43·2	48·7		77		27	
LEITH	76	Jan.	29·550	43·9	35·8	39·9	+0·8	58	17th	30	1st 2nd 6th
(Nautical		Feb.	29·886	47·3	37·5	42·4	+2·9	60	29th	31	5th
College)—		Mar.	29·634	47·8	38·8	43·3	+2·0	54	6th, 17th, 22nd	29	8th
J. Bolam.		Apl.	29·534	49·3	39·8	44·6	−0·8	60	18th	32	9th
(9, —, —.)		May	29·784	56·9	44·6	50·8	+0·7	71	23rd	35	1st
		June	29·920	60·9	49·1	55·0	−0·7	78	19th	39	5th
		July	29·705	61·0	50·9	56·0	−2·6	65	21st	43	7th
		Aug.	29·936	60·8	51·1	56·0	−2·3	70	14th	44	20th
		Sept.	29·854	59·9	48·3	54·1	−0·6	70	28th	38	22nd
		Oct.	29·889	52·9	43·7	48·3	−0·2	62	7th	32	30th
		Nov.	29·843	48·9	42·4	45·7	+2·4	59	14th	26	23rd
		Dec.	29·821	42·9	35·0	39·0	−0·9	53	25th, 31st	25	18th
		Year	29·780	52·7	43·1	47·9	+0·1	78		25	
LEITH—	76	Jan.	29·524	45·0	35·1	40·1	+1·0	57	17th	29	1st
The Meteoro-		Feb.	29·859	48·8	36·9	42·9	+3·4	61	29th	31	21st, 22nd
logical Office.		Mar.	29·613	48·8	38·1	43·5	+2·2	55	6th, 17th	28	8th
(7, —, 18.)		Apl.	29·524	50·6	39·3	45·0	−0·4	60	24th	32	8th, 9th
		May	29·781	58·0	44·0	51·0	+0·9	70	23rd	32	1st
		June	29·913	61·4	49·3	55·4	−0·3	75	19th	41	5th
		July	29·684	62·4	50·9	56·7	−1·9	67	14th	44	7th
		Aug.	29·921	62·2	51·2	56·7	−1·6	70	14th	44	7th
		Sept.	29·831	61·1	48·2	54·7	0·0	69	26th	37	22nd, 23rd
		Oct.	29·859	54·8	44·0	49·4	+0·9	64	7th	31	30th
		Nov.	29·814	50·1	42·1	46·1	+2·8	60	14th	25	23rd, 24th
		Dec.	29·809	44·3	35·4	39·9	0·0	54	25th, 31st	24	18th
		Year	29·761	54·0	42·9	48·5	+0·6	75		24	
DALKEITH--	190	Jan.	...	44·0	33·8	38·9	+1·6	56	17th	25	1st
J. Whytock, for		Feb.	...	47·8	36·7	42·3	+4·3	60	29th	29	21st
the Duke of		Mar.	...	49·1	37·5	43·3	+2·7	57	21st	28	8th
Buccleuch, K.T.		Apl.	...	51·0	39·0	45·0	−0·8	59	24th	30	8th, 9th
(9, —, —.)		May	...	58·4	43·9	51·2	+1·8	75	24th	31	1st
		June	...	64·4	47·4	55·9	+0·1	77	17th	36	5th, 10th
		July	...	62·5	49·4	56·0	−2·0	66	12th, 21st	41	7th
		Aug.	...	62·5	49·5	56·0	−1·0	69	14th, 27th	41	19th, 20th
		Sept.	...	61·4	47·2	54·3	+0·9	70	28th	35	22nd
		Oct.	...	55·4	42·3	48·9	+1·8	63	8th, 10th	26	28th
		Nov.	...	49·8	39·8	44·8	+3·3	60	14th	21	23rd
		Dec.	...	43·8	32·5	38·2	−0·1	55	2nd	22	18th
		Year		54·2	41·6	47·9	+1·0	77		21	

HYGROMETER.				CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.						WIND DIRECTIONS.†												
Mean.†					Mean (0-10.)†	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—						Number of Observations.										
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Amount.					Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm		
°	°	Inch.	%		Inch.	Inch.	Inch.																				
39.9	2.3	.201	82	...	19	2.35	+0.67	0.30	31st	5	2	1	1	7					
42.0	2.4	.218	82	...	16	2.84	+1.25	0.94	18th	5	2	0	1	4					
43.6	2.9	.222	78	...	18	2.23	+0.36	0.38	30th	2	0	0	2	2					
44.7	3.1	.229	77	...	23	1.86	+0.44	0.50	1st	1	3	1	1	0					
50.9	3.4	.289	78	...	20	2.28	+0.30	0.46	29th	0	0	1	3	1					
55.8	3.7	.345	77	...	8	0.99	-0.89	0.54	27th	0	0	1	0	0					
56.4	2.5	.382	84	...	22	4.37	+1.68	1.36	2nd	0	0	2	0	0					
56.1	2.2	.387	85	...	14	5.55	+2.49	3.17	17th	0	0	1	2	0					
54.8	3.6	.332	77	...	14	1.64	-0.31	0.44	18th	0	0	0	1	0					
49.1	2.2	.295	84	...	11	0.84	-1.76	0.28	4th	0	0	0	9	0					
45.8	2.5	.253	82	...	14	1.65	-0.47	0.36	13th	0	1	1	2	3					
40.0	1.9	.209	85	...	16	2.27	+0.11	0.50	29th	1	0	0	2	1					
					195	28.87	+3.87	3.17																			
40.5	1.5	.220	88	...	20	2.29	+0.49	0.29	13th	4	0	1	0	2	0	4	6	0	8	14	28	2	0		
42.1	1.5	.236	88	...	16	1.79	+0.14	0.67	18th	3	0	0	2	0	2	2	2	0	6	24	14	4	4		
43.8	1.8	.246	86	...	18	2.03	+0.06	0.41	30th	1	0	0	0	1	2	2	2	4	6	18	24	4	0		
44.2	2.0	.246	85	...	22	1.55	+0.05	0.35	1st	0	1	1	0	0	8	6	18	2	2	4	14	6	0		
50.2	2.4	.302	84	...	22	2.77	+0.66	0.52	27th	0	1	0	1	0	2	6	12	2	8	6	26	0	0		
54.3	2.4	.354	83	...	8	1.09	-0.83	0.67	27th	0	0	1	0	0	0	8	16	10	2	10	12	2	0		
55.6	2.2	.380	85	...	24	4.19	+1.37	1.54	2nd	0	0	2	0	0	4	2	12	2	8	10	16	8	0		
55.3	2.9	.356	81	...	12	4.82	+1.55	2.59	17th	0	0	1	1	0	4	4	8	4	4	18	16	4	0		
52.7	1.7	.351	88	...	15	1.21	-0.76	0.27	18th	0	0	0	1	0	2	4	6	2	12	12	18	4	0		
47.2	1.2	.295	92	...	13	0.90	-1.79	0.29	4th	0	0	0	6	0	2	0	26	16	14	2	0	2	0		
45.6	2.0	.261	85	...	17	1.58	-0.66	0.35	13th	0	1	1	4	2	2	0	10	10	14	10	14	0	0		
39.1	1.1	.217	91	...	17	2.36	-0.16	0.53	29th	1	0	0	7	1	2	0	10	8	10	6	12	6	8		
					204	26.58	+0.44	2.59																			
39.7	2.3	.200	81	6.1	21	2.53	+0.87	0.35	13th	3	0	2	3	8	0	2	0	1	5	3	3	30	16	4	0		
42.6	2.3	.225	83	6.9	16	2.57	+1.15	0.87	18th	3	0	0	3	15	0	0	0	4	2	1	3	32	13	3	0		
42.9	2.2	.230	84	7.9	18	1.95	+0.20	0.39	30th	2	0	0	0	19	0	0	3	6	3	5	1	29	11	4	0		
44.5	2.6	.237	80	7.9	23	1.82	+0.53	0.32	1st	0	2	1	0	18	0	0	0	12	9	7	1	13	9	9	0		
50.9	2.5	.310	84	7.2	22	2.53	+0.70	0.47	29th	0	0	0	0	15	2	1	0	11	4	3	2	22	14	5	1		
55.6	3.4	.349	78	6.7	11	1.35	-0.38	0.55	27th	0	0	1	3	12	0	0	1	14	16	3	0	9	15	2	0		
56.4	3.6	.355	78	7.7	23	3.98	+1.43	1.26	2nd	0	0	2	0	14	0	0	3	10	5	2	5	22	11	4	0		
55.5	2.9	.360	82	7.6	13	5.14	+2.20	2.84	17th	0	1	2	1	20	0	0	2	13	9	1	1	14	17	5	0		
53.7	2.9	.334	81	7.4	14	1.18	-0.58	0.24	18th	0	0	0	2	14	0	0	0	6	6	2	8	22	12	4	0		
48.7	1.5	.306	89	7.4	15	0.95	-1.46	0.31	4th	0	0	0	2	16	8	0	0	6	16	25	8	5	2	0	0		
45.8	2.2	.259	84	7.5	16	1.87	-0.08	0.43	15th	0	1	1	1	17	2	1	0	2	6	12	6	24	8	2	0		
40.1	1.9	.210	85	6.5	19	2.45	+0.45	0.51	29th	1	0	0	4	12	0	0	2	2	13	10	2	24	7	2	0		
					211	28.32	+5.03	2.84																			
...	20	2.93	...	0.44	31st	2	1	0	0	5	0	4	0	2	14	22	10	10	0	0	
...	14	2.52	...	0.55	18th	1	0	0	4	3	0	4	0	0	8	36	8	2	0	0	
...	15	1.94	...	0.36	1st	1	0	0	0	1	4	2	2	12	6	14	16	6	0	0	
...	17	1.55	...	0.62	1st	0	0	1	0	0	2	16	2	14	2	8	8	8	0	0	
...	14	2.44	...	0.69	27th	0	0	0	0	0	0	10	0	0	4	32	14	2	0	0	
...	5	0.89	...	0.68	27th	0	0	1	0	0	0	26	8	0	0	18	6	2	0	0	
...	22	3.16	...	0.96	2nd	0	0	2	0	0	2	14	4	4	0	24	10	4	0	0	
...	10	5.74	...	3.06	17th	0	0	2	2	0	2	10	4	4	2	22	8	10	0	0	
...	11	1.20	...	0.48	18th	0	0	1	0	0	0	2	0	8	8	34	6	2	0	0	
...	6	0.92	...	0.36	3rd	0	0	0	5	0	0	10	2	20	2	22	0	6	0	0	
...	13	2.00	...	0.46	14th	0	1	0	2	1	0	6	0	22	8	18	4	2	0	0	
...	13	2.41	...	0.76	29th	1	1	0	0	0	0	14	0	20	6	16	4	2	0	0	
					160	27.70		3.06																			

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.								
				Mean at Station at 32° Fahr. †	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
					Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
Haddington. SMEATON— J. Chapman, for Sir A. Buchan- Hepburn, Bart. (9, —, —.)	100	Jan. Feb. Mar. Apl. May June July Aug. Sept. Oct. Nov. Dec. Year	Inch.	44.1 48.3 50.0 51.3 59.4 63.9 63.5 63.6 62.4 55.5 50.0 43.3 54.6	33.7 36.3 37.2 38.4 43.5 47.7 49.5 48.9 47.2 42.1 40.0 32.8 41.4	38.9 42.3 43.6 44.9 51.5 55.8 56.5 56.3 54.8 48.8 45.0 38.1 48.0	+1.2 +4.1 +2.6 -1.4 +1.0 -0.9 -2.9 -1.8 +0.9 +2.0 +4.1 -0.1 +0.7	56 62 59 58 72 79 69 72 72 63 59 53 79	17th 29th 23rd 18th 19th 24th 24th 18th 15th 16th 28th 7th, 9th 9th, 14th 31st	27 29 27 28 33 34 39 37 34 29 22 20 20	2nd, 6th 5th 21st 22nd 8th 9th 1st 9th 7th 19th 22nd 28th, 29th 23rd 18th	
Berwick. MARCHMONT— J. A. Wood. (9, —, 21.)	500	Jan. Feb. Mar. Apl. May June July Aug. Sept. Oct. Nov. Dec. Year	29.122 29.442 29.201 29.102 29.358 29.468 29.265 29.500 29.421 29.452 29.395 29.379 29.342	42.4 47.0 48.0 49.2 57.6 62.9 61.1 63.0 60.0 55.0 48.8 42.8 53.2	31.8 33.1 34.4 35.6 41.4 45.6 47.6 46.5 45.1 40.7 38.1 32.1 39.3	37.1 40.1 41.2 42.4 49.5 54.3 54.4 54.8 52.6 47.9 43.5 37.5 46.3	+0.7 +2.9 +2.2 -0.9 +1.2 +0.4 -2.3 -1.4 0.0 +1.7 +2.6 +0.5 +0.6	53 55 60 57 72 76 65 71 71 67 56 51 76	16th 17th, 18th 22nd 23rd 24th 18th 12th 19th 21st 16th, 27th 28th 8th 9th 4th, 26th	26 27 24 28 29 36 40 40 37 29 24 24 24	1st, 5th 21st 8th 8th 1st 9th 7th 3rd 15th 19th 23rd 27th, 28th 22nd 18th, 23rd	
DUNS— P. Smith, for F. S. Hay. (9, —, 21.)	500	Jan. Feb. Mar. Apl. May June July Aug. Sept. Oct. Nov. Dec. Year	42.7 47.3 48.7 50.2 58.5 63.7 62.0 63.0 60.9 55.9 48.9 42.2 53.7	31.2 33.0 35.3 37.1 41.3 46.0 48.0 47.5 46.0 41.3 37.5 31.6 39.7	37.0 40.2 42.0 43.7 49.9 54.9 55.0 55.3 53.5 48.6 43.2 36.9 46.7	+0.1 +2.4 +2.8 -0.4 +1.7 +0.7 -1.9 -0.7 +1.2 +2.9 +3.1 +0.2 +1.0	54 56 61 59 71 76 69 70 70 64 56 51 76	18th 18th 22nd 24th 24th 18th 20th 16th 27th 28th 8th, 28th 8th, 9th 7th, 9th 31st	24 25 28 27 29 35 39 39 36 29 22 21 21	1st 5th 7th, 15th 8th 1st 9th 7th 15th 21st 27th 22nd 18th	
Peebles. WEST LINTON— Dr. J. Ritchie Jeffrey, J.P. (9, —, —.)	770	Jan. Feb. Mar. Apl. May June July Aug. Sept. Oct. Nov. Dec. Year	41.3 44.8 45.2 47.6 54.9 61.2 58.6 59.8 58.1 55.3 47.7 40.8 51.3	30.3 33.0 35.8 33.7 40.2 43.7 46.2 44.4 43.1 38.0 37.1 28.5 37.8	35.8 38.9 40.5 40.7 47.6 52.5 52.4 52.1 50.6 46.7 42.4 34.7 44.6	+1.6 +3.5 +3.6 -0.6 +0.9 0.0 -2.6 -1.9 +0.5 +2.6 +4.5 -0.1 +1.0	53 54 53 55 72 74 62 68 67 68 56 51 74	17th 29th 31st 24th 24th 17th 14th, 18th 27th 28th 9th 14th 2nd, 31st	18 21 24 23 24 30 35 33 29 19 16 11 11	1st 21st 8th 9th 1st 5th 7th 20th, 21st 22nd 28th 23rd 18th	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Peebles (contd.)											
GLEN—	754										
Alex. Black, for		Jan.	...	42·8	32·2	37·5	+2·5	56	17th	24	2nd
Lord Glen-		Feb.	...	46·7	32·8	39·8	+3·6	57	29th	26	6th
conner.		Mar.	...	47·6	35·1	41·4	+3·8	59	22nd	24	8th
(9, —, —.)		Apl.	...	49·3	35·7	42·5	+0·2	58	24th	25	8th, 9th
		May	...	57·7	41·0	49·4	+1·6	73	24th	27	1st
		June	...	63·7	43·9	53·8	-0·6	75	17th	32	5th
		July	...	60·7	47·6	54·2	-2·2	65	18th, 21st	37	7th
		Aug.	...	62·9	47·2	55·1	-0·9	70	26th, 28th	39	21st, 23rd
		Sept.	...	59·9	44·6	52·3	+0·6	69	8th, 26th	32	22nd
		Oct.	...	56·5	38·9	47·7	+2·7	68	8th	26	27th, 28th
		Nov.	...	48·9	37·1	43·0	+4·3	56	8th, 14th	21	23rd
		Dec.	...	42·0	30·3	36·2	+0·4	52	2nd	15	18th
		Year		53·2	38·9	46·1	+1·3	75		15	
Roxburgh.											
KELSO (Broom-	195										
lands)—		Jan.	...	43·7	33·1	38·4	+1·2	52	15th 16th 17th	26	1st
J. C. Scott.		Feb.	...	47·9	34·3	41·1	+3·0	57	18th	28	21st
(9, —, —.)		Mar.	...	49·5	36·2	42·9	+3·2	62	22nd	25	8th
		Apl.	...	51·7	36·9	44·3	-0·7	60	24th	28	8th
		May	...	59·9	42·1	51·0	+1·5	75	24th	28	1st
		June	...	65·5	45·6	55·6	+0·1	79	17th	35	9th, 10th
		July	...	62·6	48·4	55·5	-2·5	67	11th 21st 28th	40	7th
		Aug.	...	64·0	47·5	55·8	-1·3	72	27th	38	19th, 20th, 21st
		Sept.	...	62·0	45·0	53·5	+0·2	72	28th	32	22nd
		Oct.	...	56·8	38·6	47·7	+1·2	66	8th, 9th	24	28th
		Nov.	...	49·5	38·3	43·9	+3·2	57	9th, 14th	19	23rd
		Dec.	...	42·6	31·1	36·9	-0·8	53	2nd, 31st	19	18th
		Year		54·6	39·8	47·2	+0·7	79		19	
WOLFELEE—	537										
A. Waugh and		Jan.	...	41·8	31·4	36·6	+1·0	52	17th	21	1st, 2nd
J. Minto, for		Feb.	...	45·6	33·7	39·7	+3·1	59	28th	26	5th 6th 28th
R. Milbanke		Mar.	...	47·2	34·8	41·0	+2·5	60	22nd	22	8th
Hudson.		Apl.	...	49·3	35·5	42·4	-0·8	57	23rd, 24th
(9, —, —.)		May	...	57·6	41·0	49·3	+0·3	72	24th, 25th
		June	...	63·6	45·0	54·3	-0·6	75	17th, 18th
		July	...	60·6	47·4	54·0	-2·9	66	14th	40	19th, 25th
		Aug.	...	61·8	45·6	53·7	-2·4	71	26th	34	19th, 21st
		Sept.	...	59·8	44·5	52·2	-0·4	70	28th	32	16th
		Oct.	...	56·4	38·8	47·6	+2·3	66	9th	24	27th
		Nov.	...	47·9	37·8	42·9	+2·9	55	9th, 14th	19	23rd
		Dec.	...	41·5	31·3	36·4	-0·5	51	2nd, 25th	18	23rd
		Year		52·8	38·9	45·8	+0·4	75		18	
Dumfries.											
ESKDALEMUIR	778										
(The Observa-		Jan.	28·818	40·8	30·7	35·8	...	52	17th	19	6th
tory)—		Feb.	29·158	44·1	32·2	38·2	...	54	17th	21	28th
The Meteorologi-		Mar.	28·895	44·8	33·8	39·3	...	55	22nd	23	8th
cal Office.		April	28·785	48·0	34·9	41·5	...	57	24th	22	8th
(9, 15, 21.)		May	29·062	55·0	39·6	47·3	...	71	24th, 25th	22	1st
		June	29·155	61·3	43·5	52·4	...	75	17th	35	27th
		July	28·968	58·6	46·4	52·5	...	64	18th	37	7th
		Aug.	29·192	60·1	45·1	52·6	...	68	14th 27th 28th	36	20th
		Sept.	29·115	57·4	42·3	49·9	...	65	28th	33	20th
		Oct.	29·115	55·2	39·4	47·3	...	68	9th	26	28th
		Nov.	29·098	47·8	38·3	43·1	...	55	14th	23	22nd
		Dec.	29·066	40·8	31·5	36·2	...	51	3rd	15	17th
		Year.	29·036	51·2	38·1	44·7		75		15	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.								
				Mean at Station at 32° Fahr.†	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
					A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°		
Dumfries (contd.)												
DUMFRIES (Crich- ton Royal)— C.C. Easterbrook, M.D., and E. Joss.	160	Jan.	29.522	44.1	34.4	39.3	+1.3	53	16th, 17th	25	6th	
		Feb.	29.863	47.0	36.0	41.5	+2.7	55	17th, 18th	28	5th, 28th	
		Mar.	29.601	47.2	37.3	42.3	+1.5	55	22nd	25	8th	
		April	29.468	50.2	38.4	44.3	-1.1	57	24th	28	8th	
		May	29.748	58.2	43.5	50.9	0.0	76	25th	29	1st	
		June	29.829	64.0	48.0	56.0	-0.9	77	17th	39	8th, 9th	
(9, 15, 21.)		July	29.653	61.5	50.2	55.9	-3.1	64	2nd, 20th, 21st	43	25th	
		Aug.	29.891	62.4	48.5	55.5	-2.5	70	28th	40	15th, 20th	
		Sept.	29.819	60.0	45.9	53.0	-1.3	65	8th, 30th	36	22nd	
		Oct.	29.811	57.4	42.2	49.8	+2.0	67	9th	30	28th, 29th	
		Nov.	29.806	50.5	41.0	45.8	+3.5	59	11th	24	23rd	
		Dec.	29.781	43.1	33.3	38.2	-0.6	53	3rd, 25th, 31st	20	17th	
		Year	29.733	53.8	41.6	47.7	+0.1	77		20		
RUTHWELL (Com- longon)— W. Brown, for the Earl of Mansfield.	67	Jan.	...	43.2	34.3	38.8	...	55	16th	23	1st	
		Feb.	...	46.3	35.2	40.8	...	56	17th	27	28th	
		Mch.	...	46.6	36.6	41.6	...	55	22nd	24	8th	
		Apl.	...	50.3	38.5	44.4	...	56	18th, 24th	28	8th	
		May	...	57.5	43.0	50.3	...	75	25th	28	1st	
(9, —, 21.)		June	...	64.5	48.6	56.6	...	81	17th	39	5th	
		July	...	61.6	49.5	55.6	...	67	19th	42	25th 27th 28th	
		Aug.	...	63.7	48.5	56.1	...	72	28th	38	20th	
		Sept.	...	61.6	45.8	53.7	...	68	13th	34	20th	
		Oct.	...	58.4	42.8	50.6	...	68	9th	29	28th	
		Nov.	...	50.8	40.0	45.4	...	54	9th, 14th, 19th	22	23rd	
		Dec.	...	43.2	33.0	38.1	...	54	3rd	18	17th	
		Year.		54.0	41.3	47.7		81		18		
Kirkcudbright.												
CARGEN—												
Colonel R. F. Dudgeon, C.B.	85	Jan.	...	44.6	34.5	39.6	+1.3	53	16th, 17th	26	6th	
		Feb.	...	47.8	36.6	42.2	+3.1	56	17th, 18th	29	5th, 6th	
		Mch.	...	48.5	37.5	43.0	+2.3	55	22nd	29	8th, 9th	
		Apl.	...	51.2	38.9	45.1	-0.2	58	23rd, 24th	29	8th	
		May	...	60.1	44.2	52.2	+1.7	79	15th	29	1st	
		June	...	66.6	49.1	57.9	+1.7	78	17th, 18th	40	5th	
		July	...	62.2	51.0	56.6	-2.0	65	15th 18th 19th	45	25th	
		Aug.	...	64.4	49.6	57.0	-0.7	72	28th	41	20th	
		Sept.	...	62.1	46.0	54.1	-0.4	67	8th	35	23rd	
		Oct.	...	57.6	41.5	49.6	+2.3	67	9th	29	27th 28th 29th	
		Nov.	...	49.9	40.1	45.0	+3.2	57	14th	22	23rd	
		Dec.	...	42.8	32.0	37.4	-1.4	53	2nd, 25th, 31st	20	17th, 18th	
		Year.		54.8	41.8	48.3	+0.9	79		20		
CALLY—												
W. Thomson.	120	Jan.	...	44.1	34.0	39.1	+0.8	53	17th	25	2nd, 6th	
		Feb.	...	46.5	36.5	41.5	+2.8	54	18th	27	5th, 21st	
		Mch.	...	48.0	37.2	42.6	+2.0	56	22nd	22	8th	
(9, —, 21.)		Apl.	
		May	
		June	
		July	
		Aug.	
		Sept.	
		Oct.	
		Nov.	
		Dec.	
		Year.		

1920.	Air Pressure at 32° F. and Mean Sea Level.		AIR TEMPERATURE.							
	Mean.	Difference from Normal.	Means of		Mean of A and B.	Difference of Mean from Normal.	Daily Range.		Absolute Extremes.	
			A Maximum.	B Minimum.			Mean = A-B.	Difference from Normal.	Highest.	Lowest.
	In.	In.	°	°	°	°	°	°	°	°
January	29·620	-·248	43·2	34·2	38·7	+0·6	9·0	+0·1	58	14
February	29·957	+·114	47·2	36·9	42·1	+3·5	10·3	+0·2	62	21
March	29·713	-·088	47·8	37·6	42·7	+2·3	10·2	-1·6	63	19
April	29·631	-·259	49·3	38·7	44·0	-0·6	10·6	-3·4	63	22
May	29·872	-·076	57·3	43·9	50·6	+0·9	13·4	-1·5	79	22
June	29·992	+·023	63·0	48·1	55·6	+0·2	14·9	-0·4	81	27
July	29·782	-·118	61·7	49·9	55·8	-2·2	11·8	-2·7	72	30
August	30·020	+·161	61·7	49·2	55·5	-1·8	12·5	-1·5	76	31
September	29·934	-·014	59·7	47·3	53·5	-0·2	12·4	-1·1	72	27
October	29·968	+·120	53·9	44·2	49·1	+1·6	9·7	-2·0	71	19
November	29·907	+·086	49·4	41·6	45·5	+3·2	7·8	-2·0	63	15
December	29·910	+·168	42·8	34·6	38·7	-0·2	8·2	-0·8	56	11
Means	29·859	-0·011	53·1	42·2	47·7	+0·6	10·9	-1·4	—	—

1920.	RAIN.				WIND.								
	Percentage of Normal.				No. of Observations—Total = 732.								
	Scotland.	England and Wales.	Ireland.	British Isles.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
	%	%	%	%									
January	142	150	151	147	1	2	3	5	7	23	16	4	1
February	164	77	89	112	2	3	2	4	5	23	12	4	3
March	137	150	129	139	1	2	4	5	7	21	12	7	3
April	100	204	146	153	2	6	10	8	3	6	11	11	3
May	164	117	145	141	1	4	7	7	6	15	15	4	3
June	65	99	78	82	1	9	13	9	3	9	10	4	2
July	104	170	153	143	3	6	4	5	5	18	12	7	2
August	85	59	62	68	3	3	5	6	3	14	12	11	5
September	87	95	85	89	1	3	4	6	10	12	14	6	4
October	67	58	127	79	1	4	18	19	8	3	1	1	7
November	106	49	110	87	1	2	5	10	8	21	6	2	5
December	91	101	97	96	3	4	6	11	7	10	6	7	8
Year	108	109	113	109	20	48	81	95	72	175	127	68	46

*In this Table the figures, except those for Absolute Extremes of Temperature and for Rain, are extracted from the Monthly Reports for 1920 already published by the Registrar-General for Scotland and refer only to eight of the Principal Towns of Scotland. Those for the Absolute Extremes of Temperature refer to Scotland as a whole, as represented by the Abstract for Meteorological Observations for 1920 in the present Report. The generalized figures for Rain are based on a large number of observations and are extracted from the Monthly Weather Report of the Meteorological Office.

1920.	At Depth.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.
Baltasound ...	1 Ft.	36·8	38·7	40·6	42·8	47·6	52·9	55·4	54·2	51·4	49·2	43·8	41·7	46·3
Dunrobin ...	1 "	—	—	—	45·0	49·6	55·4	56·7	55·7	53·3	49·5	44·5	38·1	—
Inverness ...	1 "	36·2	38·7	40·7	45·3	51·1	57·0	58·0	57·7	53·5	49·2	43·6	36·9	47·3
Aberdeen ...	4 "	38·7	39·4	40·7	42·8	45·8	50·8	53·3	53·5	52·4	51·3	47·8	43·9	46·7
Crathes ...	1 "	33·2	35·8	39·8	43·8	50·1	56·6	57·6	57·5	54·0	50·4	43·7	37·3	46·7
	4 "	36·2	36·7	39·5	42·5	46·5	52·0	54·4	55·2	53·2	51·7	46·8	41·8	46·4
Dundee (College Garden)	1 "	33·5	36·9	40·2	44·2	49·7	56·7	57·1	56·9	54·1	50·3	43·7	37·5	46·7
St. Andrews ...	1 "	36·1	38·4	41·2	44·8	49·4	55·7	56·9	57·1	54·0	50·4	44·8	39·1	47·3
	4 "	39·4	39·9	41·3	43·4	46·4	51·1	53·5	54·4	54·1	52·0	47·9	44·1	47·3
Stirling ...	1 "	—	—	—	—	—	—	—	—	—	50·3	45·1	39·0	—
	4 "	39·7	40·8	42·3	43·5	45·8	50·2	52·6	54·5	54·7	53·4	50·4	47·2	47·9
Ford ...	1 "	37·0	40·1	41·7	45·1	50·7	57·9	58·1	57·9	55·6	52·0	46·2	39·9	48·5
	4 "	39·2	40·3	41·5	43·5	46·6	52·2	54·5	55·4	55·0	53·4	49·5	44·6	48·0
Rothsay ...	1 "	37·6	40·2	42·0	45·0	50·1	56·8	57·1	57·0	54·8	50·5	45·7	40·1	48·1
	4 "	40·7	41·9	42·9	44·8	47·8	52·5	54·4	55·1	54·3	52·3	48·6	45·0	48·4
Paisley ...	1 "	37·9	40·9	42·9	45·7	52·0	57·8	58·8	58·7	55·8	50·9	46·1	39·8	48·9
	4 "	41·2	42·1	43·5	44·9	47·8	52·3	54·7	55·3	54·7	52·4	49·0	45·0	48·6
Kilmarnock ...	1 "	38·0	40·5	42·4	45·2	50·8	57·8	56·9	56·2	54·6	50·4	45·7	39·1	48·1
	4 "	41·3	41·9	42·8	44·5	47·1	51·9	53·9	54·1	53·9	52·4	49·0	45·1	48·2
Edinburgh (University)	1 "	36·3	38·3	41·3	43·9	49·5	55·9	56·8	56·6	54·4	50·1	44·0	38·9	47·2
	4 "	39·6	40·1	41·8	43·6	47·0	52·5	54·7	55·2	54·6	52·6	47·3	43·7	47·7
	12 "	47·4	46·1	45·5	45·5	46·2	47·5	49·5	51·2	52·1	52·4	52·0	50·7	48·8
Smeaton ...	1 "	36·1	37·8	40·8	45·2	51·4	56·8	58·2	57·6	54·8	50·2	44·2	39·3	47·7
Dumfries ...	1 "	37·7	39·9	42·0	45·3	50·8	57·2	57·5	57·7	54·9	50·4	45·0	39·2	48·1
	4 "	40·5	41·1	42·2	44·3	47·4	52·8	54·7	55·2	54·7	52·4	48·1	43·6	48·1

1920.	NUMBER OF HOURS.												YEAR.	YEAR.
	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total Hours.	Mean Daily Amount.
Baltasound ..	19	34	77	131	167	218	159	116	86	41	24	7	1079	2·95
Deerness ...	22	52	75	121	183	233	168	115	109	93	14	0	1185	3·24
Stornoway ...	26	42	96	164	134	251	151	115	115	76	42	20	1232	3·37
Castlebay ...	23	50	96	173	141	238	173	89	102	81	30	16	1212	3·31
Fortrose ...	42	57	96	122	156	253	168	119	113	119	64	81	1390	3·80
Inverness ...	40	58	109	117	180	254	146	122	108	117	65	71	1387	3·79
Nairn ...	45	58	122	109	172	248	146	122	113	118	67	77	1397	3·82
Gordon Castle ...	49	77	122	125	188	248	148	123	107	143	58	69	1457	3·98
Banff ...	49	86	126	125	211	244	164	135	113	128	61	60	1502	4·10
Aberdeen (King's College)	52	90	124	107	198	241	146	139	102	86	51	45	1381	3·77
Crathes ...	57	102	113	103	179	240	113	121	107	99	54	47	1335	3·65
Montrose ...	56	91	105	116	207	220	131	153	92	60	(45)	32	1308	3·57
Carnoustie ...	50	98	107	123	220	245	150	161	111	60	43	38	1406	3·84
Dundee (College Garden)	62	95	98	120	213	228	145	159	96	62	49	45	1372	3·75
Perth ...	55	88	96	103	200	219	139	141	99	51	33	24	1248	3·41
St. Andrews ...	57	101	110	118	216	228	145	138	122	73	50	42	1400	3·83
Stirling ...	(55)	(90)	88	117	170	207	113	116	121	65	30	30	1202	3·28
Oban ...	25	45	49	126	134	209	119	109	88	107	44	31	1086	2·97
Helensburgh ...	33	44	71	113	149	184	105	119	92	65	19	35	1029	2·81
Cardross ...	39	57	86	108	132	164	96	116	109	75	27	31	1040	2·84
Rothsay ...	35	44	75	116	151	187	114	131	122	84	20	46	1125	3·07
Paisley ...	35	52	84	117	159	185	122	153	118	47	18	22	1112	3·04
Renfrew ...	—	—	—	—	—	—	123	145	115	53	18	25	—	—
Glasgow (Observatory)	30	41	68	109	138	200	113	134	108	56	14	14	1025	2·80
Glasgow (Springburn Park)	26	45	67	105	142	—	—	—	—	—	—	—	—	—
Thorntonhall ...	28	54	73	98	151	185	95	125	109	79	21	36	1054	2·88
Kilmarnock ...	27	53	85	113	148	173	113	130	128	108	40	39	1157	3·16
Turnberry ...	28	56	73	139	153	171	121	143	114	71	28	24	1121	3·06
Edinburgh (Royal Observatory)	54	84	103	106	189	218	121	129	132	101	56	50	1343	3·67
West Linton ...	35	66	59	92	145	182	93	107	104	110	41	30	1064	2·91
Marchmont ...	42	78	93	116	199	217	128	143	119	85	56	41	1317	3·60
Duns ...	59	89	89	94	177	217	120	117	113	93	62	45	1275	3·48
Eskdalemuir ...	37	61	68	118	137	186	91	110	98	113	56	40	1115	3·05
Dumfries ...	48	64	76	111	169	188	106	135	124	117	47	34	1219	3·33
Ruthwell ...	41	73	79	115	168	192	105	119	117	124	49	31	1213	3·31

1920.		NUMBER OF HOURS—DIFFERENCE FROM NORMAL (1881-1915).												
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
Deerness	...	- 8	- 2	- 24	- 25	+ 5	+ 74	+ 30	- 5	+ 4	+ 17	- 22	- 20	+ 24
Stornoway	...	- 2	- 16	- 9	+ 10	- 57	+ 73	+ 6	- 18	0	- 10	- 1	- 3	- 27
Aberdeen	...	+ 4	+ 17	+ 7	- 51	+ 11	+ 57	- 13	- 11	- 22	- 9	- 4	+ 9	- 5
Crathes	...	+ 2	+ 23	+ 2	- 48	+ 8	+ 62	- 41	- 16	- 8	+ 7	- 1	+ 12	+ 2
Glasgow (Observatory)		+ 8	- 3	- 17	- 18	- 23	+ 37	- 33	+ 5	+ 8	- 10	- 14	- 1	- 61
Edinburgh (Royal Observatory)		+ 5	+ 6	- 11	- 32	+ 16	+ 34	- 46	- 21	+ 12	+ 2	- 5	+ 7	- 33
Marchmont	...	0	+ 11	- 14	- 29	+ 24	+ 30	- 40	- 5	- 2	+ 2	+ 5	+ 7	- 11

SUNSHINE.

PERCENTAGE OF POSSIBLE.												Year.	1920.
Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Mean.	
%	%	%	%	%	%	%	%	%	%	%	%	%	
9	13	21	30	31	39	28	24	22	13	11	4	24	Baltasound
10	20	21	28	35	43	31	24	28	29	6	0	26	Deerness
12	16	26	38	26	47	28	24	30	24	18	10	28	Stornoway
10	18	26	41	28	45	33	19	27	25	12	8	27	Castlebay
19	21	26	29	30	47	31	25	29	37	27	40	31	Fortrose
17	21	30	27	35	48	27	26	28	37	27	35	31	Inverness
20	22	34	26	34	46	27	26	29	37	28	38	31	Nairn
22	29	34	29	37	46	28	26	28	45	24	34	32	Gordon Castle
22	32	35	29	41	46	30	29	29	40	26	30	33	Banff
23	33	34	25	39	45	28	29	27	27	21	22	30	Aberdeen (King's College)
25	38	31	24	35	45	21	26	28	31	22	23	30	Crathes
24	33	29	27	41	42	25	33	24	19	18	15	29	Montrose
21	36	29	29	44	46	29	34	29	19	18	18	31	Carnoustie
27	35	27	28	42	43	28	34	25	19	20	21	31	Dundee (College Garden)
24	32	26	24	40	42	26	30	26	16	13	11	28	Perth
24	37	30	28	43	43	28	30	32	23	20	20	31	St. Andrews
23	33	24	28	34	40	22	25	32	20	12	14	27	Stirling
11	16	13	30	27	40	23	23	23	33	18	14	24	Oban
14	16	19	27	30	35	20	26	24	20	8	16	23	Helensburgh
17	21	23	26	26	31	18	25	28	23	11	14	23	Cardross
15	16	21	27	30	36	22	28	32	26	8	21	25	Rothsay
15	19	23	28	32	36	23	33	31	15	7	10	25	Paisley
—	—	—	—	—	—	23	31	30	16	7	12	—	Renfrew
13	15	19	26	28	38	22	29	28	17	6	6	23	Glasgow (Observatory)
11	16	18	25	28	—	—	—	—	—	—	—	—	Glasgow (Springburn Park)
12	20	20	23	30	36	18	27	28	24	8	17	24	Thorntonhall
11	19	23	27	30	33	22	28	34	33	16	18	26	Kilmarnock
12	20	20	33	31	33	23	31	30	22	11	11	25	Turnberry
23	31	28	25	38	42	23	28	35	31	23	23	30	Edinburgh (Royal Obs.)
15	24	16	22	29	35	18	23	27	34	17	14	24	West Linton
18	28	26	27	40	42	25	31	31	26	23	19	29	Marchmont
25	32	24	22	35	42	23	25	30	29	25	21	28	Duns
15	22	19	28	27	36	18	24	26	35	22	18	25	Eskdalemuir
20	23	21	26	34	36	21	29	32	36	19	15	27	Dumfries
17	26	22	27	34	37	20	26	31	38	19	14	27	Ruthwell



